


ook



aw

the



Deane



the

Battelle District, Monongalia County, W. Va.
 By South Penn Oil Co., Chamber of Commerce Bldg., Pittsburgh, Pa.
 On 243 acres, surface and mineral rights owned by South Penn Oil Co.,
 Chamber of Commerce Bldg., Pittsburgh, Pa.

Elevation, 1541.67' L.

12" conductor; 10" casing, 1230'; 8 $\frac{1}{2}$ "², 1735' (pulled); 6-5/8"²,
 2238'; 5-3/16"², 2645'.

Coal was encountered at 1230-1237'.

4 $\frac{1}{2}$ " liner, 253'.

Abandonment reported to Dept. of Mines March 8, 1935.

Salt water at 2170'.

Oil well.

	Top.	Bottom.
Pittsburgh Coal	1230	
Little Dunkard Sand	1580	
Big Dunkard Sand	1730	
Gas Sand	1930	
Salt Sand (water, 2170')	2125	
Little Lime	2325	
Pencil Cave	2450	- 2455
Big Lime	2455	- 2524
Big Injun Sand (show oil, 2620')	2524	- 2750
Stray Sand	3422	
Gordon Sand (show oil, 3465')	3447	- 3482
4th Sand (oil, 3497')	3490	
Total depth		3519

MON-104-A

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. _____ Well No. 3

SOUTH PENN OIL Company of Chamber of Commerce Building

Pittsburgh, Pa. on the Simon Edge Field

containing 242 acres. Location _____

Marshall District, in Marshall County, West Virginia

The surface of the above tract is owned in fee by South Penn Oil Company
Chamber of Commerce Bldg.,
Pittsburgh, Pa.

South Penn Oil Company address, and the mineral rights are owned by
Chamber of Commerce Bldg.,
Pittsburgh, Pa.

The oil and gas privileges are held under lease by the above-named company, and this well is drilled under permit

No. _____ issued by the West Virginia Department of Mines, Oil and Gas Division

Elevation of surface at top of well, 1241.97' Spot

The number of feet of the different sized casings used in the well.

12 feet _____ size. Wood conductors.

1200 feet 10" size, exp. 2200 feet 6-3/16" steel exp.

1700 (Pulled) feet 8-1/4" size, exp. _____ feet _____ steel exp.

2200 feet 6-6/8" size, exp. _____ feet _____ steel exp.

_____ packer of _____ size, set at _____

_____ packer of _____ size, set at _____

_____ in casing perforated at _____ feet to _____ feet.

_____ in casing perforated at _____ feet to _____ feet.

Coal was encountered at 1200 feet, thickness 22 inches, and at _____

_____ feet thickness _____ inches; and at _____ feet thickness _____ inches.

Items were used as follows: (Give details) 6-3/8" 220'

March 6, 1935.

By _____
Approved _____
By _____
SOUTH PENN OIL COMPANY
General Agent

1935

SOUTH FRESH OIL Company
Building of Commerce Bldg.
Pittsburgh, Pa. Address

COMPLETION DATA SHEET
 NO. 2
 FORMATION RECORD

Well No. S₁ - Simon 244y Farm.

Name	Color	Character	Oil Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Pittsburgh Coal				1290				1240' - 10"
Little Dunbar Sand				1500				1440' - 2 1/2' 1/2" 1/2"
Big Dunbar Sand				1790				
Gas Sand				1900				
Salt Sand				2125				
			Water	2170				2170' - 6 1/2"
Little Line				2225				
Pencil Cove				2430	2400			
Big Line				2430	2524			
Big Injun Sand				2524	2750			2640' - 2 1/2"
Strey Sand			Show oil	2600				
Gordon Sand				2622				
			Show oil	2647	2400			
4th Sand				2600				
			Oil	2600				
				2497				
Total Depth							2810	

3-27-11

Well was not shut in _____ Shut well was shut in _____ Shut

First water at 2170 _____ Shut first water at _____ Shut

Well was producing _____

March 6, 1922 _____
 Approved by Ed. J. [Signature]

SOUTH FRESH OIL COMPANY,

NOTE: In future, measurements must be noted on following lines and all top-ends and all cut and gas sands must be recorded under

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

Approved by Statute of 1912, Chapter 48, Section 20 of the Code

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

Devco Coal & Coke Co.,

MAIL ADDRESS AS ABOVE

Baltimore, Md.

ADDRESS

MAIL ADDRESS AS ABOVE

ADDRESS

MAIL ADDRESS AS ABOVE

ADDRESS

South Penn Oil Company

County of Randolph, W. Va.

September 9, 1911 A. D.

Wells and Location
Wetzel State

Wetzel County

Well No. 2

John Day Owner

Know all men by these presents, that I, the undersigned, do hereby certify that the above is a true and correct copy of the original as the same appears in the files of the Department of Mines, Oil and Gas Division, State of West Virginia.

AFFIDAVIT

STATE OF WEST VIRGINIA

County of Randolph) ss.

J. S. Wright

being first duly sworn according to law before me and say that they are experienced in the work of plugging and filling of oil and gas wells and were employed by South Penn Oil Company well owners, and participated in the work of plugging and filling the above well, that said work was commenced on the

9th day of April, 1911, at WV, and that the well was plugged and filled in the following manner:

[The following text is extremely faint and illegible due to heavy noise or damage to the original document.]

Quantity of cement, concrete grout used, top 6" of bottom 12" of 12", which covers ground 40", covering the following description, S. P. O. Co. No. 2, State Way 2nd - 1911.

and that the well of plugging and filling said well was completed on the 10th day of April, 1911.

W. S. S.



[Handwritten signature]

Done and subscribed before me this 11th day of April, 1911.