

Flat showing the location of Well No. 973 of \_\_\_\_\_ of \_\_\_\_\_ to be abandoned on the A.I. Tennant farm consisting of 124-5/8 acres, located in Clay District, Monongalia County, West Virginia.



ENGINEER'S CERTIFICATE.

I, the undersigned hereby certify that this map is correct and shows all the information to the best of my knowledge and belief, required by the oil and gas section of the mining laws of West Virginia.

A. L. Headley  
 Engineer  
 Fairview, W. Va.

acknowledged before me a Notary Public, in and for Monongalia County, West Virginia, this the 6th day of November, 1940.  
 My commission expires July, 7, 1940.

Oakley W. Moore  
 Notary Public.

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. \_\_\_\_\_

Well No. 973-

David Williams Company of Rockwell, W. Va.  
 on the Leasehold Form

containing 124-36 acres. Location

Clay

District, in Monongalia County, West Virginia

The surface of the above tract is owned in fee by

Carl W. Williams address, and the mineral rights are owned by  
James Tennant of Clay, W. Va.

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit  
 No. When drilled issued by the West Virginia Department of Mines, Oil and Gas Division

Elevation of surface at top of well, 1387'

Depth  
 Barometric

The number of feet of the different steel casings used in the well.

feet	also	Wood casing
<u>3358</u> feet <u>2"</u>	also, cog	feet steel cog
<u>2512</u> feet <u>5 3/4"</u>	also, cog	feet steel cog
<u>2186</u> feet <u>6 3/8"</u>	also, cog	feet steel cog

\_\_\_\_\_ galvanized steel pipe of \_\_\_\_\_ inches, set at \_\_\_\_\_ feet to \_\_\_\_\_ feet.  
 \_\_\_\_\_ galvanized steel pipe of \_\_\_\_\_ inches, set at \_\_\_\_\_ feet to \_\_\_\_\_ feet.  
 \_\_\_\_\_ galvanized steel pipe of \_\_\_\_\_ inches, set at \_\_\_\_\_ feet to \_\_\_\_\_ feet.

Cool was encountered at 987 feet, thickness 6 ft inches, and at 962 feet, thickness 8 ft inches; and at \_\_\_\_\_ feet, thickness \_\_\_\_\_ inches.

Lenses were used as follows: (Give details)

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Nov. 14, 1935  
 Date  
 Approved: David Williams  
 District Engineer

11-19-35

*James D. Dillinger* Company  
*Blacksville* Address  
*W. Va.*

COMPLETION DATA SHEET  
 NO. 2  
 FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
<i>Nothing</i>		<i>Coal</i>		<i>887</i>	<i>893</i>	<i>6</i>		
<i>Coal</i>		<i>Coal</i>		<i>962</i>	<i>970</i>	<i>8</i>		
<i>Shale</i>				<i>1744</i>	<i>1762</i>	<i>18</i>		
<i>Shale</i>								
<i>Shale</i>			<i>water</i>	<i>1772</i>	<i>1804</i>	<i>32</i>		
<i>Shale</i>			<i>1828</i>					
<i>Shale</i>				<i>2129</i>	<i>2145</i>	<i>16</i>		
<i>Shale</i>				<i>2148</i>	<i>2217</i>	<i>69</i>		<i>2196' - 6 7/8"</i>
<i>Shale</i>				<i>2217</i>	<i>2407</i>	<i>190</i>		
<i>Shale</i>			<i>oil</i>	<i>2332</i>				
<i>Shale</i>				<i>2895</i>	<i>2930</i>	<i>35</i>		<i>2412' - 5 1/2"</i>
<i>Shale</i>			<i>water</i>					
<i>Shale</i>				<i>2956</i>	<i>2993</i>	<i>37</i>		
<i>Shale</i>			<i>water</i>	<i>2966</i>				
<i>Shale</i>				<i>3051</i>	<i>3088</i>	<i>37</i>		
<i>Shale</i>				<i>3205</i>	<i>3217</i>	<i>12</i>		
<i>Shale</i>				<i>3327</i>	<i>3357</i>	<i>30</i>		
<i>Shale</i>			<i>oil</i>	<i>3342</i>	<i>3345</i>			
							<i>Total Depth</i>	
							<i>3363 1/2</i>	<i>ft.</i>

shot \_\_\_\_\_ feet; well was shot at \_\_\_\_\_ feet.

salt \_\_\_\_\_ feet; fresh water at \_\_\_\_\_ feet.

producing hole.

Approved *James D. Dillinger*

4700 ft. in 1935