









STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

597

WELL RECORD

Permit No. MON 559-A

Oil or Gas Well \_\_\_\_\_  
(KIND)

Company Dunn-Mar Oil & Gas Co.  
 Address Waynesburg, Pa.  
 Farm D.C. Core Acres \_\_\_\_\_  
 Location (waters) \_\_\_\_\_  
 Well No. One  
 District Clay County Monongalia Elev. \_\_\_\_\_  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced Oct. 1923  
 Drilling completed \_\_\_\_\_  
 Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_

| Casing and Tubing | Used in Drilling | Left in Well | Packers        |
|-------------------|------------------|--------------|----------------|
| Size              |                  |              |                |
| 16                |                  |              | Kind of Packer |
| 13                |                  | 960          |                |
| 10                |                  | 1650         | Size of        |
| 8 1/4             |                  | 2144         |                |
| 6 5/8             |                  |              | Depth set      |
| 5 3/16            |                  |              |                |
| 3                 |                  | 3336         | Perf. top      |
| 2                 |                  |              | Perf. bottom   |
| Liners Used       |                  |              | Perf. top      |
|                   |                  |              | Perf. bottom   |

Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT 836 FEET 48 INCHES  
916 FEET 96 INCHES FEET INCHES  
 FEET INCHES FEET INCHES

| Formation      | Color | Hard or Soft | Top  | Bottom | Oil, Gas or Water | Depth Found | Remarks |
|----------------|-------|--------------|------|--------|-------------------|-------------|---------|
| Mapletown Coal |       |              | 836  | 840    |                   |             |         |
| Pgh Coal       |       |              | 916  | 924    |                   |             |         |
| Big. Injun     |       |              | 2183 | 2385   |                   |             |         |
| Bayard         |       |              | 3342 | 3348   | Oil same.         |             |         |
| Total Depth.   |       |              |      | 3357   |                   |             |         |



D. C. CORN NO. 1 WELL.

Clay District, Monongalia County, W. Va.  
By Sunn-Har Oil & Gas Co., Waynesburg, Pa.

Abandoned under permit non-.....-A/

On.....ACRES.

Elevation, .....' L.

Drilling completed Oct. 1923.

10" casing, 960'; 8", 1650'; 6", 2144'; 2" tubing, 3336'.

Coal was encountered at 836-840 and 916-924'.

Oil well. Record to Dept. of Mines stamped Oct. 6, 1962.

Record to ACE from Mrs. Griffith June 10, 1953. Old File No. 597.

|                            | Top. | Bottom. |
|----------------------------|------|---------|
| Mapletown (Sewickley) Coal | 836  | - 840   |
| Pittsburgh Coal            | 916  | - 924   |
| Big Injun Sand             | 2183 | - 2385  |
| Bayard Sand (oil)          | 3342 | - 3348  |
| Total depth                |      | 3357    |

D. C. COKE NO. 1 WELL.  
(MOORESVILLE LAND CO. 100-ACRE TRACT)

No. 62 O.T. - Monongalia.

Clay District, Monongalia County, W. Va.

By J. W. McDermott Oil Co.; succeeded by Consolidation Oil & Gas Co.  
On a branch of Statler Run about 1 mi. N. W. of Mooreville.

Completed drilling down Oct. 17, 1917.

10" casing, 960'; 8 1/2", 1690'; 6-5/8", 2144'; 4-7/8" liner, 532';  
2" tubing, 3336'.

10' working barrel; 11' anchor; perforation at 3350'; air hole, 3345'.  
7-bbl. oil well.

|                                | Top. | Bottom. |
|--------------------------------|------|---------|
| Coal, Pittsburgh               | 916  |         |
| Sand, Big Injun                | 2183 | - 2385  |
| Sand, Bayard (oil, 3345-3348') | 3342 | - 3348  |
| Total depth                    |      | 3357    |



0:1

WELL RECORD 61-30559

COMPANY

Record of Well No. 1 on Mooreville Land Co. (D.C. Core) Farm 100 Acres  
Mooreville Field Clay District Monongalai County W. Va. State  
 Rig Commenced Dr. G. Down Aug. 19 Completed October 17th. 19  
 Cost Per Foot Dr. G. Down Aug. 19 Completed October 17th. 19  
 Drillers Names H.P. Hall & C.V. Johnson, Contractor J.H. McDermott Oil Co. Address

CONDUCTOR AND CASING USED IN DRILLING

Conductor 13 inch 10 inch 8 1-4 inch 6 5-8 inch 5 3-16 inch 4 inch 3 inch 2 inch  
960 1650 2144 4 7/8 532

CONDUCTOR AND CASING LEFT IN WELL

Conductor 13 inch 10 inch 8 3-4 inch 6 5-8 inch 5 3-16 inch 4 inch 3 inch 2 inch  
960 1650 2144 4 7/8 532 3336

| Formation            | Top         | Bottom      | Thickness | Formation               | Top         | Bottom      | Thickness |
|----------------------|-------------|-------------|-----------|-------------------------|-------------|-------------|-----------|
| GRAVEL OR QUICK SAND |             |             |           | FORMATION               |             |             |           |
| FIRST WATER          |             |             |           | SQUAW                   |             |             |           |
| BLUFF SAND           |             |             |           | BEREA                   |             |             |           |
| NATIVE COAL          |             |             |           | GANTZ                   |             |             |           |
| WBG. COAL            |             |             |           | FIFTY FOOT              |             |             |           |
| MAPLE COAL           |             |             |           | THIRTY FOOT             |             |             |           |
| PGH. COAL            | <u>916</u>  |             |           | GORDON STRAY            |             |             |           |
| MURPHY SAND          |             |             |           | GORDON                  |             |             |           |
| LITTLE DKRD.         |             |             |           | FOURTH                  |             |             |           |
| BIG DKRD.            |             |             |           | FIFTH                   |             |             |           |
| GAS SAND             |             |             |           | BAYARD                  | <u>3342</u> | <u>3348</u> | <u>6</u>  |
| FIRST SALT SAND      |             |             |           | <u>Oil 3345 to 3348</u> |             |             |           |
| SECOND SALT SAND     |             |             |           | ELIZABETH               |             |             |           |
| LITTLE LIME          |             |             |           |                         |             |             |           |
| PENCIL CAVE          |             |             |           |                         |             |             |           |
| BIG LIME             |             |             |           |                         |             |             |           |
| BIG INJUN            | <u>2183</u> | <u>2385</u> |           |                         |             |             |           |
|                      |             |             |           | TOTAL DEPTH             | <u>3357</u> |             |           |

Gas Test Open  
 Minute Test

Oil Production 7 bbls. Daily

Well Tubed with 3336 Tubing Packer Set in 10 Ft. working bbl. 11 Sand, Top of Packer, Anchor, Perforation at, 3350 Perforation Air Hole 3345

SHOT RECORD

| Date                     | Amount         | Size of Shell    | Top         | Bottom      | Oil on Shot    | Results             |
|--------------------------|----------------|------------------|-------------|-------------|----------------|---------------------|
| <u>Oct. 23 1917</u>      | <u>10 qts.</u> | <u>3 1/2 X 5</u> | <u>3343</u> | <u>3348</u> | <u>200 ft.</u> | <u>4 to 7 Bbls.</u> |
| <u>Abandoned in 1932</u> |                |                  |             |             |                |                     |

REMARKS: 532ft. 4 7/8 casing in hole for liner, setting on bottom, with bottom joint perforated, Collar on bottom, 175ft. in bottom section, 202ft. middle section, 155ft. top section, Put well to pumping Nov. 12th. 1917,