

4.485  
~~4.533~~ of 39° 40'  
~~1.417~~ W of 78° 10'  
 1.44 W

Well Location

Company - JOHN FOX
Address - HOOKER-FULTON BLDG. BRADFORD PA.
Firm - AMASA NESTOR
Tract - Acres - 226 - Lease No.
Well (Form) No 1 Serial No. - K-1
Elevation (spirit level) 626.71 Gr.
Quadrangle - MANCOCK - WC
County - MORGAN - District - ALLEN
Engineer - Carl V. Howell - Surveyor
Engineer's Registration No. - 29-E-Penna.
File No. Drawing No.
Date - Aug 12, 1954. Scale 1" = 1320'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL & GAS DIVISION  
 CHARLESTON  
 WELL LOCATION MAP  
 FILE NO. MORGAN-1

- + Denotes location of well on United States Topographic Maps, Scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION 24

Quadrangle Hancock

Permit No. MOR-1

WELL RECORD

Oil or Gas Well Dry  
(KIND)

Company Transcontinental Production Company  
Address 744 Broad Street, Newark, New Jersey  
Farm Amasa Nestor Acres 204  
Location (waters) Yellow Spring Run  
Well No. 1 Elev. 626.7  
District Allen County Morgan  
The surface of tract is owned in fee by Amasa Nestor  
Address Berkeley Springs, W. Virginia  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_


Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10 3/4"	24	24	Size of
8 5/8"	1194	1194	
8 7"	3295	3295	Depth set
5 3/8"	3428	3428	
			Perf. top
			Perf. bottom
			Perf. top
			Perf. bottom

Drilling commenced October 4, 1954  
Drilling completed Temporarily Discontinued, Nov. 7, 1956  
Date Shot None From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
None /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil None bbls., 1st 24 hrs.  
WELL ACIDIZED None  
WELL FRACTURED None

CASING CEMENTED 7" SIZE 3295 No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
5" O.D. 3428 6/13/56  
COAL WAS ENCOUNTERED AT None FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

RESULT AFTER TREATMENT  
ROCK PRESSURE AFTER TREATMENT  
Fresh Water See Log Feet \_\_\_\_\_ Salt Water None Feet \_\_\_\_\_

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Clay	Blue		0	25	Water	25	
Lime			25	100			
Lime Shells and Slate			100	180			
Pink Rock	Pink		180	210			
Sand			266	276			
Lime			276	412			
Sand			412	665	Water	480	
Slate			665	720			
Lime			720	810			
Lime Shells and Sand			810	1150	Water	827	100 Gal./24 Hr.
Sand			1150	1165	Water	1052	
Lime Shells			1165	1307	Water	1150-60	3/4 BBL./Hr.
Sand	Brown		1307	1330			
Lime Shells and Sand			1330	1450			
Sand	White		1450	1500			
Lime and sand shells			1500	1600			
Slate and shells			1600	1736			
Sand	Dark		1736	1880			
Lime	Gray		1880	2253			
Sand			2253	2267	Water	2253-67	2 1/2 Bailers/Hr.
Lime			2267	2335	Water	2330	1 1/2 Bailers/Hr.
Sand			2335	2370	Water	2355	HFV



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate and shells			2370	2415			
Sand			2415	2440			
Lime			2440	2619	Water	2619	HFW
Sand	Gray		2619	2760			
Lime and Shale			2760	3008			
Siltstone			3008	3152			
Shale			3152	3289	Water	3196	HFW
Sand			3289	3291			
Shale			3291	3319			
Siltstone			3319	3329			
Shale			3329	3406			
Siltstone			3406	3435			
Sand and siltstone			3435	3523			
Shale and siltstone			3523	3854			

Date....., 19.....

APPROVED....., Owner

By..... (Title)



ORISKANY DATA FROM MORGAN COUNTY GAS WELLS

Permit	Quad.	Oriskany	
		Top	Thickness
1.....	Stotlers.....	NOT DRILLED TO Do	
2.....	NOT DRILLED		
3.....	Paw Paw.....	-4167.....	146+
4.....	Paw Paw.....	-3983.....	164+
5.....	Stotlers.....	Below -5896....	Did not reach Do
6.....	Paw Paw.....	-5837.....	26.....Faulted
7.....	NOW PERMIT NO. 9		
8.....	Paw Paw.....	-5161.....	???.....Stopped in Do
9.....	Paw Paw.....	-4064.....	150