

Company Hamilton Gas Company
 Address Charleston, W. Va.
 Farm J. H. & H. H. Groves
 Acreage One Acres 200 Lease # WN-10
 Well (Farm) No. 1 Serial No. B-16
 Elevation (Spirit Level) 1888.36' L.
 Quadrangle Summersville N. E.
 County Nicholas District - Hamilton
 Engineer - D. ... Belcher
 Engineer's Registration No. _____
 File No. 491 Sec. 2-A-1 Drawing No. - _____
 Date 12-3-36 Scale 1" = 1000'

STATE OF WEST VIRGINIA
 Department of Mines
 OIL AND GAS DIVISION
 Charleston

WELL LOCATION MAP

File No. NIC-3-4-A

+ Denotes location of well on U. S. Topographic Maps, scale 1 to 62,500 latitude and longitude lines being represented by border lines as shown

- Denotes one inch spaces on border line of original tracing.

(227)

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) SHOULD BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE ADDRESSES.

Not operated
COAL OPERATOR OR OWNER Southeastern Gas Company
NAME OF WELL OPERATOR

ADDRESS Box 2347, Chas. 27, W. Va.
COMPLETE ADDRESS

COAL OPERATOR OR OWNER _____
WELL AND LOCATION September 10 19 60

ADDRESS _____
District Familton

LEASE OR PROPERTY OWNER Farmers and Merchants Bank
County Nicholas

ADDRESS Summersville, W. Va.
Well No. B-16

J.H. and H.A. Groves Farm

STATE INSPECTOR SUPERVISING PLUGGING J. E. Samples

AFFIDAVIT

STATE OF WEST VIRGINIA, }
County of Harrison } ss:
~~W. S. Jenkins~~ G. F. Jenkins and ~~Richard Jackson~~ Richard Jackson Richard Jackson, Inc.
being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Richard Jackson, Inc., well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 5 day of August, 19 60, and that the well was plugged and filled in the following manner:


BAND OR ZONE RECORD FORMATION	FILLING MATERIAL	PLUGS USED SIZE & KIND	CASING	
			CSG PULLED	CSG LEFT IN
1. Pulled 2" tubing				
2. Filled 2300-1679' (in little Lime)				
3. Cement 1679-1555'				
4. Stone 1555-1520' continued with clay to 1520'				
5. Started 7" csg and filled as csg was pulled to 1425'				
6. Cement 1425-1415'				
7. Stone 1415-1410'				
8. Filled to 225'				
9. Cement 225-165, 5' stone				
10. Filled to surface after 10" was pulled				
11. Drilled cement.				
COAL SEAMS	DESCRIPTION OF MONUMENT			
(NAME)	Piece of 7" es: filled with cement			
(NAME)	extending 30" above surface with			
(NAME)	inscription: Southeastern Gas Co.			
(NAME)	8-24-60			

and that the work of plugging and filling said well was completed on the 24 day of August, 19 60.

And further deponents saith not.

Sworn to and subscribed before me this 5 day of August, 19 60.

My commission expires 5-5-70



G. F. Jenkins
Richard Jackson
day of August, 19 60
Richard Jackson
Notary Public.

Permit No. 16-1 renewed

FORM G-D

NOTICE OF INTENTION TO PLUG AND ABANDON WELL
(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)
WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

J. H. and W. H. Groves
COAL OPERATOR OR COAL OWNER

Hamilton Gas Company
NAME OF WELL OPERATOR

Summersville, W. Va.
ADDRESS

Box 1356, Charleston, W. Va.
COMPLETE ADDRESS

COAL OPERATOR OR COAL OWNER

December 7, 1936
WELL TO BE ABANDONED

ADDRESS

Hamilton District

J. H. and W. H. Groves
LEASE OR PROPERTY OWNER

Nicholas County

Summersville, W. Va.
ADDRESS

Well No. B-16 38° 30'
80° 45'

J. H. and W. H. Groves Farm

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence the work of plugging and abandoning said well on the 4th day of January, 1937, (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

Hamilton Geales
Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)



40

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Quadrangle Summersville

Permit No. 4-11

8-16 WELL RECORD Oil or Gas Well Gas
(KIND)

Company Southeastern Gas Company
Address Box 2347
Farm Hill Groves Acres _____
Location (waters) Muddlety Creek
Well No. B-16 Elev. 1555.76
District Hamilton County Nicholas
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by _____
Address _____
Drilling commenced June-13-1925
Drilling completed August-28-1925
Date Shot _____ From _____ To _____
With _____
Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume 120 M _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
WELL ACIDIZED _____
WELL FRACTURED _____

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10 3/4 OD	92'	92'	Size of 2 x 7 x 16"
8 5/8 OD	808'	Pulled	
8 7/8 OD	1590'	1590'	Depth set 1763
5 7/8 OD	170'	170'	
3			Perf. top
2 3/8 OD	2500'	2500'	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____


COAL WAS ENCOUNTERED AT 188 FEET 48 INCHES
____ FEET _____ INCHES FEET _____ INCHES
____ FEET _____ INCHES FEET _____ INCHES

RESULT AFTER TREATMENT _____

ROCK PRESSURE AFTER TREATMENT _____

Fresh Water 188 HW Feet 1395-2-BPH Salt Water 1585-HW Feet _____

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Clay			10	13			
Slate			13	90			
Lime			90	102			
Slate			102	143			
Lime			143	188			
Coal			188	192			
Slate			192	230			
Sand			230	300			
Slate			300	375			
Lime			375	425			
Slate			425	455			
Lime			455	650			
Slate			650	725			
Lime			725	880			
First Salt Sand			880	920			
Slate			920	1025			
Second Salt Sand			1025	1078			
Slate			1078	1123			
Sand			1123	1146			
Red Rock			1146	1275			
Lime			1275	1295			
Red Rock			1295	1320			
Lime			1320	1345			
Slate			1345	1395			
Sand			1395	1433			
Red Rock			1433	1490			
Maxon Sand			1490	1595			
Slate			1595	1635			



(over)

JAN 3 1961

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Lime			1635	1659			
Slate			1659	1664			
Lime			1664	1679			
Pencil Cave			1679	1739			
Big Lime			1739	1789			
Big Injun			1789	1997			
Slate & Shells			1997	2057			
Squaw Sand			2057	2179			
Slate & Sand Shell			2179	2500			
Total Depth				2500			

Date....., 19.....

APPROVED....., Owner

By..... (Title)