


LATITUDE 39° 25' 00"

00, 50, 18 LONGITUDE



7'5 OGIS topo location

7.5' loc 235 S 15' loc \_\_\_\_\_  
                  0.44 W (calc.) \_\_\_\_\_

Company \_\_\_\_\_

Farm \_\_\_\_\_

Quad BENS RUN 7/2'


County PLEASANTS

District LAFAYETTE

WELL LOCATION MAP

File No. 073-0033

Proposed location of well no. 1 of Albert Muley  
 on 181.12 ac. 70. West Virginia, on The David and Basil Hooper  
 Farms, Consisting of 60 acres, Located in Lafayette  
 District, Pleasants County, West Virginia.



I, The undersigned, hereby certify that this map is  
 correct and shows all the information to the best  
 of my knowledge and belief required by the  
 Oil and Gas Section of the Mining Laws of West Va.  
 scale 25 ft. to 1"

Jno Triplet, engineer.

Acknowledged before me a Notary Public for  
 Pleasants County W. Va. this 15<sup>th</sup> day of January 1935.

H. P. Emyle, Notary Public

My commission expires April 6, 1936

WEST VIRGINIA DEPARTMENT OF MINES

Pleas-33

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. 1

Well No. \_\_\_\_\_

Albert Neely Company of St Marys  
W Va on the B W Hooper Farm

containing Sixty acres. Location \_\_\_\_\_  
Fayette District, in Pleasants County, West Virginia

The surface of the above tract is owned in fee by B M Hooper  
of St Marys address, and the mineral rights are owned by  
B M Hooper of St Marys

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit  
No. Pleas. 33 issued by the West Virginia Department of Mines, Oil and Gas Division  
\_\_\_\_\_ 1935.

Elevation of surface at top of well, 875 Spirit  
Barometric.

The number of feet of the different sized casings used in the well.

14 feet 10 size. Wood conductor.  
260 feet 8 size, csg. \_\_\_\_\_ feet \_\_\_\_\_ sized csg.  
1070 feet 6 1/4 size, csg. \_\_\_\_\_ feet \_\_\_\_\_ sized csg.  
\_\_\_\_\_ feet \_\_\_\_\_ size, csg. \_\_\_\_\_ feet \_\_\_\_\_ sized csg.

\_\_\_\_\_ packer of \_\_\_\_\_ size, set at \_\_\_\_\_  
\_\_\_\_\_ packer of \_\_\_\_\_ size, set at \_\_\_\_\_  
\_\_\_\_\_, in casing perforated at \_\_\_\_\_ feet to \_\_\_\_\_ feet.  
\_\_\_\_\_, in casing perforated at \_\_\_\_\_ feet to \_\_\_\_\_ feet.

Coal was encountered at \_\_\_\_\_ feet, thickness \_\_\_\_\_ inches, and at \_\_\_\_\_  
feet; thickness \_\_\_\_\_ inches; and at \_\_\_\_\_ feet; thickness \_\_\_\_\_ inches.

Liners were used as follows: (Give details) none

July 5 1935 Date.

Approved Albert Neely Owner.

By \_\_\_\_\_ (TITLE)

JUL 6 1935

PEAS-33

OIL OR GAS WELL

gas

Albert Neely Company  
St Marys Address  
WELL NO. 1 FARM B M Hooper

COMPLETION DATA SHEET  
No. 2  
FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Low run sand			none	875	900	25	26	8 1/2'
Salt sand			"	1070	1110	40	1070	6 1/4'
Salt sand			"	1355	1385	30		
Waxine			gas	1595	1636	41		
Keener			none	1701	1723	22		
Big run			salt water very little	1748	1850	102		

shot  
Well was not shot at from 1626 to 1636 feet; well was shot at \_\_\_\_\_ feet.

Salt  
Fresh water at 1810 very little salt  
feet; fresh water at \_\_\_\_\_ feet.

producing  
Well was \_\_\_\_\_ hole.  
dry

June 25 1935  
Date

Approved Albert Neely  
Owner

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

JUL 6 1935

HOOPER, B. M., NO. 1.

By Albert Neely.

Lafayette Dist.

Pleas-33.