| 81,300.00" |
|------------|
| LONGI      |

39° 20' 00"

LAFITUDE

7'5 OGIS topo location

7.5' 10C 0.165

| campany . |   |
|-----------|---|
| Farm      |   |
|           | • |

Quad WILLOW ISLAND 7/2'
County PLEASANTS

District GRANT

WELL LOCATION MAP

File No. <u>073 - 0051</u>

Location of Well No. 2 of the FOGGIN And

i farm consisting of 58 Acres more or less located in

LUCY Tripleti Ethel Franklin 58 A 1 Nell No.2 Mrs. T.B. Horness WOOD

I, the undersigned, hereby certify that this map is correct and shows all the information to the best of my knowledge and belief, required by the all and gas section of the mining laws of West Virginia.

Roll B Anderson

Root, R. Anderson Registered Professional Eng.

Ugua-1935-

.E. Anderson Notary Public

My comission Replies //2/3 1935

## WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

## PRELIMINARY DATA SHEET NO. 1

| File No. Ple 51  | Well No.                                |
|--|---|
| Hoggin & Porsicite Pa  | Therspung. W.Va                         |
| ////   | + Ethel transle Farm                    |
| 50 h. 10 100 a.  | ek in                                   |
| Us and So  |   |
|  | County, West Virginia                   |
| The surface of the above tract is owned in fee by AMN + (                | MMG THAUMEU                             |
| foggint Craig Oil + Has Ce) of Park                                      | ss, and the mineral rights are owned by |
| 1  |   |
| The oil and gas privileges are held under lease by the above named compa | ·                                       |
| $\mathcal{V}_{\mathcal{N}}$  | ertment of Mines, Oil and Gas Division  |
| 100 / 0, 193 2.<br>7 1 1 M   | Spirit                                  |
| Elevation of surface at top of well,                                     | Barometric.                             |
| The number of feet of the different sized casings used in the well.      |   |
|  | size. Wood conductor.                   |
| 824 feet 6" size, csg.   | feetsized.csg.                          |
| 200 feet 8 size, csg.  | feetsized csg.                          |
| feet size, csg.  | feetsized csg.                          |
| packer of  | size, set at                            |
| packer of  | size, set at                            |
| , in casing perforated at  | feet tofeet.                            |
| in casing perforated at  | feet tofeet.                            |
| Coal was encountered at None feet, thick ness                            | inches, and at                          |
| feet; thicknessinches; and atfeet;                                       | thickness inches.                       |
| Liners were used as follows: (Give details)                              |   |
|  |   |
|  |   |
|  |   |
| May 28 1936  |   |
| Date.  | LPO I DIDIL CO                          |
| 1931-123 Approved 7799W  | Wraig WY Hay Cor.                       |
| By By 7709   | (TITLE) TYPERO,                         |
| 、 8  |   |

OIL OR GAS WELL #2, alt Gas Ca, Orais COMPLETION DATA SHEET No. 2 FORMATION RECORD Total Depțh Oil, Gas or Water Bottom Remarks Тор Color Name 30 334 636' 136' 100' - 824' 65' 824' 65' 836' 851' 15' 870 Th Well was not shot

Pleas - 51

FRANKLIN, ETHEL, NO. 2.

Pleas-51.

By Foggin & Craig Oil & Gas Co.

Grant Dist.