

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Friday, April 14, 2023 WELL WORK PLUGGING PERMIT Vertical Plugging

UNKNOWN - DEP PAID PLUGGING CONTRACT 601 57TH STREET

CHARLESTON, WV 25304

Re:

Permit approval for 1 47-073-00202-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

> James A. Martin Chief

Operator's Well Number:

Farm Name: HAMMET HEIRS

U.S. WELL NUMBER: 47-073-00202-00-00

Vertical Plugging Date Issued: 4/14/2023

Promoting a healthy environment.

4707300202

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 2. Well work activities shall not constitute a hazard to the safety of persons.

1)Date	47	0 7	′ 3	0,0	2	0	2
2) Opes	rator	's					
Well	l No.	HAMN	IET, H	EIRS 1			
3) APT	Well	No.	47-	073	- 00202		

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

4) Well Type: Oil X / Gas X / Liqu	id injection/ Waste disposal/
(If "Gas, Production X or U	nderground storage) Deep/ Shallow $^{ extsf{X}}$
5) Location: Elevation 1094.64'	Watershed Bull Creek
District Jefferson	County Pleasants Quadrangle Schultz
21001100	Quadrangie_
6) Well Operator Unknown - DEP Paid Plugging Contract WVDEP	7) Designated Agent H. Jason Harmon
Address 601 57th Street	Address 601 57th Street
Charleston, WV 25304	Charleston, WV 25304
8) Oil and Gas Inspector to be notified	9) Plugging Contractor
Name Isaiah M. Richards	Name Unlimited Energy Services, LLC
Address 114 Turkey Lick Road	Address 264 Industrial Park Road
West Union, WV 26456	Jane Lew, WV 26378
0) Work Order: The work order for the ma	nner of plugging this well is as follows:
Check pressures on all casing with a gauge. Blo	w down the well into a grounded tank with a secure line.
Begin plugging and abandonment operation	ons. Load 6 5/8" casing with fresh water.
RIH Wireline, Run CBL on 6 5/8" casing from	
	860'-surface. Determine free point on 6 5/8" casing.
-	860'-surface. Determine free point on 6 5/8" casing.
-	860'-surface. Determine free point on 6 5/8" casing. from 860' to 760' (gas shown at 837', elevation at 1094.64').
-	from 860' to 760' (gas shown at 837', elevation at 1094.64').
TIH w/ tubing to 840', set 100' Class A cement plug Cut 6 5/8" CSG at free point TOOH v	from 860' to 760' (gas shown at 837', elevation at 1094.64').
TIH w/ tubing to 840', set 100' Class A cement plug Cut 6 5/8" CSG at free point TOOH v Set Class A cement plug from 760'-660' gel R	from 860' to 760' (gas shown at 837', elevation at 1094.64'). V/ CSG. TIH w/ tubing to 760'.
TIH w/ tubing to 840', set 100' Class A cement plug Cut 6 5/8" CSG at free point TOOH v Set Class A cement plug from 760'-660' gel I TIH w/ tubing 560', set 560' Class A cement plug	from 860' to 760' (gas shown at 837', elevation at 1094.64'). V/ CSG. TIH w/ tubing to 760'. nole 660' to 560'. TOOH w/ tubing. WOC. Tag TOC. cement plug 560' to 0' (fresh water at 140').
TIH w/ tubing to 840', set 100' Class A cement plug Cut 6 5/8" CSG at free point TOOH v Set Class A cement plug from 760'-660' gel I TIH w/ tubing 560', set 560' Class A cement plug	from 860' to 760' (gas shown at 837', elevation at 1094.64'). W/ CSG. TIH w/ tubing to 760'. nole 660' to 560'. TOOH w/ tubing. WOC. Tag TOC.
TIH w/ tubing to 840', set 100' Class A cement plug Cut 6 5/8" CSG at free point TOOH v Set Class A cement plug from 760'-660' gel I TIH w/ tubing 560', set 560' Class A cement plug	from 860' to 760' (gas shown at 837', elevation at 1094.64'). W/ CSG. TIH w/ tubing to 760'. nole 660' to 560'. TOOH w/ tubing. WOC. Tag TOC. cement plug 560' to 0' (fresh water at 140'). #, date plugged, and company name. RECEIVED office of Oil and Gas
TIH w/ tubing to 840', set 100' Class A cement plug Cut 6 5/8" CSG at free point TOOH v Set Class A cement plug from 760'-660' gel I TIH w/ tubing 560', set 560' Class A cement plug	from 860' to 760' (gas shown at 837', elevation at 1094.64'). W/ CSG. TIH w/ tubing to 760'. nole 660' to 560'. TOOH w/ tubing. WOC. Tag TOC. cement plug 560' to 0' (fresh water at 140').
TIH w/ tubing to 840', set 100' Class A cement plug Cut 6 5/8" CSG at free point TOOH v Set Class A cement plug from 760'-660' gel I TIH w/ tubing 560', set 560' Class A cement plug	from 860' to 760' (gas shown at 837', elevation at 1094.64'). W/ CSG. TIH w/ tubing to 760'. nole 660' to 560'. TOOH w/ tubing. WOC. Tag TOC. cement plug 560' to 0' (fresh water at 140'). #, date plugged, and company name. RECEIVED and road to WVDEP specifications. Office of Oil and Gas WV Department of
TIH w/ tubing to 840', set 100' Class A cement plug Cut 6 5/8" CSG at free point TOOH v Set Class A cement plug from 760'-660' gel to TIH w/ tubing 560', set 560' Class A cement as needed. Erect monument with API	from 860' to 760' (gas shown at 837', elevation at 1094.64'). W/ CSG. TIH w/ tubing to 760'. nole 660' to 560'. TOOH w/ tubing. WOC. Tag TOC. cement plug 560' to 0' (fresh water at 140'). #, date plugged, and company name. RECENTED and road to WVDEP specifications. Office of Oil and Gas WV Department of Environmental Protection
TIH w/ tubing to 840', set 100' Class A cement plug Cut 6 5/8" CSG at free point TOOH v Set Class A cement plug from 760'-660' gel to TIH w/ tubing 560', set 560' Class A cement as needed. Erect monument with API	from 860' to 760' (gas shown at 837', elevation at 1094.64'). W/ CSG. TIH w/ tubing to 760'. nole 660' to 560'. TOOH w/ tubing. WOC. Tag TOC. cement plug 560' to 0' (fresh water at 140'). #, date plugged, and company name. RECEIVED and road to WVDEP specifications. Office of Oil and Gas WV Department of
TIH w/ tubing to 840', set 100' Class A cement plug Cut 6 5/8" CSG at free point TOOH v Set Class A cement plug from 760'-660' gel I TIH w/ tubing 560', set 560' Class A c Top off well to surface with solid cement as needed. Erect monument with API otification must be given to the district of	from 860' to 760' (gas shown at 837', elevation at 1094.64'). W/ CSG. TIH w/ tubing to 760'. nole 660' to 560'. TOOH w/ tubing. WOC. Tag TOC. cement plug 560' to 0' (fresh water at 140'). #, date plugged, and company name. RECENTED and road to WVDEP specifications. Office of Oil and Gas WV Department of Environmental Protection
TIH w/ tubing to 840', set 100' Class A cement plug Cut 6 5/8" CSG at free point TOOH v Set Class A cement plug from 760'-660' gel I TIH w/ tubing 560', set 560' Class A c Top off well to surface with solid cement as needed. Erect monument with API otification must be given to the district of	from 860' to 760' (gas shown at 837', elevation at 1094.64'). W/ CSG. TIH w/ tubing to 760'. nole 660' to 560'. TOOH w/ tubing. WOC. Tag TOC. cement plug 560' to 0' (fresh water at 140'). #, date plugged, and company name. RECENTED and road to WVDEP specifications. Office of Oil and Gas WV Department of Environmental Protection

WW-4A Revised 6-07

1) Date:				
2) Operator's Well Number HAMMET, HEIRS 1				
3) API Well No.: 47 -	073	-	00202	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

۸١	Surface Own	er(s) to be served:	5) (a) Coal Operato	24
٠,	(a) Name	Jerry Westfall, WVDNR	5.15	Name	л
	Address	West Virginia Department of Na		_ Address	
	Address			- Address	
	a.v.	2311 Ohio Avenue, Pari	kersburg VVV 26101	- 4. 010-	(A) with Deplemention
	(b) Name			-	wner(s) with Declaration
	Address	1		_ Name	Westvaco Corporation
				_ Address	180 Westvaco Rd
	2 2 22			12121	Summerville, SC 29843
	(c) Name			_ Name	
	Address			Address	
				-	
6)	Inspector	Isaiah M. Richards		(c) Coal Le	essee with Declaration
	Address	114 Turkey Lick Road		Name	
		West Union, WV 26456		Address	
	Telephone	304-205-3032		_	
	(2) The pl The reason y However, yo Take notice accompanyin Protection, v the Applicat certain circu	that under Chapter 22-6 of ag documents for a permit to with respect to the well at the ion, and the plat have been mstances) on or before the communication.	wing the well location at sist that you have rightly action at all. the West Virginia Code to plug and abandon a waste location described on mailed by registered lay of mailing or deliver	the	ell operator proposes to file or has filed this Notice and Application and the Office of Oil and Gas, West Virginia Department of Environmental ation and depicted on the attached Form WW-6. Copies of this Notice, delivered by hand to the person(s) named above (or by publication in
	Office	of Oil and Gas		-	aid Plugging Contract W/DEP
		4 0022	By:	Matthew A. Yearsley	W J A
	A	PR 4 2023	Its:		t, LLC, Plugging Contractor
		-	Address	130 Meadow Ridge F	
	140	Department of	Nada 197 - 191	Mt. Morris, Pennsylva	vania 15349
	Envir	Department on Onmental Protection	Telephone	304-291-0175	
	Land 1 W 11				

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

P. WAYNE AMMONS UNLIMITED ENERGY SERVICES, LLC 264 INDUSTRIAL PARK ROAD **JANE LEW, WEST VIRGINIA 26378**



7018 3090 0001 4398 3880

Parkersburg, WV 26101 West Virginia Department of Natural Resources Jerry Westfall, WVDNR D6 Wildlife Biologist

EG23032 HAMMET, HEIRS 00202 -**Plugging Permit Packet**

RECEIVED Office of Oil and Gas

> APR 4 2023

WV Department Of Environmental Protection

Jerry Westfall, WVDNR D6 Wildlife Biologist West Virginia Department of Natural Resources 2311 Ohio Avenue Parkersburg, WV 26101

OMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
 Complete items 1, 2, and 3. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	A. Signature X
Article Addressed to: Jerry Westfall, WVDNR D6 Wildlife Biologist West Virginia Department of Natural Resources 2311 Ohio Avenue Parkersburg, WV 26101	D. Is delivery address different from item 1? ☐ Yes If YES, enter delivery address below: ☐ No
9590 9402 7364 2028 0238 65	3. Service Type ☐ Priority Mail Express® ☐ Registered Mail™ ☐ Registered Delivery ☐ Signature Confirmation ☐ Registered Delivery ☐ Registered Mail™ ☐ Registered Mail

PS Form 3811, July 2020 PSN 7530-02-000-9053

7018 3090 0001 4398 3880

Domestic Return Receipt

Restricted Delivery

4707300202

7018 3090 0001 4398 3897 7018 3090 0001 4398 3897

Westvaco Corporation
4 180 Westvaco Rd
5 Summerville, SC 29843

Westvaco Corporation 180 Westvaco Rd Summerville, SC 29843

G23032 HAMMET, HEIRS 00202 lugging Permit Packet

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY			
 Complete items 1, 2, and 3. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	A. Signature X □ Agent □ Addressee B. Received by (Printed Name) □ C. Date of Delivery			
Article Addressed to:	D. Is delivery address different from item 1?			
Westvaco Corporation				
180 Westvaco Rd				
Summerville, SC 29843				
9590 9402 7364 2028 0238 41	3. Service Type Adult Signature Adult Signature Restricted Delivery Certified Mail Restricted Delivery Collect on Delivery Collect on Delivery Signature Confirmation Signature Confirmation			
Article Number (Transfer from service label)	☐ Collect on Delivery Restricted Delivery Restricted Delivery			
	897 Restricted Delivery			
PS Form 3811, July 2020 PSN 7530-02-000-9053	Domestic Return Baceiot			

RECEIVED
Office of Oil and Gas

APR 4 2023

WV Department of Environmental Protection WW-9 (5/16)

API Number	47 -	073	_00202	
Operator's W	ell No	. HAMI	MET, HEIRS 1	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name_Unknown - DEP Paid Plugging Contract WVDEP OP Code
Watershed (HUC 10) Bull Creek Quadrangle Schultz
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No
Will a pit be used? Yes No ✓
If so, please describe anticipated pit waste:
Will a synthetic liner be used in the pit? Yes No If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:
Land Application (if selected provide a completed form WW-9-GPP)
Underground Injection (UIC Permit Number) Reuse (at API Number)
Off Site Disposal (Supply form WW-9 for disposal location)
Other (Explain
Will closed loop system be used? If so, describe: Yes. Gel will be circulated from tank through well bore and returned back to tank.
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. Fresh water gel and/or cement
-If oil based, what type? Synthetic, petroleum, etc
Additives to be used in drilling medium? Bentonite, Bicarbonate of soda
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Removed offsite
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust)
-Landfill or offsite name/permit number? Austin Master Services, LLC; AMS Martins Ferry Facility; WF ID #BELM-05; Permit #WF-2022-05
Permittee shall provide written notice to the Office of Oil and Cas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Cas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment. **RECEIVED** Office of Oil and Gas** **Company Official Signature** Company Official Signature**
Company Official (Typed Name) Mick Goodwin APR 4 2023
Company Official Title President
WV Department of Environmental Protection
Subscribed and sworn before me this 3 day of March , 2023
My commission expires March 34 2026
04/4/2023

	atment: Acres Disturbed Less	60	
	Tons/acre or to correct to	орН <u>6.0</u>	
	-20-20 or Equivalent		
Fertilizer amount	500	lbs/acre	
Mulch 2		ons/acre	
		Seed Mixtures	
Т	emporary	Permanent	
Seed Type	lbs/acre	Seed Type	lbs/acre
		Medium Red Clover	9
		Ladino White Clover	9
		White-Dutch Clover	9
ermanent Seed M	/lixture (continued): Alf	falfa (9 lbs/acre), Winter Wheat	(9 lbs/acre)
aps(s) of road, location, povided). If water from the W), and area in acres, or		oplication (unless engineered plans including the water volume, include dimensions (L, W, I	
aps(s) of road, location, povided). If water from the W), and area in acres, of otocopied section of involved	e pit will be land applied, provid f the land application area.		
aps(s) of road, location, povided). If water from the W), and area in acres, o otocopied section of involved and Approved by:	e pit will be land applied, provid f the land application area. olved 7.5' topographic sheet.		O) of the pit, and dimen
aps(s) of road, location, povided). If water from the W), and area in acres, or otocopied section of involution Approved by: Mo pits W	e pit will be land applied, provided the land application area. blved 7.5' topographic sheet. ill be used. Remove	de water volume, include dimensions (L, W, I	e., pumpjack,
aps(s) of road, location, povided). If water from the W), and area in acres, or otocopied section of involute Approved by: No pits wire or otocopies with the wire of the wire or otocopies with the wire or otocopies wire or otocopies with the wire or otocopies w	e pit will be land applied, provided the land application area. blved 7.5' topographic sheet. ill be used. Remove s), pipe, gas meter(oil & gas production debris [i.	e., pumpjack,
aps(s) of road, location, povided). If water from the ovided). If water from the ovided in acres, or notocopied section of involution an Approved by: No pits water from the ovided in acres, or notocopied section of involution and mulch all discontinuous	e pit will be land applied, provided the land application area. Followed 7.5' topographic sheet. Ill be used. Remove s), pipe, gas meter(sturbed areas to DE	oil & gas production debris [i.s)] from the site. Properly re	e., pumpjack, eclaim, seed,
aps(s) of road, location, povided). If water from the water from the work, w), and area in acres, of notocopied section of involution an Approved by: No pits working the seed or or working the seed	e pit will be land applied, provided the land application area. Followed 7.5' topographic sheet. Ill be used. Remove s), pipe, gas meter (sturbed areas to DE d to ensure germinal	oil & gas production debris [i.s)] from the site. Properly repair and DNR standards, inclusion. Obliterate any applicat	e., pumpjack, eclaim, seed,
aps(s) of road, location, povided). If water from the water from t	e pit will be land applied, provided the land application area. Followed 7.5' topographic sheet. Ill be used. Remove s), pipe, gas meter (sturbed areas to DE d to ensure germinal	oil & gas production debris [i.s)] from the site. Properly re	e., pumpjack, eclaim, seed,
ovided). If water from the W, W), and area in acres, or notocopied section of involution Approved by: No pits wording mulch all discording the seect	e pit will be land applied, provided the land application area. Followed 7.5' topographic sheet. Ill be used. Remove s), pipe, gas meter (sturbed areas to DE d to ensure germinal	oil & gas production debris [i.s)] from the site. Properly received and DNR standards, inclusion. Obliterate any applications requested by WVDNR.	e., pumpjack, eclaim, seed,
aps(s) of road, location, povided). If water from the water from t	e pit will be land applied, provided the land application area. Followed 7.5' topographic sheet. Ill be used. Remove s), pipe, gas meter (sturbed areas to DE d to ensure germinal	oil & gas production debris [i.s)] from the site. Properly received and DNR standards, inclusion. Obliterate any applications requested by WVDNR.	e., pumpjack, eclaim, seed, uding
aps(s) of road, location, povided). If water from the water from the work, w), and area in acres, on totocopied section of involved by: No pits working the seed working the seed	e pit will be land applied, provided the land application area. Followed 7.5' topographic sheet. Ill be used. Remove s), pipe, gas meter (sturbed areas to DE d to ensure germinal	oil & gas production debris [i.s)] from the site. Properly repair and DNR standards, inclusion. Obliterate any applications requested by WVDNR.	e., pumpjack, eclaim, seed, uding ole Office of Oil and Gas

WW-9 EG23032 (47-075-00202) 5-10% for 375' 155'-115' Spacing 0-5% for 450 300-155' Spacing 5-10% for 675" 155'-115' Spacing RECEIVED Office of Oil and Gas 4 2023 APR 0-5% for 130' 300-155' Spacing WV Department of Environmental Protection Pine Forest 5-10% for 400' 155'-115' Spacing Pine Forest 300-155' Spacing 0-5% for 160' 10-15% Hammett Heirs No.1 8. Ste Road Culvert for 550' 48" Steel 115'-101' Gate Oil Well Spacing To Bull Creek Road Pine Forest 18" Steel Culvert Unless otherwise noted, all roads shown hereon are existing and shall be maintained in accordance with WV D.E.P., Office of Oil and Gas Erosion and Sediment Control Field Manual as revised 5/2012 PROPERTY BOUNDARY Entrances upon county/state roads shall be maintained in accordance with WV D.O.T. regulations, however, separate permits may be required by the WV D.O.T. Sediment basins (traps) and appropriate erosion control barriers are to be constructed at all culverts and cross-drains as required in the aforementioned Erosion and Sediment Control Field Manual. Where field conditions dictate, alternative erosion control measures shall be enacted as required. ACCESS ROAD DITCH EXISTING WELL LOCATION arthwork contractors are responsible for notification to the operator and inspector prior to any deviation from this plan STORAGE TANK DRAWN BY: Mason Thomas DATE: March 14, 2023 CULVERT SURVEYING AND MAPPING SERVICES PERFORMED BY: ALLEGHENY SURVEYS, INC. 1-800-482-8606 P.O. BOX 438 BIRCH RIVER, WV 26610 PH: (304) 649-8606 FAX: (304) 649-8608

WW-9 EG23032 (47-075-00202) Set Stone Found N 74°33' E 1019.2042' 5-10% for 75' 155'-115' Spacing 0-5% for 500' Hammet Heirs No. 1 300-155' Spacing 5-10% for 250' 155'-115' Spacing 0-5% for 440' Set Stone Found 300-155' Spacing Oil Well 5-10% for 100' 155'-115' Spacing 0-5% for 300' Pine Forest 300-155' Spacing 10-15% for 150 Pine Forest 115'-101' Spacing RECEIVED Office of Oil and Gas Hammett Heirs No.1 0-5% for 250' 4 2023 APR 300-155' Spacing To Bull Creek Road WV Department of 10-15% for 80' Pine Forest Environmental Protection 115'-101' Spacing Unless otherwise noted, all roads shown hereon are existing and shall be maintained in accordance with WV D.E.P., Office of Dil and Gas Erosion and Sediment Control Field Manual as revised 5/2012 PROPERTY BOUNDARY Entrances upon county/state roads shall be maintained in accordance with WV D.O.T. regulations, however, separate permits may be required by the WV D.O.T. ROAD iediment basins (traps) and appropriate erosion control barriers are to be constructed at all culverts and cross-drains as equired in the aforementioned Erosion and Sediment Control Field Manual. Where field conditions dictate, alternative crosion control measures shall be enacted as required. ACCESS ROAD DITCH EXISTING WELL LOCATION arthwork contractors are responsible for notification to the operator and inspector prior to any deviation from this plan STORAGE TANK DRAWN BY: Mason Thomas DATE: March 14, 2023 CULVERT SURVEYING AND MAPPING SERVICES PERFORMED BY: ALLEGHENY SURVEYS, INC. 1-800-482-8606 P.O. BOX 438 BIRCH RIVER, WV 26610 PH: (304) 649-8606 FAX: (304) 649-8608

O

RECEIVED
Office of Oil and Gas

APR 4 2023

WV Department of Environmental Protection

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION SE OF PROT DEPARTMENT OF MINES OIL AND GAS DIVISION NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To The Department of Mines,		
Charleston, W. Va.		
	T D Verre	
COAL OPERATOR ON COAL OWNER	HAME OF WELL OPERATOR	Set :
	727 - 29 St. Parkersburg W. Vs	. · · · · · · · · · · · · · · · · · · ·
ADDRESS	COMPLETE ADDRESS	
	[n]=: 15	
COAL OFERATOR OR COAL OWNER		
•	PROPOSED LOCATION	
Afibress	Jefferson District	
Charles R. Hammat	509	
Kathern B. Hommet & others.	Pleasants County	
	0.0	
696 Glenn Ave. Columbus Ohio.	WEIL THO DESCRIPTION OF THE PARTY OF THE PAR	
	Hammit Heirs. Parm	
Gentlemen:		·
	led to rill upon the above named farm or tract of land for	. •
oil and gas, having fee title thereto, (or as t	he case may be) under grant or lease dated	
<u>May 16 1941.</u>	, made by Kathern B. Hermot, a others , w	
W. R. Hays	, und recorded on the 1 St day	No. of the second
of July 1941	, in the office of the County Clerk for said County in	· · ·
Book 79 page		
in the second	npetent engineer and shows the proposed location of a well	
and County above named, determined by surve	ed well operator on the farm and in the Magisterial District ey and courses and distances from two permanent points, or	
Isnd marks. The undersigned well operator is inform	ed and believes there are no coal operators operating beds:	
of coal beneath said farm or tract of land on	which said well is located, or within 500 feet of the bound- rkings and filed their maps as required by law, excepting the	
	wners (if any) are notified that any objections they may	
the drilling of a well at said proposed location	hich they are required to make by Section 3 of said Code, if will cause a dangerous condition in or about their respective	
coal mines, must be received by, or filed with the	to Department of Mines within tene days from the receipt of by said Department. Said coal operators are further notified	\$
that forms for use in making such objectio	ns will be furnished to them by the Department of Mines	
promptly on request and that all such objections	as must set forth as definitely as is reasonably possible the are based and indicate the direction and distance the pro-	
posed location should be moved to overcome a	same.	
(The next paragraph is to be complete	ed only in Department's copy.)	RECEIVED
named coal operators or east owners at their	above shown respective address day before,	ce of Oil and Gas
or on the same day with the mailing or deli-	very of this copy to the Department of Mines at Charleston,	- n n - 4 0000
West Virginia,	Very truly yours,	APR . 4 2023
NE 1617 1818 3	2000	
(3) A (2)	WELL OPERATE ALL OK 2V	W Department of
JUL 1941 (2)	727 - 29 Street	ironmental Protection
Adder WARE STORY WELL OF	CCS) SYRECY	N. C.
Well Op	erator Parkersburg	
	CITY OR TOWN	.
*Section 3 If no such objections be file	West Virginia.	vita B ergij
*Section 3 If no such objections be file ten days from the receipt of said notice and plat be ment shall forthwith issue to the well operator a have been made by the coal operators to the loca	ed or be found by the department of mines, within said period of y the department of mines, to said proposed location, the depart- brilling permit reciting the filing of such plat, that no objections ation, or found thereto by the department, and that the same is	
approved and the well operator authorized to proc	ced to drill at said location.	
sapatit phisting coursey, Espolation, W. VA.	FI MASAROZ PERMIT NUMBER	
Maring 10	0	4/14/2023
		4.4



 $\mathfrak{S}_{\mathfrak{S}_{i}} = \mathfrak{S}_{i}$

37

DEPARTMENT OF MINES OIL AND GAS DIVISION

WELL RECORD

Permit No. PLE	EV2-505	.				Oil or Go	IN Well. Oil	<u>-</u>
Company_11.	Hnvin]		11 11	= ***
•	•	Parkersburg	. W. Vn.	 Caring and Tubing 	Used in Drilling	Left in Well	Packirs	
Farm Hammat	22		Acres 171					<u></u>
Location (waters		rook	Acres	Size]]			ing.
Well No	,		Elev 9981	16	<u> </u>		Kird of Packer	
District Jeffe	r son	County Plea		13 - 1n_cor	luctorst	121		-
		fee by Hamma		10 = 337			Size of	<u></u>
		Address Colum		814 = 960		·	9	<u>-</u> 3
Mineral rights ar	e owned byl	Isment Hoirs		6% <u>1760</u>		1760	Depth set	,
		Address Colum		5 3/16	17			ا الله الله الله الله الله الله الله ال
Drilling commend	ed			3	·		Peri. top	-
Drilling complete	d <u>Decem</u> i	oor 34. 1941	· · ·	<u>2 - 1962</u>	 		Perf. bottom	÷ ,.
Date Shot	Pro	mT	1927'	Liners Used	7.4		Perf. tep	- . ,
With	·		···				Peri. bottom	_ <
Open Flow B	/10ths Water	In 2	Incl	, ======	'			= .
· · ·	/10ths Merc.	In	Incl		ENTED	SIZEN	lo. FtDa	te
Volume	350		Cu. Ft				<u> </u>	•
Rock Pressure	150		Y 10 hrs	00 17 17 10 T	NCOUNTERED	1'A	EETINCHE	s ·
Oil			bols., 1st 24 hrs	• 4		 * * * * * * * * * * * * * * * * * * *	eetinche	
Fresh water		fcot	fce!				, Or	
Sait Water			fee	F 7,E,	TINCI	1F.5	EET: DICHE	.s = (`
Formation	Color	Hard or So%	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks	<u> </u>
Sani	White	Hard	128	100	Water	140	Hole full	
Slate Rock	White	Med_um	100 185	185 210	•		Hard to mis	.
Lime Shells	Red	Madium	215	225				
Sand	22.5		225	240		1		•
Slate	White	Sandy	240	280				. 3
Broken Sand	Dark	ļ*	280	310.				tt.
Limo Shells Rock	Red		310 340	335° 380	н	4	Little Red	·)
Line Sholl	3		380	600	น	n.	Big Red	
Rock Red	Rod 1		600	740				{{
Slate Limo	White.	[· · ·	740	800				, h
Line	Dark		800	608 ¢				1. A
Sand	1		808	837	· . •#	t#	First Cow 1	tim
Slate	Vin. te		840	860				
Slate & She Rock	IIS Pink	•	860 890	890 920			TA.	· .
Sand	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		920	960	11	1, "	Second Cow	Run
Slate	Black		900	1005				•
Limo & Shell		10	1005	1025				
A White Sla Lime Shells			1005	, 1085	_	- c==		
Slato	White		1095	1175			Broken	
Sand	Dark		1175	1205	, et	"		RECEIVED
Slate & Sari Sandy Slate			1205	1285			Offic	e of Oil and Gas
& Sholl			1285	1400				000
Gas Sand			1530	1580	515	1017/8/18-		PR 4 2023
Sand	White		1640	1700	13/10	5		
Lime & Shell Big Lime	L	. 7	1700 1730	1730 1826 (i	S SI	H. 945		V Department of
Reenor Sand			1826 :	1841		Table 1	Enviro	onmental Protection
Injun Sand			1841	1902	Charles Co.	JI OF LEES &	Gas 1859 to	•
Brako	· · ·		1902	1907	Ϋ́,	1	.] 1860	
Squaw Sand		Hard 🗻	1907	1937	1.5°	1 " "	Show of Oil	1 1
Total Depth			1962		, \&£5	WE CE OF CO.		بيوم
- A ()			- -	i i gran i				4
~ /\ /\ /\ /\ /\ /\ /\ /\ /\ /\ /\ /\ /\			r	<u> </u>	<u> </u>	1	04/4/	1/2022

4707300202

							. 0 0 0 1 0 2
Formation	Color	Hard or Soft	Top	Bottem	Oil, Gan or Water	Depth Found	Remarks
· ———	<u> </u>	Solt			or water	Found	<u> </u>
					j		15 5
	1.27				if Y		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	1.5	gerad in					
i din a sa			[
Section 1						1	
				100		1	
And the second		• •	نہ ا				
	b		, S	12			
							3
	1			Y:	•		
	'						
					}	ĺ	T. L.
			A	1			
				***	l e	1.0	
	1						
				•			1
	1			2			
	1			4		ļ.	
	'	[[6	* *		<i>a</i>		
		# 1 1 1 m		1. 11. 1	2		1 100
***	L 5.	'		[6.	
	"					, "	2
					F :	!	
					1		
	1.0 4	4					<i>O</i>
					7 .		<i>5</i>
	,	1					
				100	, ,		
	1 2		15				
	一 建				9		
		4		,			§*
				•			
				. =			
		-	•		-	*	Programme Andrews Andrews
	A COLOR DE COLOR	or a constant	end of section		e green en en e	in the second	مه و د څه استان د
					-		
		nr.			· · · · ·	-	
					- ii.		
			7 3				
			÷ ÷				
	1. 18.				- 44		
		17					
			4.	1 1 1 1 1 1 1 1 1 1			
					()		
			in the state of th				
		🛊 🕳 د د از پی بیمور	()				4
		·					
G				1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	10.		
							RECEIVED Office of Oil and Gas
			mpost #		ان		Office of Oil and Gas
		· · · · · · · · · · · · · · · · · · ·	\mathbf{D}_{i}	3	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1		landa a sanata a san
	4.00	or control 🚁 🖡	ru grafija (F		a spile kinner		APR 4 2023
	• • • • •	## 00 0 03 }					AFR # LUCO
	3	···		, s			
		.	,		·		wv Department of
							WV Department of Environmental Protection
							Elivido de la companya de la company
			• [• • • • • •	Part Car 1	in the state of		b
		erga a dalah 📗		[
						[" را ال	
	· · · · · · · · · · · · · · · · · · ·	3.5		J. Pr. 17 (1944)	3		
				returned to the second	<u> </u>		
	· · · · · · · · · · · · · · · · · · ·			<u> </u>	enga in terretoria. A	3)	
	- 1			1	Date	May	18, 19(21)
	٠.			A Dance	W. R. Hays		
and the second	1			APPROVED	HELYS		Owner ·

VED W. R. Hays

<u>)4/14</u>/2023

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

INSPECTOR'S WELL REPORT

Parmie No PIEAS-202-P

Oil or Gos Welt Plum

Company W. R. Have	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
727 - 29th. Street Address Parkersburg, West Virginia	Size			
Farm Honmut Hoirs	16		•	Kind of Packer
Farm	13	-		
Well No. 1	10			Size of
District Jefferson County Pleasants	81/1/2	•		<u>;</u> 2
Drilling commenced	654			Depth set
· ·	53/16			
Drilling completedTotal depth	3			Perf. top
Date shotDepth of shot	2	-		Perf. bottom
Initial open flore	Liners Used		• 2	Perf. top
Initial open flow/10ths Water inInch	<u> </u>			Perf. bottom
Open flow after tubing/10ths Merc. inInch				
VolumeCu.Ft.	CASING CEME	NTED C	SIZE	No. FTPrte
Rock pressure lbs. hrs.	1.7			
Oilbbls., 1st 24 hrs.	COAL WAS EN	(; NCOUNTERED) AT-	FEETINCHES
Fresh water feet feet		INC	•	
rest vates reg	FEET.		1ES	FEETINCHES
Salt waterfeetfeet	FEET.	INCI	IES	FEETINCHES
Drillers' Names O. C. Thomas, Brady The	Sido o		1	RECEIVED
Dimers Maines 22200000 Date Co. 1 2 200		·		of Oil and Gas
			AP	R 4-2023
Well Adandoned and Plugged	4.5			• • • • • • • • • • • • • • • • • • •
	33			Department of mental Protection
REMARKS: Wotel douth 1987 well was	shot and i	not clour	•	
Filled with red clay 1937		•		
	77			
June 30. 1945		7	20	Farmy
DATE				District the supplied of

STATE OF WEST VIRGINIA OIL AND GAS DIVISON

INSPECTOR'S WELL REPORT

Permit No. 21443-216-1				KIND)
Company V. R. Hays	Casing and Tubing	Used in Deilling	Left in Well	Packers
Address Parkersburg, West Virginia	Size			a 40
Farm Hammat Heirs	16		•	Kind of Packer.
Well No. 1	19			Size of
District Jefferson County Pleasunts	814			
Drilling commenced	5 3/16			Depth set
Drilling completed Total Depth	3	-		Perf. top.
Date shot Depth of shot	2			Perf. bottom
Initial Open Flow/10ths Water inInch	Liners Used			Perf. bottom
Open Flow and r tubiry /10ths Merc. inInch		11		4
VolumeCu. Ft.		MENTED	SIZE .:\$	No. FTDate
Oil bbls., 1st 24 hrs.				FEETINCHES
Fresh waterfeetfeet	1			FEETINCHES
Salt waterfortfeet		EET IN	CHES	FEET INCHE
Drillers' Names O. C. Thomas, Brady The	omae J	1)	101/19/2	WECEVED
Driners Numes S. V. V. L. S.	ध	i Jii	Licate t	Office of Oil and Gas
Well Abandoned and Plugged, 19			iii of lines	APR 4 2023
	ining rig,	6-5/8/69	a in rend	WV Department of Environmental Protection bulled
REMARKS: 1 Lu., 11.55. U.S. 1.05.		// / / / / / / / / / / / / / / / / / / /		
			111	41.
July 11. 1945	: :-	142 Contraction	سر مه د	700VV9/



13

DEPARTMENT OF MINES

OIL AND GAS DIVISION

NOTICE OF INTENTION TO PLUG AND ABANDON WELL (REQUIRED BY SECTION B. ARTICLE 4, CHAPTER 22 OF THE GODE)

•

The second secon	
To The Department of Menes,	
Charleston, W. Va.	
	المعنوان والمتحافظ والمتحا
T D Pass	
COAL OPERATOR OR COAL OWN-TR NAME OF WE	LL PPEKATOR
727-29th Stree	
**************************************	· · · · · · · · · · · · · · · · · · ·
ADDRESS COMPLETE	
June 9.	194 4
COAL OPERATOR OR COAL OWNER	192.
WELL TO BE	ASANDONED
ADDRESS	Dietrict
Floasants	Counity
LEASE ON PROPERTY OWNER	
Well No. One	
ADDRESS	Farm
NOTE: If plugging cannot begin on the date as	liton esselq ,woled ballicer
Inspector L. W. Young, Spencer; telepho	
Gentlemen:— Ges Division, telephone 34-741.	
	1, 11 ·
The undersigned well operator is about to abandon the above described	well and will commence
T.	
12.2	
the work of plugging and abandoning said well on theday of	<i>ਤੋਂ</i> ਸ਼∎● 194 ਚੰ ″
(which date shall not be less than five days after the day on which this notice	ce so mailed is received.
or in due course should be received by the Department of Mines.)	
This notice is given you in order that your respective representatives	may be present at the
plugging and filling of said well. You are further notified that whether you	
represented the undersigned will proceed on that date, or shortly thereafte	
well in the manner required by Section 10, Article 4, Chapter 22 of the Code or	nd given in detail on the
reverse side of this notice, in "Work Order."	
i gar <u>ingan ya kita dan ka</u> aban ka ang kabanan at ina ina ang kabanan at ina ina ang kabanan at ina ang kabanan a	a 💋 ay baran ka baran ka baran ka baran 🗀 🗀 📆 📆 📆 📆 📆 📆 📆 📆 📆 📆 📆 📆 📆
This notice is being mailed by registered mail to each of you at the a	bove addresses on the
above date.	
	RECEIVED
Very truly yours,	RECEIVED Office of Oil and Gas
Very truly yours,	RECEIVED Office of Oil and Gas
Very truly yours,	RECEIVED Office of Oil and Gas
Very truly yours,	Office of Oil and Gas APR 4 2023
Very truly yours,	Office of Oil and Gas APR 4 2023 Well-Operator
Very truly yours,	Office of Oil and Gas APR 4 2023 Well Operator.
	Office of Oil and Gas APR 4 2023 Well Operator: W Department of
NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a platengineer, showing the district and county in which the truct of land is located, the rathe names of the owners and adjacent tracts, and the location of the about to be abby survey, and the courses and distances of such well from two permanent points or land to submitted with the seatter.	Office of Oil and Gas APR 4 2023 Well Operator: WV Department of Properties of Some and acreage of some and acreage of some are accepted.

(Over)

o Seguina

PROPOSED MANNER OF PLUGGING AND FILLING WELL

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

WORK ORDER AND ROLL

Well to be plugged and filled as follows:

PARTIAL PLUGGING

AK ORDER ARRANGED BY THE DEPARTMENT OF MINES

Total depth 1962*

Pull 1962: - 2" tubing.

Fill with red elsy 1962' - 1780' - 20' below 6-5/6" casing.

Buig, beoff Ecat cement : 4

1780' - 1777' 1777: - 1767: - scaling off Keener and Big Iujum Sands.

Pull 6-5/8" casing as balance of plugging is done.

Fill with red elay to 1580'

Mant cement

- 1530' - 1520' - seeling Salt Sends.

Set a permanent bridge at 900' - (or fill solid from 1520')
One kair neat sement on bridge.
Fill with red slay 980' - 870'
Wood plug 870'

Two sacks nest cement on plug. Well to be produced from Pirst Cow Run Sand (8081 - 8371)

Run 81" casing to protect upper 800" of hole.

When well is exhausted, balance of plugging to be approved by the Department of Mine

RECEIVED

4 2023

To the Department of Mines Coal Owner or Operator, Lecse or Property Owner.

WV Department of Environmental Protection

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this

Oil and Gas Division


proved or corrected and returned to the well operator as his authority for plugging said well; and one for inspector.

04/14/2023

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS-DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To THE DEPARTMENT OF MINES,	
Charleston, W. Va	
COAL OPERATOR OR COAL CHIME	HAME OF WELL OPERATOR
 The second of the second of the	727 = 29 St. Parkersburg W. Va.
	July-15 1941
COAL SPERATOR OF COAL DWINES	PROPOSID LOCATION
Charles R. Hammat	Jeffer 900 District
B. Hemmat & others.	
OWNER OF MINERAL RIGHTS	Fleasants County.
	Well No. One 9.4° /0'
6 Glenn Ave. Columbus Ohio.	WELL NO. WHE A.P. IF
	Hammat Heirs. Farm
ATTACHEN:	
The undersigned well operator is entitled to	drill upon the above named farm of tract of land for
ll and gas, having fee title thereto, (or as the eas	
WR. Hays	le by Kethern B. Hammet, & others , to
10.0	, and recorded on the 1 St day
g July 1941.	in the office of the County Clerk for said County in
pok 79 page 435	
coal beneath said farm or tract of land on which ries of the same, who have mapped their workings cal operators or coal owners (if any) above named	
eaire to make to auch proposed location, or which it be drilling of a well at said proposed location will en oal mines, must be received by, or filed with the Depu Copy of this notice and accompanying that by said	(if any) are notified that any objections they may hey are required to make by Section 3 of said Code, if hause a dangerous condition in or about their respective artiment of Mines within ten days from the receipt of Department, Said coal operators are further notified
ompuly on request and that all such objections make	ll be furnished to them by the Department of Mines t set forth as definitely as is reasonably possible the
round or grounds on which such objections are be used location should be moved to overcome same,	ased and indicate the direction and distance the pro-
(The next paragraph is to be completed only	v in Dereutment's John 1
	mailed by registered mail, or delivered to the above
amed coal operators or coal owners at their above	shown respective address
on the same day with the mailing or delivery of	f this copy to the Department of Mines at Charleston,
	truly yours,
15161X18103	RECEIVED
	20 R Hays Office of Oil and Ga
JUL 1941\ B	WELL Greatin Ay. OK 20.
	727: - 29 Street APR 4 2023
Address Address of Walls S	A COLOR
Well Operator	Parkersburg
%	WV Department of Environmental Protect
Cennica Sylven	West Virginia. Environmental Profes
	HESP TISIBLE
"Section 3 If no such objections he filed as he	Grang U
ent shall forthwith issue to the well operator a drilling	s found by the department of mines, within said period of partment of mines, to said proposed location, the depart-
n days from the receipt of said notice and plat by the di- ent shall forthwith issue to the well operator a cirilling typ been made by the coal operators to the location of	s found by the department of mines, within said period of forment of mines, to said proposed location, the department reciting the filing of such plat, that no objections
n days from the receipt of said notice and plat by the di- ent shall forthwith issue to the well operator a cirilling To been made by the coal operators to the location of	s found by the department of mines, within said period of forment of mines, to said proposed location, the department reciting the filing of such plat, that no objections
n days from the receipt of said notice and plat by the di- cut shall forthwith issue to the well operator a drilling	s found by the department of mines, within said period of forment of mines, to said proposed location, the department reciting the filing of such plat, that no objections



Oil er Gas Well -011

Left in Well

1 B. Heve

STATE OF WEST VIRGINIA

OIL AND GAS DIVISION

PLEAS-202

: Company W. P. Hoga

1000000

Address 727 - 29th: 6t. Parm Hammat Heirs

D.16-DEPARTMENT OF MINES

				Size	10.00		1.
ocation (waters)	<u> </u>	ank 🗢			Section 1		ind of Packer
Well No 1			1ev 9981 f	10	36 (9-12) 39	1 2000 2000	
hatrict Joseph	WE0303	County Plea	sents -	<u>iz - in con</u>	inntor at:	121	**
Matrict.: Mari H				103377.6	The second second	30 - 0 - 0 - 8	ise of
he surface of tra	ect is owned in	fee by Hamma t	NOTE OF THE PARTY	844- 960	Section 1	7 7 7 7 1	CRITICAL TRANSPORT
<u> </u>	The second second	Address Columbi	18 Unio F			1760 I	
lineral rights are	e owned by E	lammat Haira		64 1760	v 1	1760	epth set
		Address Columb	us Ohio	53/16	*]	
` ;		7.001 (50. 1/1. 1/1.		الله الله الله الله الله الله الله الله		1	erf, top
rilling commenc			and the probability	2- 1962 !	70.00	13. 1	erf. bottom
Drilling complete					1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	1: 1	
Oata Shot	From	To	v-192715 A :5	Liners Used			Perf. top
. 1	•			(1.3.3 (1. 9)	September 1	<u> </u>	Perf. bottom
Vith		2				<u> </u>	
pen Flow 8	/10ths Water		Inch	* *		1	. Ft. Date
	/10ths Merc.	<u>in</u>	Inch	CASING CEM	ENTED	_SIZEN	.FtDate
/olume			Ca_Ft	5,5	15. <u> </u>	<u> </u>	<u> </u>
	1574	The St.	10 hrs	3. 7			
ock Pressure	1. 1.	1		· · · · · · · · · · · · · · · · · · ·	NCOUNTERE	DIATF.	EETINCHES
)il	- 1 2		_bbls., 1st 24 hrs.			HESF	EET. INCHES
resh water		feet	feet	FEE	IINC	пеэг.	
ialt water.		<u>Yest</u>	feet	FEE	TINC	HESF	eetinches
	,——					1	- In the second of the second
Formation	Color	Hard or	Top	Bettom,	Off, Gas	Depth Found	Remarks
E-ATTENDED]	Soft			or Water		
Sand	White	Hard &	128	100	Water .	140	Hole full
Slate	White	Modium	" 100	· 185	•	-[]	He d to mix
Rock	Red	Medium	185	210	•		
			215	\ 225 ≥	•	ा।	· ii - i - i - i - i - i - i - i - i - i
Lime Shella	235	3.	225	240		. 	
Sand	1	Camder	240	280			· II
Slate	White	Sandy		310			
Broken Send			280	1.		"	
Nime Shells			~ 310	335	. A.	n.	Little Red
Rock	Red		340	380			Big Rod
Lime Shell	l 6.		380 ?	600			DIE MOG
Rock Red	Red / ?		600	740			
Slate Lime	'						
Shell	White.		<i>⁴>7</i> 40	800			
Lime	Dark		800	808. 🜪	3		4
Sand		***	808	837			First Cow-Run
Slate	White		840	860			
Slate & She			860	-890: -			• 1
Rock	Pink	1000	890	920	1-270-6		
Sand			920	960	100		Second Cow Run
Slate	Black "	₹	960	1005	1. P	1 m 1 m 1 m 1 m	
Lime & Shel			1. A 4. 1844 C	V	1 1	2.5	
& White Sis		10 10 2 2 1 m	1005	1085	2000		· · · · · · · · · · · · · · · · · · ·
	1	1. S. A. W	特益额的 为	A	1. 33. 39.	* 1: * * * * * * * * * * * * * * * * * *	रंसी रेग
Lime Shells		1 字文 数字数字	1085	1£75	1.4.20	3 (10 mg)	till more and
Slate	White?	1. 当然系统	1175	1205		or to some	RECEIVED
Sand	Dark	10人的成功的		1965		. Tools Beech	Office of Oil and G
Slate & San			1205	. 1285 -	In the same	到前一直	
Sandy Slate	ሳ!			1400	1: 6 3/4: 2 3	: 1:	1 1 2000
& Shell	1 . 1:::::::		1285	▲ 1400	100.000	E1017180	APR 4 202
Gas Sand			1530	1580	10 × 10	516171818	
Sand	White		1640	1700	1- %Ø),		
Lime & Shel		9	1700	1730	100 C	edo o A	WV Departmen
Big Lime			1730	1826		SEP 1945 7	Environmental Profe
Keener. Sail	4	1. S. C. S.	. 1826	1841		EST PRODUCT - S	
Injun Sand	1		1841	1902	(S) (B)		Gas 1859 to
Brake		11 5 1 5 6 7 6 7 6 7 7 7	1902	1907	1384		∰ 1860
Param Can-		Hard	1907	1937	10		Show of 011
Squaw Sand				1, 30 17 10	1. 1. 16. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	() 1 10 W	
m_a_1	J! . ~~``!``			1287	1	S11115060	<u> </u>
Total - Depti	1	901	1962	¥8.75 FF 19	de Males	Cuth.	.1
h	1 or orbit.	TR 1855 利益 (1957)	water 10.00 6666	1.5 TAM 2 00 24.5 4			32

TE OF WEST YIRGINIA 6678970 47 0 7 3 0 0 2 0 2

DEPARTMENT OF MINE

NSPECTOR'S WELL REPORT

PLEAS-202-P

Juno 30. 1945

Oil or Gas Well Plug &

•	W. R. Hays	CASING AND	USED IN DRILLING	LEFT IN	PACKERS .
Company_ Address	727 - 29th Stroot Parkersburg, West Virginia	Sise			
Farm	Hammat Hoirs	16			Kind of Packer
Well No_	1	10			Size of
District	Jefferson County Pleasants	814		i i oe*	
Drilling o	ommenced	53/16		•	Depth set
Drilling o	ompletedTotal depth		7		Perf. top
Date shot	Depth of shot.				Perf. bottom.
Initial ope					Perf. top
Open flow	after tubing /10ths Merc. in Inch				Y
Volume	Cri. Pr.	CASING CEM	観光される	SIZE	No, FTDate
Rock pres			•		FEET INCHES
Oil	bbls., 1st 24 hrs.			CHES	FEET INCHES
• •	ter			CHES	FEET INCHES
Salt water					RECEIVED
Drillers'	Names O. C. Thomas, Brady Tl	nomas		Off	ice of Oil and Gae
					APR 4 2023
. 7	andoned and Plugged 1			Env	ironmental Protection
REMAR	ks. Total depth 1937 woll wa	s shot and	not clos	uned out	to bottom
	Fillod with red clay 1937	1 to 1907		<u> </u>	
				0	

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISON

NSPECTOR'S WELL REPORT

PLEAS-202-F

Partial Plug

		1 8 9 4	Cacing and	Used in Drilling	Left in	Packe	PES
Company W. R. Ha. 727 - 29	th. Stroot		in Mariano Tilla Carllina Maria	ng ngangan Mgapatan			
Address Parkorsb	urg. Wost Virgin	nia	Size			P	
Farm Hammat H	oirs.		16		MARC.	Kind of Pack	er
Well No. 1			18	3.97 A 3.57		Size of	$\overline{\Lambda}$
	County Plons	ants	84	BOOK			70
			6%			Depth (set	<u> </u>
Drilling commenced	P		5 3/16				
Drilling completed	Total Depth		3			Perf. top	
Date shot	Depth of shot	3.77 3.78				Perf. bottom.	•
Initial Open Flow	/10ths Water in_	Inch	Liners Used			Perf. top	
Open Flow after tubing	/10ths Merc. in	Inch	्रम् स्टेश स्टाइट इंग्रह्म कुल्या स्टाइट इंग्रह्म	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1		Perf. bottom_	
		Cu. Ft.					
Volume			CASING CE	(ENTED	SIZE	No. FT.	Date
Rock Pressure	lbe	hrs.		(D)			
Oil	bble., 1st	24 hrs.	COAL WAS	ENCOUNTER	RED AT	_FEET	INCHES
Fresh water		feet		eet	INCHES	FEET	INCHES
Salt water	- feet	feet	1	eet j	ino ne s.	FEET	inches
				C. This	A 1017 810		CEWED
Drillers' Names O . C	. Thomas, Brad	y Tho	mas	. 11 7	UL 1948	Office of	Oll and Cas
	(1) (1) (1) (1) (1) (1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2		KE SEL	100 - VII	ST VENDO LEDIT OF PLANES	APR	-4 2023
Well Abandoned and P	Plugged	9		्रिश			partment of
	cd to 17671 and	neng f	ning nig	6-5/8/16	Ana in Proj		ental Protection
REMARKS: Plusky	ed bo Trovi and	<u> </u>					•

July 11. 1945

DISTRICT WELL INSPECTOR



FORM ON 8	4707300	202
	nstallevil	
NER OF PLUGGING AND FILLING WELL THE ANIDARY TRANSPORD FILLING WE	Am UB of Maria	
ETIMINATIO TO TONIANDIGAS DIVISION VIL	HEST THE	
OUT CAN GAR DIVISION NOTICE OF INTENTION, TO SOLVE AND	ABANDON WELL	1 30 x = 5
	Rell to be plugged and filled	
To The Department of Mines,	र्व दि प्रो तामस्राध्या १८५० ।	
Charleston, W. Va.	egisted the form they	
chanes "USAC voted les 105VL	section for the first	
*BUHRU /Licold organics on coall provided 10 gH/1233 - 11014 - 11	the Street	
Appens Facel Int railogs - 10511 - 105	COMPLETE ADDRESS	
(*Caul when it in a 1121 ac) - June	9:	
COAL OPPRATOR OF COAL OWNER	ELL TO BE ABANDONED	
	afferson District	
To Con item Band (Const w Batt) Sements	leasants County	
enally to commission with an property owner. (C. 1919) and the commission of the com		
Well No	Code	
ADDRESS TO Placeton against been on the	t Heirs Farm e date specified below, ples	se notifi
Inspector L. W. Young, Spensor Gentlemen:— Gas Division, telephone 34-741	, telephone 255, or noticy of	11 and
The undersigned well operator is about to abandon the above	described well and will commence	
· 一种一种, · · · · · · · · · · · · · · · · · · ·		
the work of plugging and abandoning said well on the		
(which date shall not be less than five days after the day on which or in due course should be received by the Department of Mines.)		
This notice is given you in order that your respective repr	esentatives may be present at the	
plugging and filling of said well. You are further notified that we represented the undersigned will proceed on that date, or shortly		
well in the manner required by Section 10, Article 4, Chapter 22 of	the Code and given in detail on the	
reverse side of this notice in "Work Order" a provide it ov your to the provide will proceed with the plugging and alling of said	Tell, "work otder" is extinited is opened or increatements, th	,
-m. This notice is being malled by registered mail to leach of you	apis altendac un may but an uno	RECEIVED
Very truly yours,	Offic	be of Oil and Gas
Very truly yours,		APR 4 2023
y the coal owner or eval operator, or any available ediscent tones.	rio objections have been filed b	W. Department of
-nent of Lilnes to the manner herein described for above mentioned. Therefore, the same is hereby approved this	Low and the Country to the	right chiai Protectio
NOTE: Upon the abandonment of all wells drilled prior to June 1, engineer, showing the district and county in which the tract of land is	1929, a plat prepared by a competent located the name and acreace of same	
the names of the owners and adjacent tracts, and the location of the all by survey, and the courses and distances of such well from two-permanent places with this notice.	points or landmarks on said tract, shall	
ive in tapple (rayo) copy for the strate the Decamand of Minus one to the well obtained in the sufficiely for plurging early well, and one for	No.	•
ad , w. overtlands, vo ended fremen red the first of grave and an artist of grave the first of t	PLPAS-202-P PERMIT NUMBER	1/14/2023



PROPOSED MANNER OF PLUGGING AND FILLING WELL

WEST: VIRGINIA: DEPARTMENT OF MINES OIL AND GAS DIVISION

Name of the last o	ASA GWORK ORDE	ROTION TO TOLICA		
· "我就是我们的一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	IN SI, ARTICIA, & CHAPTER 22 TO THE COLO			
Well to be plugged and fille				
AK ORDER ARRANGED B	T THE DEPARTMENT OF MINIS	ARTAIERT OF MINES.		
Total depth 19621		ston, W.Vz.	Charle	
Pull 1962' - 2" tubin	62: _ 1780: _ 20! below 6	-5/0" casing.		
Wood plug		g off Kooner and Mg.In	jus Sands,	
FORT COMMENT CAMPING OF				
Pull 6-5/8" sesing as Fill with red slay to	balance of plugging is	lone		
Neat count	16501 - 16201 - Soulis	g Salt Sands,		
Set a permanent bride	te at 960' - (or fill self	4 from 1880!)		
One sack meat coment	on bridge. Resident	BANNEL TRED TO HEARING TWO		
Fill with red clay 90 Wood plug	·			
Two sacks neat cemen	t on plug. from Piret Cow Rum Sand (9081 - 8871) Bikabbac		
	atest upper 800° of hele.		artment of Mines.	
When well is exhaust	See a series of bridges of	manimo vininciar o acras		
	Ven Mo 32 cho			
	er toil 22 Enti	normal and a second	117 (14. v	•
The transfer of the same	bond sell- in nital sound	cultivate are jaron		
1.00 (11) (21) com co (21) om	(4) [4] (4) [4] (4) [4] (4) [4] (4) [4] (4) [4] (4) [4]	eration of the control of the contro	Genilemen:	,
	20 · 10 · 10 · 10 · 10 · 10 · 10 · 10 ·	ta signi salikat kita dalah dalah dalah	inhari na T	
well and will commence	to abandon dimatove described	100.8 Et Jolitz do Envi Parigie.		
7 101 1 101 T	vell on the	tigging and abandoning said i	the work of pl	
tice so mailet is received.	after the day on which the no	hall not be less than five days	(which date s	·
	repartment of Mines.)	są should, ha received by the I	most and in the	>
s may be present at the	volti, respective representative	e is given you in order that	Carine notice)
To the Department of Mis	erther poblica that whether	uring of said rich. Louding in	i pur Buillanid 🔭 🔭	: ;
Lease or Property Ou	######################################	G-Dalabadid-1ffAL matrificement in ac	ITI DANILAMANA	Y •
Gentlement of novig bus	rifele 's Chapter 22 of the Code	this notice, in "Work Order	in silve survei	.•
	submitted for your approval aurence, the undersigned will p			
well in the above describ don the said well on oppo	ped wanner on rue date histori	in the notice of intention to p	REC	EIVED
	Very truly	yours,	Office of (Oil and Gas
	Very linity yours		A DD	
		4 W 0.500 W W 50 C	Well Operator. AFR	4 2023
	een filed by the coal owner or conterposed by the Department of	of Mines to the manner hereu		partment of
the plugging and filling o	f the well above mentioned. The	berefore, the same is hereby	approved this Engineer	material (ICID)
9th day of Ju	104	THE APPLICATION OF MIN	NES	
perfored by a jumpelent in	elled spire to figor 1, lossif a cher il tiocher of A.A. I kental the the foculty of the design of the the foculty of the figor	Oil and Gas Division	or Puls invaling	Ç.
designation of the commendation of the control of t	A V. W. Sandarda Sanda P.		by travely and the	. _. .
MONTH Office House and	" shall be filed in triplicate; one co and returned to the well operator as	my for the files of the Departmen	at of Mines; one	
to be approved or corrected a	THE PROPERTY OF MICH ACT PROPERTY OF	7 (A)		\$.*

SURFACE OWNER WAIVER

Operator's Well Number

4707300202

HAMMET, HEIRS 1

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have a	no objection to the p	lanned wor	k described in these	materials, a	nd I have no
objection to a permit being issued on FOR EXECUTION BY A NATURAL	those materials.		FOR EXECUTION		
ETC.				EIVED Oil and Gas	
	Date	Name			
Signature		— Ву	APR	4 2023	
Dignature		Its			Date
			W/V Dec	- artmen: ∪ ital P rotection	Date

47 API No.	47-073-00202 C 2
Farm Name	
Well No.	HAMMET, HEIRS 1
11 011 110.	

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER				
The undersigned coal operator/ ow has examined this proposed plugging work order. done at this location, provided, the well operato Virginia Code and the governing regulations.	i ne unaers	nomea nas ac	i oniccuon i	O mom b	Acposem
Date:					_
	By:				
	Its				_
				CEIVED Oil and Gas	
			APR	4 2023	
			WV Deg	partment of	

Environmental Protection



April 3, 2023

Mr. H. Jason Harmon West Virginia Department of Environmental Protection Office of Oil & Gas 601 57th Street Charleston, WV 25304

Dear Mr. Harmon,

Please find enclosed the permit applications to plug the following wells:

API 47-073-00116, Lafayette District, Pleasants County API 47-073-00202, Jefferson District, Pleasants County API 47-073-00498, Union District, Pleasants County

These wells are part of the multi-well plugging contract for the Orphan and Abandoned Well Program for Region 7. The plugging contractor is Coastal Drilling East, LLC, operating under the Region 7 contract. The surface owner(s) and mineral owner(s) have been mailed copies of the permit application. The signed waivers will be forwarded to you via email as we receive them. The inspector was emailed a copy of the permit application. The inspector signed the enclosed copies. I have enclosed a photocopy of the surface owner(s) and mineral owner(s) Certified Mail packages that were sent to them.

Should you require additional information or assistance, please do not hesitate to let me know.

Thank you for giving Unlimited Energy Services the opportunity to serve your energy industry needs!

Best regards,

P. Wayne Ammons Project Manager

264 Industrial Park Road Jane Lew, WV 26378 304-884-8246 office 304-439-4357 mobile wayne@ulenergyco.com Office of Oil and Gas

APR 4 2023

WV Department of Protection Environmental Protection



Kennedy, James P < james.p.kennedy@wv.gov>

plugging permits issued 4707300116 07300202 07300498

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Fri, Apr 14, 2023 at 1:54 PM

To: Henry J Harmon henry.j.harmon@wv.gov, wayne@ulenergyco.com, MYearsley@shaftdrillers.com, Isaiah M Richards <isaiah.m.richards@wv.gov>, vgorrell@assessor.state.wv.us

To whom it may concern, plugging permits have been issued for 4707300116 07300202 07300498.

James Kennedy

WVDEP OOG

6 attachments



ir-8 4707300202.pdf 120K



ir-8 4707300498.pdf 120K



4707300498.pdf 2367K



ir-8 4707300116.pdf 120K



4707300116.pdf 2973K



4707300202.pdf 2848K