

Rev. 9-71



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES

Oil and Gas Division

JE GE		· ·
FEB 2	2 1980	

				OIL &	GAS DIVISION
		RECORD 5	•	DEFK	OF MINE
Quadrangic Ballian Republic		0.2 dt 10. 10. 10. 10. 10. 2	· 5	Cable	C35
				Recycling	Protection - Protection regularity of the Control o
Permit No. 42-073-074/				Water Flood	And the second contractions
200 No of the first water the the following of the control and	į.			Disposal	(Kind)
Company made in the control of the c	gen. Storman on a storman bloom a store of planeters of the store of t	Casing and	Used in		
Address Box 35E ST. MARYS	Sanda W. S. a.	Tubing	Drilling	Left in Well	Cement fill up Cu. ft. (Sks.)
8 25 10 mm Tunkah Makin Sama Salah S	CIC Sandania Car	manufacture for the reactive state size supplies and a confidency of the registration of the reactive and th	and the second s	TO A Y SEE []	vu. II. (DKS.)
and the second s	16 1 6 4 3 -	Size	County of the Co	ellinari mirlian nasq	,
District Added ON County Plat		20-16 Cond		adding to the state of the stat	
The surface of tract is owned in fee by		13(10) N. 1 N	25 G	2507	
- January January	ngo-indepentatifika-riya (Mohal dagaga pangana menamana makamanaganak-nakengkisker)	9.5/8			
Address.	in Problem drawn and and an estimate of the first income of the first	Section is a section of the section		5491	
Mineral rights are owned by Same	TO THE SPECIAL SIZE OF THE STATE OF THE STATE OF THE SPECIAL S	5 1/2	and from the modern states management would we can adjust to a color of the color		
Drilling Commenced 5-14-79	MQM00000000000000000000000000000000000	41/2	and development of the contract of the contrac	2741	355665.
Drilling Completed 5-19-79	Mindre v nich der Mindre der Steinhalt der Steinhalt gevern gegen für an Franç in gefortigt des Alberts	Contract of the Contract of th	and languages and service as a reasonable more recommendation on the service of t	of the state of the same	3333,
Initial open flowcu. ft. A	LA. bbls.		A Joseph Miller (Anthony) (Street Street	and a rest that incoming a distribution to the converse of the	
Final production & Landou ft. per day.	Lassanbbis.	Liners Used			
Well open test.	Management of the second secon				
Well treatment details:	W	Attach copy of a			
	V. C. vanada variante e constituente e constituente e constituente e constituente e constituente e constituente e co	arronded to makerial land their americal a	Land Commencer.	-LOSAL	de de la constitución de la cons
**************************************	as randel over periode menunen enhance state et pari, en etamples in Annahanan enhan et vapa	त्वर १८०१ तमा व्यक्तिसम्ब १७०५ १७ १८६५ व मन्याकृति । १८५० १६५४ मा १६६४ तमा १५४४ विकास स्थापना स्थापना विकास स १९८५ तमा १९८५ तमा १९८५ व मन्याकृति ।		en de la companya de	renderatura e financia e companyo de la companyo d La companyo de la co
The second secon	and particular and the control of th	ktiek norra die verze-enneumikk seed verzept stand zich deut des litzeboch ist zerenden zur konde.	entendades en en versionales (este des constantes en entendades en entrendades en entrendades en entrendades e	BBPANIN PANINCIA ESE ESPANIA E	n er feller de group en excellen en deskiep, este en krisier au de authorselfen eitspaalsbeke en benefat er
	Lite were	2000 J.	on the transmission of the second	Tea Alay	militarian manananananan (njaran mananan mananan mananan mananan da kalamata mananan mananan mananan mananan m
encontraction and amendment approximate the contraction of the contrac	russenerasiss estite titis aliantita ennuk un purunsenhinan bunna neunassi vasanun assetu.	AS max his the entire to the entire to the entire to the entire the control of the entire to the entire to the entire to the entire the entire to the entire the e	manusertt jändus ten kärnind truknastruknanna kinnamannilätin etnij kakadasja	parangen and the second se	er egy un auch ver et trocher de ser proposition de trocher de la company de la company de la company de la co La company de la company de
Coal was encountered at		e-materia e e enclata en en esta especial esta esta esta esta esta esta en esta en esta en el esta en el esta e Anticologica en el enclata en en el enclado en entre en esta en el entre en el entre en el entre en el entre e			
Producing Sand	B 88 f. La 180 in exercisionalism interretament conscipazione interesistante ac-	na o prima de como contrato de massa o manastrato como contrato de massa de la como contrato de massa de la co Como como contrato de como contrato de massa de como contrato de massa de la como contrato de la como contrato	/2107	3 - 2536	F661
		rre-minimization and minimization and an arrange and an arrange and an arrange and an arrange and a second and	wangamen water bearing and the	a till anna monagen sammi sammi sammi sammi sammi	ger en
Formation Color Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or	Mater &	
- or to an extension before the major point of the point	nce la aquine com en al contra e comment secto min man la minor transverse menor es especiel.	man jeun manaman manam manaman manaman manama	~ (11) (12) (1)	AA W F C.1	Remarks
Cow Run	837	1931	A Te	op Log	
157 SALT	1052	1061			
	1094	11 18			
and Salt	and the second				
320 SALT	1192	12/6			
MAXON	12, 6, 25				
KEENER	1442	146			
INJUN	1550	1670	364S		
	1690	1699			
Dquaw	1845	1950			
WELLH STRAY					
err in		2010			
BEREA					
50 Foot	3092 30191	2010			

• Formation Color Hard or Soft	709 Feat 53	Bottom Feet	Oil. Gas or Water	Remarks
GORDON STRAY	2286	2340	and the second s	egy (digital acutili talah sunnak kepulandan punya pata-dan dan dan dan berawan pendanak kemenan persa-da
Gordon	2463	2539	OIL & GAS	
4+L SAND	24//	2 424		
5+L SAND	2667	2676		
	si tra communicación de la	X		
	i Dingan Propinsi Sebagai Tungan		rang mengangan pengangan pengangan beranggan Panggan penganggan penganggan penganggan penganggan penganggan penganggan penganggan penganggan penganggan pe	
	distribution of the second sec			
	Provided Control of Co			
	all medical property and the second property and the s		*************************************	
		Angelogical delication of the state of the s		
		1		
		The Art Value of the Control of the		
		AG AND		
		engger viljan, av engreje ve poster, jege sav		
Statement of the statem				
		ve dispersion de l'internation		
	Manufacture of the second			

A CONTRACT C	r sejerar han gunta na kusatan propinsi na panga kan kusa na panga sa panga na a a a a	nenerativa entre cata di en mante transferrat l'envinerata ne se constitue plus controlare en resulte.		engente announcemente como enclatramentamento.

DOIC antigener and an advantage and the second and an advantage and ad

Wr.

APR = 9 1979

OIL & CAS DIVISION
DEPT: OF MINES

Oil and Gas Division

OIL AND GAS WELL PERMIT APPLICATION

TO THE DEPARTMENT OF MINES, Charleston, W. Va.	DATE 4-5-79
Surface Owner James Green	Company C. W. Riggs, Inc.
Address Arvilla, W. Va.	
Mineral Owner James Green	Farm Green Acres 108
Address Arvilla, W. Va.	
Coal Owner James Green	- Barana - B
Address Arvilla, W. Va.	그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그
Coal Operator None	Quadrangle Bens Run, W. Va.
Address	
THIS PERMIT MUST BE POSTED AT THE WELL SITE All provisions being in accordance with Chapter 22, of the W. Va. Code, the location is hereby approved for drilling	INSPECTOR
- This permit shall expire if	TO BE NOTIFIED Philip Tracy
Joseph A Laboration	ADDRESS Middlebourne, W. Va.
Deputy Director Oil & Gas Division	PHONE <u>758-4573</u>
GENTLEMEN:	
title thereto, (or as the case may be) under grant or lease	dated Sept. 15 19.78 by James and recorded on the 7th day of Feb.
1979, in Pleasants County, Book 151	Page <u>230</u>
X NEW WELLDRILL DEEPER	REDRILL FRACTURE OR STIMULATE
OIL AND GAS WELL ORIGINALLY DRILLE	
The enclosed plat was prepared by a registered engineer nave been notified as of the above date.	or licensed land surveyor and all coal owners and/or operators
The above named coal owners and/or operator are hereby to make by Section 3 of the Code, must be received by, or	notified that any objection they wish to make, or are required filed with the Department of Mines within ten (10) days. *
Copies of this notice and the enclosed plat were mailed bor coal owners at their above shown respective addresssame day with the mailing or delivery of this copy to the D	y registered mail, or delivered to the above named coal operators day
	Very truly yours,
PLEASE SUBMIT COPIES OF ALL GEOPHYSICAL LOGS DIRECTLY TO:	(Sign Name)
WEST VIRGINIA GEOLOGICAL AND ECONOMIC SURVEY, Addr P. O. BOX 879 MORGANTOWN, WEST VIRGINIA 26505 AC-304 - 292-6331	
	는 사람들이 되었다. 그는 사람들이 되었다면 하지만 하는 것이 되었다. 그는 하지만 하고 있다.

*SECTION 3.... If no objections are filed or found by the Department of mines, within said period of ten days from the receipt of notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a permit reciting the filing of such plat, that no objections have been made by the coal operators or found thereto by the department and that the same is approved and the well operator authorized to proceed.

BLANKET BOND

<u>47-073-0741</u>

PERMIT NUMBER

THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

PROPOSED WORK ORDER TO	XDRILL	DEEPEN FI	RACTURE STIMULATE
DRILLING CONTRACTOR: (If I		RESPONSIBLE AGENT	gs, Inc.
ADDRESS Buchannon, W. Va.		ADDRESS Box 35	8, St. Marys, W. Va
TELEPHONE 472-6396		TELEPHONE 684-	3974
ESTIMATED DEPTH OF COMPLE	TED WELL: 2750'	ROTARY X	CABLE TOOLS
PROPOSED GEOLOGICAL FORM			
TYPE OF WELL: OIL	• •		DISPOSAL
			ODOTHER
TENTATIVE CASING PROGRAM:			
CASING AND TUBING SIZE	USED FOR DRILLING	LEFT IN WELL	CIMENTALITY OR SACKS CUBIC II
20 - 16			
13 - 10 2 - 5/8			
		250'	cement top-bottom
8 - 5/8 <u>250 '</u>		230	Cement cop-boccom
5 1/2			
1 1/2		2750'	200 sks.
3			Pert. Top
2	•		Perf. Bottom
Liners			Pert: Top
			Perf. Bottom
APPROXIMATE FRESH WATER I	DEPTHS 75' FEET	SALT WATER	FEET
APPROXIMATE COAL DEPTHS _			
IS COAL BEING MINED IN THE	AREA? no	BY WHOM?	
TO DRILL:			
SUBMIT FIVE (5) COPIES COF PLAT.	F OG - 1, \$100.00 PERMI	T FEE, PERFORMANCE BO	OND AND PERMANENT COPY
O DRILL DEEPER OR REDRILL	•		
SUBMIT FIVE (5) COPIES OF	F OG - 1, SHOWING ORIGI	INAL PERMIT NUMBER AN	D PERFORMANCE BOND. OF
MUST ALSO BE SUBMITTED			
TO FRACTURE STIMULATE:			
물리가 가장 얼룩하면 하면 하다 가게 되었다.	GINALLY DRILLED BEFO	RE JUNE 5, 1 929, FIVE (5) (CORD.	COPIES OG - 1, PERFORMANCI
OIL AND/OR GAS WELL ORI ING ORIGINAL PERMIT NUM	GINALLY DRILLED ON AI BER,AND PERFORMANCE	ND/OR AFTER JUNE 5, 192 BOND.	9. FIVE COPIES OG - 1. SHOW
Required forms must be filed four (24) hours in advance.	within ninety (90) days of o	completion for bond release.	Inspector to be notified twenty
			a de la companya de La companya de la co
The following waiver must be hereof.	completed by the coal opo	erator if the permit is to be	issued within ten days of receip
VAIVER: I the undersigned, Agent	for	Coal Company, Owner	or Operator of the coal and
		aps this proposed well locati	
			ell being drilled at this location
providing operator has co	mplied with all rules and reg	ulations in Articles 4, 5, and 7	ri being drilled at this location, Chapter 22 of the West Virgini
大大学 · · · · · · · · · · · · · · · · · ·			
			or Coal Company