

ACCURACY: 17 200°

New Location

Drill Deeper

Abandonment

Fracture

Ledrill

Other

I, the undersigned, hereby certify that this map is correct to the best of my knowledge and belief and shows all the information required by paragraph 6 of the rules and regulations of the oil and gas section of the mining laws of West Virginia.

Che Water

Address MALETTA OHIO

Surface Owner MINNEL A POWELL

Mineral Owner MINNEL A POWELL

Well No. 4 Acres 90!

Well No. Acres 901

Ac

Juney PLEASANTS District UNION

Date 9/7/79 Scale 1" = 1000'

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

CHARLESTON

WELL LOCATION MAP

47 - 073 - 0791

STATE COUNTY PERMIT

+ Denotes location of well on United States
Topographic Maps.
Engineer CHET WATERMAN OCT 9 1979
Engineer's Registration No. 3788 File No. 79-616

6-6 Shawnee (82)

27-Mar-97 API # 47- 73-00791 F

1997 NOV 0

State of West Virginia
Division of Environmental Protection
Section of Oil and Gas

Permitting

Office of	Oll & Gas We	ell Operator's R	eport of V	Well Work		
Farm name:	LILLY, DON	IALD	Operator	Well No.:	J. POWELL	#2 .
LOCATION:	Elevation:	1,015.00 Quad	rangle: BH	ENS RUN		
	Latitude:	UNION 3800 Feet Sou 3200 Feet Wes	th of 39	ounty: PLEA Deg. 25Min Deg. 2 Mi	0 Sec	•
Ρ.	DLOGICAL ENE O. BOX 730 . MARYS, WV		- &	Used in Drilling		Cement Fill Up Cu. Ft.
Inspector: Permit Issu Well work (Well work (Verbal Pluc	SAM HERSMAN led: Commenced: Completed: gging granted on:	04/04/97 06/23/97 09/15/97	Size			
Total Denti	(feet) depths (ft		7::	1036'	1036'	120 SKS.
	depths (ft)		4 1/2"		2993'	200 SKS.
Is coal bei	ing mined in (ft):	area (Y/N)?				
OPEN FLOW I	DATA			EXIS	TING	
20052	2 20011 2 1 0 0 0	on Squaw flow MCF low 30 MCF flow between i	/d Oil: Ir /d Fi nitial and g (surface	Pay zone of itial open inal open fill final teste pressure)	depth (ft) flow low ts after4	2090 Bbl/c Bbl/c Hours
Gas:]	d producing Initial open Final open f Time of open C rock Press	formationMCF flowMCF flow between i urepsi	/d Oil: Ir /d Fi nitial and g (surface	Pay zone on itial open in itial open final test pressure)	low	Bbl/d Bbl/d
NOTE: ON BA	ACK OF THIS FRACTURING	FORM PUT THE OR STIMULATING	FOLLOWING	G: 1). DETA	AILS OF PE	ERFORATE

LOG WHICH IS A SYSTEMATIC DETAILED GEOLOGICAL RECORD OF ALL FORMATIONS, INCLUDING COAL ENCOUNTERED BY THE WELLBORE

For:	ECOLOGY.	GAL FARRY	TNC		
	77	THE PROPERTY.	1-140.		
	//	く ハ ノ ル ゼ			
	By: \	97 2000		Consultant	
•		J. Julyan		CONSCILLANC	
	Date:	9//2/97			

Temporary bridge plug: Set 4 1/2" solid bridge plug at 2210'.

Perforated Interval: (2088' - 96") 12 holes, 0.41".

Fracturing treatment: 500 gals. 7 1/2% HCL acid, Halliburton Delta frac,

238 BBLS. total fluid, Breakdown press: 4000#,

Avg. rate: 12 BPM., Avg. press.: 2300#, 25000 1bs.

20/40 sand, ISIP: 1821.

See original IV-35 State report for additional formation information and flow data.



00731 1980 STATE OF WEST VIRGINIA



00715 1980

OIL & GAS DIVISION

OIL & GAS DIVISION DEPT. OF ON VINE GOS DIVISION DEPT. OF MINES


	Run 0791				CableRecycling	OilGasGasCombX Storage(Kind)
Company L&M Pe Address Rt. #1. Farm James	troleum Co. Box 18-B.M. Powell	arietta, O	Casing and Tubing	Used in Drilling	Left in Well	Cement fill up Cu. ft. (Sks.)
Location (waters) Si Well No. 2 District Union The surface of tract is of James Po	County_P	elev 1015 Leasants	Size 20-16 Cond. 13-10''			
		Education and Artifacture 1990(1) destroys and complete the analysis of the an	9 5/8			
Address Harmony			8 5/8	1036*	Mark Commence of the Commence	the series of a
Mineral rights are owned			5 1/3	LVJ0		120 Sx
Address			5 1/2 4 1/2	29951	(5,5,5,5	
Drilling Completed <u>Oc</u>			3	and contract to the second	29951	200 sx
initial open flow 150			2	BO-Sandard Maria (1865 m. Sandar	d and its contraction of the electric contraction in the interior in the inter	
Final production 80 D			Liners Used	and between the contract of th	THE CONTRACTOR OF STREET	
Well open 6	hrs. before test	₽ P	The residence of the control of the			
			eliterale anno menerijaja selemperano je ustanovaje nji koja ca jelekto živok u sa tanojekoju živoj vligijaje se njumpa tajo			
oal was encountered at resh water Go		201	Salt V	Inche Vater		Feet
resh water		201	a. Anniew hymneyddon wys (SC Anniew) w 1 2000 (gwrlonwydg wyngol annigym mwy y triw new winnia ha'r rollyfriaidd synn.	Inche Vater	-2895	FeetRemarks
resh water	rdon 8	Feet OMCF	Salt V Depth	Inche Vater <u>2884</u>	2895 Water *	

and the well operator authorized to proceed.

Thave read and understand the reclamation requirements as set forth in Chapter 22, Article 4, Section 12-b and will carry out the specified requirements."



STATE OF WEST VIRGINIA



Oil and Gas Division

OLL & GAS DIVISION DEPT, OF MILE

47-073-0791

PERMIT NUMBER

AND GAS WELL PERMIT APPLICATI

TO THE DEPARTMENT OF MINES,			
Charleston, W. Va.	DATE	September 14, 1979	
Surface Owner Jimmie A. Powel Address St. Marys, WV	1	I. & M Oil Company	
Address St. Marys, WV	Addra		
Mineral Owner Same		Jimmie A. Powell	rarietta, O
Address		on (waters) Sugar Creek	7es
Coal Owner Same	TOCALI	on (waters) Dugat CI CGA	
Address	T. IISW	Injon	retion 1015
Coal Operator None	Distinc	Co	unty Pleasan
Address	and the state of t	# Max	
THIS PERMIT MUST BE POSTED AT THE WI All provisions being in accordance with Char of the W. Va. Code, the location is hereby a	ELL SITE oter 22, pproved INSPECTO	R Phil Tracy	
for <u>drilling</u> . This permit shall	expire if 10 BE NO	TIFIED	
operations have not commenced by 5-18-8	ADDRESS	Middlebourne,	W.Va.
Deputy Director - Oil & Gas Division	PHONE	758-4573:4000 - 1400 Allene pe	e gant they are the side of
		The same of the sa	
The undersigned well operator is entitled	to drill upon the above na	med farm or tract of land for the	
under thereto, (or as the case may be) unde	I grant or lease dated	11/15	T 3
Powell made to J. E. O	748 an	d recorded on the 21 dr	y of Nov.
19 77 in Pleasants County, 1	Book Page	<u> </u>	างคริกคที่จะรูปสามภาพ (ค.ศ.) -
X NEW WELLDRII	L DEEPERR	EDRILLFRACTURE O	R STIMULATE
OIL AND GAS WELL ORIGIN	NALLY DRILLED BEFORE	JUNE 5, 1969.	
The enclosed plat was prepared by a reg have been notified as of the above date.	ristered engineer or licensed		
. The above named coal owners and/or ope to make by Section 3 of the Code, must be	by, or then with th	ne Department of Mines within ten ((10) dava =
Copies-of this notice and the enclosed pla or coal owners at their above shown respec same day with the mailing or delivery of this	it were mailed by registered	mail, or delivered to the above name	ed coal operators
PLEASE SUBMIT COPIES OF ALL	Very truly	yours L & M Oil Compan	У.
GEOPHYSICAL LOGS DIRECTLY TO:	(Sign Name	Alile C 1/8	
	The second second second	Well Operator	
WEST VIRGINIA GEOLOGICAL AND		Phillip C. Hunter	•
ECONOMIC SURVEY P. O. BOX 879	Address	Street	
MORGANTOWN, WEST VIRGINIA .26505		R.D. #1, Box 18-B, N	ewport Pike
AC-304 - 292-6331		City or Town	21445
المنظمين المنطقة على المنطقة المنظمين المنطقة المنطقة المنطقة المنطقة المنطقة المنطقة المنطقة المنطقة المنطقة ا والمنطقة المنطقة المنط	garan da karan da ka Manazarran da karan d	Marietta, Ohio	45750
ing the second of the second o		State	
SECTION 3	ing the group of the second of	e di se e e e e e e e e e e e e e e e e e e	e de la companya de La companya de la co
notice and plat by the department of mines; to said the filing of such plat, that no expections have been and the well operator authorized to proceed.	or found by the Department of proposed location, the department made by the coal operators or for	inines, within said period of ten days from the shall forthwith issue to the well operate and that if	om the receipt of a a permit reciting he same is approved

THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

PROPOSED WORK ORDER TO	DA DRILI		DEEPEN	FRACTURE-STIMULA	TE
RILLING CONTRACTOR: (1	f Known)		RESPONSIBLE AG		
ME	, .	e t	NAME_Richard		
שמתמת			ADDRESS Par	kersburg, WV	
LEPHONE	A CONTRACTOR OF THE RESERVE		TELEPHONE	04-424-08/6	
TIMATED DEPTH OF COMP					
OPOSED GEOLOGICAL FOR	MATION: GORDON		en e		
PE OF WELL: OIL	and the second s		ib. X Stor	AGE DISPOS	AL
		RECYCLING	WATER	FLOODOTH	ER
			ight of the control o		4 1 .
NTATIVE CASING PROGRA	M:				
		.			
CASING AND TUBING	USED FOR DRILLING		LET IN	CEMENT FIL	
	DRILLING		WLLL	OR SACKS - CU	BK I-I.
- 16 The second of the second	The second secon				
5/8					<u> </u>
<u> </u>	250				<u></u>
5/6	250		250	Surface	
	_		•		
	TD		TD	400	
				Perf. Top	
•				Perf. Bottom	
<u> </u>		1.		Perf. Top	
				Perf. Bottom	
ROXIMATE FRESH WATER	R DEPTHS 150	FEET	1500 SALT WAT	ER FEET	•
PROXIMATE COAL DEPTHS					
COAL BEING MINED IN TH	- 75 a man a man		BY WHOM		
OF PLAT. DRILL DEEPER OR REDRI	LL:		,		
SUBMIT FIVE (5) COPIES WELLS DRILLED PRIOR MUST ALSO BE SUBMITT	TO 1929, A PERMA	G ORIGINA NENT COPY	L PERMIT NUMBER OF THE PLAT A	R AND PERFORMANCE ND THE ORIGINAL WEI	BOND. OI L RECOR
		A Commence of the Commence of	• •		
FRACTURE - STIMULATE:			•		
OIL AND/OR GAS WELL (BOND, PERMANENT PLA	DRIGINALLY DRILLI T AND ORIGINAL W	ED BEFORE ELL RECOF	JUNE 5, 1929, FIVE LD.	(5) COPIES OG - 1, PERF	ORMANC
OIL AND/OR GAS WELL (ING ORIGINAL PERMIT N	DRIGINALLY DRILLE UMBER, AND PERFO	ED ON AND RMANCE BO	OR AFTER JUNE 5,	1929, FIVE COPIES OG	-1 JSHOW
Required forms must be fil four (24) hours in advance.	ed within ninety (90)	days of com	pletion for bond rele		
	· .				
	en e	e la	•		
3.000					
The following waiver must	be completed by the	coal operate	or if the permit is to	be issued within ten day	ys of recei
IVER: I the undersigned, Ag	ent for		Coal Company O	where or discounter of the	
	ned and place on our				com mpo
We the	Coal (company hav	e no objections to ==	id well being drilled at t	his location
providing operator has				and 7, Chapter 22 of the V	
Code.		1 * N - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		The second section of the second section secti	Kiill
	ing the second of the second of the second	• •••	ry or spirite the order of the spirite		
• •					
 	•		+	For Call Company	
		* •			

· . On wial Title

`8 r ez: .."

	STATE OF WEST VIRGINIA
	DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION
	Well Operator: Ecological Energy, Inc. 15'40 (5) 241
233	Operator's Well Number: J. Powell #2 3) Elevation: 1015
:	Well type: (a) $Oil_/$ or $Gas_X/$ brued $O4/04/97$ Experis $O4/04/99$
	(b) If Gas: Production/ Underground Storage_ $\underline{\hspace{0.1cm}}'/$ Deep/ Shallow $\underline{\hspace{0.1cm}}'$
5)	Proposed Target Formation(s): Pocono 371
6)	Proposed Total Depth: 2100 feet
7)	Approximate fresh water strata depths:
8)	Approximate salt water depths:
9)	Approximate salt water depths: Approximate coal seam depths:
10)	Does land contain coal seams tributary to active mine? Yes/ No
11)	Proposed Well Work: Set temporary plug, frac Pocono sand, remove plug,
12)	commingle withoriginal production
	CASING AND TUBING PROGRAM
TYPE	SPECIFICATIONS FOOTAGE INTERVALS CEMENT
	Weight For Left in Fill-up

IYPE	S1	PECIFICAT	TONS	FOOTAGE 1	NTERVALS	CEMENT
· ·	Size	Grade	Weight per ft.	For drilling	Left in well	n Fill-up (cu. ft.)
Conductor					·	
Fresh Water					19/100	to was known
Coal					1 fr	omlo
Intermediate	7"			1036'	1036'	120 sks.
Production	4½"				2995 '	200 sks.
Tubing		-			1	
Liners	9-111-15-11-1-1-1-1-1-1-1-1-1-1-1-1-1-1-					
PACKERS : Kind		A CONTRACTOR OF THE CONTRACTOR			Existing	
Size Dept	hs set					
V/4	F	or Office	e of Oil a	nd Gas Use	Only	\mathcal{A}

	Sizes_ Depths	set				
Fee(Well Well	fice of Oil of Work Permi	\mathcal{A}	eclamation Fund (Type)	WPCP Agent

Page 1 of Form WW2-A (6/94) File Copy

1)	Date: 1/15/97	
2)	Operator's well number	
Charles and the same of the sa	J. Powell #2	
3)	API Well No: 47 - 73 -	791 - P
	State County	Permit

STATE OF WEST VIRGINIA - BUREAU OF ENVIRONMENT DIVISION OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

NOTICE AND APPLICATION FOR A WELL WORK PERMIT

4)	Surface Owner(s) to be served: 5) (a) (a) Name Double Mark of Mark of Mr. 376 Address 4238 Domin St. Mr. 376 Mr. Campell Mills of Mr. 643754	Coal Operator: Name N/A	MAI	
	Address 4238 Nome St. Nr. 376	Address	0 9	
	(b) NameAddress	(b) Coal Owner(s) with Decia	aration = - Alv. Am	Islan of the last
* .				
	(c) Name			
		Name _Address		ا المروض عاد المجاورة والمدارة المواضعة المجاورة والمدارة المحاورة المحاورة المحاورة المحاورة المحاورة المحاورة
6)	Inspector Sam Hersman	(c) Coal Lessee with Declare	otion	The state of the s
	Address Rt. 1, Box 248	Name N/A		
	Harrisville, WV Telephone (304)- <u>628-3185</u>	_Address		
		IED ABOVE TAKE NOTICE 1		
Virgin this n the at condit inform those is true	Included is the lease or leases or othe o extract oil and gas OR Included is the information required by (iia (see page 2) I certify that as required under Chapter otice and application, a location plat, are ovenamed parties, by: Personal Service (Affidavit attack Certified Mail (Postmarked posta Publication (Notice of Publication Publication (Notice of Publication I have read and understand Chapter 2 is included in the penalty of law that I leation submitted on this application form individuals immediately responsible for one accurate, and complete. I am aware that there are significant positive of fine and impairements.	Chapter 22, Article 6, Section 22 of the West Virginia Code and accompanying documents ned) I receipt attached) attached) 2-6 and 38 CSR 11-18, and lication. have personally examined a and all attachments, and the obtaining the information, I be	8(d) of the Code I have served of pages 1 through I agree to the te	e of Wes copies o h or erms and with the nquiry or formation
possit	and imprisonment.			ading the
	Well Operato	Ecological Energy, J	inc.	
		id E. Loxtercamp	- XI	
	AddressBox			-
	Morganto			
Subsc	Telephone	1-800-866-7587	~~~~	******
Jubsc	ribed and sworn before me this 30 day		1097	
		STATE OF WEST VI	Notal Public	
Му со	mmission expires Frox	AND END OF THE POLICE OF THE P	<u> </u>	
		My Commission Express Date	ember 4, 2006	
	1			