

HO

6-26-80

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

## Oil and Gas Division

## OIL AND GAS WELL PERMIT APPLICATION

| FRANK SEEM  EMERSON, PARKERS BURG  COTTRICC Acres 20 19.3  OHIO RIVER  Elevation 6/5  INGTON County PLEASAN  JEN ROCK  Tract of land for oil and gas, having fee  19.80 by  on the 1374 day of JUNE  |
|--|
| COTTRICE Acres 20 19.3  OHIO RIVEL  Elevation 6/5  NGTON County PLEASAN  LEN ROCK  HIL TRACY  A. W.VA.  573  tract of land for oil and gas, having fee  1980 by  |
| Elevation 6/5' INGTON County PLEASAN IEN ROCK  PHIL TRACY A. W.VA.  573  tract of land for oil and gas, having fee  1980 by  |
| Elevation 6/5  NATON County PLEASAN  PHIL TRACY  A. W.VA.  573  tract of land for oil and gas, having fee  1980 by   |
| PHIL TRACY  A. W.VA.  S73  tract of land for oil and gas, having fee  1980 by  |
| HIL TRACY  A. W.VA.  573  tract of land for oil and gas, having fee  |
| PHIL TRACY  A. W.VA.  573  tract of land for oil and gas, having fee  1980 by  |
| tract of land for oil and gas, having fee  |
| tract of land for oil and gas, having fee  |
| tract of land for oil and gas, having fee  |
| tract of land for oil and gas, having fee  |
| tract of land for oil and gas, having fee  |
| tract of land for oil and gas, having fee  |
| 19 <b>80</b> by  |
| 19 <b>80</b> by  |
| on the 1374 day of June  |
|  |
| The state of the s |
| FRACTURE OR STIMULATE  |
| 969.   |
| or and all coal owners and/or operators  |
| tion they wish to make, or are required nt of Mines within ten (10) days. *  |
| vered to the above named coal operators y before, or on the Charleston, West Virginia.   |
| Frank Dem  |
| Well Operator  |
| FI EMERSON   |
| Street   |
| ERSBURG, City, or Town   |
|  |
| JA. 26/01  |
| JA. 26/01<br>State   |
| State  |
|  |
| State  n said period of ten days from the receipt of with issue to the well operator a permit reciting the department and that the same is approved.  7-073-0879   |
| n said period of ten days from the receipt of with issue to the well operator a permit reciting the department and that the same is approved 7-073-0879  PERMIT NUMBER   |
| n said period of ten days from the receipt of with issue to the well operator a permit reciting the department and that the same is approved 7-073-0879  PERMIT NUMBER   |
| State  n said period of ten days from the receipt of with issue to the well operator a permit reciting the department and that the same is approved.  7-073-0879   |
| าน   |


## THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

| PROPOSED WORK ORDER TO_   | DRILL  | DEEPEN   | EDACTUDE CTIMULATE   |
|---|--|--|--|
| DRILLING CONTRACTOR: (If I  |  | RESPONSIBLE AGEN   |  |
| NAME HAUGHT   |  | NAME   |  |
| ADDRESS BEATRICE, E   | WIA.   | ADDRESS  |  |
| TELEPHONE   |  | TELEPHONE  | A\$2 1 (1)   |
| ESTIMATED DEPTH OF COMPLE   | ETED WELL: 3500'   |  | CABLE TOOLS  |
| PROPOSED GEOLOGICAL FORM  | ATION: SHALE   | ,  |  |
|   |  | COMB STORA   | GE DISPOSAL  |
| 0.8   |  |  | LOOD OTHER   |
|   | THEO TOE   | WAIER F  | LOOD OTHER   |
| TENTATIVE CASING PROGRAM:   |  |  |  |
|   |  | 20 1 100 to 134 23 c   | PACE AND   |
| *CASING AND TUBING<br>SIZE  | USED FOR<br>DRILLING   | LEFT IN WELL   | CEMENT FILL UP<br>OR SACKS - CUBIC FT.   |
| 20 - 16   |  | W L.L.L.   | OR SACKS - CODIC FT.   |
| 12 10   | 134 2135 (.)   |  |  |
| 9 - 5/8   | TA MARKET  |  |  |
| 8 - 5/8   |  | 300'   | 25-  |
| 7   | •  |  |  |
| 5 ½   |  | T THE WELL SITE  | HIS PERMIT MUST BE POSTED A  |
| 4 ½   |  | 3000'  | 2  |
| 3   |  | with Chepter 22.   | Perf. Top  |
| 2   |  | Faxorado Ansuell s   | Perf. Bottom   |
| Liners  | - 1.4  | Lauges loderfiere  | Perf. Top  |
|   |  |  | Perf. Bottom   |
| OF PLAT.  TO DRILL DEEPER OR REDRILL  SUBMIT FIVE (5) COPIES O  WELLS DRILLED PRIOR TO  MUST ALSO BE SUBMITTED  TO FRACTURE - STIMULATE:  OIL AND/OR GAS WELL OR BOND, PERMANENT PLAT A  OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUM | F OG - 1, SHOWING ORIGO<br>D 1929, A PERMANENT CO<br>D.<br>IGINALLY DRILLED BEFO<br>AND ORIGINAL WELL RE<br>IGINALLY DRILLED ON A<br>IBER, AND PERFORMANCE | PINAL PERMIT NUMBER AND COPY OF THE PLAT AND PRE JUNE 5, 1929, FIVE (SCORD.  ND/OR AFTER JUNE 5, 1 BOND. | BOND AND PERMANENT COPY  AND PERFORMANCE BOND. ON DITHE ORIGINAL WELL RECORD  5) COPIES OG - 1, PERFORMANCE  929, FIVE COPIES OG - 1, SHOW- se. Inspector to be notified twenty-   |
| ion (21) nont in advance.   |  |  |  |
|   |  |  | The state of the s |
|   |  |  |  |
|   |  |  |  |
| The following waiver must be  | completed by the coal op   | erator if the permit is to b   | pe issued within ten days of receipt   |
| thereof.  |  |  |  |
| WAIVER: I the undersigned, Agent  |  |  | ner or Operator of the coal under  |
| this lease have examined  | d and place on our mine m  | naps this proposed well loo  | cation.  |
|   |  |  | well being drilled at this location,   |
| providing operator has co   | omplied with all rules and reg   | gulations in Articles 4, 5, an   | d 7, Chapter 22 of the West Virginia   |
| Code.   |  |  |  |
|   |  |  |  |
|   |  | HO IV  | For Coal Company   |
|   |  |  | and the second s |
|   |  |  | Official Title   |
|   |  |  |  |

Property Boundry -Legend: Planned Fence -Stream-Open Ditch -

Diversion WYYYY Spring O→ Wet Spot Building Drain Pipe-Waterway C

Sketch to include well location, existing access road, roads to be constructed, wellsite, drilling pits and necessary structures numbered or lettered to correspond with first part of this plan. Include all natural drainage.



The location is flat and will not The access road is also Signature:


Please request landowners cooperation to protect new seeding for one growing season.

Form IV-9 (01-80) HO 6-26-FD

| Da   | ate | 6     | -2  | 0      | 196 | 80  |     |
|------|-----|-------|-----|--------|-----|-----|-----|
| Well | No. |       | 1   |        |     |     |     |
| API  | No. |       | 100 | 07     | 3 - | 0   | 879 |
|      |     | State | 9   | County |     | Per | mit |

STATE OF WEST VIRGINIA

| Address  | 4541 EMERS  | ON, TARKERS   | Address   |  |  |
|--|---|---|---|--|--|
| Telephone _  | 422 2855  |   | Telephone   |  |  |
| _  | ROBERT COTT   |   |   |  | OHIO   |
| Revegetatio  | n to be carried ou  | it by   | F. DEEM   |  | MINISTRAL PROPERTY.                                    |
| This plan h<br>and additio                               | as been reveiwed b  | of this plan  | C/20/80   | Connect (SCD Ag                                  | e tions<br>Mas<br>ent)                                 |
|  | Access Road   |   | Locat   | ion  |  |
| tructure   | N/A   | (A)   | Structure Diver   | 31-  | (1)  |
| pacing   |   |   | Material E.   |  |  |
| age Ref. Man   | ual   |   | Page Ref. Manual  | I- 11  |  |
| tructure   |   | (B)   | Structure   |  | (2)  |
|  |   |   | Material  |  |  |
| age Ref. Man   | ual   |   | Page Ref. Manual  |  |  |
|  |   |   | Structure   |  | (3)  |
|  |   |   | Material  |  |  |
|  | ual   | alandor .   | Page Ref. Manual  |  |  |
| All structu  | res should be insp  | Revegeta  |   | if necessary.                                    |  |
|  | Treatment Area I  | Revegeta  | tion<br>Treatm  | if necessary.                                    |  |
|  | Treatment Area I  | Revegeta  | tion<br>Treatm  | ent Area II                                      |  |
| ime<br>or correct  |   | Revegeta Tons/acre  | tion  Treatm  Lime  or correct to   | ent Area II pH                                   | ons/Acre   |
| ime or correct   | Treatment Area I  to pH 6.5  -20-20 or equivale   | Revegeta Tons/acre lbs/acre   | Lime or correct to  Fertilizer (10-20-  | ent Area II  pH1 20 or equival                   | ons/Acre bs/acre ent) ons/Acre                         |
| ime or correct   | Treatment Area I  to pH 6.5  600  -20-20 or equivale  | Revegeta Tons/acre lbs/acre   | Lime or correct to  Fertilizer (10-20-  | ent Area II  pH1 20 or equivalT1                 | ons/Acre   |
| ime or correct Certilizer (10 fulch Eeed* Xy             | Treatment Area I  to pH 6.5  600  -20-20 or equivale  | Revegeta  Tons/acre  lbs/acre  lbs/acre  lbs/acre  lbs/acre  lbs/acre  vetch, trefe               | Lime or correct to Fertilizer (10-20- Mulch Seed*                             | ent Area II  pH                                  | ons/Acre bs/acre ent) ons/Acre bs/acre bs/acre bs/acre |
| ime or correct Certilizer (10 fulch Eeed* Xy             | Treatment Area I  to pH 6.5  600  -20-20 or equivale  /A.y 2  3/ 40  1 legumes such as            | Revegeta  Tons/acre  lbs/acre lbs/acre lbs/acre lbs/acre vetch, treferecommended                  | Lime or correct to  Fertilizer (10-20-  Mulch Seed*                           | ent Area II  pH                                  | ons/Acre bs/acre ent) ons/Acre bs/acre bs/acre bs/acre |
| ime or correct Certilizer (10 fulch Eeed* Xy             | Treatment Area I  to pH 6.5  600  -20-20 or equivale  /A.y 2  3/ 40  1 legumes such as            | Revegeta  Tons/acre  lbs/acre lbs/acre lbs/acre lbs/acre vetch, treferecommended                  | Lime or correct to Fertilizer (10-20- Mulch Seed*                             | ent Area II  pH                                  | ons/Acre bs/acre ent) ons/Acre bs/acre bs/acre bs/acre |
| ime or correct Certilizer (10 fulch Eeed* Xy             | Treatment Area I  to pH 6.5  600  -20-20 or equivale  /A.y 2  3/ 40  1 legumes such as            | Revegeta  Tons/acre  lbs/acre lbs/acre lbs/acre lbs/acre vetch, treferecommended                  | Lime or correct to  Fertilizer (10-20-  Mulch Seed*                           | ent Area II  pH                                  | ons/Acre bs/acre ent) ons/Acre bs/acre bs/acre bs/acre |
| ime or correct Certilizer (10 fulch Seed*  Inoculate all | Treatment Area I  to pH 6.5  600  -20-20 or equivale  3/ 40  1 legumes such as noculate with 3X r | Tons/acre  lbs/acre  lbs/acre  lbs/acre  lbs/acre  lbs/acre  lbs/acre  vetch, trefe ecommended    | Lime or correct to  Fertilizer (10-20- Mulch Seed*                            | ent Area II  pH  20 or equival  I  th the proper | ons/Acre bs/acre ent) ons/Acre bs/acre bs/acre bs/acre |
| ime or correct ertilizer (10 ulch eed* Inoculate al      | Treatment Area I  to pH 6.5  600  -20-20 or equivale  /A.y 2  3/ 40  1 legumes such as            | Tons/acre  lbs/acre  lbs/acre  lbs/acre  lbs/acre  lbs/acre  lbs/acre  vetch, trefe ecommended    | Lime or correct to  Fertilizer (10-20- Mulch Seed*                            | ent Area II  pH                                  | ons/Acre bs/acre ent) ons/Acre bs/acre bs/acre bs/acre |
| ime or correct Certilizer (10 fulch Seed*  Inoculate all | Treatment Area I  to pH 6.5  600  -20-20 or equivale  3/ 40  1 legumes such as noculate with 3X r | Tons/acre  lbs/acre  lbs/acre  lbs/acre  lbs/acre  lbs/acre  vetch, treferecommended  involved To | Lime or correct to  Fertilizer (10-20- Mulch Seed*                            | ent Area II  pH  20 or equival  I  th the proper | ons/Acre bs/acre ent) ons/Acre bs/acre bs/acre bs/acre |
| ime or correct Certilizer (10 fulch Seed*  Inoculate all | Treatment Area I  to pH 6.5  600  -20-20 or equivale  3/ 40  1 legumes such as noculate with 3X r | Tons/acre  lbs/acre lbs/acre lbs/acre lbs/acre vetch, trefrecommended                             | Lime or correct to Fertilizer (10-20- Mulch Seed*  Dil and clovers wi amount. | ent Area II  pH  20 or equival  th the proper    | ons/Acre bs/acre ent) ons/Acre bs/acre bs/acre bs/acre |





A THE WATER A CONTRACT OF THE PARTY OF THE P

## State of Mest Nirginia

Bepartment of Mines

Gil and Gas Bivision

Charleston 25305

March 1, 1982

Reagle & Padden, Inc.
409 Market Street

P.O. Box 778

Parkersburg, W.Va. 26101

In Re: (6) Single Bonds
J. Frank Deem

Dear Mr. Padden:

Enclosed are the (6) single bonds listed below stamped Cancelled as of today's date:

No. 467729 dated 4-9-81 - RIT- 4795

No. 467748 dated 6-24-81 - PLEAS-879

No. 475880 dated 10-29-80 - RIT-4974

No. 475882 dated 1-6-81 - RIT-5055

No. 475888 dated 4-27-81 - RIT-5173

No. 475895 dated 6-15-81 - RIT-5203

The above drilling permits have been transferred to J. Frank Deem's Blanket Bond # 483526 dated 7-8-81 as per letter dated August 21, 1981....


Please give Mr. Deem credit on your records for these cancelled single bonds.

Sincerely,

Thomas E. Huzzey, Administrator Office of Oil & Gas -Dept. Mines

TEH/chm

cc: J. Frank Deem, 4541 Emerson Avenue, Parkersburg, W.Va. 26101



cease except to perform the 24-hour gas/oil ratio test. you are flaring must immediately . Flaring must immediately Information has come to the attention of the Office of Oil and Gas that

Dear Sirs:

Robert Cottrill Farm Re: Flaring Gas - Well No. 47-073-0879

Parkersburg, WV 56101 7271 EWGLZON J. F. Deem

0861 ,41 JeuguA

DIRECTOR WALTER N. MILLER

Ohnreeton 25305 noisitig and dnu lid esnift, to insmiraqsE minigriff teafff to atule

006-021

