

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Monday, February 4, 2019
WELL WORK PLUGGING PERMIT
Vertical Plugging

PATCHWORK OIL & GAS LLC PO BOX 168

DAVISVILLE, WV 26142

Re: Permit approval for 80334 47-073-02591-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: 80334

Farm Name: Eddy, Neil M.

U.S. WELL NUMBER: 47-073-02591-00-00

Vertical Plugging Date Issued: 2/4/2019

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

WW-4B Rev. 2/01

1)Date	Oct.	15		20	02/08	8/2019
2)Opera					1	~
Well	No. E	30334	+			
31APT V	Vell No	. 47-	273	- 0	759	IP

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

4)	APPLICATION FOR A FE	RMIT TO PLUG AND ABANDON
		id injection/ Waste disposal/
	(If "Gas, Production or U	nderground storage) Deep/ Shallow
5)	Location: Elevation 680'	Watershed Ohio River
	District Washington	County Pleasants Quadrangle Raven Rock
6)	Well Operator Patchwork Oil & Gas, LLC	7) Designated Agent Roger L. Whited
	Address PO Box 168	Address 548 Clarion Rd
	Davisville, WV 26142	Walker, WV 26180
8)	Oil and Gas Inspector to be notified Name Cragin Blevins	9) Plugging Contractor Name Patchwork Oil & Gas, LLC
	Address 1407 19th Street	Address PO Box 168
	Vienna, WV 26105	Davisville, WV 26142
	A bond log will be ran and a minimum of 100' plugs of Class A	he well to our bond in order to get the well plugged for the land owner. cement will be set at the bottom, any perforations, casing cuts, elevation
	THEN PULL ALL CASING IF WHERE NECESSALY, AND CLASS A CEMENT.	cement will be set at the bottom, any perforations, casing cuts, elevation 200' surface plug to ensure that fresh water is covered. There are gel spacers.

VW-4A Levised 6-07 1) Date: October 15th, 2018 2) Operator's Well Number

80334

02/08/2019

3) API Well No.: 47 -

073 02591

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

Address (b) Name Address	1001 Oakwood Terrace		Name	
			Address	
	St. Mary's, WV 26170		_	
Address			_ (b) Coal Ov	wner(s) with Declaration
			_ Name	None
			Address	
(c) Name			Name	
Address			Address	
nuuress			_	
Inspector	Cragin Blevins		(c) Coal Le	ssee with Declaration
Address	1407 19th Street		Name	None
	Vienna, WV 26105		Address	
Telephone	304-382-5933			
well it (2) The pl	s and the plugging wor lat (surveyor's map) sh	rk order; and owing the well location onts is that you have rig	on on Form WW-6.	h sets out the parties involved in the work and describes the control of the sets out the parties involved in the work and describes the control of the parties involved in the instructions on the reverses side
accompanyir	ng documents for a permit with respect to the well at	to plug and abandon a v the location described or en mailed by registered	well with the Chief of the the attached Applicate or certified mail or de-	I operator proposes to file or has filed this Notice and Application an he Office of Oil and Gas, West Virginia Department of Environmenta tion and depicted on the attached Form WW-6. Copies of this Notice elivered by hand to the person(s) named above (or by publication in
the Applicat	mstances) on or before the			
the Applicat			Patchwork Oil & Gas	
the Applicat	mstances) on or before the	Well Operator By:	Round	Lather L
the Applicat certain circui	mstances) on or before the			
the Applicat certain circui	mstances) on or before the	By:	Round	
OFFICIAL NOTARY STATE OF IVE JESSICA B8 Diamond Dr., Da	mstances) on or before the	By: Its:	Managing Member	Matel
the Applicat certain circus OFFICIA NOTARY STATE OF WE JESSICA	mstances) on or before the	By: Its:	Managing Member PO Box 168	Matel

)i

'he Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our egulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of usiness or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our ffice will appropriately secure your personal information. If you have any questions about our use of your personal nformation, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

02/08/2019

WW-9 (5/16)

API Number 47	_ 073	_ 02591	
Operator's Well	No. 30	334	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN


Operator Name Patchwork Oil & Gas, LLC	OP Code 494466991
	Quadrangle Raven Rock
Do you anticipate using more than 5,000 bbls of water to complete th	e proposed well work? Yes No
Will a pit be used? Yes No ✓	OCE
If so, please describe anticipated pit waste:	
Will a synthetic liner be used in the pit? Yes No	If so, what ml.? 11/2/20
Proposed Disposal Method For Treated Pit Wastes:	
Land Application (if selected provide a con Underground Injection (UIC Permit Num Reuse (at API Number Off Site Disposal (Supply form WW-9 for Other (Explain Vac truck is used for any plu	ber) r disposal location)
Other (Explain vac truck is used for any plu	gging initias and disposed of property
30.70	RECEIVED.
Will closed loop systembe used? If so, describe:	Air, freshwater, oil based, etc.
Drilling medium anticipated for this well (vertical and horizontal)?	Air, freshwater, oil based, etc.
-If oil based, what type? Synthetic, petroleum, etc	NUV 1 1 7 15
Additives to be used in drilling medium?	Winner
Drill cuttings disposal method? Leave in pit, landfill, removed offsite	e, etc. Environmental C
-If left in pit and plan to solidify what medium will be used?	? (cement, lime, sawdust)
-Landfill or offsite name/permit number?	
Permittee shall provide written notice to the Office of Oil and Gas of West Virginia solid waste facility. The notice shall be provided within where it was properly disposed.	n 24 hours of rejection and the permittee shall also disclose
on April 1, 2016, by the Office of Oil and Gas of the West Virginia provisions of the permit are enforceable by law. Violations of any ter or regulation can lead to enforcement action.	m or condition of the general permit and/or other applicable law nined and am familiar with the information submitted on this quiry of those individuals immediately responsible for obtaining a complete. I am aware that there are significant penalties for
Company Official Signature Logue La Martine	7
Company Official (Typed Names Roger L. Whited	
Company Official Title Managing Member	
Subscribed and sworn before me this 23 day of Oct	50/ber , 20 19
Condot	Notary Public Notary Public OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRIGHM JESSICA M. LOTT
My commission expires Aug. 7, 2019	B Diamond Dr., Davsville, W. My Commission Expires August


Form WW-9

47-073-02591P 02/08/2019

Operator's Well No. 80334

Lime 1-2 Tons/acre or		Preveg etation p	
	to correct to pH 6.5		
Fertilizer type 5-10-10			
Fertilizer amount 500	lbs/acre		
Mulch_Straw	Tons/acre		
	Seed Mixtures		
Temporary		Perm	anent
Seed Type lbs/acre	Pastur	Seed Type	lbs/acre 200
	1 dotal	CIVIIX	200
	ic sheet.		
Photocopied section of involved 7.5' topograph Plan Approved by: Cragin Bl		Q	RECEIVED
Photocopied section of involved 7.5' topograph Plan Approved by: Cragin Bl		0	FECEIVED
Photocopied section of involved 7.5' topograph Plan Approved by: Cragin Bl		0	FIECEIVED Filce of OH and Gi NOV 1 4 2018
Photocopied section of involved 7.5' topograph Plan Approved by: Cragin Bl		O W Enviro	PECEIVED like of OH and G
Photocopied section of involved 7.5' topograph Plan Approved by: Cragin Bl		O Enviro	V Done
(L, W), and area in acres, of the land application Photocopied section of involved 7.5' topograph Plan Approved by: Comments:		O WY Enviro	PECEIVED like of OH and G NOV 1 4 2018 V Department of





 $http://deparcgis1/ooggis/index.html?x = 482972 \& y = 4360638 \& datum = NAD83 \& pntlabel = 4... \\ 1/14/2019 = 1/14/2019 + 1/1$



 $http://deparcgis1/ooggis/index.html?x = 482972 \& y = 4360638 \& datum = NAD83 \& pntlabel = 4... \\ 1/14/2019 = 1/14/2019 + 1/1$

WW-7 8-30-06



West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

47 072 02501	CATION FURIVI: GPS	008
API: 47-073-02591	WELL NO.:	11/2/2018
FARM NAME:		
RESPONSIBLE PARTY NAME:	Patchwork Oil & Ga	as, LLC
COUNTY: Pleasants	DISTRICT: W	ashington
QUADRANGLE: Raven Ro	ock	
SURFACE OWNER: Neil M.		
ROYALTY OWNER: Unknow		
UTM GPS NORTHING: 43600		
UTM GPS EASTING: 482972		TION: 680'
above well. The Office of Oil and G the following requirements: 1. Datum: NAD 1983, Zone height above mean sea le 2. Accuracy to Datum – 3.0 3. Data Collection Method: Survey grade GPS: Post Pr	e: 17 North, Coordinate Units: m evel (MSL) – meters. 95 meters	
Real-T	ime Differential	Mar -
Mapping Grade GPS X : Pos	t Processed Differential	Emmon
	l-Time Differential X	Vino
Rea		
	opography map showing the was data is correct to the best of my required by law and the regulati	vell location. velocation.
4. Letter size copy of the t I the undersigned, hereby certify this belief and shows all the information	opography map showing the was data is correct to the best of my required by law and the regulati	vell location. velocation.