

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Thursday, May 18, 2023 WELL WORK PLUGGING PERMIT Not Available Plugging

UNKNOWN - DEP PAID PLUGGING CONTRACT 601 57TH STREET

CHARLESTON, WV 25304

Re: Permit approval for 470730000F 47-073-02616-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Mar

Chief

Operator's Well Number: 470730000F

Farm Name: COKELEY GENE M & SAND

U.S. WELL NUMBER: 47-073-02616-00-00

Not Available Plugging Date Issued: 5/18/2023

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 2. Well work activities shall not constitute a hazard to the safety of persons.
- 3. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

WW-4B Rev. 2/01

.

1) Date March	, 2	0 23	
2) Operator Well No.			(311
3) API Well		-	002516

STATE OF WEST VIRGINIA

	OIL AND GAS
APPLICATION FOR A PER	MIT TO PLUG AND ABANDON
4) Well Type: Oil/ Gas X/ Liquid (If "Gas, Production or Und	d injection/ Waste disposal/ derground storage) Deep/ Shallow X
5) Location: Elevation 725' District Grant	Watershed Calf Creek of Ohio River County Pleasants Quadrangle Willow Island 7.5'
6) Well Operator Address Address Charleston, WV 25304	7) Designated Agent Jason Harmon Address 601 57th Street, SE Charleston, WV 25304
8) Oil and Gas Inspector to be notified Name Isaiah Richards Address 114 Turkey Lick Road West Union, WV 26456	9) Plugging Contractor Name Next LVL Energy Address 104 Heliport Loop Bridgeport, WV 26330
See attached Work Procedure	ner of plugging this well is as follows:
Notification must be given to the district oi	l and gas inspector 24 hours before permitted
Jork order approved by inspector	







PLUGGING PROGNOSIS

West Virginia, Pleasants County API # 47-073-02616

Offset wells and landowner knowledge used to develop plugging procedure

Casing Schedule

Wood Conductor 6-5/8" csg set at unknown depth 2" Tbg and rods in well at unknown depth TD @ ~700-900'

Completion: Completed zone unknown (likely within 100' of TD)

Fresh Water: None Reported

Saltwater: Only reported salt water in offset well was around depth of hydrocarbon

Coal: None Reported 0-900'

Oil Show: If present, likely within 100' of TD Gas Show: If present, likely within 100' of TD

Elevation: 717'

- 1. Notify inspector, Isaiah Richards @ (304) 205-3032, 48 hrs. prior to commencing operations.
- 2. Check wellhead pressure and kill well as needed.\
- 3. Pull rods and tbg from well.
- 4. RIH w/ wireline to check TD and run CBM to determine TOC behind exposed casing.
- 5. Run in to depth @ TD, clean out well as required by Oil and Gas Inspector. Kill well as needed with 6% bentonite gel and fill rat hole. Pump at least 10 bbls gel. Pump 200' Class A/Class L cement plug from TD' to 200' above TD (Hydrocarbon plug). Tag TOC. Top off as needed. Ensure this plug covers to 50' above the Elevation depth.
- 6. TOOH w/ tbg to top of cement plug. Pump 6% bentonite gel from top of cement plug to 200'
- 7. Free point 6-5/8" csg. Cut and TOOH. Set 100' Class A/Class L cement plug across csg cut. 50' in/out of cut. TOOH w/ tbg to top of plug. Do not omit any plugs listed below. Perforate as
- TOOH w/ tbg to 100'. Pump 100' Class A/Class L Cement plug from 200' to surface (Surface plug).
- 9. Erect monument with API#, date plugged, & company name.
- 10. Reclaim location and road to WV-DEP specifications.



4/10/2023

NO COMPLETION REPORT

RECEIVED
Office of Oil and Gas
MAY 05

WW-4A Revised 6-07

1)	Date:	March 30, 2023	
2)	Operator	r's Well Number	
470	730000F		

3) API Well No.: 47 -

073 -

02616

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

.,	Surface Owr	ner(s) to be served:	5) ((a) Coal Operator	É
((a) Name	Gene M. & Sandra L. Co		Name	N/A
1	Address	1665 Oak Grove Rd.		Address	
		Waverly, WV 26184			
(b) Name			(b) Coal Ow	vner(s) with Declaration
	Address			Name	No Declarations found
				Address	
		*			
((c) Name			Name	
1	Address			Address	
6) Ir	spector	Isaiah Richards		(c) Coal Les	ssee with Declaration
	ddress	114 Turkey Lick Road		Name	No Declarations found
		West Union, WV 26456		- Address	
T	'elephone	304-205-3032			
			77	_	
	Take notice accompanying Protection, very the Applicate	that under Chapter 22-6 of ng documents for a permit to with respect to the well at the	the West Virginia Code o plug and abandon a vi te location described on mailed by registered	e, the undersigned well- well with the Chief of the n the attached Application or certified mail or del	operator proposes to file or has filed this Notice and Application and e Office of Oil and Gas, West Virginia Department of Environmental on and depicted on the attached Form WW-6. Copies of this Notice, livered by hand to the person(s) named above (or by publication in
			Well Operator	Unknown - WVDEP Pa	aid Plugging Contract
3		OFFICIAL SEAL	By:	Jason Harmon	
36	A A E	NOTARY PUBLIC ATE OF WEST VIRGINIA	Its:	WV Office of Oil & Gas	s Deputy Chief
) 15	RE	NAE DAWN WHITLOCK	Address	601 57th Street, SE	s Bepaty office
2 6			11001035	OUT OT AT OUTCOL, OL	
36	My Co	Street, SE, Charleston, WV 25304		Charleston WV 25304	
35	My Co	Street, SE, Charleston, WV 25304 Immission Expires April 06, 2027	Telephone	Charleston, WV 25304 304-926-0452	

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at deprivacyoffier@wv.gov.



info@slswv.com www.slswv.com

March 1, 2023

Gene Cokeley 1665 Oak Grove Rd Waverly WV, 26184

Mr. Cokeley,

Please find enclosed a Notice of Intent to Plug / Replug Abandoned Wells Form for the various wells listed on the notice of intent in Pleasants County, WV, Map 7 Parcel 48, which records from the Pleasants County Courthouse indicate that you are the surface owner.

The well listed above is proposed to be plugged through the West Virginia DEP Paid Plugging Contract, orphaned and abandoned wells program. SLS Land & Energy Development has been contracted to obtain a plugging permit for this well. If you have a water well that you may want to have tested prior to the well plugging, please contact us.

If you have any other questions please do not hesitate to contact me.

Jim Mencer SLS Land & Development Permitting Tech. 304-462-5634

MAY 05 2000
WY LED GAR
Environments



west virginia department of environmental protection

Office of Oil and Gas 601 57th Street Charleston, WV 25304 (304) 926-0450 Fax: (304 926-0452 Harold D. Ward, Cabinet Secretary dep.wv.gov

NOTICE OF INTENT TO PLUG / REPLUG ABANDONED WELL(S)

RECEIVED
Office of Oil and Gas

MAY 05 2023

Gene Cokeley
1665 Oak Grove Rd
Waverly WV, 26184

WV Department of Environmental Protection

You are hereby given a twenty-day notice, as required by West Virginia Code, Chapter 22, Article 10, Section 7, that the West Virginia Department of Environmental Protection, Office of Oil and Gas (OOG), intends to enter upon the following described premises where an abandoned well(s) is situated and plug or re-plug such well(s) and reclaim any area disturbed by the plugging or re-plugging. This notice should be construed only as a declared intent to plug such well(s); site-specific considerations or other factors may ultimately prevent the plugging or re-plugging at this time.

Description of premises: <u>Grant Dist., Pleasants County WV, Map 7 Parcel 48</u>
183.00 Acres, Well API# 47-073-02611, 47-073-02612, 47-073-02613, 47-073-02614, 47-073-02615, 47-073-02616, 47-073-02617, 47-073-02619.

The well(s) is considered "abandoned" within the meaning of W. Va. Code § 22-6-19 because it is a dry hole or because it has not been in use for a period of 12 consecutive months and no satisfactory proof of a "bona fide" future use for the well has been demonstrated to the OOG.

If you are a surface owner of the above described premises, be advised that surface owners have the right to repair of any damage or disturbance resulting from the well plugging or to compensation for (1) the reasonable cost of repairing or replacing any water well, (2) the reasonable value of any crops destroyed, damaged or prevented from reaching market, (3) the reasonable cost of repair to personal property up to the value of the replacement value of personal property of like age, wear and quality, (4) lost income or expenses incurred, and (5) reasonable costs to reclaim or repair real property, including roads. Additionally, the surface owners have the potential right to take any casing, equipment or other salvage not claimed in this notice. Please be advised that it is the intent of the OOG to take all casing, equipment, and other salvage from the subject well(s).

4707302616

Please contact the OOG at 304	-926-0450 if you have any questions regarding this notice.
Date Issued:	Date Served:
Name of person served	
Service Address;	
Certified Mail Receipt No. (if	applicable)
Name of Person Making Person	nal Service (if applicable)

RECEIVED
Office of Oil and Gas

MAY **05** 2023

WV Department of Environmental Protection

70			5359 OPE TO THE RIC AT COSTED LIN	3554 E
70 70	155 547	0003	5359 5359	3554 3554
Street and Apt. No., or PO Box No. 166 S. Creek 9701 C. R. J Civ. State. 2194 V 126/6 G PS Form 3800, April 2015 Rev. 268 94 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		Certified Medi Restricted Delivery \$ Here Actual Signature Restricted Delivery \$ Here Actual Signature Restricted Delivery \$ Here Actual Signature Restricted Delivery \$	OFFICIAL USE	U.S. Postal Service" CERTIFIED MAIL® RECEIFT Domestic Mail Only For delivery information, visit our website at www.usps.com*.



FIRST- CLASS

GENE COKELEY 1665 OAK GROVE RD WAVERLY WV, 26184

RECEIVED
Office of Oil and Gas
MAY 05 2022

Environments Projection

FROM THE GROUND UP
PO Box 150
GLENVILLE, WV 26351



info@siswv.com www.siswv.com

March 30, 2023

Sandra L. Cokeley 1665 Oak Grove Rd. Waverly, WV 26184

Mrs. Cokeley,


Please find a revised Permit Application to plug and abandon a Well for API# 47-073-02616, in Pleasants County, WV which records from the County Courthouse indicate that you are the surface owner. Through the West Virginia DEP Paid Plugging Contract, orphaned and abandoned wells have been proposed to be plugged. I have included an extra Surface owner signature form for you to sign if you approve of the proposed work, please sign and send it back to SLS Land & Energy Development in the self addressed envelope provided for you. The Permit Application is yours to keep for your records. If you have any questions please do not hesitate to contact me.

Jim Mencer SLS Land & Energy Development Permitting Tech. 304-462-5634

RECEIVED
Office of Oil and Gas

MAY 05 2023

WV Department of Environmental Protection



RECEIVED
Office of Oil and Gas

MAY 05 2023

WV Department 3
Environmental Protection

SURFACE OWNER WAIVER

47-073-02616 APR 1 0 2023

Operator's Well Number

470730000F

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to the planned work	described in these materials, and I have no
objection to a permit being issued on those materials.	
FOR EXECUTION BY A NATURAL PERSON	FOR EXECUTION BY A CORPORATION,
ETC.	,
Sandra (okeley Date 4-7-23 Name	
Signature By	
Its	Date



west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 Phone (304) 926-0450 Harold D. Ward, Cabinet Secretary dep.wv.gov

BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

IN THE MATTER OF A VARIANCE FROM)	
LEGISLATIVE RULE 35CSR4)	ORDER NO. 2022-13
SECTION 14.1. AND LEGISLATIVE RULE)	
35CSR8 SECTION 20.1,)	
RELATING TO THE CEMENTING)	
OF OIL AND GAS WELLS)	

REPORT OF THE OFFICE

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute (API) Class L cement to be used in place of API Class A cement for well plugging.

FINDINGS OF FACT

- 1. On July 28, 2022, Diversified Gas & Oil Co. (DGO) submitted a variance request from Legislative Rule 35CSR4 for the use of API Class L cement in place of API Class A cement, relating to the plugging of conventional wells.
- Laboratory analysis submitted by DGO on July 28, 2022, indicates API Class L cement is comparable to API Class A cement and thereby satisfies the requirements of the West Virginia Code.
- 3. Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a variance to Legislative Rule 35CSR8 Section 20.1., for the use of API Class L cement in place of API Class A cement, relating to the plugging of horizontal wells.

Promoting a healthy environment.

 On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of public comments on the variance consideration. During the 20-day public comment period, no comments were received.

CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules.

ORDER

It is ordered that the Class L cement product approved and monogramed by API is approved for use in place of API Class A cement for well plugging subject to the provisions of Legislative Rule 35CSR4 and Legislative Rule 35CSR8.

Dated this, the 13th day of September, 2022.

IN THE NAME OF THE STATE OF WEST VIRGINIA

OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION OF THE STATE OF WEST VIRGINIA

James Martin, Chief Office of Oil and Gas WW-9 (5/16)

API Number 47 - <u>073</u> - 02616 Operator's Well No. 470730000F

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS


FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN


FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN
Operator Name Unknown - WV DEP Paid Plugging Contract OP Code
Watershed (HUC 10) Tributary of Calf Creek of Ohio River Quadrangle Willow Island 7.5'
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No
Will a pit be used? Yes No V
If so, please describe anticipated pit waste:
Will a synthetic liner be used in the pit? Yes No If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:
Land Application (if selected provide a completed form WW-9-GPP) Underground Injection (UIC Permit Number #25-774 Reuse (at API Number) Off Site Disposal (Supply form WW-9 for disposal location) Other (Explain)
Will closed loop systembe used? If so, describe: N/A
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. N/A
-If oil based, what type? Synthetic, petroleum, etc. N/A
Additives to be used in drilling medium?N/A
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Offsite
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A
-Landfill or offsite name/permit number? N/A
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Cas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for o btaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment. Company Official Signature Company Official Title Deputy Chief Deputy Chief Deputy Chief Deputy Chief Official Signature Official Title Deputy Chief Deputy Chief Official Signature Official Title Deputy Chief Deputy Chief
Subscribed and sworn before me this 5th day of 1 kg , 20 23 Notary Public
My commission expires (1) (1) (2)


	Aprel - posted re-server
Lamo	WW-9
I OIIII	VV VV - 7

Operator's Well No. 470730000F

1.00 100	atment: Acres Disturbed L		Η
Lime 3	Tons/acre or to corre	ct to pH 6.0	
Fertilizer type 20	-20-20		
Fertilizer amount	500	lbs/acre	
Mulch_ 2-3		_Tons/acre	
		Seed Mixtures	
Т	emporary	Perma	nent
Seed Type	lbs/acre	Seed Type	lbs/acre
-		Fescue	30
		Clover	3
		Contractor Mix	10
), and area in acres, of	it and proposed area for land pit will be land applied, pro the land application area. lved 7.5' topographic sheet.	d application (unless engineered plans includ vide water volume, include dimensions (L,	ling this info have W, D) of the pit, ar
(s) of road, location, p led). If water from the), and area in acres, of copied section of invo	pit will be land applied, pro the land application area. lived 7.5' topographic sheet.	vide water volume, include dimensions (L,	W, D) of the pit, ar
(s) of road, location, p ded). If water from the), and area in acres, of copied section of invo	pit will be land applied, pro the land application area. lived 7.5' topographic sheet.	vide water volume, include dimensions (L,	W, D) of the pit, ar
(s) of road, location, p led). If water from the), and area in acres, of copied section of invo	pit will be land applied, pro the land application area. lived 7.5' topographic sheet.	vide water volume, include dimensions (L,	W, D) of the pit, ar
(s) of road, location, p led). If water from the), and area in acres, of copied section of invo	pit will be land applied, pro the land application area. lived 7.5' topographic sheet.	vide water volume, include dimensions (L,	W, D) of the pit, ar
(s) of road, location, p led). If water from the), and area in acres, of copied section of invo	pit will be land applied, pro the land application area. lived 7.5' topographic sheet.	vide water volume, include dimensions (L,	W, D) of the pit, ar
(s) of road, location, p led). If water from the), and area in acres, of copied section of invo	pit will be land applied, pro the land application area. lived 7.5' topographic sheet.	vide water volume, include dimensions (L,	W, D) of the pit, ar
(s) of road, location, p led). If water from the), and area in acres, of copied section of invo	pit will be land applied, pro the land application area. lived 7.5' topographic sheet.	vide water volume, include dimensions (L,	W, D) of the pit, ar
(s) of road, location, p led). If water from the), and area in acres, of copied section of invo	pit will be land applied, pro the land application area. lived 7.5' topographic sheet.	vide water volume, include dimensions (L,	W, D) of the pit, ar
(s) of road, location, p led). If water from the), and area in acres, of copied section of invo	pit will be land applied, pro the land application area. lived 7.5' topographic sheet.	vide water volume, include dimensions (L,	W, D) of the pit, ar







OFF SET WELL STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

WELL RECORD

Permit No Plas-168 Used in Drilling Casing and Tubing Left in Well Packers Sizo ..Location (waters) Kind of Packer Well No. : District... The surface of tract is owned in fee b 1851/2 743/1 6% Dapth set. Mineral rights are owned by 5 8/16 786 Perf. bottom. Drilling completed. Date shot Ded Ihat Liners Used Perf. top. Depth of shot. /10ths Water in Open Flow Inch Perf. bottom /10ths Merc. in CASING CEMENTED Rock Pressure COAL WAS ENCOUNTERED AT. FEET. INCHES Fresh water Mone _FEET_____ INCHES INCHES. FEET.

INCHES.

FEET

INCHES

FEET_

Salt water

Formation	Color	llard or Soft	Тор	Beitem	Oil. Gas or Water	Depth Found	Remarks
Bock.	Red.	Kard	0	105		71	we a
Rock.	Brown	14-65	1.0.5	130	10.00		
Rock.	Bed	Soft	130	140	S 311213	65	
Boch	1310-	Kard	140	133	€ K.	TO TO	The state of
Brok	Red	sufit.	102	18-5-1	S) (8)	19202	
Sand	dark.	Hard	185	210			
Red Rock	Bed	Soft.	210	263	CO SOLD	033	
land .	dack.	Hard	263	290	The state of the s		
Bock.	Bed	Sofit.	210	200	91.		
Slate	sthite	Soft	350	480	7	±.	6
Bock	Red	info.	4.80	490		e _d	
Slate	Shite	sufit.	490	3-10			¢
Bock	Bed	Inft.	5-10	3-25			
Slates	schite	Sufet.	3-25	3-40	3		
Bock	Red	Sufet.	5-40	640 .			
State	21 hites	Hard	640.	685			
Shale	Black	Suffer	685	710			
Boch.	Bed	Soft	7/0	760		0	n 3° ₩
Line	Black.	Hard :	730			1	
Tiest Corv-	state	soft.	7.60	78-5	gan.	764-770	Ŋ
Perm Sand		suft.	785.		ail-salth	770-785	**
Slate-	Black	70)。 [1] [4]
	The second secon			A service of the service of		*	رائد المستقدية المستقداتين المستقداتين والمواجعة المستقداتين وستنشأ الموا
Con lite	kir ka di d		786.				مر و سام

(Over)

OFF SET WELL STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS DIVISION

أيية

Permit No Flens, 196

WELL RECORD

Oll or Gas Well						
Left in Well	Packers .					
	will an Dealer					

Address Mavesly IN Val	Casing and Tubing	Used in . Drilling	Left in Well	Packers
Farm R. M. Johnson Acres 92 Location (waters) Full Crook Well No. 4 Elev.	Sizo	:		Kind of Packer
District Grant County Plansants The surface of tract is owned in fee by R. H. Johnson	13 . 1011	10	•	Size of
Address Mayerly, W. Ve. Mineral rights are owned by R. H. Johnson Address Wayerly, W. Ve.	8¼	175 791		Depth set
Drilling commenced May 15 Drilling completed June 28	3		يرد : دي. د د	Perf. top Perf. bottom
Open Flow /10ths Water in Inch	Liners Used			Perf. top
/10ths Merc in	CASING CEMI	ENTED	size 1	No. FtDate
Oil 18bl. 10 bbls, 1st 24 hrs. Fresh water 18022 feet feet	COAL WAS E	rINC	HES	FEETINCHES
Salt water None feet feet	FEE	TINC	HES	FEETINCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Remarks
011			0_	48		
d Rock		1. 1.	7	148	1//	
own Rock		4	~148	173	1	
d Rock			173	183	20/10	
ck;	2.34		1.83	199		
d Rock	ij	••.	199	228	٠.	
nd j	1		228	253		
d Rock	1		253:	308	. 0	
und			308	353		
d Rook		3 (1	333	343		
ite late	. I		343	408		
d Rock			408	423		
ito Plate			423	523		
d Rock		1 (2.	523	533		
ite Slate	. 2	(533	222		
d Rock		<u> </u>	553	553 568		
ite Slate			222 :: 1	200		
d Rock	• :	1000	568	583		
ite Slate	\mathcal{J}		583	583		
ack Shale			683	728		
nk Rock			728	743		
rk Lime			743	773	٠.	1.0
ind	· 🦠		773	803	9	
no	, F	f:	803	829		
OW 011		1 1	829	8 3 9		Ŋ
	• .			Ý.	•	<i>9</i>
		1				
Ţ	٠.					
		.			C (
`1		1.7	l'	1. Y		
. '		1				n de nome
20	G.		1. 1	·		
200						
हिंछ। एजिल्	?} _`	1 1				
<i>₹,</i> 2, 1	` {2}\					`
S	رني/ ال			22		ta di
A A A A A A A A A A A A A A A A A A A	=	1	\mathcal{G}_{i}	-	· · · · ·	
10.75	12526					
~~V// //2·	6	l i		· · · · · · · · · · · · · · · · · · ·		
- 12 Gc						
STATE OF THE STATE						
Itelon .	,60)			i.		
Notes of the second of the sec	,60)			3.	G.	9.3

N V	<u></u>	1 () () () () () () () () () (S. S.	470	<u>7302</u> 61 ₆
Fermation Color	Hard or Soft	Top	Bottom	Oil. Gas or Water	Depth Found	Remarks
			g 6), 1		
			•	*		9
	, i)	o	÷		
	Mr.		V.		9/ B	, n
7		đ		3		3
			7	#3	•	
5.05	2 / T * 2	9			ii.	
					Û .	
	يتير	2 2 4 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3		(s)		
0		# 			•	
					1.	
			(1967). 1971 - 1973 1971 - 1974 - 1984 1971 - 1984	ali diga Berin Berindi Berindi	10	
	,			CD.		
U	, sei					
		4.	和	ð		
				8		
	s 3					
				A CONTRACTOR		

WW-4B

API No.	47-073-02616
Farm Name	
Well No.	470730000F

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

MAINED

	WAITER
has examined this proposed plugging work ord	owner/ lessee/ of the coal under this well location er. The undersigned has no objection to the work proposed to be ator has complied with all applicable requirements of the West
Date:	
	By:
	Its



info@slswv.com www.slswv.com

May 2, 2023

Jason Harmon, Deputy Director WV Department of Environmental Protection Office of Oil & Gas 601 57th Street, SE Charleston, WV 25304-2345

Dear Mr. Harmon,

Please find enclosed a permit application to plug API# 47-073-02616 in Grant District, Pleasants County. It is a part of the multi-well plugging contract for the Orphan and Abandoned Well Program for Region 1. The plugging contractor is Next Level Energy, operating under the Region 1 contract. The Inspector has signed off on the proposed work to be done and the Surface Owner has signed the waiver which is in the permit application being submitted to your office. A copy of the Notice of Intent along with the proof of mailing has been enclosed as well.

If you have any questions or comments please do not hesitate to contact me.

Jim Mencer Permitting Technician SLS Land & Energy Development 304-462-5634



Kennedy, James P < james.p.kennedy@wv.gov>

plugging permits issued 4707302616 07302617

1 message

Kennedy, James P < james.p.kennedy@wv.gov> Thu, May 18, 2023 at 10:25 AM To: Henry J Harmon henry.j.harmon@wv.gov, Isaiah M Richards <i saiah.m.richards@wv.gov, Austin Sutler <asutler@nextlvlenergy.com>, vgorrell@assessor.state.wv.us, jmencer@slswv.com

To whom it may concern, plugging permits for 4707302616 07302617 have been issued.

James Kennedy

WVDEP OOG

2 attachments



4707302616.pdf 4617K



4707302617.pdf 5146K