



New Location
 Drill Deeper
 Abandonment

Map Sh. 14-C: 50 57 E 55; FB. 1050 P 28-29-30

Company	HOPE NATURAL GAS CO.	
Address	CLARKSBURG W.VA.	
Farm	N.A. BUCKLEW	
Tract	Acres 77	Lease No. 58079
Well (Farm) No.	Serial No. 9773	
Elevation (Spirit Level)	1913'	
Quadrangle	KINGWOOD	
County	PRESTON	District UNION
Engineer	Ray D. Bradley	
Engineer's Registration No.	2025	
File No.	Drawing No.	
Date 10-6-52	Scale 1" = 30 Poles	

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. PRE-53

P+A 6/24/1953
 + Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

Permit No. PRES 53

Oil or Gas Well DRY
(KIND)

Company Hope Natural Gas Company
Address 445 West Main St. Clarksburg, W. Va.
Farm N.A. Bucklew Acres 77
Location (waters) _____
Well No. 9773 Elev. 1913
District Union County Preston
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by _____
Address _____
Drilling commenced November 19, 1952
Drilling completed March 26, 1953
Date Shot _____ From _____ To _____
With _____
Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water none recorded feet _____ feet
Salt water 952 feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
18	34	34	
10	380	380	Size of
8 1/2	1703	1703	
6 1/2	4771	4771	Depth set
5 3/16	5025	5025	
8			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
8" 7" and 5 1/2" all set in cement.
COAL WAS ENCOUNTERED AT none recorded FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface			0	93			
Lime			93	120			
Slate shell			120	310			
Lime			310	758			
Slate shell			758	1185	2 bailers water per hr		952
Lime			1185	1205			
Slate shell			1205	1397			
Lime			1397	1450			
Slate shell			1450	1530			
BENSON			1530	1572			
Slate shell			1572	2380			
Lime			2380	2410			
Slate shell			2410	3605			
Brown shale			3605	4239			
Black shale			4239	4290			
TULLY LIME			4290	4318			
Black shale			4318	4636	4750	4914	5023
Black lime			4636	4650	1913		1913
Black shale			4650	4748			
Brown break			4748	4750	2837	3001	3110
NONDAGA			4750	4770			
CHERT			4770	4878			
Shale break - <u>Normal</u>			4878	4914			
ORISKANY			4914	5023	show gas	4923 5007	
			5023	5153			
Total depth				5025			
Filled back to							

485

