

#### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Wednesday, May 16, 2018 WELL WORK PERMIT Horizontal 6A / New Drill

ARSENAL RESOURCES LLC 6031 WALLACE ROAD EXTENSION SUITE 603

WEXFORD, PA 15090

Re:

Permit approval for CHRIS JENNINGS PL2017E 216

47-077-00654-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

Operator's Well Number:

CHRIS JENNINGS PL2017E 2 CHRISTOPHER R. JENNINGS

Farm Name:

U.S. WELL NUMBER:

47-077-00654-00-00

Horizontal 6A New Drill

Date Issued: 5/16/2018

API Number:	

## PERMIT CONDITIONS 4707700654

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

#### **CONDITIONS**

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

# PERMIT CONDITIONS 4707700654

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

API NO. 47- 072 00654

OPERATOR WELL NO. Chris Jennings PL2017E 218

Well Pad Name: Chris Jennings PL2017E

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator: Arsenal Re	sources	494519412	Preston	Lyon	Fellowsville
-		Operator ID	County	District	Quadrangle
2) Operator's Well Number: Ch	ris Jennings PL201	7E 216 Well Pad	Name: Chris	Jennings I	PL2017E
3) Farm Name/Surface Owner:	Christopher R. Jen	nings Public Road	d Access: CR	92/11	
4) Elevation, current ground:	1730.75 Ele	evation, proposed p	ost-construction	on: 1735.5	5
5) Well Type (a) Gas X Other	Oil	Unde	rground Storag	e	
(b)If Gas Sha	llow X	Deep			
6) Existing Pad: Yes or No No	12011tai //				
7) Proposed Target Formation(s) Target Formation- Marcellus Shale,	• •	•	-	` '	d Pressure- 0.5 psi/ft
8) Proposed Total Vertical Depti	h: 8262 ft				
9) Formation at Total Vertical D	epth: Marcellus	Shale			
10) Proposed Total Measured De	epth: 14136 ft				
11) Proposed Horizontal Leg Le	ngth: 5049 ft	· <u> </u>			
12) Approximate Fresh Water St	rata Depths:	475', 675', 845',	1000'		
13) Method to Determine Fresh 14) Approximate Saltwater Dept		ffsetting wells reporte	ed water depths (	077-00481, (	077-00563, 077-00564)
15) Approximate Coal Seam De	oths: Harlem - 427, Bakerstown -	507', Brush Creek – 606', Upper Freeport – 70	12, Lower Freeport – 762, Upper Kitta	nning – 824°, Middle Kittann	ning – 854', Lower Kritanning – 883', Clarion – 896'
16) Approximate Depth to Possi	ble Void (coal min	ne, karst, other):	None Known		
17) Does Proposed well location directly overlying or adjacent to		Yes	No	None Kno	OWN RECEIVED  MAY 1 -
(a) If Yes, provide Mine Info:	Name:				
	Depth:			<u>Ei</u>	WV Department of Protection
	Seam:				nental Protection
	Owner:				

47 07 70 06 5 4

OPERATOR WELL NO. Chris Jennings PL2017E 210
Well Pad Name: Chris Jennings PL2017E

18)

#### CASING AND TUBING PROGRAM

ТҮРЕ	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	24	New	H-40	94	80	80	CTS
Fresh Water	13.375	New	J-55	54.5	1,050	1,050	CTS
Coal							
Intermediate	9.625	New	J-55	40	2,150	2,150	CTS
Production	5.5	New	P-110	20	14,136	14,136	2,000
Tubing							
Liners							

MDK 1/29/2018

TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	20	36			0	Class A, 3% CaCl2	1.2
Fresh Water	13.375	17.5	0.38	2,730	900	Class A, 3% CaCl2	1.2
Coal							
Intermediate	9.625	12.25	0.395	3,950	1,500	Class A, 3% CaCl2	1.29
Production	5.5	8.5-8.75	0.361	12,640	9,500	Class A/50:50 Poz	1.29/1.34
Tubing						5,000	
Liners						N/A	

### **PACKERS**

Kind:	
Sizes:	Office of Oil and Gas
Depths Set:	FEB 1 2018
	WV Department of Environmental Protection

### 4707700654

WW-6B (10/14)

API NO. 47		
OPERATOR WELL	NO.	Chris Jennings PL2017E 216
Well Pad Name:	Chris .	Jennings PL2017E

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

The well will be started with a conductor rig drilling a 36" hole to Conductor programmed depth then running 24" casing and circulate cement back to surface. The conductor rig will move out and the drilling rig will move in and rig up. The drilling rig will then spud a 17 ½" hole and drill to fresh water casing (Surface) to the programmed depth, Run 13- 3/8" casing and cement to surface. The rig will continue drilling a 12- ¼" intermediate hole to the programmed depth, run 9- 5/8" casing and cement to surface. The rig with then continue to drill an 8- ¾" hole to a designed KOP. We will then start drilling the curve and lateral section to the programmed total measured depth, run 5 ½" casing and cement according to the program.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

The well will be completed using a plug and perforation method and stimulated with a slickwater and sand slurry. The anticipated maximum rate will be 90 bpm and the maximum pressure will be 9,500 psi.

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 21.40
- 22) Area to be disturbed for well pad only, less access road (acres): 6.90
- 23) Describe centralizer placement for each casing string:

24"- No centralizers 13 3/8" – one bow spring centralizer on every other joint 9 5/8" – one bow spring centralizer every third joint from TD to surface 5  $\frac{1}{2}$ " – one semi rigid centralizer on every joint from TD of casing to end of curve. Then every other joint to KOP. Every third joint from KOP to 2,250'; there will be no centralizers from 2,250' to surface.

24) Describe all cement additives associated with each cement type:

24" will be grouted from surface. The 13 3/8" casing will be cemented to surface with Class A cement and no greater than 3% CaCl (calcium chloride) #1949 5/8" casing will be cemented to surface with Class A cement, & no greater than 3% calcium chloride. The 5 1/2" production string will be cemented by surface with Class A cement, & no greater than 3% calcium chloride. The 5 1/2" production string will be cemented by surface with Class A cement, & no greater than 3% calcium chloride. The 5 1/2" production string will be cemented by surface with Class A cement, & no greater than 3% calcium chloride. The 5 1/2" production string will be cemented by surface with Class A cement and possibly on the 9 5/8") with Type 1 or Class A and 50/50 Poz cement retarded (to extend pumpability) cellophane flaked for fluid loss, Bentonite gel as an extender (increased pumpability and fluid loss), a defoaming agent to decrease cement foaming during mixing to insure the cement is 10 proper weight to placement and possibly gypsum gas blocking additive to aid in blocking/gas migration (in combination with other additive metalioned Here, U 10 helps cement achieve a "right angle" set) during the plastic phase of the cement set-up.

WV Department of Environmental Protection

#### 25) Proposed borehole conditioning procedures:


Top holes will be drilled with fresh water to KOP. At KOP, the wellbore will be loaded with synthetic oil based mud, barite-weighted mud system with such properties as to build a filter-cake on the bore-hole. This will provide lubricity as well as stabilizing the well bore. We will begin rotating the drill string and mud will be circulated upon reaching TD until no further cuttings are observed coming across the shaker screens. Once clean mud is circulated back to surface, we will pull three stands of drill pipe, load the hole, pull three stands and load the hole. The weight indicator on the rig will be monitored for any occurrences of drag and if any, additional hole cleaning efforts will be applied to that section of the well.

\*Note: Attach additional sheets as needed.

Chris Jennings PL2017E #216				
CEMENT ADDITIVES				
Name Purpose				
Additive #1:	Bentonite	Helping fluid loss, reducing free water		
Additive #2:	Calcium Chloride	Accelerator for low temp application		
Additive #3:	Celloflake	Loss circulation additive		
Additive #4:	Gypsum	Used for thixotropic properties		
Additive #5:	Lignosulfonate	Low temp cement retarder		
Additive #6:	Naphthalene Based	Used to improve rheological properties of cement		
	Dispersant			
Additive #7:	Cellulose	Help with fluid loss		

RECEIVED Office of Oil and Gas

FEB 1 2018



RECEIVED Office of Oil and Gas

FEB 1 2018



#### Purpose

The purpose of this pad-specific Hydraulic Fracturing Monitoring Plan is to identify and notify conventional well operators near Arsenal Resources hydraulic fracturing in Preston County, WV prior to hydraulic fracturing at the following ARSENAL RESOURCES wells on the Chris Jennings PL2017E 216.

Due to the apparent presence of unique geological conditions, the potential for communication between deep geologic zones exists in this area. This potential communication, via natural gas, water, or both, may occur between hydraulically fractured wells in the Marcellus formation (approximately 8,300'TVD) and existing conventional natural gas wells in partially-depleted, relatively high permeability reservoirs at depths shallower than the Marcellus.

ARSENAL RESOURCES has determined there are no existing active or inactive wells within the 500' offset of the Chris Jennings PL2017E 216 wellbore.

RECEIVED Office of Oil and Gas

FEB 1 2018

API Number 47 - 077 - 00654

Operator's Well No. Chris Jennings PL2017E 216

Lumberport WV 26386 My Commission Expires September 15, 2021

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

#### FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Arsenal Resources	OP Code 494519412
Watershed (HUC 10) Sandy Creek	Quadrangle Fellowsville
Do you anticipate using more than 5,000 bbls of water to complete	lete the proposed well work? Yes 🗸 No
Will a pit be used? Yes V No No	
If so, please describe anticipated pit waste: Produce	d water
Will a synthetic liner be used in the pit? Yes	No If so, what ml.? 60
Proposed Disposal Method For Treated Pit Wastes:	
Land Application	
Underground Injection (UIC Permit  Reuse (at API Number Various	Number)
Off Site Disposal (Supply form WW	7-9 for disposal location)
Other (Explain	
Will closed loop system be used? If so, describe: Yes, the closed loop	system will contain all of the drilling medium and drill cuttings on location and then be taken to a landfill.
Drilling medium anticipated for this well (vertical and horizontal	al)? Air, freshwater, oil based, etc
-If oil based, what type? Synthetic, petroleum, etc. Sy	nthetic
Additives to be used in drilling medium? Bentonite, Soap & Polymer	Sticks, Soda Ash, Sodium Bicarbonate, Defoamer, Base Oil, Emulsifiers, Lime, Bante
Drill cuttings disposal method? Leave in pit, landfill, removed	
-If left in pit and plan to solidify what medium will be	used? (cement, lime, sawdust) N/A MAY 1 1 2018
-Landfill or offsite name/permit number? Advanced Dis	sposal Services & Chestnut Valley Landfill  W Department of invironmental Protection
Permittee shall provide written notice to the Office of Oil and G West Virginia solid waste facility. The notice shall be provided where it was properly disposed.	ias of any load of drill cuttings or associated waste rejected at any within 24 hours of rejection and the permittee shall also disclose
on August 1, 2005, by the Office of Oil and Gas of the West Vin provisions of the permit are enforceable by law. Violations of law or regulation can lead to enforcement action.  I certify under penalty of law that I have personally application form and all attachments thereto and that, based	onditions of the GENERAL WATER POLLUTION PERMIT issued rginia Department of Environmental Protection. I understand that the any term or condition of the general permit and/or other applicable examined and am familiar with the information submitted on this don my inquiry of those individuals immediately responsible for the accurate, and complete. I am aware that there are significant lity of fine or imprisonment.
771	
Subscribed and sworn before me this 30 TLI day of -	DANUARY, 20 18
arolinda Jen	Notary Public OFFICIAL SEAL
My commission expires 9/15/202	NOTARY PUBLIC STATE OF WEST VIRGINIA CAROLINDA FLANAGAN

Operator's Well No. Chris Jennings PL2017E 216

Arcanal	Resources
Alsenai	Resources

Lime 2.67	Tons/acre or to corre	ct to pH 6.4	
Fertilizer type 10-20			
Fertilizer amount 100	35.5	lbs/acre	
	2.22		
Mulch 3-4		_Tons/acre	
		Seed Mixtures	
Tem	porary	Perm	anent
Seed Type			lbs/acre
Orchard Grass	129	Orchard Grass	129
Rye	93	Rye	93
Clover	24	Clover	24
Timothy	45	Timothy	45
	t will be land applied, inc a area.	d application (unless engineered plans included dimensions (L x W x D) of the pit, an	
Maps(s) of road, location, pit a provided). If water from the pit acreage, of the land application Photocopied section of involve	t will be land applied, inc a area.  d 7.5' topographic sheet.	clude dimensions (L x W x D) of the pit, an	d dimensions (L x W), an
Maps(s) of road, location, pit a provided). If water from the pit acreage, of the land application Photocopied section of involve Plan Approved by:  Re-seed are comments:	t will be land applied, income area.  In area.	urbed areas as soon as rea	asonably possibl
Maps(s) of road, location, pit a provided). If water from the pit acreage, of the land application Photocopied section of involve Plan Approved by:  Re-seed are per regulation. Upg	t will be land applied, income area.  d 7.5' topographic sheet.  pu	urbed areas as soon as rea	asonably possibl
Maps(s) of road, location, pit a provided). If water from the pit acreage, of the land application Photocopied section of involve Plan Approved by:  Re-seed are per regulation. Upg	t will be land applied, income area.  d 7.5' topographic sheet.  pu	urbed areas as soon as rea	asonably possibl
Maps(s) of road, location, pit a provided). If water from the pit acreage, of the land application Photocopied section of involve Plan Approved by:  Re-seed are per regulation. Upg	t will be land applied, income area.  d 7.5' topographic sheet.  pu	urbed areas as soon as rea	asonably possibl
Maps(s) of road, location, pit a provided). If water from the pit acreage, of the land application Photocopied section of involve Plan Approved by:  Re-seed are per regulation. Upg	t will be land applied, income area.  d 7.5' topographic sheet.  pu	urbed areas as soon as rea	asonably possibles where neede
Maps(s) of road, location, pit a provided). If water from the pit acreage, of the land application Photocopied section of involve Plan Approved by:  Re-seed are per regulation. Upg	t will be land applied, income area.  d 7.5' topographic sheet.  pu	urbed areas as soon as rea	asonably possibles where neede
Maps(s) of road, location, pit a provided). If water from the pit acreage, of the land application Photocopied section of involve Plan Approved by:  Re-seed are per regulation. Upg	t will be land applied, income area.  d 7.5' topographic sheet.  pu	urbed areas as soon as rea	asonably possibles where needenual, if necessary
Maps(s) of road, location, pit a provided). If water from the pit acreage, of the land application Photocopied section of involve Plan Approved by:  Re-seed are per regulation. Upg	t will be land applied, income area.  d 7.5' topographic sheet.  pu	urbed areas as soon as rea	asonably possibles where needenual, if necessary
Maps(s) of road, location, pit a provided). If water from the pit acreage, of the land application Photocopied section of involve Plan Approved by:  Re-seed are per regulation. Upg	t will be land applied, income area.  d 7.5' topographic sheet.  pu	urbed areas as soon as rea	asonably possibles where neede



### SITE SAFETY PLAN

### **CHRIS JENNINGS PL2017E #216 WELL PAD**

911 Address:


2548 Scotch Hill Rd.


Thornton, WV 26440

Morgan of the last law 8

Office of Oil and Gas
FEB 1 2018

WV Department of Environmental Protection





WW-6A1 (5/13) Operator's Well No. Chris Jennings PL2017E 216

#### INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that -

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
Lease Name or			- 201	

See Attached

#### Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP. Office of Oil and Gas, including but not limited to the following:

Office of Oil and Gas, including but not limited to the following:

- · WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- · U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: Arsenal Resources

By: William Veigel

Its: Designated Agent

Page 1 of 9

۵
216
~
7
$\Box$
9
2
ᄛ
S
50
÷
⋈
ᄚ
<b>–</b>
<u>.</u> 2
₽
ວ
7
3
I
٤
₹
6
¥
벋
듑
Ĕ
ᆂ
ਹ
Œ
₹
٩

		Attaciline t	Helit to www-DAL, Cillis Jelillings FLZOL/E 210	07		
Letter De	Letter Designation/Number Designation on Plat	Grantor, Lessor, Assignor, etc.	Grantee, Lessee, Assignee, etc.	Royalty	Book/Page	Acreage
	1 [Lease 00006711]	Christopher R. Jennigns	Magnum Land Services, LLC	13.50%	696/265	863.1
		Magnum Land Services, LLC	Belmont Resources, LLC		711/286	
		Belmont Resources, LLC	Sinclair Oil and Gas Company		724/859 738/832	
		Belmont Resources, LLC and Sinclair Oil and Gas Company	Enerplus Resources (USA) Corporation		725/326	
		Enerplus Resources (USA) Corporation	Mar Key, LLC		782/50	
<u>-</u>	2 [Lease 00006711]	Christopher R. Jennigns	Magnum Land Services, LLC	13.50%	696/265 753/609	863.1
		Magnum Land Services, LLC	Belmont Resources, LLC		711/286	
		Belmont Resources, LLC	Sinclair Oil and Gas Company		724/859 738/832	
		Belmont Resources, LLC and Sinclair Oil and Gas Company	Enerplus Resources (USA) Corporation		725/326	
		Enerplus Resources (USA) Corporation	Mar Key, LLC		782/50	
	3 [Lease 00002120]	Franklin M. Jennings and Peggy A. Jennings	R.P. Land Company, LLC	18%	763/160	1790.66
		नु हिस्स्टिनाव Company, LLC	Mar Key, LLC		740/1	
	3 [Lease 00001984]	ライ 7 美 Dorman Jeffen Band Darlene V. 連集 MuR報	R.P. Land Company, LLC	18%	772/288	1397.6094
8/2018		EIVED Dil and Gas 1 2018 Tent of Protection				

														1
	1790.66		1397.6094		71.12	1790.66		1790.66		1790.66		1397.6094		
740/1	763/160	740/1	772/288	740/1	999/062	763/160	740/1	763/160	740/1	763/160	740/1	772/288	740/1	
	18%		18%		20%	18%		18%		18%		18%		
Mar Key, LLC	R.P. Land Company, LLC	Mar Key, LLC	R.P. Land Company, LLC	Mar Key, LLC	Mar Key, LLC	R.P. Land Company, LLC	Mar Key, LLC	R.P. Land Company, LLC	Mar Key, LLC	R.P. Land Company, LLC	Mar Key, LLC	R.P. Land Company, LLC	Mar Key, LLC	
R.P. Land Company, LLC	Franklin M. Jennings and Peggy A. Jennings	R.P. Land Company, LLC	Dorris R. Jennings and Darlene V. Murray	R.P. Land Company, LLC	West Virginia Department of Transportation, Division of Highways	Franklin M. Jennings and Peggy A. Jennings	R.P. Land Company, LLC	Franklin M. Jennings and Peggy A. Jennings	R.P. Land Company, LLC	Franklin M. Jennings and Peggy A. Jennings	R.P. Land Company, LLC	Dorris R. Jennings and Darlene V. Murray	R.P. Lan	
	4 [Lease 00002120]		4 [Lease 00001984]		5 [Lease 00006657]	6 [Lease 00002120]		7 [Lease 00002120]		8 [Lease 00002120]		8 [Lease 00001984]	WV De	" Oil and A

### Agreement to Drill, Complete and Operate Oil & Gas Wells

This Agreement to Drill, Complete and Operate Oil & Gas Wells (this "Agreement"), by and among Mountaineer Keystone LLC, a West Virginia limited liability company ("Mountaineer Keystone"), PDC Mountaineer, LLC, a Delaware limited liability company ("PDC"), and PDC Mountaineer Holdings, LLC, a Delaware limited liability company ("PDC Holdings"), is effective as of October 15, 2014. (the "Effective Date") and sets forth the terms pursuant to which Mountaineer Keystone will drill, complete and operate the Wells (as defined below) on behalf of PDC and PDC Holdings. Mountaineer Keystone, PDC, and PDC Holdings are each a "Party" and are collectively the mutual benefits to be derived therefrom, the Parties, intending to be legally bound, hereby agree as follows:

- 1. Term: This Agreement is effective from the Effective Date until terminated by Mountaineer Keystone on the one hand or PDC and PDC Holdings on the other hand with 30 days' written notice to the other Party or Parties, as applicable (the "Term").
- 2. Authorization to Operate: PDC and PDC Holdings authorize Mountaineer Keystone to undertake and perform, on PDC and PDC Holdings behalf, all operations, including without limitation permit applications, well pad preparation, drilling and completing wells, and marketing gas, oil and other bydrocarbons therefrom with respect to all oil and gas wells to be drilled on oil and gas leasehold acreage held by PDC or PDC Holdings. PDC, PDC Holdings and Mountaineer Keystone are affiliates with a common parent. Mountaineer Keystone was formed to operate oil and gas leasehold acreage held by PDC, PDC Holdings and certain other affiliates. Mountaineer Keystone agrees that it shall, in a good and workmanlike manner and in accordance with industry standards as they prevail in the area, drill, complete and operate oil and gas wells on leasehold acreage owned by PDC or PDC Holdings from time to time as directed by PDC or PDC Holdings (collectively, the "Wells").
- 3. No Third Party Beneficiary: This Agreement is for the benefit of the Parties and is not for the benefit of any third party.
- 4. Counterparts: This Agreement may be simultaneously executed in several counterparts and via facsimile or similar electronic transmittal, each of which shall be deemed to be an original and taken together shall constitute one and the same instrument.

[Signature Page Follows]

Office of Oil and Gas
FEB 1 2018

W Department of Environmental Protection

05/18/2018

IN WITNESS WHEREOF, Mountaineer Kcystone, PDC, and PDC Holdings have caused their duly authorized representatives to execute this Agreement as of the Effective Date.

### MOUNTAINEER KEYSTONE LLC

Name: Loke 1 Keel

Title: CEo

PDC MOUNTAINEER, LLC

Name: Ribet Roll

Title: CEO

PDC MOUNTAINEER HOLDINGS, LLC

Name: Chi Kal

That I've to !

Title: CEO

#### Agreement to Drill, Complete and Operate Oil & Gas Wells

This Agreement to Drill, Complete and Operate Oil & Gas Wells (this "Agreement"), by and among Arsenal Resources LLC, a West Virginia limited liability company ("Arsenal"), River Ridge Energy, LLC, a Delaware limited liability company ("River Ridge Holdings"), and River Ridge Energy, Holdings, LLC, a Delaware limited liability company ("River Ridge Holdings"), is effective as of March 1, 2017. (the "Effective Date") and sets forth the terms pursuant to which Arsenal will drill, complete and operate the Wells (as defined below) on behalf of River Ridge and River Ridge Holdings. Arsenal, River Ridge, and River Ridge Holdings are each a "Party" and are collectively the "Parties". In consideration of the foregoing and the respective agreements hereinafter set forth and the mutual benefits to be derived therefrom, the Parties, intending to be legally bound, hereby agree as follows:

- 1. Term: This Agreement is effective from the Effective Date until terminated by Arsenal on the one hand or River Ridge and River Ridge Holdings on the other hand with 30 days' written notice to the other Party or Parties, as applicable (the "Term").
- 2. Authorization to Operate: River Ridge and River Holdings authorize Arsenal to undertake and perform, on River Ridge and River Ridge Holdings behalf, all operations, including without limitation permit applications, well pad preparation, drilling and completing wells, and marketing gas, oil and other hydrocarbons therefrom with respect to all oil and gas wells to be drilled on oil and gas leasehold acreage held by River Ridge or River Ridge Holdings. River Ridge, River Ridge Holdings and Arsenal are affiliates with a common parent. Arsenal was formed to operate oil and gas leasehold acreage held by River Ridge, River Ridge Holdings and certain other affiliates. Arsenal agrees that it shall, in a good and workmanlike manner and in accordance with industry standards as they prevail in the area, drill, complete and operate oil and gas wells on leasehold acreage owned by River Ridge or River Ridge Holdings from time to time as directed by River Ridge or River Ridge Holdings (collectively, the "Wells").
- No Third Party Beneficiary: This Agreement is for the benefit of the Parties and is not for the benefit of any third party.
- 4. Counterparts: This Agreement may be simultaneously executed in several counterparts and via facsimile or similar electronic transmittal, each of which shall be deemed to be an original and taken together shall constitute one and the same instrument.

[Signature Page Follows]



IN WITNESS WHEREOF, Arsenal, River Ridge, and River Ridge Holdings have caused their duly authorized representatives to execute this Agreement as of the Effective Date.

ARSENAL RESOURCES LLC

Name: Joel E. Symonds

Title: Vice President - Land

RIVER RIDGE ENERGY, LLC

Name: Joel E. Symonds

Title: Vice President - Land

RIVER RIDGE HOLDINGS, LLC

Name: Joel E. Symonds

Title: Vice President - Land

RECEIVED
Office of Oil and Gas

FEB 1 2018

WV Department of Environmental Protection

05/18/2018

#### West Virginia Secretary of State — Online Data Services

#### **Business and Licensing**

Online Data Services Help

#### **Business Organization Detail**

NOTICE: The West Virginia Secretary of State's Office makes every reasonable effort to ensure the accuracy of information. However, we make no representation or warranty as to the correctness or completeness of the information. If information is missing from this page, it is not in the The West Virginia Secretary of State's database.

#### **MAR KEY LLC**

Organization Information									
Org Type	Effective Date	Established Date	Filing Date	Charter	Class	Sec Type	Termination Date	Termination Reason	
LLC   Limited Liability Company	7/11/2011		7/11/2011	Domestic	Profit				

Business Purpose	2111 - Mining, Quarrying, Oil & Gas Extraction - Oil and Gas Extraction - Crude Oil and Natural Gas Extraction	Capital Stock		
Charter County		Control Number	99Q1F	
Charter State	wv	Excess Acres		
At Will Term	Α	Member Managed	MBR	Office of Cil
At Will Term Years		Par Value		FEB 1 WV Departm Environmental Pr

05/19/2019

Authorized Shares			

Addresses		
Туре	Address	
Designated Office Address	65 PROFESSIONAL PLACE SUITE 200 BRIDGEPORT, WV, 26330	
Mailing Address	6031 WALLACE ROAD EXTENSION SUITE 300 WEXFORD, PA, 15090 USA	
Notice of Process Address	CORPORATION SERVICE COMPANY 209 WEST WASHINGTON STREET CHARLESTON, WV, 25302	
Principal Office Address	6031 WALLACE ROAD EXTENSION SUITE 300 WEXFORD, PA, 15090 USA	
Туре	Address	

Officers	
Туре	Name/Address
Member	ARSENAL RESOURCES ENERGY LLC 6031 WALLACE ROAD EXTENSION SUITE 300 WEXFORD, PA, 15090
Organizer	PAUL M HERZING 560 EPSILON DR. PITTSBURGH, PA, 15238 USA
Туре	Name/Address

Office of Oil and Gas
FEB   1 2018
Environmental Protection

Date filed				
5/8/2012				
6/28/2013	_			· · · · · · · · · · · · · · · · · · ·
4/28/2014				
6/30/2015			 -	
6/20/2016				
3/30/2017	 _			

For more information, please contact the Secretary of State's Office at 304-558-8000.

Tuesday, November 28, 2017 — 9:44 AM

© 2017 State of West Virginia

RECEIVED Office of Oil and Gas

FEB 1 2018

WV Department of Environmental Protection

05/18/2018



People Powered. Asset Strong.

November 28, 2017

Mr. James Martin, Chief of Oil and Gas West Virginia Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

RE: Ownership of Roadways; CHRIS JENNINGS Pad

Dear Mr. Martin:

In preparation of filing a permit application for the above referenced well, the Title Department of Arsenal Resources has conducted a thorough title examination in order to determine the ownership of the oil and gas underlying all roadways crossed by the proposed wells. The findings of the title examination show that some of the roadways crossed by the proposed wells are owned in fee by the West Virginia Department of Transportation, Division of Highways and that some are only right of ways. If owned in fee by the West Virginia Department of Transportation, Division of Highways, a lease covering its interest in the roadway or roadways has been properly obtained and provided in the application materials. If a right of way only, the oil and gas underlying such roadway or roadways is owned by the adjoining landowners and is also covered by the leaseholds provided in the application materials.

If you have any questions, concerns or need further information, please do not hesitate to contact me at the address listed below.

Sincerely,

Ryan Brode Title Attorney

> RECEIVED Office of Oil and Gas

FEB 1 2018

WV Department of Environmental Protection

6031 Wallace Road Ext, Suite 300 Wexford, PA 15090 Pt 724-940-1100 Ft 600-428-0981 Www.ersenalizesources.com

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

Date of Notic	ce Certification: 1/30/18		API No. 4	7-077-1	00654
			Operator's	Well No. Chris	s Jennings PL2017E 216
				Name: Chris Je	
Notice has l	neen given:		33 333 3 33 3	,	
	ne provisions in West Virginia Code § 22	2-64 the Operator has pro	wided the rec	nuired narties v	with the Notice Forms listed
	tract of land as follows:	071, the Operator has pre	vided inc rec	quired parties v	viai die Nodee i omis fisted
State:	West Virginia	11771 1311 15 00	Easting:	598,178.158	
County:	Preston	UTM NAD 83	Northing:	4,357,868.827	
District:	District: Lyon Public Road Access: CR 92/11				
Quadrangle: Fellowsville Generally used farm name: Christopher R. Jennings					ennings
Watershed:	Sandy Creek				
prescribed by it has provid- information r of giving the requirements Virginia Code	West Virginia Code § 22-6A-7(b), ever the secretary, shall be verified and shall ed the owners of the surface described equired by subsections (b) and (c), section surface owner notice of entry to surve of subsection (b), section sixteen of the § 22-6A-11(b), the applicant shall tend have been completed by the applicant.	contain the following int in subdivisions (1), (2) on sixteen of this article; ( y pursuant to subsection is article were waived in	formation: (1- and (4), sub- ii) that the re (a), section writing by	<ol> <li>A certificati section (b), see equirement was ten of this arti the surface ov</li> </ol>	ion from the operator that (i) ction ten of this article, the deemed satisfied as a result icle six-a; or (iii) the notice wner; and Pursuant to West
	West Virginia Code § 22-6A, the Opera rator has properly served the required pa		this Notice C	ertification	4-7-10-10-10-1

Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certificatio that the Operator has properly served the required parties with the following:  *PLEASE CHECK ALL THAT APPLY	OOG OFFICE USE
☐ 1. NOTICE OF SEISMIC ACTIVITY OF ■ NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED	☐ RECEIVED/ NOT REQUIRED
■ 2. NOTICE OF ENTRY FOR PLAT SURVEY or ☐ NO PLAT SURVEY WAS CONDUCT	ED RECEIVED
☐ 3. NOTICE OF INTENT TO DRILL or ■ NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED or	☐ RECEIVED/ NOT REQUIRED
☐ WRITTEN WAIVER BY SURFACE OWN! (PLEASE ATTACH)	ER
4. NOTICE OF PLANNED OPERATION  Office of Oil  Office of Oil	VED RECEIVED
■ 5. PUBLIC NOTICE MAY 1 1	The second second
6. NOTICE OF APPLICATION  Wy Departmental Environmental  Output  Departmental  Output  Departmental  Departmental  Departmental  Departmental	ment of RECEIVED

#### Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

By:

#### Certification of Notice is hereby given:

THEREFORE, I William Veigel, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: Arsenal Resources

William Veigel

Its: Designated Agent

Telephone: 724-940-1224

Address: 6031 Wallace Road Extension, Suite 300

Wexford, PA 15090

Facsimile: (304) 848-9134

Email: cflanagan@arsenalresources.com

OFFICIAL SEAL.
NOTARY SE NUTARY PUBLIC
STATE OF WEST VIRIGINIA
CAROLINDA FLANAGAN
PO Box 600
Lumberport WY 26356
My Commission Expires September 15, 2021

Subscribed and sworn before methis 30th day of January 2018

Notary Public

My Commission Expires

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <a href="deprivacyofficer@wv.gov">deprivacyofficer@wv.gov</a>.

API NO. 47-\_\_\_OPERATOR WELL NO. Crists Jennings PL2017E 216
Well Pad Name: Chris Jennings PL2017E

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requirem	ent: notice shall be provide	ed no later than the filing date of permit application.	
Date of Notice:  -30-	Nate Permit Application	on Filed: <u>1- 31-1</u> 8	
PERMIT FOR AN WELL WORK		ATE OF APPROVAL FOR THE JCTION OF AN IMPOUNDMENT OR PIT	
Delivery method pursu	ant to West Virginia Cod	le § 22-6A-10(b)	
PERSONAL SERVICE	REGISTERED MAIL	✓ METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION	
certificate of approval for registered mail or by any sediment control plan registered mail or by any sediment control plan registered for the tract or oil and gas leasehold beind described in the erosion a operator or lessee, in the more coal seams; (4) The well work, if the surface impoundment or pit as dehave a water well, spring provide water for consum proposed well work active subsection (b) of this secrecords of the sheriff requiprovision of this article to Code R. § 35-8-5.7.a recewater purveyor or surface.	r the construction of an impormethod of delivery that required by section seven of this which the well is or is proping developed by the propose and sediment control plan surevent the tract of land on whe towners of record of the suretract is to be used for the platescribed in section nine of the or water supply source locate aption by humans or domestifity is to take place. (c)(1) If the tome to be maintained pursually the contrary, notice to a lieurest, in part, that the operate owner subject to notice and	the filing date of the application, the applicant for a permit for an audition of the application, the application of the application, the surface of the application, discourse a receipt or signature confirmation, copies of the application, is article, and the well plat to each of the following persons: (1) The osed to be located; (2) The owners of record of the surface tract of discourse with the surface tract is to be used for roads or other land bmitted pursuant to subsection (c), section seven of this article; (3) which the well proposed to be drilled is located [sic] is known to be face tract or tracts overlying the oil and gas leasehold being development, construction, enlargement, alteration, repair, removal or a sistanticle; (5) Any surface owner or water purveyor who is known the dwithin one thousand five hundred feet of the center of the well ic animals; and (6) The operator of any natural gas storage field within one thousand five hundred feet of the center of interests dis, the applicant may serve the documents required upon the personant to section eight, article one, chapter eleven-a of this code. (2) in holder is not notice to a landowner, unless the lien holder is the tor shall also provide the Well Site Safety Plan ("WSSP") to the substantial also provided in section 15 of this rule.  S Plan Notice Well Plat Notice is hereby provided to:	I service or by the erosion and ne owners of record of r tracts overlying the d disturbance as ) The coal owner, underlain by one or oped by the proposed bandonment of any to the applicant to pad which is used to thin which the described in n described in the Notwithstanding any landowner, W. Va.
Name: Christopher R. Jenning	· · · · ·	Name: ACIN, LLC Attn: George Angus	
Address: P.O. Box 86		Address: 5260 Irwin Road	_
Newburg, WV 26410		Huntington, WV 26705	_
Name:		☐ COAL OPERATOR	
Address:		Name: Kingwood Mining Inc. Attn: Mark Miller	_
<del>Caraca da anticolo</del>		Address: 4615 Yorks Run Road	
	s) (Road and/or Other Dist		_
Name: Christopher R. Jenning	gs	SURFACE OWNER OF WATER WELL	
Address: P.O. Box 86		AND/OR WATER PURVEYOR(s)	
Newburg, WV 26410		Name: Christopher R. Jennings	-
Name:		Address: P.O. Box 86 Newburg, WV 26410	_
Address:		OPERATOR OF ANY NATURAL GAS STO	DRAGE FIELD
E SURFACE OWNED	s) (Impoundments or Pits)		
Name: Christopher R. Jennin		Name:Address:	
Address: P.O. Box 86	/	marcss.	RECEIVED Gas
Newburg, WV 26410		*Please attach additional forms if necessary	PECEIVED Gas
		, really under additional results in the country	3 / 11/0
			FEB TEST OF THE STATE OF THE ST
			05/18/2018

RECEIVED Office of Oil and Gas

FEB 1 2018

4707700654 API NO. 47-

WV Department of Environmental Protection

API NO. 47OPERATOR WELL NO. Correspondings FL2017E218
Well Pad Name: Chris Jennings PL2017E

#### Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

#### This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application: (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W, Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <a href="https://www.dep.wv.gov/oil-and-gas/pages/default.aspx">www.dep.wv.gov/oil-and-gas/pages/default.aspx</a>.

#### Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

API NO. 47-47 0 7 7 0 0 6 5 4

OPERATOR WELL NO. Chris Jennings PL2017E 216

Well Pad Name: Chris Jennings PL2017E

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

#### Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

#### Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

#### Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

#### **Written Comment:**

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57<sup>th</sup> St. SE Charleston, WV 25304 (304) 926-0450

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

4707700654

API NO. 47-OPERATOR WELL NO. Ctris Jennings PL2017E 216 Well Pad Name: Chris Jennings PL2017E

#### Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

#### Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site <a href="http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx">http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx</a> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

#### Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Office of Oil and Gas
FEB 1 2018

WV Department of Environmental Protection

OPERATOR WELL NO. Chris Jennings PL2017E 216 Well Pad Name: Chris Jennings PL2017E

Notice is hereby given by:

Well Operator: Arsenal Resources

Telephone: 724-940-1224

Email: cflanagan@arsenalresources.com

Address: 6031 Wallace Road Extension, Suite 300

Wexford, PA 15090

Facsimile: (304) 848-9134

#### Oil and Gas Privacy Notice:


The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA CAROLINDA FLANAGAN PO Box 803 Lumberport WV 26386 My Commission Expires September 15, 2021

Subscribed and sworn before methis 30th day of January

Notary Public

My Commission Expires



WW-6A3 (1/12)

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF ENTRY FOR PLAT SURVEY

	Requirement:	Notice shall be prov	vided at least SEVEN (7) da	nys but no more tha	n FORTY-FIVE (4	15) days prior to		
entry Date of Notice	ce: 05/02/2017	Date of Pla	nned Entry: 05/09/2017					
Delivery me	thod pursuant t	o West Virginia C	ode § 22-6A-10a					
☐ PERSO	NAL 🗆	REGISTERED	■ METHOD OF DE	LIVERY THAT RE	EOUIRES A			
SERVIC		MAIL	RECEIPT OR SIG					
on to the surf but no more to beneath such owner of min and Sediment Secretary, wh	ace tract to cond han forty-five da tract that has fil- erals underlying t Control Manua tich statement sh	uct any plat survey ays prior to such en ed a declaration pur such tract in the co l and the statutes ar	Prior to filing a permit appliss required pursuant to this a try to: (1) The surface ownersuant to section thirty-six, about tax records. The notion of rules related to oil and gainformation, including the are secretary.	rticle. Such notice ser of such tract; (2) article six, chapter to shall include a state exploration and p	shall be provided at to any owner or less wenty-two of this co atement that copies production may be o	least seven days see of coal seams ode; and (3) any of the state Erosion btained from the		
Notice is her	eby provided to	):						
■ SURFA	CE OWNER(s)		■ COA	L OWNER OR LE	SSEE			
Name: Christopher R. Jennings			Name: Se	Name: See Attached				
	dress: P.O. Box 86			Address:				
Newburg, WV 264								
Name:				January 160 (180 (180 (180 (180 (180 (180 (180 (18				
Address:			_ LEI MIN	ERAL OWNER(s)				
			Name: _Cr	Name: Christopher R. Jennings				
Name:			_ Address:	Address: P.O. Box 86 Newburg, WV 26410				
Address:			Newburg, W	7 26410 ch additional forms if ne	o angent	-		
			_ picase and	additional forms if he	ceasary			
Pursuant to V a plat survey State:	on the tract of la West Virginia		notice is hereby given that t Approx. Lati Public Road	tude & Longitude:	39.694385, -79.860372	g entry to conduct		
County: District:	Preston		Watershed:	Access:	CR 92/11			
Quadrangle:	Lyon Fellowsville			ed farm name:	Sandy Creek Christopher R, Jennings			
Copies of the	state Erosion an	eretary, at the WV I	I Manual and the statutes at Department of Environment of such documents or addi	nd rules related to o al Protection headq	il and gas exploration	01 57th Street, SE,		
			o.wv.gov/oil-and-gas/pages/					
Notice is he	reby given by	,				Office of Oil and Gas		
Well Operato			Address:	6031 Wallace Road Ext	tension, Suite 300	or Oil and Gas		
Telephone:	724-940-1224			Wexford, PA 15090	210,000,000,000	MAY 1 1 2018		
Email:	cflanagan@arsen	alresources.com	Facsimile:	(304) 848-9134				
201000000	o. ugungungungu	and the second second		SO DO NOCESSA SO		Environment of		
	s Privacy Noti		al information, such as nan	ne, address and tele	phone number, as p	WV Department of Environmental Protection art of our regulatory		

duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact

DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

05/18/2018

# Arsenal Resources Chris Jennings Pad WW-6A3 – Notice of Plat Survey, Attachment

#### Coal Owner:

ACIN, LLC Attn: George Angus 5260 Irwin Road Huntington, WV 26705

#### **Coal Operator:**

Kingwood Mining Inc. Attn: Mark Miller 4615 Yorks Run Rd. Newburg, WV 26410

Office of Oil and Gas
FEB 1 2018
WV Department of Environmental Proteotion

WW-6A5 (1/12)

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Time Date of Noti	Requirement: notice shall be provi ice: 1 30 /B Date Per	ded no later i mit Applicat		date of permit	application. B
Delivery me	thod pursuant to West Virginia Co	ode § 22-6A-	16(c)	,	
	IFIED MAIL IRN RECEIPT REQUESTED	☐ HAN	D IVERY		
return receip the planned required to b drilling of a damages to t	of requested or hand delivery, give the operation. The notice required by the provided by subsection (b), section horizontal well; and (3) A propose the surface affected by oil and gas op	e surface own this subsection ten of this and surface use erations to the	ner whose land on shall includer ticle to a surfact and compensure extent the da	will be used for de: (1) A copy ace owner whos ation agreemen mages are comp	cation, an operator shall, by certified mail or the drilling of a horizontal well notice of of this code section; (2) The information we land will be used in conjunction with the at containing an offer of compensation for pensable under article six-b of this chapter, sted in the records of the sheriff at the time
	reby provided to the SURFACE Of ss listed in the records of the sheriff		notice):		
Name: Christo		at the time of	Name:		
Address: P.O			Address	:	
Newburg, WV 2					
operation or State: County: District:	west Virginia Preston Lyon	rpose of drilli	ing a horizonta UTM NAD 8 Public Road	Easting: Northing:	ct of land as follows: 598,178.158 4,357,668.827 CR 92/11
Quadrangle:	Fellowsville			ed farm name:	Christopher R. Jennings
Watershed:	Sandy Creek				
Pursuant to to be provided horizontal was urface affect information	led by W. Va. Code § 22-6A-10(b) rell; and (3) A proposed surface use a cted by oil and gas operations to the related to horizontal drilling may be, located at 601 57th Street, SE,	to a surface and compens e extent the d e obtained fi	owner whose ation agreement lamages are continued to the room the Secret	e land will be un nt containing an empensable und ary, at the WV	code section; (2) The information required used in conjunction with the drilling of a noffer of compensation for damages to the ler article six-b of this chapter. Additional Department of Environmental Protection or by visiting

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

MAY 1 I 2018

WW Department of Environmental Protection

WW-6AW (1-12)

API NO. 47-		
OPERATOR WI	ELL NO.	See Attached
Well Pad Name:	Chris Jennin	gs PL2017E

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

### VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

VOLUNTARY STATEMENT OF NO OBJECTION

State:	West Virginia	TM NAD 83 Easting:	See Attached
County:	Presion	rorumg.	See Attached
District:	Lyon	ublic Road Access:	CR 92/11
Quadrangle:	Thornton	enerally used farm name:	Christopher R. Jennings
Watershed:	Sandy Creek		
*Please check	the box that applies	FUREALCUI	ION DI A NATURAL LERSON
*Please check	the box that applies	FUR EXECUT	ION BY A NATURAL PERSON
□ SURFAC	CE OWNER	Signature:	
	CE OWNER CE OWNER (Road and/or Other Disturbance)	Print Name:	
□ SURFAC	CE OWNER (Road and/or Other Disturbance)	Print Name: Date:	
□ SURFAC	CE OWNER (Road and/or Other Disturbance) CE OWNER (Impoundments/Pits)	Print Name: Date: FOR EXECUT	ION BY A CORPORATION, ETC
□ SURFAC	CE OWNER (Road and/or Other Disturbance)	Print Name:	ION BY A CORPORATION, ETC
SURFACE SURFACE COAL C	CE OWNER (Road and/or Other Disturbance) CE OWNER (Impoundments/Pits) OWNER OR LESSEE	Print Name: Date:  FOR EXECUT Company: ACIN, L By: G-2 (FORGIA)	ION BY A CORPORATION, ETC
SURFACE SURFACE COAL COAL COAL COAL COAL COAL COAL COAL	CE OWNER (Road and/or Other Disturbance) CE OWNER (Impoundments/Pits) OWNER OR LESSEE	Print Name: Date:  FOR EXECUT Company: ACIN, L By: G-2 (FORGIA)	ION BY A CORPORATION, ETC T. Wonten dent Famour Engine

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business Funcional course of

#### **Arsenal Resources**

#### Chris Jennings PL2017E Pad

WW-6AW - Voluntary Statement of No Objection (Attachment)

<u>Well Number</u>: Chris Jennings PL2017E 201, Chris Jennings PL2017E 202, Chris Jennings PL2017E 203, Chris Jennings PL2017E 204, Chris Jennings PL2017E 205, Chris Jennings PL2017E 206, Chris Jennings PL2017E 211, Chris Jennings PL2017E 212, Chris Jennings PL2017E 213, Chris Jennings PL2017E 214, Chris Jennings PL2017E 215, Chris Jennings PL2017E 216

<u>UTM Coordinate NAD 83 Northing</u>: 4357801.809, 4357802.643, 4357803.476, 4357804.309, 4357805.143, 4357805.976, 4357883.493, 4357880.562, 4357877.631, 4357874.700, 4357871.769, 4357868.838

<u>UTM Coordinate NAD 83 Easting</u>: 598220.964, 598223.895, 598226.826, 598229.757, 598232.688, 598235.619, 598173.980, 598174.813, 598175.646, 598176.480, 598177.313, 598178.146

RECEIVED
Office of Oil and Gas
FEB 1 2018

WV Department of Environmental Protection



#### WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

### **Division of Highways**

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Thomas J. Smith, P. E. Secretary of Transportation/ Commissioner of Highways

December 11, 2017

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57<sup>th</sup> Street, SE Charleston, WV 25304

Subject: DOH Permit for the Chris Jennings Pad, Preston County

Chris Jennings PL2017E 216 Well Site

Dear Mr. Martin,

.lim Justice

Governor

The West Virginia Division of Highways has issued Permit #04-2017-0789 for the subject site to Arsenal Resources for access to the State Road for the well site located off of Preston County Route 92/11 SLS.

The operator has signed a DISTRICT WIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT for DOH District 4 and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

Dary K. Clayton

Gary K. Clayton

Regional Maintenance Engineer Central Office Oil &Gas Coordinator

Cc: Kelly Davis Arsenal Resources

CH, OM, D-4

File

RECEIVED Office of Oil and Gas

FEB 1 2018

Chris Jennings PL2017E 216						
FRACTURING ADDITIVES						
	PURPOSE	TRADE NAME	CAS#			
Additive #1:	Friction Reducer	WFRA-405	Proprietary			
Additive #2:	Scale Inhibitor	SI-1000	7440-21-3			
Additive #3:	Biocide	BIOCLEAR 2000	25314-61-8			
Additive #4:	Gelling Agent	LGC-15	9000-30-0			
Additive #5:	Corrosion Inhibitor	Al-300	111-76-2			
Additive #6:	Gel Breaker	AP-One	7727-54-0			
Additive #7:	Acid	HCI - 7.5%	7647-01-0			

RECEIVED
Office of Oil and Gas

FEB 1 2018

# PRESTON COUNTY, WY HIGHWAY MAP LOCATION

BIGHWAY MAP SCALE

ENTRANCE LUCATION

PROJECT LOCATION

### **ARSENAL RESOURCES**

CONSTRUCTION PLANS FOR THE

### **CHRIS JENNINGS PL2017E**

LYON DISTRICT, PRESTON COUNTY, WV OCTOBER 2017

DRIVING DIRECTIONS TROM NEWBORD, WY

- THE NAME CASE FOR THE PROPERTY OF THE THE WAY THE ADDRESS MAKE IN V. P. MILLS.
  THE WAY SHE FOR THE PROPERTY OF THE PROPERTY OF

Coordinate Label	West Pad Center	Flowback Pit Center	Acress Road Beginning
WVSB-N Latitude	NOW.354532	439.3617761	4.39.1775457
WVRE-N Longitude	W 79 84-00691	W 70.858121*	W/79.858850*
WV85-Is worthing	315090,319.8	314513-254-1	318661-975 %
WV9 I-N LERRING	1856698 306 H	1887248.08211	\$66,986,975 ft
UTM SE-17 Northing	4357650.080 W	4157768.395 et	43582HE 124 m
UTM \$5-1.7 Earling	991701 F91 W	100,570,505 m	591725345 PC

	DESTING OF BUILDING
	DEFEATURE PLAS
	WELL THE ACCESS HOWER AND PROVED
	CARSON OF DRALE SCHOOL BROKEPLAS A RECEIVE
15-211	WELL PARKACULSS RUADISE BUSS
	SALI PARE AS

#### SURPACE HOLE COORDINATES

QFE0: P 724-989-1294 (MA), exident interaction enterior

	Well Number											
Coverfisher Lister	201	202	201	204	205	206		212				
WVEST Leritude	N 34 364596*	34.39.364.181°	N 19.364110"	N 39.3641171	N 29.1541.24"	N.29(364)32"	9.39.364837	N \$9.3648101	N 89.5m4JR4"	34.85.864757*	939,354731"	N3936470
word kin Linear lade	W79EVIKES	M/ 96.85/0015*	UL-95 8592812	W 79.859747*	W 23 819713"	W 79.850678	W 79360182*	W 79 8 60 3 73"	W.79260356*	W 79 810159*	W-71,860345*	W 79 BH61
WVEZ-N Northing	314931 0848	1:4944 684 5	314336.218.5	\$14935.793 !!	314941.367 (1	114945-541 6	315701.650 ft.	335194.987ft	315182,32416	319372me1ft	\$19162.998 ft	315153.535
WVII N Emilee	1866,738,998.9	18062093528	1656779.210 h	1856788.KE2 N.	1846.79H 545.ft	\$8446868.238 Pt	186-6-518 190 H	1.006612.764 ft	1884115-338 FC	3.866687.91875	1868423.86Ftt	3865623:363
mark 1.17 Northian	1167851 839 m	A PATRICIA A T at	#15.2939 #76 er	#1578.04 \$19 m	4152505 143 m	ABSTRDS SIR IN	4357883.455-5	4357880.562 cs	4357827.631 m	4357874,700 e	4337871,789 et	E157868.948
title 83-17 Fasting	598220.984 m	593331 895 m	398226826.46	552229.757.00	508232 688 W	598285 519 m	395178,983 m	398174.813 m	516175,646 m	598175-430 m	358177.7\5 +c	59812R.116

Proportio Design Workshop Long Code (Part of the Mark			
Biddet - Tex May - Parent	5	Walter	Total 1
memory Crystapher (15.15.15)   4.00   35.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50   25.50			
Total Caturdane 400 21.49		4.08	14.50
THE			6,90
THE		4.00	21.49
THE			
THE			PAUL PRINCIPAL
THE			1
	The second section	20.00	
		00 70 10	1
			1 300
U LTIVES			
U U HU		-	-
WES		10.00/0	N 30
WES		48.0	1
WES	Date Control		motor
WES			10-1
WES		1 )	1 2
WES		3 1	1
WES		W.	1
4,25		1	WES
a file		1	4170
7.00			2
			7
)			3
4			1

no, manuscrime confused, which is find that Paperatus or has foreigne sector, by Sinhobictor of Tatte billionists in weith on an example for any space which the transfer a think of a sector of the sector of the transfer that the transfer the transfer the transfer that the transfer the transfer the transfer that the tr

ENVIRONMENTAL IMPACTS				
teams to	Total Disturbance (Ac.)			
W2154	0.023			
W1158	0.012			
WLID	0.030			
W1.14	0.087			
TOTAL -	0.054			







188	APPROVED FOR PERMITS	DATE: (036)*	BY: RBVU
	APPROVER FOR BID	DATE	BY:
	APPROVED FOR CONSTRUCTION	DATES	114

REVISION NUMBER	REVISED	By	DATE	DESCRIPTION
1	17, 29, & 38	SCA	01/15/18	RABELED ALL WELL "AD SUMPS, ADDED BRAM HAE ACH LOCATIONS, ADDED HELAWATION NOTES, & ADDED SELF COST (ECTION DESIGN DETAIL

503 WHITE OAKS BOULEVARD - BRIDGEPORT, WV 25330 PHONE (304) 524 4108 • FAX (304) 524-783!

ONLUALL OTHERY SYSTEMA ON FALL INFO


VICINITY MAP SCALE

0

1 2018

WV Department of Environmental Protection

EB





Office of Oil and Gas

West Virginia Department of Environmental Protection Office of Oil & Gas 601 57th Street SE Charleston, WV 25304-2345

DEP Office Use only				
Date Received by Oil & Gas:	2/01/18			
Assigned Impoundment ID #:	77-WPA-00033			

### Permit Associated Impoundment / Pit Registration

**Instruction:** This form is to be used to register impoundments or waste pits, greater than 5,000 bbls, that are associated with a WVDEP, Office of Oil and Gas, well drilling permit. An **associated impoundment or pit** means it has been designed and included in the well drilling permit application, will follow the reclamation time frame of well work permit, and will be approved in conjunction with the well work permit. An impoundment ID number will be assigned by WVDEP, Office of Oil and Gas, to all impoundments and pits. This impoundment ID number will be sent to the applicant following receipt of this form by WVDEP. Please reference this impoundment ID number with all future correspondence and reference to this impoundment. Conditions as described in W.Va. State Rule §35-4-21 will be followed as it relates to impoundments and pits.

Section 1 – Operator and Facility Information

Operator Name:	Arsenal Resources				
Operator ID:	494519412				
Name of Structure*	Chris Jennings PL2017E Flowback Pit				
Address: Street	6031 Wallace Road Ext	ension, Suite 300			
City:	Wexford	State: PA	Zip:	15090	
Contact Name:	Eddie Carder	Contact Title:	Permitting Mai	nager	
Contact Phone:	724.940.1204	Contact Email:	ecarder@arse	nalresources.com	

Section 2 – Engineering / Design Contractor Information

Design will be contracte	d 🗈 Des	igned in-ho	use 🗆	-			
Company Name:	The Thra	sher Group	, Inc.				
Address: Street	600 White	Oaks Blvd	l		_		
City:	Bridgeport			State:	WV	Zip:	26330
Contact Name:	Russell B.	Messenger		 Contact	Title:	Project Mana	ager
Contact Phone:	304.326.6362		Contact Email:		bmessenger@thethrashergroup.com		
Certifying Professional I			Messenger				
Professional Engineer F	Registration	Number:	18226				

PECEIVED Gas Office of Oil and Gas

FEB 1 2018

Party Department of Enterth Amountain Protection

05/18/2018



### Section 3 - Impoundment / Pit Information

Type of Structure. Check one of						
☐ Freshwater Impoundment ☐ Waste Pit						
Note: Any waste in a pit will make it	a waste pit.					
Name of Structure * Chris Jen	inings PL2017E Flowback Pit	····				
County: Preston	District:	Lyon				
USGS 7.5' Quad Map Name: _I	Fellowsville					
Farm Name: Christopher R. Je						
Pad Name: Chris Jennings P		<u> </u>				
Surface Owner Name: Christop						
Physical Description of Location:	1.7 aerial miles southwest of New	burg, WV in Preston County				
(Note: Give general location, example: 2	miles south of Smalltown, WV on Rt. 22,	left on Buffelo Creek)				
		ieit on Banalo Greek)				
Watershed (nearest perennial):						
Distance (Drainage Distance) to	nearest perennial stream.					
Location Coordinates (NAD83 D	Decimal Degrees (xx.xxxx, -xx.xxx	(xx))				
Latitude: 39.363778	- · · · · · · · · · · · · · · · · · · ·					
UTM Coordinates: 4357768		8370.305	N			
Access Road Coordinates (juncti	ion of state highway access)		•			
Latitude: 39.372545	Longitude (Use negative si	gn): -79.853856				
		8725.345	N			
Approximate Dimensions						
Length: 256-ft	Width: 260-ft	_ Height: 24.5-ft				
Note: If irregularly shaped, give approxim	nate dimensions of long axis.					
Total Capacity - Provide all units						
Barrels:	Gallons: 4,855,214	Acre-Feet:14.9				
Capacity with 2' Freeboad – Prov		A E 4 40.7				
Barrels: 104,525	Gallons: 4,390,041	Acre-Feet:12.7				
In aire of continue or						
Incised volume: Barrels: 81,194	Gallons: 3,410,166	Acre-Feet: 10.5				
Daileis. Oi,104	Gallons. c, 110,100					
Net impounded volume: (Total vo	olume less incised volume.)					
Barrels: 34,406	Gallons: 1,445,048	Acre-Feet: 4.4				
Anticipated Construction Start Da	ate (estimation, non-binding):	April 2018				
Note: No construction may begin	n on Associoated impoundment	until WVDEP issues the drilling	ng permit. At least 7			
calendar days prior to confirmed	construction start date, notify the late. Use form IMP-2, "Notification	e Office of Oil & Gas, and the	local Oil and Gas			
mapedior or construction start da	ne. Ose form hair -2, Houncador	or impoundment i it consti	ruction."  RECEIVED Office of Oil and Gr			
			Office of C			

Page 2 of 4

Page 2 of 4

Q5/10 072 0418



Office of Oil and Gas

**Section 4 - Associated Well Numbers and API Numbers.** List associated well numbers and API number. API numbers may not be assigned at time of registering this impoundment, if so list as pending.

Well Number(s):	API Number(s) – If issued:
201-206	Pending
211-216	Pending

## Section 5 - Required Information Checklist To Register Permit Associated Impoundments or Pits. Include the following information and plans with application.

×	Engineered	<b>Construction Plans</b>	, certified by	/WV	Registered F	P.E.
---	------------	---------------------------	----------------	-----	--------------	------

- Erosion and Sediment Control Plan, certified by WV Registered P.E.
- Reclamation Plan, certified by WV Registered P.E.

#### Section 6 - Dam Standard Qualifying Evaluation

×	The design of this structure has been evaluated by the applicant to determine it does NOT qualify to be
	defined as a dam, under W.Va Rule §47-34. If the design of this structure qualifies it to be defined as a dam,
	all permits regulating dams will be required prior to registering the structure with the Office of Oil and Gas.
	The dam standard, from the WVDEP, Div. Of Water and Waste, is available for review at:
	http://www.dep.wv.gov/WWE/ee/ds/Pages/default.aspx

		RECEIVED Office of Oil and (
		. 20
	 	FFB 1 C

# 4707700654

#### Section 8 - Application Certification

I hereby certify that the information listed above is true and accurate. I understand that this pit/impoundment is to be constructed only in a location appropriate for the storage of water, including wastewater, and will be constructed in accordance with plans designed and certified by a West Virginia registered professional engineer. I further recognize that all required plans have been submitted to the Office of Oil and Gas. I understand that after construction, and prior to any fluid being placed in the pit/impoundment, it shall be inspected by a West Virginia registered professional engineer to ensure compliance with the certified design and construction plan, and that the professional engineer shall certify that this structure was constructed in accordance with design and construction plans. I understand that such certification shall be in writing to the Chief and that no fluids may be placed in the pit/impoundment until the certification has been filed with the chief. I agree that this pit/impoundment shall be constructed, maintained, operated and closed in accordance with all applicable laws and rules, including the requirements of W. Va. Code R § 35-4-2.

Name: William Veigel	
Title: Designated Agent	
Signature: Wulle El	
Taken, subscribed and sworn to before me this, 30th Day of January 20 18	
Notary Public: Notarda Han	
My commission expires: 9/15/2021	
Notary Seal:  OFFICIAL SEAL  NOTARY PUBLIC  STATE OF WEST VIRGINIA	
Section 9. Submittal instructions POBOX 603	
Submit original paper copy of application to West Virginia Department of Environmental Protection	
Office of Oil and Gas	
Impoundment Registration 601 57 <sup>th</sup> Street, SE	
Charleston WW 25304	
Email PDF file format of this application and all related engineering Plans to : <u>Depimpoundments@wv.gov</u>	

<sup>\*</sup> Name of Structure: Please give the pit or impoundment a unique name, and use the name consistently when referring to this structure. They are often given the same name as the pad, with a modifier to identify freshwater or flowback water. If more than one pit or impoundment is associated with this pad, use modifier to identify these as ECEIVED well, such as #1, #2, etc. Examples: ABC Pad Freshwater Impoundment, ABC Pad Flowback Pit #1, ABC Pad Flowback Pit #2.