


P



New Location
 Drill Deeper
 Abandonment

7 EC (I-4)

Company Godfrey L. Cabot, Inc.
 Address 500 Union Bldg Charleston, W Va
 Farm J. L. McLean
 Tract _____ Acres 74 Lease No. 3-453
 Well (Farm) No. 42 Serial No. 1306
 Elevation (Spirit Level) 946.6
 Quadrangle Winfield - SE
 County Putnam District Pocahontas
 Engineer Logan McDonald
 Engineer's Registration No. 610
 File No. _____ Drawing No. _____
 Date 8-5-49 Scale 1" = 1320'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. Put - 417

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

6-20-49

Deep Well

STATE OF WEST VIRGINIA DEPT. OF MINES
OIL & GAS DIVISION
W E L L R E C O R D

Permit No. Put-417
Winfield Quad.

Dry Well

Casing & Tubing

Company	Godfrey L. Cabot, Inc.			
Address	Charleston, W. Va.		13-3/8	346
Farm	J. L. McLean Heirs	Acres	10-3/4	1030
Location			8-5/8	2060
Well No. 42	Elev. 246.6		7	2204
District	Pocatalico Putnam County		5-1/2	4965
Commenced	8/29/49			
Completed	12/22/49			
Shot	12/23/49 from 5048 to 5068 with 40 qts.			
	2 hrs. after shot 23 mcf.			

Red Rock	0	55	
Sand	55	72	
Red Rock	72	142	
Sand	142	175	
Slate	176	184	
Red Rock	184	264	
Sand	264	312	
Red Rock	312	330	
Slate	330	385	
Red Rock	385	400	
Sand	400	425	
Red Rock	425	460	
Sand	460	505	
Red Rock	505	575	
Slate	575	600	
Red Rock	600	660	
Slate Shell	660	840	
Sand	840	958	water 895 not enough to drill with.
Slate Shell	958	1110	water 1110 5 bailers per hr.
Sand	1110	1186	
Slate	1186	1205	
Sand	1205	1220	
Slate shell	1220	1290	
Sand	1290	1308	
Slate Shell	1308	1460	
Sand	1460	1558	
Slate Shells	1558	1630	
Salt Sand	1630	1860	water 1635 Hole full
Slate	1860	1865	
Black Lime	1865	1880	
Sand	1880	1896	
Big Lime	1896	2066	Gas 2020-31 - 198 mcf.
Injun Sand	2066	2152	
Slate shell	2152	2528	oil 2021-31 10 gals. per hr.
Brown shale	2528	2545	water 2135
Berea Grit	2545	2565	
Slate Shell	2565	3525	
Brown Shale	3525	3559	
Slate shell	3559	3790	
Shale	3790	3887	
Slate	3887	4012	
Shale	4012	4334	
Slate	4334	4745	
Shale	4745	4950	
Corniferous	4950	5048	SLM
Oriskany	5048	5067	
Lime	5067	5074	
Sand	5074	5092	
Lime	5092	5100	SLM
Total Depth		5100	

4950
 947

 5092
 947

 45

Note: Well considered dry in Oriskany. Will be plugged back to big Lime for production test.