

I hereby certify that this map is correct to the best of my knowledge and belief and shows all the information required by paragraph 6 of the rules and regulations of the M&G and has Section of the mining laws of West Virginia.

John Galpin

1.68S
 1.87W
 3-NC (1-4)

- New Location...
- Drill Deeper.....
- Abandonment.....

| | |
|-----------------------------|-------------------------|
| Company | TEAVEE OIL & GAS INC |
| Address | CHARLESTON, W. VA |
| Farm | L. M. 9th CLARA HANDLEY |
| Tract | Acres 194 Lease No. |
| Well (Farm) No. | 1 Serial No. T.V. 81 |
| Elevation (Spirit Level) | 628 |
| Quadrangle | ST. ALBANS N-W |
| County | PUTNAM District SCOTT |
| Engineer | JOHN GALPIN |
| Engineer's Registration No. | 875 |
| File No. | Drawing No. |
| Date | 12/1/65 Scale 1" = 600' |

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. Put-719

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

6-6 2-1911 Deep Well.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION 17

Rotary
Spudder
Cable Tools
Storage

*Mississippi
Toluene*

Quadrangle St. Albans

WELL RECORD

Permit No. PUT-719

Oil or Gas Well _____ (KIND)

Company Teavee Oil & Gas, Inc.
Address Charleston, West Virginia
Farm L. M. & Clara Handley Acres 19 1/4
Location (waters) Poplar Fork
Well No. TV-81 Elev. 628
District Scott County Putnam
The surface of tract is owned in fee by Clara Handley
Address Hurricane, W. Va.
Mineral rights are owned by Clara Handley
Address Hurricane, W. Va.

Drilling commenced December 13, 1965
Drilling completed January 4, 1966

Date Shot Not Shot From _____ To _____

With _____

Open Flow 2 /10ths Water in _____ Inch

60,000 /10ths Merc. in _____ Inch

Volume 60,000 = Brn Shale Cu. Ft.

Rock Pressure Not taken lbs. _____ hrs.

Oil _____ bbls., 1st 24 hrs.

WELL ACIDIZED No

WELL FRACTURED No

| Casing and Tubing | Used in Drilling | Left in Well | Packers |
|-------------------|------------------|--------------|------------------------------|
| Size | | | |
| 16 | | | Kind of Packer <u>Parmco</u> |
| 13 | | | <u>upside down</u> |
| 10 | | | Size of <u>2 x 5 1/2</u> |
| 8 3/4 | <u>51</u> | <u>51</u> | |
| 6 3/4 | | | Depth set <u>4239</u> |
| 5 3/16 | <u>1795</u> | <u>1795</u> | <u>10' off bottom</u> |
| 3 | | | <u>"T" on bottom</u> |
| 2 | <u>4329</u> | <u>4329</u> | Perf. top _____ |
| Liners Used | | | Perf. bottom _____ |
| | | | Perf. top _____ |
| | | | Perf. bottom _____ |

CASING CEMENTED 8" SIZE 51 No. Ft. 12-13-65 Date


COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

RESULT AFTER TREATMENT

ROCK PRESSURE AFTER TREATMENT

Fresh Water _____ Feet Salt Water _____ Feet

| Formation | Color | Hard or Soft | Top | Bottom | Oil, Gas or Water | Depth | Remarks |
|----------------|-------|--------------|------|--------|-------------------|-------|---------|
| Surface | | | 0 | 5 | | | |
| Sand | | | 5 | 15 | | | |
| Blue Clay | | | 15 | 20 | | | |
| Gravel | | | 20 | 30 | | | |
| Sand Stone | | | 30 | 65 | | | |
| Sand-lime | | | 65 | 100 | | | |
| Slate | | | 100 | 140 | | | |
| Red Rock | | | 140 | 145 | | | |
| Slate | | | 145 | 165 | | | |
| Red Rock | | | 165 | 170 | | | |
| Slate | | | 170 | 200 | | | |
| Red Rock | | | 200 | 230 | | | |
| Slate | | | 230 | 580 | | | |
| Sand | | | 580 | 690 | | | |
| Slate | | | 690 | 720 | | | |
| Sand | | | 720 | 755 | | | |
| Slate | | | 755 | 900 | | | |
| Sand | | | 900 | 957 | | | |
| Slate | | | 957 | 1020 | | | |
| Sand | | | 1020 | 1065 | | | |
| Salt Sand | | | 1065 | 1423 | | | |
| Little Lime | | | 1423 | 1443 | | | |
| Big Lime | | | 1443 | 1620 | | | |
| Big Injun | | | 1620 | 1740 | | | |
| Slate & Shells | | | 1740 | 2126 | | | |
| Coffee Shale | | | 2126 | 2147 | | | |
| Berea | | | 2147 | 2174 | | | |
| Slate & Shells | | | 2174 | 3316 | | | |



(over)

Deep Well

| Formation | Color | Hard or Soft | Top / 7 | Bottom | Oil, Gas or Water | Depth Found | Remarks |
|-------------|-------|--------------|---------|--------|-------------------|-------------|--------------------------------------------|
| Brown Shale | | | 3316 | 3383 | | | |
| Limy Slate | | | 3383 | 3480 | | | |
| Brown Shale | | | 3480 | 3560 | | | |
| Slate | | | 3560 | 4045 | | | |
| Brown Shale | | | 4045 | 4212 | | | |
| Corniferous | | | 4212 | 4342 | | | Sh. Gas on top of Corniferous |
| TOTAL DEPTH | | | | 4342 | | | 2/10ths water in 2" when stopped drilling. |

Date January 27, 19 66

APPROVED TEAVEE OIL & GAS, INC., Owner

By [Signature]
(Title) v.p.