





Glenwood
Ouadrangle Mount Olive



STATE OF WEST VIRGINIA DEPARTMENT OF MINES

APR 2 : 1973

DEPT. OF MINES

Oil and Gas Division

RECORD &

Rotary_X__ Cable_____ Gas. Recycling Comb. Water Flood Storge

Permit No. PUT-776		0 (13 %) 0 (24.5 0 (24.5	#mas.com to surrough	Water Floor Disposal	King
Company NEDCO, INC. Address 1901 Kanawha Valley I Farm Alta Holly	31dg. Chas.	Casing and Tubing	Used in Drilling	Left in Well	Cement fill up Cu. ft. (Sks.)
Location (waters) Barnett Branch Well No. N-9 District Teays Valley County I	of 5&20 mi. c Elev. 668.92	k。 Size 20-16 Cond.			THE STATE OF THE S
The surface of tract is owned in fee by		13-10"11 3/4 9 5/8	162	162	100 bags
Address Winfield, West Virg: Mineral rights are owned by		8 5/8 7	1.	2068	100 bags
Address Drilling Commenced 3/27/73 Drilling Completed 4/17/73 Initial open flow 0 cu. ft Final production 0 cu. ft. per	bbls.	3 1/2 4 1/2 3 2 Liners Used	With the speciment and a community of		
Well openhrs. before Well treatment details:	testRP.	Attach copy of c	cementing reco	rd.	
	FeetFe	etSalt W	Vater		_ Feet
Formation Color Hard or So	Top Feet	Bottom Feet	Oil, Gas or	Water	* Remarks
arface and Red Rock and ed Rock	0 15 20	15 20 30			

Formation Color Hard or S	SOIL	Top Feet	Bottom Feet	Oil, Gas or Water	* Remarks
Surface and Red Rock		0	15		400/400
Sand		15	20		
Red Rock		20	30	1	
Red Rock and Sand		40	60	fresh water	
Sand		60	75	110011 #4001	
Red Rock	:. [75	90	* 1	A Company of the Comp
Sand		90	105		
Red Rock		105	125		
Sand		125	135		
Red Rock		135	275		
Slate	20.0	275	305		
Red Rock		305	310		
Slate	į	310	350		•
Red Rock		350	400		
Slate		400	450		inger en en general en
Red Rock		450	470		
Slate		470	480		
Red Rock	- O	480	535	•	
Slate		535	555		
Red Rock	-	555	585		The state of the s
Slate		585	735		
Red Rock		735	755		
	sportmentifo				

(over)

^{*} Indicates Electric Log tops in the remarks section.

	also become established to the fill	Top Feet	Bottom Feet	Oil, Gas or Water * Remarks
Slate		755	775	
Red Rock		775	800	
Slate		800	840	
Red Rock Slate		840 860	860 900	
Red Rock		900	930	
Sand		930	985	
Slate		985	1005	
Sand		1005	1080	
Slate		1080	1130	. । १ वर्षा ६२ वर्षा वर्षा वर्षा ।
Sand		1130	1150	
Slate		1150	1200	
Sand		1200	1250	
Slate		1250	1440	
Sand	The second of th	1440	1490	
Slate		1490	1560	
Sand		1560	1610	Carles of the Configuration of the configuration
Slate		1610	1615	pipipise i Baril His le cesso i l
Sand		1615	1670	· · · · · · · · · · · · · · · · · · ·
Big Lime Slate		1670	1715	Scheres Charles gastify filtregeral to rule of the fi
Big Injun S	ection	1715 1745	1745 2020	jednika dan bilik kalendar da dan dan dari balan da ka
Shale	CC 51011	2020	2240	
Berea Sand		2240	2270	Begin electric log measurement
Shale		2270	4075	Jogan Giotofic iog medaufement
Coniferous	Lime	4075	4106	요. 그 그 그 그 그 그 그 그 사이 그리아 가는 그리는 그 바람 수 있는 사람들이 되었다.
Oriskany-Sa	ndy lime	4106	4120	Show gas
	Salina, + makenaie	4120	4634	
Keefer-Sand	y lime	4934	4970	Continues of the filter specific
Rosehill-Sh		4970	5270	of the control of the second of the
	tion-Tuscarera	5270	5387	
Juanita Sha	le	5387	5516	TD the second of
Constitution of the Consti				
nematica transcensoria configuración dell'estato	ing. Bangan kanggan			and the state of t
and the total of the first				e de la composition della comp
TAN OL				
and ever be a garage				
anger de				
and or to a garden				
and one the first for the firs				
angree and the second s				
and the second				
and the state of t				
and the first of t				
and the second s				

APPROVED J. Hayle Regree. Owner

By Vie Precident

(Title)

Oil and Gas Division

OIL AND GAS WELL PERMIT APPLICATION

TAIL DEFINITION OF MAINES,	
Charleston, W. Va.	DATE December 26, 1972
Surface Owner Alta Holly	Company NEDCO Inc.
Address Winfield, W. Va.	Address 1901 Kanawha Valley Bldg.
Mineral Owner Alta Holly	Farm Alia Holly Arm 89
Address Winfield, W. Va.	Location (waters) Barnett Brancho 30-62
Coal Owner	Well No. N-9 Elevation 553.92
Address	District Teays Valley County Putnam
Coal Operator	V03243
Address	My Kennet
	INSPECTOR TO BE NOTHED Letcher
THIS PERMIT MUST BE POSTED AT THE WELL SITE	1.714/ 24 736-488
All provisions being in accordance with Chapter of the W. Va. Code, the location is hereby appropriations have not commenced by 4/29	the language of the second
Deputy Director - Oil & Gas Division	
GENTLEMEN:	
The undersigned well operator is entitled to drill upon the	above named farm or tract of land for oil and gas, having fee
itle thereto, (or as the case may be) under grant or lease da Holly made to Teavee Oil & Gas,	Inc and recorded on the 8th March
9 72 in Putnam County, Book 56	Page 432
- V	
A DRILL DEEPER	REDRILL FRACTURE OR STIMULATE
OIL AND GAS WELL ORIGINALLY DRILLED	BEFORE JUNE 5, 1969.
The enclosed plat was prepared by a registered engineer or	licensed land surveyor and all coal owners and/or operators
ave been notified as of the above date.	
The above named coal owners and/or operator are hereby no make by Section 3 of the Code, must be received by, or file	otified that any objection they wish to make, or are required ed with the Department of Mines within ten (10) days.
Copies of this notice and the enclosed plat were mailed by re	egistered mail, or delivered to the above named coal operators
r coal owners at their above shown respective addressame day with the mailing or delivery of this copy to the Depa	rtment of Mines at Charleston, West Virginia.
	ery truly yours,
(2)	Sign Name) Well Operator
	1901 Kanawha Valley Bldg.
Address	1901 Kanawha Valley Bldg, Street
of Well Operato	Charleston, W. Va.
	City or Town
	State

*SECTION 3.... If no objections are filed or found by the Department of mines, within said period of ten days from the receipt of notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a permit reciting the filing of such plat, that no objections have been made by the coal operators or found thereto by the department and that the same is approved and the well operator authorized to proceed.

76 PERMIT NUMBER

THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

PROPOSED WORK ORDER	TO X DRILL	DEEPEN	TOTAL CHARLES TO COMME
WATER OUNTED THE	(II Known)	The war from the color of the color of	_ Fraci urg-biimulate nt.
NAMEJmrald Jone	5	NAMENEDCO	
ADDRESS Spencer, W.	Va.		Kanawha Valley Bldg.
TELEPHONE 927-1550		TELEPHONE 342	-2125
	MPLETED WELL: 4400		CABLE TOOLS
	RMATION: Oriskany	ROTART	CABLE TOOLS
	LGAS_XC		
-	DEGWAY D	OMBSTORA	GE DISPOSAL
	MECYCLI	VG WATER F	LOODOTHER
TENTATIVE CASING PROGR	AM:		
CASING AND TUBING	USED FOR	LEFT IN	CEMENT FILL UP
SIZE	DRILLING	WELL	OR SACKS - CUBIC FT.
20 - 16 13 - 10 10 3/4 "	7		
9 - 5/8	155′	155'	150 Cu, Feet
8 - 5/8			
7	2100'		
5 1/2	2100.	2100′	50 Sacks
4 ½			
3 3½	4400"	44004	
2	1400	4400°	Perf. Top
Liners			Perf. Bottom
			Perf. Top
	5 4.2		Perf. Bottom
APPROXIMATE FRESH WATER	R DEPTUS 40		
APPROXIMATE COAL DEPTHS	R DEPTHS 40 FEET	SALT WATER	_1300 FEET
IS COAL BEING MINED IN THE	TE APPAG	3	*
IS COAL BEING MINED IN TH	TE AREA?	BY WHOM? _	
TO DRILL.			
SUBMIT FIVE (5) COPIES	OF OG - 1, \$100.00 PERMIT	FEE PERFORMANCE	BOND AND PERMANENT COPY
OF PLAT.		and a community of	SOND AND PERMANENT COPY
TO DRILL DEEPER OR REDRI	LL:		
SUBMIT FIVE (5) COPIES	OF OG - 1. SHOWING ORIGIN	AI DEDMIT NUMBER	ND PERFORMANCE BOND. ON
WELLS DRILLED PRIOR	TO 1929, A PERMANENT COP	Y OF THE PLAT AND	ND PERFORMANCE BOND. ON THE ORIGINAL WELL RECORD
MUST ALSO BE SUBMITT	ED.	TOTAL AND	THE ORIGINAL WELL RECORD
TO FRACTURE - STIMULATE:			
OIL AND/OR GAS WELL O	RIGINALLY DRILLED PEROPE	7 F 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	
BOND, PERMANENT PLAT	AND ORIGINAL WELL RECOR	JUNE 5, 1929, FIVE (5)	COPIES OG - 1, PERFORMANCE
			29, FIVE COPIES OG - 1, SHOW-
ING ORIGINAL PERMIT NU	MBER, AND PERFORMANCE BO	or after june 5, 192 Ind	9, FIVE COPIES OG - 1, SHOW-
			the great control of
four (24) hours in advance.	within ninery (90) days of com	pletion for bond release.	Inspector to be notified twenty-
The following waiver must b	e completed by the coal answer	un terus	
	e completed by the coal operator		
WAIVER: I the undersigned, Ager this lease have examine	nt for	Cont. C.	
this lease have examine	d and place on our mine maps	this property, Owner	or Operator of the coal under
We the	C- 1 C	with proposed well locati	on.
providing operator has a	Coal Company have	no objections to said we	ell being drilled at this location.
Code.	omplied with all rules and regulati	ons in Articles 4, 5, and 7	, Chapter 22 of the West Virginia
		Fo	r Coal Company
			- company

Official Title

form og-8

STATE OF WEST VIRGINIA DEPARTMENT OF MINES

DECEIVED
MAY 8 1973

OIL AND GAS WELLS DIVISION

DEPT. CE

AFFIDAVIT OF PLUGGING AND FILLING WELL AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE

NONE COAL OPERATOR OR OWNER		NEDCO Inc. NAME OF WELL OPERATOR 1901 Kanawha Valley Bldg. Charleston. W. V.			
GOAL OPERATOR OR OWNER		May 6. WELL AND LO	19.73 _		
			District		
	ADDRESS				
	PROPERTY OWNER	Putnam	County		
Winfield, West Virginia		Well No. N-9 PUT 7	76		
	ADDRESS	Alta Holly	War ware		
STATE INSPECTOR S	UPERVISING PLUGGINGMr.	Kenneth Butcher			
	AFFI!	DAVIT			
STATE OF WEST V					
County of Kanawh	<u>a</u> } ss:				
Howard May		and Lloyd King, both	of Well Service. Inc.		
being first duly swo	rn according to law depose	and say that they are experi	ienced in the work of		
plugging and filling	nil and gas wells and were en	nployed by NEDCO Inc	•		
well operator, and p	articipated in the work of plu	agging and filling the above	well, that said work		
was commenced on t	he 25 day of April	, 19_73_, and that	the well was plugged		
and filled in the foll	owing manner:		7110 W 011 W 01 P1 00 00 00		
SAND OR ZONE RECORD	filling material	PLUGS USED	CABING		
FORMATION		SIZE & KIND	CSØ CSØ PULLED LEFT IN		
Shale 5516-5397	Aquagel				
Sand 5397-5260	Cement 30 bags	Cement			
Lime 5260-4360	Aquage1				
Sand 4360-4200	Cement 25 bags	Cement			
Lime 4200-4130	Aquagel	·			
Sand 4130-4080	Cement 20 bags	Cement			
Shale 4080-2280	Aquagel				
Sand 2280-2220	Cement 20 bags	Cement			
Shale 2220-1458	Aquagel				
1458-1400	Cement 25 bags	Cement	1450' 617 8 5		
Shale 1400- 20	Aquage1				
Surf. 20- 00	Cement 15 bags	Cement	167' 11		
COAL SEAMS		DESCRIPT	ION OF MONUMENT		
84 E)		7" Casing	48" high		
ME)		· ·			
ME)					
ME)					
April	of plugging and filling said, 19_73 onents saith not.	well was completed on the	30 day of		
Sworn to and su	bscribed before me this	day of May	, 1993.		
			I II da K		
Mrs accommission	78-44, 73 G	- Lesson L	Mis		
My commission expi	res:	Miles (Notary Public.		