

_Scale________


Christony

5000

5-24-75

Deep Well Aug 3

47-079



5000

CHSKONY

6-6

Rocky Fork (3/2) 11 21 1975



DEPARTMENT OF MINES

DEL CENTRES

FEB 2 7 1976

Oil and Gas Division:

WELL RECORD 10

Quadrangle Winfield

Rotar	<u> </u>	O <u>il</u>
Cable_	- Carrier Charles Commission &	Gas_XX
Recyc	ling`	Comb
Vater	Flood	Storage
diemo	al	

Permit No. Put 806				Recycling_ Water Floo Disposal	d_ Storage
Company D. C. Malcolm, Inc. Address 1006 Commerce Sq., Ch. Farm Raymond City	arleston.W	Va Casing and Tubing	Used in Drilling	Left in Well	Cement fill up Cu. ft. (Sks.)
Location (waters) Heizer Creek Well No. 1	lev 1068 Gr	Size 20-16			
District Poca County Put The surface of tract is owned in fee by	a de agraniquidamente da significación de companyo de destripcio de companyo d	Cond	469	469	To surface
Address Mineral rights are owned by Helen Hos		9 5/8 8 5/8 7	2405	2405	To surface
Address	andere on the management of the contract of th	5 1/2 4 1/2	5172	5172	75 Sx
Drilling Completed 8-30-75 Initial open flow 254, 900 1 cu. ft. = Final production cu. ft. per day hrs. before test. Well treatment details:	bbls.	Liners Used Attach copy of			
	kany 5084.	.5090			
Coal was encountered atFeesh waterFeesh Coal was encountered atFeesh waterFeesh water	et	Cale Y	Marian		Feet
Formation Color Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or	Water *	Remarks
Sand & Shale Sand	0	1076			methodes and Europe declarated data to the careful point temporaries and declarated and
Sand & Shale Sand	1222	1484	The distance commence of the c		
Sand & Shale	1560	1560 1614			
Shake	1614	1856 1900		÷	#

* Indicates Electric Log tops in the remarks section.

Sand

Lime

Shale

Shale

Dow. Shale

Sand (Injun)

Sand (Berea)

Lime (Onondaga)

1900

1956

2124

2132

2178

2590

2616

4990

1900

1956

2124

2132

2178

2590

2616

4990

5076

. Formation Color Hard or Soft	Top Feet (0	Bottom Feet	Oil, Gas or Water	* Remarks
Sand Oriskany Lime	5076 5106	5106 5190	254 Mcf @ 5 Total Depth	
	The state of the s			
			entre film francische State (1994) 1960 – Samuel Albertanische State (1994) 1960 – Samuel Albertanische State (1994)	
•		AND CONTROL OF A C		
		Date	February 17	6.554,000,000,000,000 6.65660,000 19. 76. 20.66

Dat	eFebi	ruary	17	19_	76
APPROVED D	. C. Mal	Lcolm,	Inc.		Aumar
Bv		N =/	elcal		
		(T	ile)	Preside	nt

DEPARTMENT OF MINES

· Oil and Gas Division



OIL AND GAS WELL PERMIT APPLICATION DEPT. OF MINES

TO THE DEPARTMENT OF MINES,	
Charleston, W. Va.	DATE June 10, 1975
Surface Owner	Company D. C. Malcolm, Inc.
Address	Address 1006 Commerce Sq., Charleston, W. Va
Mineral Owner Helen M. Hogue, et al	Farm Raymond City Acres 1118
Address	Location '(waters) Heizer Creek
	Well No. 1 Elevation 1068
Address	District 'Poca County Putnam
Coal Operator Not Operated	Quadrangle
Address	
THIS PERMIT MUST BE POSTED AT THE WEL	L SITE
All provisions being in accordance with Chapter	er 22,
This cornit deall	in which death and the control of th
operations have not commenced by 1/-3-	
Total 1 1/18	3
Deputy Director - Oil & Gas Division	INSPECTOR TO BE NOTIFIED Partie Pichala
GENTLEMEN:	PH: 54-8-6993 ADDRESS Clenderin
	upon the above named farm or tract of land for oil and gas, having fee
	r lease dated
19 inKanawha County, Book	
	ERREDRILLFRACTURE OR STIMULATE
OIL AND GAS WELL ORIGINALLY D	PRILLED BEFORE JUNE 5, 1969.
The enclosed plat was prepared by a registered enhave been notified as of the above date.	ngineer or licensed land surveyor and all coal owners and/or operators
The above named coal owners and/or operator are to make by Section 3 of the Code, must be received	hereby notified that any objection they wish to make, or are required by, or filed with the Department of Mines within ten (10) days. *
or coal owners at their above shown respective addresses	tailed by registered mail, or delivered to the above named coal operators ess day before, or on the the Department of Mines at Charleston, West Virginia.
PLEASE SUBMIT COPIES OF ALL	Very truly yours,
GEOPHYSICAL LOGS DIRECTLI 10.	(Sign Name)
West Virginia Geological and Economic Surv	
West Virginia Geological and Economic Surv P. O. Box 879	Well Operator Address Street
West Virginia Geological and Economic Surv P. O. Box 879 Morgantown, W. Va. 26505 AC 304-296-4461	Address Street Of Charleston
GEOPHYSICAL LOGS DIRECTLY TO: West Virginia Geological and Economic Surv P. O. Box 879 Morgantown, W. Va. 26505 AC 304-296-4461	Well Operator 1006 Commerce Square Address Street
West Virginia Geological and Economic Surv P. O. Box 879 Morgantown, W. Va. 26505 AC 304-296-4461	Address of Charleston, Well Operator 1006 Commerce Square Street

*SECTION 3.... If no objections are filed or found by the Department of mines, within said period of ten days from the receipt of notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a permit reciting the filing of such plat, that no objections have been made by the coal operators or found thereto by the department and that the same is approved and the well operator authorized to proceed.

RIANKET BUND

Put-806 47-079

THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

RILLING CONTRACTOR: (If	Known)	RESPONSIBLE AGEN	
AME			
DDRESS			ommerce Sq., Charleston
ELEPHONE			3-9593
		rotary <u>X</u>	_ CABLE TOOLS
ROPOSED GEOLOGICAL FORM	MATION: Oriskany		•
YPE OF WELL: OIL_	GAS <u>X</u> (COMBSTORAG	GE DISPOSAL
	RECYCL	NGWATER F	LOODOTHER
ENTATIVE CASING PROGRAM		v.	
CASING AND TUBING	USED FOR	LEFT IN	CEMENT FILL UP
SIZE C	DRILLING	WELL	OR SACKS - CUBIC FT.
- 16	l. a e		
- 10	40 °	40.	Surface
5/8			
5/8	2000"	2000	Surface
<u>′</u> 2			
2	5200	5200	100 SX
2	JEVV	3400	Perf. Top
			Perf. Bottom
ers			Perf. Top
			Perf. Bottom
PROXIMATE COAL DEPTHS_COAL BEING MINED IN THE DRILL: SUBMIT FIVE (5) COPIES OF PLAT.	E AREA? NO OF OG - 1, \$100.00 PERM	BY WHOM? _	BOND AND PERMANENT COPY
PROXIMATE COAL DEPTHS COAL BEING MINED IN THE DEILL: SUBMIT FIVE (5) COPIES OF PLAT. DRILL DEEPER OR REDRILL SUBMIT FIVE (5) COPIES OF WELLS DRILLED PRIOR TO MUST ALSO BE SUBMITTED FRACTURE - STIMULATE: OIL AND/OR GAS WELL OR BOND, PERMANENT PLAT	E AREA? NO OF OG - 1, \$100.00 PERM L: OF OG - 1, SHOWING ORIG O 1929, A PERMANENT C D. RIGINALLY DRILLED BEFO AND ORIGINAL WELL REC	BY WHOM?	•
PROXIMATE COAL DEPTHS COAL BEING MINED IN THE DRILL: SUBMIT FIVE (5) COPIES OF PLAT. DRILL DEEPER OR REDRILL SUBMIT FIVE (5) COPIES OF WELLS DRILLED PRIOR TO MUST ALSO BE SUBMITTED FRACTURE - STIMULATE: OIL AND/OR GAS WELL OF BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUMBER OF THE PROXIMAL PERMIT NUMBER OF THE	C AREA? NO OF OG - 1, \$100.00 PERM L: OF OG - 1, SHOWING ORIG O 1929, A PERMANENT C D. RIGINALLY DRILLED BEFO AND ORIGINAL WELL REG RIGINALLY DRILLED ON A MBER, AND PERFORMANCE	BY WHOM?	BOND AND PERMANENT COPY AND PERFORMANCE BOND. ON THE ORIGINAL WELL RECORD O) COPIES OG - 1, PERFORMANCE 929, FIVE COPIES OG - 1, SHOW-
PROXIMATE COAL DEPTHS _ COAL BEING MINED IN THE DRILL: SUBMIT FIVE (5) COPIES OF PLAT. DRILL DEEPER OR REDRILL SUBMIT FIVE (5) COPIES OF WELLS DRILLED PRIOR TO MUST ALSO BE SUBMITTED FRACTURE - STIMULATE: OIL AND/OR GAS WELL OF BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUM	C AREA? NO OF OG - 1, \$100.00 PERM L: OF OG - 1, SHOWING ORIG O 1929, A PERMANENT C D. RIGINALLY DRILLED BEFO AND ORIGINAL WELL REG RIGINALLY DRILLED ON A MBER, AND PERFORMANCE	BY WHOM?	BOND AND PERMANENT COPY AND PERFORMANCE BOND. ON THE ORIGINAL WELL RECORD O) COPIES OG - 1, PERFORMANCE
PROXIMATE COAL DEPTHS _ COAL BEING MINED IN THE DRILL: SUBMIT FIVE (5) COPIES OF PLAT. DRILL DEEPER OR REDRILL SUBMIT FIVE (5) COPIES OF WELLS DRILLED PRIOR TO MUST ALSO BE SUBMITTED FRACTURE - STIMULATE: OIL AND/OR GAS WELL OF BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUM Required forms must be filed	C AREA? NO OF OG - 1, \$100.00 PERM L: OF OG - 1, SHOWING ORIG O 1929, A PERMANENT C D. RIGINALLY DRILLED BEFO AND ORIGINAL WELL REG RIGINALLY DRILLED ON A MBER, AND PERFORMANCE	BY WHOM?	BOND AND PERMANENT COPY AND PERFORMANCE BOND. ON THE ORIGINAL WELL RECORD O) COPIES OG - 1, PERFORMANCE 929, FIVE COPIES OG - 1, SHOW-
PROXIMATE COAL DEPTHS COAL BEING MINED IN THE DEILL: SUBMIT FIVE (5) COPIES OF PLAT. DRILL DEEPER OR REDRILL SUBMIT FIVE (5) COPIES OF WELLS DRILLED PRIOR TO MUST ALSO BE SUBMITTED FRACTURE - STIMULATE: OIL AND/OR GAS WELL OF BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUMBERQUIRED FORMS MUST BE SUBMITTED.	C AREA? NO OF OG - 1, \$100.00 PERM L: OF OG - 1, SHOWING ORIG O 1929, A PERMANENT C D. RIGINALLY DRILLED BEFO AND ORIGINAL WELL REG RIGINALLY DRILLED ON A MBER, AND PERFORMANCE	BY WHOM?	BOND AND PERMANENT COPY AND PERFORMANCE BOND. ON THE ORIGINAL WELL RECORD O) COPIES OG - 1, PERFORMANCE 929, FIVE COPIES OG - 1, SHOW-
PROXIMATE COAL DEPTHS COAL BEING MINED IN THE DRILL: SUBMIT FIVE (5) COPIES OF PLAT. DRILL DEEPER OR REDRILL SUBMIT FIVE (5) COPIES OF WELLS DRILLED PRIOR TO MUST ALSO BE SUBMITTED FRACTURE - STIMULATE: OIL AND/OR GAS WELL OF BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUMBERQUIRED FORMS MUST BE SUBMITTED.	C AREA? NO OF OG - 1, \$100.00 PERM L: OF OG - 1, SHOWING ORIG O 1929, A PERMANENT C D. RIGINALLY DRILLED BEFO AND ORIGINAL WELL REG RIGINALLY DRILLED ON A MBER, AND PERFORMANCE	BY WHOM?	BOND AND PERMANENT COPY AND PERFORMANCE BOND. ON THE ORIGINAL WELL RECORD O) COPIES OG - 1, PERFORMANCE 929, FIVE COPIES OG - 1, SHOW-
PROXIMATE COAL DEPTHS_ COAL BEING MINED IN THE DRILL: SUBMIT FIVE (5) COPIES OF PLAT. DRILL DEEPER OR REDRILL SUBMIT FIVE (5) COPIES OF WELLS DRILLED PRIOR TO MUST ALSO BE SUBMITTED FRACTURE - STIMULATE: OIL AND/OR GAS WELL OF BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUM Required forms must be filed four (24) hours in advance.	C AREA? NO OF OG - 1, \$100.00 PERM L: OF OG - 1, SHOWING ORIG O 1929, A PERMANENT C D. RIGINALLY DRILLED BEFO AND ORIGINAL WELL REC RIGINALLY DRILLED ON A MBER, AND PERFORMANCE Within ninety (90) days of	BY WHOM?	BOND AND PERMANENT COPY AND PERFORMANCE BOND. ON THE ORIGINAL WELL RECORD O) COPIES OG - 1, PERFORMANCE 929, FIVE COPIES OG - 1, SHOW- e. Inspector to be notified twenty-
PROXIMATE COAL DEPTHS _ COAL BEING MINED IN THE DRILL: SUBMIT FIVE (5) COPIES OF PLAT. DRILL DEEPER OR REDRILL SUBMIT FIVE (5) COPIES OF WELLS DRILLED PRIOR TO MUST ALSO BE SUBMITTED FRACTURE - STIMULATE: OIL AND/OR GAS WELL OF BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUM Required forms must be filed four (24) hours in advance. The following waiver must be	C AREA? NO OF OG - 1, \$100.00 PERM L: OF OG - 1, SHOWING ORIG O 1929, A PERMANENT C D. RIGINALLY DRILLED BEFO AND ORIGINAL WELL REC RIGINALLY DRILLED ON A MBER, AND PERFORMANCE Within ninety (90) days of	BY WHOM?	BOND AND PERMANENT COPY AND PERFORMANCE BOND. ON THE ORIGINAL WELL RECORD O) COPIES OG - 1, PERFORMANCE 929, FIVE COPIES OG - 1, SHOW-
PROXIMATE COAL DEPTHS COAL BEING MINED IN THE DRILL: SUBMIT FIVE (5) COPIES OF PLAT. DRILL DEEPER OR REDRILL SUBMIT FIVE (5) COPIES OF WELLS DRILLED PRIOR TO MUST ALSO BE SUBMITTED FRACTURE - STIMULATE: OIL AND/OR GAS WELL OF BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUMBER OF THE PROPERTY OF	C AREA? NO OF OG - 1, \$100.00 PERM L: OF OG - 1, SHOWING ORIGOUS OF 1929, A PERMANENT COD. RIGINALLY DRILLED BEFORMANCE AND ORIGINAL WELL RECORD AND PERFORMANCE WITHIN ninety (90) days of the completed by the coal open	BY WHOM?	BOND AND PERMANENT COPY AND PERFORMANCE BOND. ON THE ORIGINAL WELL RECORD O) COPIES OG - 1, PERFORMANCE 929, FIVE COPIES OG - 1, SHOW- e. Inspector to be notified twenty- e issued within ten days of receipt
PROXIMATE COAL DEPTHS COAL BEING MINED IN THE DRILL: SUBMIT FIVE (5) COPIES OF PLAT. DRILL DEEPER OR REDRILL SUBMIT FIVE (5) COPIES OF WELLS DRILLED PRIOR TO MUST ALSO BE SUBMITTED FRACTURE - STIMULATE: OIL AND/OR GAS WELL OF BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUM Required forms must be filed four (24) hours in advance. The following waiver must be coof. IVER: I the undersigned, Agent	OF OG - 1, \$100.00 PERM L: OF OG - 1, SHOWING ORIGIO 1929, A PERMANENT COD. RIGINALLY DRILLED BEFO AND ORIGINAL WELL RECRIGINALLY DRILLED ON A MBER, AND PERFORMANCE within ninety (90) days of the completed by the coal operation.	BY WHOM?	BOND AND PERMANENT COPY AND PERFORMANCE BOND. ON THE ORIGINAL WELL RECORD O) COPIES OG - 1, PERFORMANCE 929, FIVE COPIES OG - 1, SHOW- e. Inspector to be notified twenty- e issued within ten days of receipt ter or Operator of the coal under
PROXIMATE COAL DEPTHS COAL BEING MINED IN THE DRILL: SUBMIT FIVE (5) COPIES OF PLAT. DRILL DEEPER OR REDRILL SUBMIT FIVE (5) COPIES OF WELLS DRILLED PRIOR TO MUST ALSO BE SUBMITTED FRACTURE - STIMULATE: OIL AND/OR GAS WELL OR BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUM Required forms must be filed four (24) hours in advance. The following waiver must be seed. IVER: I the undersigned, Agenthis lease have examine	OF OG - 1, \$100.00 PERM L: OF OG - 1, \$100.00 PERM COF OG - 1, SHOWING ORIGINAL OF ORIGINAL WELL RECORD AND ORIGINAL WELL RECORD AND PERFORMANCE OF WITHIN MINETY (90) days of the completed by the coal operation of the coal operation.	BY WHOM?	BOND AND PERMANENT COPY AND PERFORMANCE BOND. ON THE ORIGINAL WELL RECORD O) COPIES OG - 1, PERFORMANCE 929, FIVE COPIES OG - 1, SHOW- e. Inspector to be notified twenty- er or Operator of the coal under ation.
PROXIMATE COAL DEPTHS COAL BEING MINED IN THE DRILL: SUBMIT FIVE (5) COPIES OF PLAT. DRILL DEEPER OR REDRILL SUBMIT FIVE (5) COPIES OF WELLS DRILLED PRIOR TO MUST ALSO BE SUBMITTED FRACTURE - STIMULATE: OIL AND/OR GAS WELL OR BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUMBER OF THE PROPERTY OF THE FORM OF THE PROPERTY OF THE	C AREA? NO OF OG - 1, \$100.00 PERM L: OF OG - 1, SHOWING ORIGOUS OF OG - 1, SHOWING ORIGOUS ORIGINAL WELL RECORD AND ORIGINAL WELL RECORD AND PERFORMANCE OF WITHIN MICHAEL WITHIN MICHAEL OF ORIGINAL WELL RECORD OR	BY WHOM?	BOND AND PERMANENT COPY AND PERFORMANCE BOND. ON THE ORIGINAL WELL RECORD O) COPIES OG - 1, PERFORMANCE 929, FIVE COPIES OG - 1, SHOW- e. Inspector to be notified twenty- er or Operator of the coal under ation. well being drilled at this location,
PROXIMATE COAL DEPTHS COAL BEING MINED IN THE DRILL: SUBMIT FIVE (5) COPIES OF PLAT. DRILL DEEPER OR REDRILL SUBMIT FIVE (5) COPIES OF WELLS DRILLED PRIOR TO MUST ALSO BE SUBMITTED FRACTURE - STIMULATE: OIL AND/OR GAS WELL OF BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUM Required forms must be filed four (24) hours in advance. The following waiver must be reof. IVER: I the undersigned, Agenthis lease have examine we the providing operator has contact the contact of the co	C AREA? NO OF OG - 1, \$100.00 PERM L: OF OG - 1, SHOWING ORIGOUS OF OG - 1, SHOWING ORIGOUS ORIGINAL WELL RECORD AND ORIGINAL WELL RECORD AND PERFORMANCE OF WITHIN MICHAEL WITHIN MICHAEL OF ORIGINAL WELL RECORD OR	BY WHOM?	BOND AND PERMANENT COPY AND PERFORMANCE BOND. ON THE ORIGINAL WELL RECORD O) COPIES OG - 1, PERFORMANCE 929, FIVE COPIES OG - 1, SHOW- e. Inspector to be notified twenty- er or Operator of the coal under ation.
PROXIMATE COAL DEPTHS COAL BEING MINED IN THE DRILL: SUBMIT FIVE (5) COPIES OF PLAT. DRILL DEEPER OR REDRILL SUBMIT FIVE (5) COPIES OF WELLS DRILLED PRIOR TO MUST ALSO BE SUBMITTED FRACTURE - STIMULATE: OIL AND/OR GAS WELL OR BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUM Required forms must be filed four (24) hours in advance. The following waiver must be reof. IVER: I the undersigned, Agenthis lease have examine we the	C AREA? NO OF OG - 1, \$100.00 PERM L: OF OG - 1, SHOWING ORIGOUS OF OG - 1, SHOWING ORIGOUS ORIGINAL WELL RECORD AND ORIGINAL WELL RECORD AND PERFORMANCE OF WITHIN MICHAEL WITHIN MICHAEL OF ORIGINAL WELL RECORD OR	BY WHOM?	BOND AND PERMANENT COPY AND PERFORMANCE BOND. ON THE ORIGINAL WELL RECORD O) COPIES OG - 1, PERFORMANCE 929, FIVE COPIES OG - 1, SHOW- e. Inspector to be notified twenty- er or Operator of the coal under ation. well being drilled at this location,