

Latitude 7 20



W. A. Henderson

Trace Fork of Mud River

P. A. Oxley

2299

T. G. Henderson

L. & W. T. Riddle

2284

Rock no. small branch.

Stk. on hillside

N 37° E 300'

N 57° E 450'

5161

S 88° E 130'

N 25° E 135'

N 54° E 915'

GO on ridge

Stk.

G. J. HENDERSON, ET AL.

Huntington Development & Gas Co.

New Location
Orndeeper
Abandonment X

JUN - 4 1946

2.11 W
0.9 Q

Company	UNITED FUEL GAS CO.	
Address	CHARLESTON W. VA.	
From	G. J. HENDERSON, ET AL.	
Tract	Acres 100	Lease No. 44247
Well (Farm) No.	1	Serial No. 5161
Elevation (Spirit Level)	651.8	(SE)
Quadrangle	MILTON	
County	Putnam	District Curry
Engineer	J. M. Moore	
Engineer's Registration No.	662	
File No.	38-57	Drawing No.
Date	MAY 21, 1946. Scale 1" = 660'	

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP
FILE NO. PUT-67-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

IMPERIAL TRACING CLOTH
S. S. & O. CO., N. Y.

66 Burdett - St. Albans (all)

G. J. HENDERSON ET AL., No. 1 (5161) - UNITED FUEL GAS CO. - PUT-67-A



137

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD
ABANDONMENT

Oil or Gas Well GAS
(KIND)

Permit No. 67-A

Company United Fuel Gas Company
 Address Charleston, West Virginia
 Farm C. J. Henderson Acres 100
 Location (waters) Mud River
 Well No. 5161 Elev. 658 Bar.
 District Curry County Putnam
 The surface of tract is owned in fee by _____
 Address _____
 Mineral rights are owned by Guy Henderson et al
 Address Hurricane, W. Va.
 Drilling commenced May 3, 1916
 Drilling completed June 3, 1916
 Date Shot _____ From _____ To _____
 With 60 lbs. Nitroglycerine
 Open Flow 105 /10ths Water in _____ Inch
 _____ /10ths Merc. in 2 Inch
 Volume 1,800,000 Cu. Ft.
 Rock Pressure _____ lbs. _____ hrs.
 Oil _____ bbls., 1st 24 hrs.
 Fresh water 115' feet 230' feet
 Salt water 880 feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
18			
10	17'	17	Size of
8 1/4	165'	165	
6 5/8	1290'	1290	Depth set
5 3/16	1582'	1582	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
 _____ FEET _____ INCHES FEET _____ INCHES
 _____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Located & Drilled by Sovereign Gas Company							
Surface, Gravel, etc.			0	30			
Sand			30	140	Water	115' and 230'	Fresh Water
Slate			140	250			
Sand			250	370			
Slate			370	410			
Sand			410	475			
Slate			475	600			
Sand			600	650			
Slate			650	710			
Sand			710	720			
Slate			720	800			
Gas Sand			800	825	Gas		Little
Slate			825	845			
Salt Sand			845	1170	Water	880'	Hole Full
Coal			1170	1173			
Slate			1173	1190			
Marion			1190	1260			
Slate			1260	1262			
Little Lime			1262	1282			
Pencil Cave			1282	1287			
Big Lime			1287	1467	Little Gas	1355'	
Keener			1467	1480	Smell Oil	1470'	
Big Injun			1480	1525			
Slate			1525	1535			
Squaw Sand			1535	1575			
Slate & Shells			1575	1990			
Coffee Slate			1990	2004			
Serea			2004	2027			
Total Depth				2027			



