

Company **UNITED FUEL GAS CO.**  
 Address **CHARLESTON, W. VA.**  
 Farm **BRYANT & JOHNSON**  
 Tract \_\_\_\_\_ Acres **100** Lease No. **17587**  
 Well (Farm) No. \_\_\_\_\_ Serial No. **1483**  
 Elevation (Spirit Level) **874.4'**  
 Quadrangle **ST. ALBANS**  
 County **PUTNAM** District **CURRY**  
 Engineer **Seybert R. Jewell**  
 Engineer's Registration No. **2529**  
 File No. **44-59** Drawing No. \_\_\_\_\_  
 Date **8-11-54** Scale **1"=400'**

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. **PUT-93-A**

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

IMPERIAL TRACING CLOTH  
 K & E CO., N. Y.

666 Burdett-st. Albans  
**BRYANT & JOHNSON No. 1483 - U.F.G. Co. - (211) PUT-93A**



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

234

WELL RECORD

Oil or Gas Well Gas  
(KIND)

Quadrangle St. Albans

Permit No. 93-A


Company UNITED FUEL GAS CO.  
Address P.O. Box 1273, Charleston 25, W. Va.  
Farm Bryant & Johnson Acres 1483  
Location (waters) Martin Branch  
Well No. 1483 Elev. 874.4'  
District Curry County Putnam  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by J. E. Johnson, Agt. etal  
Address Hurricane, W. Va.  
Drilling commenced 2-19-25  
Drilling completed 3-21-25  
Date Shot 3-24-25 From 2294 To 2314  
With 40 qts.  
Open Flow 8 /10ths Water in 2 Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume 134,000 Cu. Ft.  
Rock Pressure 425 lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water 1145 feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			<u>Anchor</u>
10		<u>45'</u>	Size of
8 1/4	<u>374'</u>		<u>3x5-3/16x16</u>
6 5/8	<u>1617'</u>		Depth set <u>2228'</u>
5 3/16		<u>1892' 7"</u>	
3		<u>2364-6"</u>	Perf. top _____
2			Perf. bottom _____
Liners Used			Perf. top _____
			Perf. bottom _____

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Rock			0	160	Water hole full 1145'		
Sand			160	200			
Slate			200	225	Gas 2300-2304'		
Red Rock			225	250			
Slate			250	400			
Sand			400	510			
Slate			510	600			
Lime Shells			600	650			
Slate			650	700			
Sand			700	750			
Slate			750	840			
Sand			840	925			
Slate			925	1060			
Lime Shells			1060	1070			
Salt Sand			1070	1575			
Little Lime			1575	1605			
Pencil Cave			1605	1612			
Big Lime			1612	1790			
Keener			1790	1810			
Slate			1810	1815			
Big Injun			1815	1875			
Slate & Shells			1875	2270			
Brown Shale			2270	2294			
Berea Sand			2294	2318			
Slate			2318	2351			
Total depth			2351'				



JAN 7 1955

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks

Date October 21, 19 54

APPROVED UNITED FUEL GAS CO., Owner

By *J.R. Ferrell*  
(Title)  
**Mgr. Civil Engineering Dept.**