



REVISED PLAT
JANUARY 21, 1948

New Location
 Drill Deeper
 Abandonment

Company UNITED FUEL GAS CO.
 Address CHARLESTON, W. VA.
 Farm COAL RIVER MINING & LBR. CO.
 Tract Acres 2404 Lease No. 28129
 Well (Farm) No. 8 Serial No. 6258
 Elevation (Spirit Level) 1457.50'
 Quadrangle BALD KNOB
 County RALEIGH District CLEAR FORK
 Engineer _____
 Engineer's Registration No. 662
 File No. 68-33 Drawing No. _____
 Date JAN. 21, 1948 s. 1400

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. RAI-108-R

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on original tracing.

WEST VIRGINIA DEPARTMENT OF MINES
OIL & GAS DIVISION
WELL RECORD

Permit No. Ral 108 R
Bald Knob Quad.

Gas Well
CASING & TUBING

Company
Address
Farm
Location
Well No.
District
Surface
Mineral

United Fuel Gas Co.
P.O. Box 1273, Charleston 25, W.Va.
Coal River Mining and Lumber Co. A 2404
Clear Fork of Marsh Fork 10 $\frac{1}{2}$
6528 Elev. ~~1570.55~~ 1457 8 5/8
Clear Fork Raleigh County 7

718 718
1927 Pld.
2557 2557

Commenced
Completed
Not shot
Open flow

John V. Ray et al, Kan. Valley Bldg.
Charleston, W.Va.
7-8-48
11-25-48

Coal at 21' 24"
230' 36"; 607' 36"
630' 36"

Volume
Rock Pressure
Salt Water

48/10ths W in 2"
14/10ths W 7"
292 M B. Lime; 1348 M Weir
631 lbs. 48 hrs.
1385' H.F.

Surface	0	2	Lime	2300	2360
Sandstone	2	18	Slate & Shells	2360	2390
Slate	18	21	Little Lime	2390	2440
Coal	21	23	Pencil Slate	2440	2446
Sand	23	100	Lime	2446	2500
Slate & Shells	100	146	Big Lime	6hr. 2500	2769
Sand	146	189	Slate	2769	2780
Slate & Shells	189	209	Sand	2780	2793
Sand	209	227	Injun Sand	2793	2810
Slate	227	230	Slate	2810	2850
Coal	230	233	Sand	2850	2857
Slate	233	235	Weir Sand	2857	2976
Sandy Lime	235	265	Slate	2976	2982
Slate	265	290	Total depth		2982
Sandy Lime	290	338			
Slate & Shells	338	374	Gas 1437-1440 in Salt Sand		
Sand	374	390	Gas 2565-2567 show in B. Lime		
Slate	390	400	Lime gas 2676-2683 40/10 W 2" 267 M		
Sand	400	460	B. Lime gas 2695-2697 50/10 W 2" 298M		
Lime	460	465	Blew down to 48/10 W 2" 292 M		
Sand	465	481			
Lime	481	585	Weir gas 2869-2898 58/10 W 4" 1,284 M		
Slate	585	607	Weir gas 2944-2958 14/10 W 7" 20# 1,640 M		
Coal	607	610			
Slate	610	620	Well Not Shot		
Sand	620	630			
Coal	630	633	Open flow: 292 M Big Lime		
Slate	633	800	1,348 M Weir		
Sand	800	862	1,640 M		
Slate	862	878	48 hr. R.P. 631#		
Sand	878	1006			
Grampus Sand	1006	1112	Shut in 12-1-48 in 7" 20 # casing.		
Slate & Shells	1112	1164			
Salt Sand	1164	1498			
Slate	1498	1603			
Sand	1603	1751			
Lime	1751	1800			
Red Rock	1800	1803			
Lime	1803	1920			
Red Rock	1920	1934			
Sand	1934	1955			
Red Rock	1955	1978			
Lime	1978	1990			
Red Rock	1990	2042			
Lime	2042	2088			
Sand	2088	2118			
Slate	2118	2135			
Red Rock	2135	2155			
Slate	2155	2240			
Maxon Sand	2240	2300			