

Company WESTERN POCAHONTAS CORPORATION

Address Box 509, Huntington, W. Va.

Farm Eunice Lands

Tract 1 Acres 501 Lease No. _____

Well (Farm) No. 5 Serial No. 9

Elevation (Spirit Level) 1172.28

Quadrangle Bald Knob

County Raleigh District Marsh Fork

Engineer G. E. Moover

Engineer's Registration No. 881

File No. _____ Drawing No. _____

Date Sept. 5, 1952 Scale 1" = 400'

STATE OF WEST VIRGINIA
Department Of Mines
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP
FILE NO. RAL - 198

Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Bald Knob

WELL RECORD

Permit No. RAL-198


Oil or Gas Well Gas (DRY)
(KIND)

Company Western Pocahontas Corp.
Address Box #509 - Huntington, W. Va.
Farm Eunice Lands Acres 501
Location (waters) Marsh Fork of Coal River
Well No. 9 Elev. 1172.28'
District Marsh Fork County Raleigh
The surface of tract is owned in fee by Western Poca. Corp. Address Huntington, W. Va.
Mineral rights are owned by same as above
Address _____
Drilling commenced August 30, 1952
Drilling completed March 18, 1953
Date Shot 3/18/53 From 2665 To 2782
With 3200 Lbs. Gelatin
Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls. 1st 24 hrs.
Fresh water _____ feet
Salt water _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
18			
10	573'	573'	Size of
8 1/2	1456'	Pulled	
6 1/2	2315'	2315'	Depth set
5 8/16			
3 1/2			Perf. top
2 1/2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT 37 FEET 36 INCHES
192 FEET 36 INCHES 408 FEET 36 INCHES
FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface			0	8			
Sand			8	37			
Coal			37	40			
Slate			40	47			
Sand			47	104			
Slate			104	130			
Sand			130	172			
Slate			172	173			
Sand			173	189			
Slate			189	192			
Coal			192	195			
Slate			195	205			
Sand			205	239			
Slate			239	241			
Gritty Lime			241	277			
Slate			277	285			
Sand			285	310			
Slate			310	320			
Sand			320	360			
Slate			360	370			
Sand			370	380			
Slate and Shell			380	408			
Coal			408	411			
Slate			411	503			
Gritty Lime			503	530			
Slate			530	557			
Sand			557	565			
Gritty Lime			565	575			
Slate and Shell			575	597			
Sand			597	657			
Slate			657	675			
Sand			675	716			
Slate			716	724			



Formation	Color	Hard or Soft	Top ⁷	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand			724	830			
Slate			830	836			
Sand			836	890			
Slate and Shell			890	915			
Sand			915	932			
Lime			932	965			
Sand			965	1106			
Slate			1106	1110			
Sand			1110	1144			
Slate			1144	1146			
Salt Sand			1146	1285			
Slate and Shell			1285	1308			
Gritty Lime			1308	1325			
Sand			1325	1370			
Coal			1370	1372			
Gritty Lime			1372	1412			
Sand			1412	1488			
Gritty Lime			1488	1550			
Sand			1550	1568			
Gritty Lime			1568	1572			
Sand			1572	1580			
Lime			1580	1595			
Slate and Shell			1595	1624			
Lime			1624	1660			
Slate and Shell			1660	1684			
Lime			1684	1730			
Red Rock			1730	1760			
Gritty Lime			1760	1781			
Sand			1781	1800			
Gritty Lime			1800	1831			
Red Rock			1831	1847			
Gritty Lime			1847	1853			
Maxon sand			1853	1865			
Red Rock			1865	1899			
Lime			1899	1915			
Slate			1915	1921			
Lime			1921	1957			
Red Rock			1957	2050			
Slate			2050	2060			
Gritty Lime			2060	2082			
Slate and Shell			2082	2092			
Red Rock			2092	2125			
Lime			2125	2141			
Slate and Shell			2141	2174			
Pencil Cave			2174	2186			
Big Lime			2186	2598			
Injun			2598	2621			
Gritty Lime			2621	2658			
Weir			2658	2772			
Slate			2772	2844			
Sand			2844	2860			
Lime			2860	2991			
Slate and Lime			2991	3047			
Brown Shale "Coffee"			3047	3057			
Berea Grit			3057	3100			
Shell and Slate			3100	3159			
Total Depth			3159'				

Date 3-19, 1953

APPROVED B. B. Kirk, Owner

By Asst. Mgr.