

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C, Huffman, Cabinet Secretary www.dep.wv.gov

August 25, 2014

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-8100751, issued to EQT PRODUCTION COMPANY, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions,

please free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: ROWLAND LAND 23

Farm Name: ROWLAND LAND CO.

API Well Number: 47-8100751

Permit Type: Plugging Date Issued: 08/25/2014

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. This well is under a consent order and must be plugged under the terms of that agreement.

8100751P

Form WW-4 (B) Permit Copy (Rev 2/01)

Date: Operator's Well Well No. 131381 Rowland B-23 47 081 - 00751 API Well No .:

\$100 W

STATE OF WEST VIRGINIA

DIVISION OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

Well Type:	Oil	Gas	X	Liquid Injection	Waste Dispo	sal:	
If Gas, Prod	uction	X	Or Underg	ground storage	Deep	Shallow	X
)	Elevation:	1555	Watershe	d: Marsh Fork			
Location: _ District:	Marsh F	ork	County:	Raleigh	Quadrangle:	Pilot Knob	7.5'
Well Operate	EQT Pro	duction Co	ompany		ted Agent: Rex C		
Address:		rt, WV 26		Address	: 120 Professiona Bridgeport, WV		-
)					Contractor:		
	ary Kennedy .O. Box 268		_	Name:	HydroCarbon Well S PO BOX 995	Service	_
	imitz, WV 259	78			Buckhannon, WV 2	26201	
	chment for de			of plugging this well is	as follows:		
					as follows:		

PLUGGING PROGNOSIS

Rowland Land Co. #23 (131381)

Raleigh Co., West Virginia API # 47-081-00751 District: Marsh Fork

BY: Craig Duckworth

DATE: 3/28/14

CURRENT STATUS:

9 5/8" csg @ 992 (cts) 7" csg @ 2504' (175sks) 4 1/2" csg @ 5891' (260sks)

TD @ 5910'

Fresh Water @ 50' Salt Water @ 500' Coal @ none reported

Gas shows @ none reported

Oil Shows @ none reported Elevation @ 1538'

Stimulation: Perfs from 5834' to 2927'

- 1. Notify State Inspector, Gary Kennedy 304-382-8402, and 24 hrs prior to commencing operations.
- 2. TIH w/ tbg @ 5834'; Set 2394' C1A Cement Plug @ 5834' to 3440' Perís.5834' to 3440')
- 3. TOOH w/ tbg @ 3440'; Gel hole @ 3440' to 3062'
- 4. TOOH w/ tbg @ 3062'; Set 262' CIA Cement Plug @ 3062' to 2800' (Perfs)
- 5. TOOH w/tbg Freepoint 4 1/2".Cut/shoot 4 1/2" at freepoint
- 6. Set a 100' C1A Cement Plug 50' in/Out of cut. Perf all FW, Coal, Oil & Gas Shows below 4 1/2" cut. Do not omit any plugs.
- TIH w/ tbg @ 2800'; gel hole @ 2800' to 2550'
- 8. TOOH w/tbg @ 2550'; Set 100' C1A Cement Plug @ 2550' to 2450' (4 1/2"cut & 7" csg set)
- 9. TOOH w/ tbg @ 2450'; gel hole @ 2450' to 1450'
- 10. TOOH w/ tbg @ 1450'; Set 100' C1A Cement Plug @ 1450' to1350' (Salt Sand @1458')
- 11. TOOH w/ tbg @ 1350'; gel hole @ 1350' to 1050'
- 12. TOOH w/tbg Freepoint 7".Cut/shoot 7"at freepoint
- 13. Set a 100' C1A Cement Plug 50' in/Out of cut. Perf all FW, Coal, Oil & Gas Shows below 7" cut. Do not omit any plugs
- 14. TIH w/ tbg @ 1050'; Set 110' C1A Cement Plug @ 1050' to 940 (7" cut & 9 5/8" set)
- 15. TOOH w/ tbg @ 940'; gel hole @ 940' to 500'
- 16. TOOH w/ tbg @ 500'; Set 100' C1A Cement Plug @ 500' to 400' (SW @ 500')
- 17. TOOH w/ tbg @ 400'; gel hole @ 400' to 200'
- 18. TOOH w/ tbg @ 200'; Set 200' C1A Cement Plug @ 200' to 0' (FW @ 50')
- 19. Top off as needed
- 20. Set Monument to WV-DEP Specifications
- Reclaim Location & Road to WV-DEP Specifications.

the

IV-35 (Rev 8-81)

DIVISION OF OIL & GAS DEPARTMENT OF ENERGY

State of Mest Birginia Bepartment of Mines Gil und Gas Bivision

Date	April 6 1987
Operator	s
Well No.	Rowland 23
Farm Ro	wland Land Co
	7 - 081 - 0751

WELL OPERATOR'S REPORT

OF
DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

LOCATION: Elevation: 1538 Watershed	Shumate Co	reek		
District: Marsh Fork County Rale	4		e Pilot K	nob 7.5
COMPANY Allegheny & Western Energy Corp	Ţ.			
ADDRESS P.O.Box 2587, Charleston, W.Va., 25329 DESIGNATED AGENT Dennis L. Mann	Caging Tubing	Used in Drilling	100000	Cement fill up Cu. ft.
ADDRESS P.O.Box 2587, Charleston, W.Va., 25329 SURFACE CWNER Rowland Land Co.	Size 20-16			
ADDRESS 1033 Quarrier St, Charleston, W.Va.	13-10"	43	0	0
MINERAL RIGHIS OWNER Same	9 5/8	992	992	375 sks
ADDRESS	8 5/8			
OIL AND GAS INSPECTOR FOR THIS WORK Rodney P.O.Box 1526 Dillon ADDRESS Sophia, W.Va	7	2504	2504	175 sks
PERMIT ISSUED 12/4/86	5 1/2:			
DRILLING COMMENCED 12/30/86 :	4 1/2	5891	5891	260 sks
DRILLING COMPLETED 1/9/8	3 :			
IF APPLICABLE: PLUGGING OF DRY HOLE ON	2 Tipers			
IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REMORKING. VERBAL PERMISSION OBTAINED ON	Liners used	Dan	th F200	500
IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED ON GEOLOGICAL TARGET FORMATION Devonian Sha	Liners used			
IF APPLICABLE: PLUGGING OF DRY HOLE ON CONFINUOUS PROGRESSION FROM DRILLING OR REMORKING. VERBAL PERMISSION OBTAINED ON Devonian Sha	Liners used	_/ Cabl	e Tools_	
IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR PEWORKING. VERBAL PERMISSION OBTAINED ON Devonian Sha Depth of completed well 5910 feet; Water strata depth: Fresh 50 feet;	Liners used le Rotary	Cabl	e Tools_	
TF APPLICABLE: PLUSTING OF DRY HOLE ON CONFINCUS PROGRESSION FROM DRILLING OR PEWORKING. VERBAL PERMISSION OBTAINED ON Devonian Sha Depth of completed well 5910 feet Water strata depth: Fresh 50 feet; Coal seam depths: N/A	Liners used le Rotary	_/ Cabl	e Tools_	
TF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR PEWORKING. VERBAL PERMISSION OBTAINED ON Devonian Sha Depth of completed well 5910 feet Water strata depth: Fresh 50 feet; Coal seam depths: N/A	Liners used le Rotary Salt Is coal	Cabl	e Tools_	e area?_no
IF APPLICABLE: PLUGGING OF DRY HOLE ON CONFINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED ON Devonian Sha Depth of completed well 5910 feet Water strata depth: Fresh 50 feet; Coal seam depths: N/A OPEN FLOW DATA Producing formation Weir	Liners used le Rotary Salt 50 Is coal	Cabl feet being min	e Tools_ed in the	e area?_no
TF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REMORKING. VERBAL PERMISSION OBTAINED ON Devonian Sha Depth of completed well 5910 feet Water strata depth: Fresh 50 feet; Coal seam depths: N/A OPEN FLOW DATA Producing formation Weir Gas: Initial open flow Mcf/d	Liners used le Rotary Salt Is coal Pa Cil: In	Cabl feet being min y zone dep	e Tools_ ed in the th 2927 flow_	fee
IF APPLICABLE: PLUGGING OF DRY HOLE ON CONFINUOUS PROGRESSION FROM DRILLING OR REMORKING. VERBAL PERMISSION OBTAINED ON Devonian Sha Depth of completed well 5910 feet Water strata depth: Fresh 50 feet; Coal seam depths: N/A OPEN FLOW DATA Producing formation Weir Gas: Initial open flow 49 Mcf/d	Liners used le Rotary Salt 50 Is coal Pa Oil: In Fi	/ Cable feet being min y zone dep itial open nal open f	e Tools_ ed in the th 2927 flow_ low_	fee Bbl/ Bbl/
TF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REPORKING. VERBAL PERMISSION OBTAINED ON Devonian Sha Depth of completed well 5910 feet Water strata depth: Fresh 50 feet; Coal seam depths: N/A OPEN FLOW DATA Producing formation Weir Gas: Initial open flow Mcf/d Final open flow 49 Mcf/d Time of open flow between ini	Liners used le Rotary Salt 56 Is coal Pa Oil: In Fi tial and f	feet being min y zone dep itial open nal open f inal tests	ed in the th 2927 flow low 24 hx	fee Bbl/ Bbl/
TF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED ON Devonian Sha Depth of completed well 5910 feet Water strata depth: Fresh 50 feet; Coal seam depths: N/A OPEN FLOW DATA Producing formation Weir Gas: Initial open flow Mcf/d Final open flow 49 Mcf/d Time of open flow between ini Static rock pressure 770 psig (surfa	Liners used le Rotary Salt 50 Is coal Pa Oil: In Fitial and for the salt of the sal	feet being min y zone dep itial open nal open f inal tests	ed in the th 2927 flow low 24 hx	fee Bbl/ Bbl/
TF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REMORKING. VERBAL PERMISSION OBTAINED ON CONTINUOUS PROGRESSION FROM DRILLING OR REMORKING. VERBAL PERMISSION OBTAINED ON CONTINUOUS PROGRESSION FROM DEVONIAN Sha Depth of completed well 5910 feet Water strata depth: Fresh 50 feet; Coal seam depths: N/A OPEN FLOW DATA Producing formation Weir Gas: Initial open flow Mcf/d Final open flow 49 Mcf/d Time of open flow between ini Static rock pressure 770 psig (surfa (If applicable due to multiple completio	Liners used le Rotary Salt 50 Is coal Pa Oil: In Fi tial and f ce measure n)	feet being min y zone dep itial open nal open f inal tests ment) afte	ed in the th 2927 flow low 24 hor BECE	fee Bbl/ Bbl/
TF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REPORKING. VERBAL PERMISSION OBTAINED ON Devonian Sha Depth of completed well 5910 feet Water strata depth: Fresh 50 feet; Coal seam depths: N/A OPEN FLOW DATA Producing formation Weir Gas: Initial open flow Mcf/d Time of open flow between ini Static rock pressure 770 psig (surfa (If applicable due to multiple completio Second producing formation Devonian Sha	Liners used le Rotary Salt 50 Is coal Pa Oil: In Fi tial and f ce measure n) ale Pa	peing min y zone dep itial open nal open f inal tests ment) afte	ed in the th 2927 flow low 24 hours RECE	fee Bbl/ Bbl/
TF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REMORKING. VERBAL PERMISSION OBTAINED ON CONTINUOUS PROGRESSION FROM DRILLING OR REMORKING. VERBAL PERMISSION OBTAINED ON CONTINUOUS PROGRESSION FROM DEVONIAN Sha Depth of completed well 5910 feet Water strata depth: Fresh 50 feet; Coal seam depths: N/A OPEN FLOW DATA Producing formation Weir Gas: Initial open flow Mcf/d Final open flow 49 Mcf/d Time of open flow between ini Static rock pressure 770 psig (surfa (If applicable due to multiple completio	Liners used le Rotary Salt 50 Is coal Pa Oil: In tial and f ce measure n) ale Pa Oil: In	/ Cabl feet being min y zone dep itial cpen nal open f inal tests ment) afte y zone dep itial open	ed in the th 2927 flow low 24 hour RECE th 3544 CF 3544	fee Bbl/ Bbl/

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

2927-3062 perf w/ 44 holes frac w/ 45,000# 20/50 sd + 750 gal 15% acid + 805,000 scf n2 3544-3554 perf w/ 21 holes frac w/ 30,000# 20/50 sd + 500 gal 15% acid + 500,000 scf n2 3752-5023 perf w/ 45 -oles frac w/ 40,000# 20/50 sd + 1,000 gal 15% acid + 1,256,000 scf n2 5081-5834 perf w/ 33 holes frac w/ 12,000# 20/50 sd + 1,000 gal 15% acid + 804,000 scf n2



DIVISION OF DIL & GAS DEPARTMENT OF ENERGY

WELL LOG

FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	Including indication of all fresh and salt water, coal, oil and gas
sandstone & shale salt sand shale salt sand shale & sand little lime slate & lime big lime shale weir grey shale sumbury shle sandy siltstone & shale gordon grey & brown shale	0 1458 1623 1707 1928 2403 2461 2509 2854 2918 3071 3314 3343 3543 3552	1458 1623 1707 1928 2403 2461 2509 2854 2918 3071 3314 3343 3552 5910	TD 5910 KB
			RECEIVED


Office of Oil and Gas

(Attach separate sheets as necessary)

JUL 0 8 2014

Allegheny & Western	Mergy Will
Well Operator	, WV Department of
By: De-	WV Department of Environmental Presidetion
DY.	April 6 .1987

intia.



WW-4-A Revised 6/07

1)	Date:	7-	8-1	4		
2)	Operator's We 131381 Rowla					
3)	API Well No.:	47	081		00751	

State County

Permit

STATE OF WEST VIRGINIA - BUREAU OF ENVIRONMENT
DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL & GAS
NOTICE AND APPLICATION TO PLUG AND ABANDON WELL

1)	Surface Owner(s) to be served:	5) (a) Coa	al Operator:
ľ	(a) Name	Rowland Land Company LLC	Name	None
	Address	405 Capitol Street	Address	
		Suite 609		
		Charleston, WV 25301		
	(b) Name		(b) Coal O	wner(s) with Declaration
	Address		Name	Rowland Land Company LLC
				405 Capitol Street
			Address	Suite 609
				Charleston, WV 25301
	(c) Name		Name	
	Address		Address	
12	Inspector	Gary Kennedy	(c) Coalle	essee with Declaration
,	Address	P.O. Box 268	Name	Performance Coal Company
	71001000	Nimitz, WV 25978	Address	Alpha Natural Resouces
	Telephone	304-382-8402	2.00 52 5 5 C	300 Running Right Rd
				Julian, WV 25521

TO THE PERSONS NAMED ABOVE:

You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Division of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

OFFICIAL SEAL BY:	EQT Production Co Victoria J.Roark	West the
STATE OF WEST VIRGINIA NOTARY PUBLIC	Permitting Supervis	sor
Nicholas L. Bumgard ddress	PO Box 280	
Rt. 1, Box 4	Bridgeport, WV 263	330
My Commission Expires July 1 elephone:	(304) 848-0076	RECEIVED
Subscribed and sworn before me this	day of	Notary Public Notary Public
17_1-	1 1	Notary Public Ga
My Commission Expires:	7/27/2018	JUL 0.000

The Office of Oil & Gas processes your personal information, such as name, address and phone number, as pan of our regylatory duries. Total personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to combine the planting or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

4438

0000

0570

7014

Bridgeport, WV 26330

o.O. Box 280

THE THE PROPERTY OF THE PARTY O

Performance Coal Company Alpha Natural Resources 123531 , 122481, 131381 plugging 300 Running Right Rd. U.S. Postal Service NAIL RECEIPT 5136 5136 4438 Certified Fee 0000 Hora 0570 Performance Coal Company Alpha Natural Resources 7014 300 Running Right Rd. Julian, WV 25521 123531, 122481, 131381 plugging

> Domestic Return Receipt (Transfer from service (abei) 9ETS 8EHH 0000 0TS0 HTO2 2, Article Number 4. Restricted Delivery? (Extra Fee) Insured Mail ☐ Collect on Delivery 123531, 122481, 131381 plugging benstsigeA 🗆 Return Receipt for Merchar 12222 VW , neilul ☐ Certified Mail* Priority Mail Express" 3. Service Type 300 Running Right Rd. Alpha Natural Resources Performance Coal Company II YES, enter delivery address below: 1. Article Addressed to: ON D. Is delivery address different from item 1?
>
> Ves so that we can return the card to you.
>
> • Attach this card to the back of the mailplece,
> or on the front if space permits. RECEIVED B. Received by (Printed Name) C. Date of Delivery Complete items 1, 2, and 3. Also complete tems 1, 2, and 3. Also complete tem 4 if Restricted Delivery is desired.
>
> Putni your name and address on the reverse eessaippy [] InagA [JUL 0 8 2014 SENDER: COMPLETE THIS SECTION COMPLETE THIS SECTION ON DELIVERY

E105 YluL, 1185 mo 3 29

WV Department of Environmental Protection Matallala Mark

Bridgeport, WV 26330

ROWISING Land Company LLC Charleston, WV 25301 405 Capitol Street 123531, 131381 plugging Suite 609 U.S. Postal Service CERTIFIED MAIL. RECEIPT 5129 5129 4438 4438 0000 0000 0220 0510 **Rowland Land Company LLC 405 Capitol Street** 7034 Suite 609 7014 Charleston, WV 25301 123531, 131381 plugging City St

Domestic Return Receipt PS Form 3811, July 2013 62TS BEAH 0000 0TS0 ATOL 2. Article Number SBY [4. Restricted Delivery? (Extra Fee) ☐ Collect on Delivery 123531, 131381 plugging ☐ Return Receipt for Merchandise benetsigeR □ Charleston, WV 25301 Priority Mail Express ☐ Certified Mail® Service Type Suite 609 405 Capitol Street Rowland Land Company LLC ON II YES, enter delivery address below: 1, Article Addressed to: D. Is delivery address different from tem 1? Attach this card to the back of the maliplece, or on the front if space permits. Complete items 7, 2, and 3. Also complete items 7, 2, and 3. Also complete.

Item 4 If Restricted Delivery is desired.

Item 4 If Restricted Delivery is desired.

BECEINED

So that we can return the card to you.

So that we can return the card to you. C. Date of Delivery B. Received by (Printed Name) D Addressee □ X A. Signature SENDER: COMPLETE THIS SECTION COMPLETE THIS SECTION ON DELIVERY JUL 0 8 2014

> WV Department of Environmental Protection

WW-9 Revised 2/03

Page of			
2) Operator's We	II Nu	mber	
131381 Rowland	B-2	3	
3) API Well No .:	47	081 -	00751

STATE OF WEST VIRGINIA

DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL & GAS CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name:	EQT PRODUCTION		OP ID:	District 2 of
Watershed:	Marsh		_Quadrangle:	Pilot Knob 7.5'
Elevation:	Cour	nty: Raleigh	District:	Marsh Fork
Description of anti-	cipated Pit Waste:	-	Formation Fluids	
사용하다 가지 않아 나를 살아 내려가 하는 것	using more than 5,000 bt be used in the pit?	Yes Is so, w		? Yes No <u>X</u> Zunu, 10-m l
Proposed Disposa		ction - UIC Permit Number	=	
	nticipated for this well? A sed, what type? Synthet	ir, freshwater, oil based, e iic, petroleum, etc.	tc.	
I certify that I un issued on August understand that the permit and/or other I certify under pen application form at for obtaining the interest in the second secon	or offsite name/permit numberstand and agree to the control of the permit of the permit of the permit of law or regular alty of law that I have permit all attachments theretoformation, I believe that	ne terms and conditions of Oil and Gas of the West Votare enforceable by law. ation can lead to enforcement sonally examined and arrow and that, based on my in the information is true, ac	the GENERAL WAT irginia Division of Environment actions of any term ent action. familiar with the information of those individed the complete.	ns or condition of the general rmation submitted on this uals immediately responsible I am aware that there are
	is for submitting false info icial Signature	ormation, including the po	ssibility of the of impl	isonment.
	icial (Typed or Printed) Victoria Roark		RECEIVED
Company Off	icial Title	Permitting Superviso	-WV	Office of Oil and Ga
	d sworn before me this	day of	JULY Notary P	. <u>Jźd140 8 20</u> 14
My Çemmissio	n-Expires	7/27/2018		ublic WV Department of of vertical state of west virginial protection Notary Public Nicholas L. Bumgardner Rt. 1, Box 4 Uberty, WV 25124 Commussion Expires July 27, 2018

			131381 Rowland B-2
	LI	EGEND	
Property Boundary 🕒	**	Diversion	
		Spring	Wet Spot
Road		\circ	4
Planned Fence	Drain Pipe	e with size in inches	Water Way
//_/		- @	€→८ →
Existing Fence	Str	eam	Cross Drain
Open Ditch		al Filter Strip	Rock 약국
North	Building	Water well	Drill site
N		(W)	\oplus
Pit with Cut Walls	Pit With Col	mpacted Walls Area o	of Land Application of Pit Was
	سددح		
osed Revenetation Treatmen	at Acres Disturbed:	1+ Prevenetation	on oH 5.8
cosed Revegetation Treatmen		1±Prevegetation	on pH5.8
ime <u>3</u> Tons	/acre or to correct	to pH6.5	
ime <u>3</u> Tons Pertilizer (10-20-20) or equi	/acre or to correct	to pH <u>6.5</u> 1/3 ton	on pH 5.8 Ibs/acre (500 lbs minimu
ime <u>3</u> Tons	/acre or to correct valent /acre or hydroseed	to pH <u>6.5</u> 1/3 ton	
ime <u>3</u> Tons Pertilizer (10-20-20) or equi	/acre or to correct	to pH <u>6.5</u> 1/3 ton	
ime <u>3</u> Tons fertilizer (10-20-20) or equi	/acre or to correct valent /acre or hydroseed	to pH <u>6.5</u> 1/3 ton	lbs/acre (500 lbs minimu
ime 3 Tons Fertilizer (10-20-20) or equivalent 2 Tons Area I Seed Type	/acre or to correct valent /acre or hydroseed SEED MIXT	to pH 6.5 1/3 ton I. URES Seed Type	lbs/acre (500 lbs minimu Area II
ime 3 Tons Fertilizer (10-20-20) or equivalent 2 Tons Area I	/acre or to correct valent /acre or hydroseed SEED MIXT	1/3 ton 1/3 ton URES	lbs/acre (500 lbs minimu Area II
ime 3 Tons Fertilizer (10-20-20) or equivalent Auich 2 Tons Area I Seed Type Y-31	/acre or to correct valent /acre or hydroseed SEED MIXT lbs/acre	to pH 6.5 1/3 ton I. URES Seed Type Orchard Grass	Ibs/acre (500 lbs minimu Area II Ibs/acre
ime 3 Tons Fertilizer (10-20-20) or equivalent 2 Tons Area I Seed Type (Y-31)	/acre or to correct valent /acre or hydroseed SEED MIXT Ibs/acre 40 5	to pH 6.5 1/3 ton I. URES Seed Type Orchard Grass	Ibs/acre (500 lbs minimu Area II Ibs/acre
ime 3 Tons Fertilizer (10-20-20) or equivalent 2 Tons Area I Seed Type Y-31 Isike Clover	/acre or to correct valent /acre or hydroseed SEED MIXT Ibs/acre 40 5	to pH 6.5 1/3 ton I. URES Seed Type Orchard Grass	Ibs/acre (500 lbs minimu Area II Ibs/acre
ime 3 Tons Fertilizer (10-20-20) or equivalent 2 Tons Area I Seed Type Y-31 Isike Clover Innual Rye TTACH: Trawing(s) of road, location, pi	/acre or to correct valent /acre or hydroseed SEED MIXT Ibs/acre 40 5 15 15 t and proposed area	to pH 6.5 1/3 ton I. URES Seed Type Orchard Grass Alsike Clover	Ibs/acre (500 lbs minimu Area II Ibs/acre
Fertilizer (10-20-20) or equivalent in the second section of involve in the section in the section in the section of involve in the section in	/acre or to correct valent /acre or hydroseed SEED MIXT Ibs/acre 40 5 15 15 t and proposed area d 7.5' topographic st	to pH 6.5 1/3 ton I. URES Seed Type Orchard Grass Alsike Clover	Ibs/acre (500 lbs minimu Area II Ibs/acre
Fertilizer (10-20-20) or equivalent in the second section of involved in approved by:	/acre or to correct valent /acre or hydroseed SEED MIXT Ibs/acre 40 5 15 15 t and proposed area	to pH 6.5 1/3 ton I. URES Seed Type Orchard Grass Alsike Clover	Ibs/acre (500 lbs minimu Area II Ibs/acre
Fertilizer (10-20-20) or equivalent in the second section of involve in the section in the section in the section of involve in the section in	/acre or to correct valent /acre or hydroseed SEED MIXT Ibs/acre 40 5 15 t and proposed area d 7.5' topographic st	to pH 6.5 1/3 ton I. URES Seed Type Orchard Grass Alsike Clover	_ Ibs/acre (500 lbs minimu Area II Ibs/acre 15 5

Topo Quad:	Pilot Knob 7.5'	Scale:	1 " = 2000'	
County:	Raleigh	Date:	June 5, 201	4
District:	Marsh Fork	Project	No: 23-06-00-08	3
	47-081-00751	WV 131381	(Rowland B-23)	Торо
***	Edwig E-Mass Creek	ht	Run	Constitution of the second of
Whitesyllie 7.5 Quadrangla Pilot Knob 7.5 Quadrangle		h Förk h h Sch	Suestation Sundial FOR	Naoma Po Ce
	ACT OF THE PARTY O	47-081-00751 WV 131381	Pet Shi mate.	try Bottom
			N: E: W	AD 27, South Zone 315,803.09 1,849,676.63 GS 84 AT: 37.866243 DNG: -81.520566 EV: 1,555/89
EGHENDO UNIVERSE	SURVEYING AND MAPPING SEF ALLEGHENY SU 1-800-482- 237 Birch River, W Birch River, W PH: (304) 64 FAX: (304) 64	URVEYS, INC 8606 er Road rv 26610 9-8606	PREPARED FOR:	ion Company ion Company ion Company iox 280 i, WV 26180 ent of mental Protection 4



West Virginia Department of Environmental Protection Office of Oil and Gas WELL LOCATION FORM: GPS

API: 47-081-00751 WELL NO.: WV 131381 (Rowland B-23)
FARM NAME: Rowland Land Company
RESPONSIBLE PARTY NAME: EQT Production Company
COUNTY: Raleigh DISTRICT: _Marsh Fork
QUADRANGLE: Pilot Knob 7.5' 341
SURFACE OWNER: Rowland Land Company, LLC
ROYALTY OWNER: Rowland Land Company, LLC, et al.
UTM GPS NORTHING: 4191102 .
UTM GPS EASTING: 454213 . GPS ELEVATION: 474 m (1555 ft) .
The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS: Post Processed Differential
Signature P5 # 2180 WV Department of 6/24 profumental Protection



POTENTIAL WATER SAMPLE DATA SHEET

CLIENT: EQT PRODUCTION COMPANY
LEASE NAME AND WELL No. Rowland Land Company B-23 WV 131381 API No. 47-081-00751

POTENTIAL SAMPLE LOCATIONS

There appears to be no known water samples within the required 1000' of the existing well WV 131381. A water well inventory was completed for WV 131351 and the only user of water in this area, Alpha Natural Resources, is supplied by Public Water.

BIRCH RIVER OFFICE

237 Birch River Road Birch River, WV 26610 phone: 304-649-8606 fax: 304-649-8608 BRIDGEPORT OFFICE

172 Thompson Drive Bridgeport, WV 26330 phone 304-848-5035 fax: 304-848-5037 CALDWELL OFFICE 212 Cumberland Street Caldwell, OH 43724

phone: 740-305-5007 firs: 740-305-5126 PECEIVED
Office of Oil and Gas
ALUM CREEK OFFICE Gas
RO. Box 108/1/413 Childress Road
Alum Creek, W 5220/4
W Vas Department of
Environmental Protection

WWW.ALLEGHENYSURVEYS.COM

08/29/2014

Topo Quad: Pilot Knob 7.5' Scale: 1 " = 2000' Raleigh County: Date: June 5, 2014 District: Marsh Fork Project No: 23-06-00-08 Water 47-081-00751 WV 131381 (Rowland B-23) 0 potential water wells within 1000' Edwight Sundial Pilot Knob 7.5' Quadrangle Pettry Bottom 47-081-00751 WV 131381 NAD 27, South Zone N: 315,803.09 E: 1,849,676.63 WGS 84 LAT: 37.866243 LONGRIST 520566 ELEV. 1,555.39 D PREPARED FOR: EQT Production Company SURVEYING AND MAPPING SERVICES PERFORMED BY: ALLEGHENY SURVEYS, INC. P.O. Box 2889 partment of Bridge burn MYK 26330 Protection 1-800-482-8606 1-800-482-8606 237 Birch River Road Birch River, WV 26610 PH: (304) 649-8606 FAX: (304) 649-8608 08/29/2014