

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

August 27, 2014

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-8100769, issued to EQT PRODUCTION COMPANY, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions,

please free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: ROWLAND 20

Farm Name: ROWLAND LAND CO.

API Well Number: 47-8100769

Permit Type: Plugging

Date Issued: 08/27/2014

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. This well is under a consent order and must be plugged under the terms of that agreement.

Form WW-4 (B) Permit Copy (Rev 2/01)

Date: Operator's Well Well No. 131371 (Rowland B-20)

081 - 00769 API Well No .: 47

> CK 17839 100 00

STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

APPLICATION FOR	A PERMIT TO	PLUG	AND AF	RANDON

4)							
Well Type:	Oil	Gas	X L	iquid Injection	Waste Dispo	sal:	
If Gas, Prod	uction	х	The second secon	round storage	Deep	Shallow	>
5)	Elevation:	1019'	Watershed	: Marsh Fork			
Location: District:	Marsh F		County:	Raleigh	Quadrangle:	Whitesville	7.5'
Well Operate Address:	or 120 Profe	duction Constitution Constituti	lace	7) Designa Address			_
Oil & Gas G Name: P				Name:	Contractor: HydroCarbon Well PO BOX 995 Buckhannon, WV	Service	
0) Work Ore	der: The work	order for	the manner of	f plugging this well is	ac follows:		
See Atta	chment for de			The state of the s	as follows.		
See Atta				The state of the s	as lollows.		
See Atta			procedures.	The state of the s	as lollows.		

PLUGGING PROGNOSIS

Rowland Land Co. #20 (131371)

Raleigh Co., West Virginia API # 47-081-00769 District: Marsh Fork

BY: Craig Duckworth

DATE: 3/28/14

CURRENT STATUS:

9 5/8" csg @ 380' (cts) 7" csg @ 1683' (250sks) 4 1/2" csg @ 5443' (235sks)

TD @ 5479'

Fresh Water @ 10' Salt Water @ 400' Salt Sand @ 1021' Coal @ none reported


Gas shows @ none reported

Oil Shows @ none reported | Elevation @ 1006'

Stimulation: Perfs 5392'to 4675'

- Notify State Inspector, Gary Kennedy 304-382-8402, and 24 hrs prior to commencing operations.
- 2. TIH w/ tbg @ 5392'; Set 842' C1A Cement Plug @ 5392' to 4550' Perfs.5392' to 4675')
- 3. TOOH w/ tbg @ 4550'; Gel hole @ 4550' to 2300'
- 4. TOOH w/ tbg @ 2300'; Set 100' C1A Cement Plug @ 2300' to 2200' (Insurance plug)
- TOOH w/ tbg @ 2200'; get hote @ 2200' to 1750'
- 6. TOOH w/tbg Freepoint 4 1/2". Cut/shoot 4 1/2" at freepoint
- 7. Set a 100' CIA Cement Plug 50' in/Out of cut. Perf all FW, Coal, Oil & Gas Shows below 4 1/2" cut. Do not omit any plugs.
- 8. TIH w/tbg @ 1750'; Set 200' C1A Cement Plug @ 1750' to 1550' (4 1/2"cut & 7" csg set)
- 9. TOOH w/ tbg @ 1550'; gel hole @ 1550' to 1025'
- 10. TOOH w/ tbg @ 1025'; Set 100' CIA Cement Plug @ 1025' to 925' (Salt Sand @1021')
- 11. TOOH w/ tbg @ 925'; gel hole @ 925' to 450'
- 12. TOOH w/tbg Freepoint 7".Cut/shoot 7"at freepoint
- 13. Set a 100' C1A Cement Plug 50' in/Out of cut. Perf all FW, Coal, Oil & Gas Shows below 7" cut. Do not omit any plugs
- 14. TIH w/tbg @ 450'; Set 150' C1A Cement Plug @ 450' to 300 (7" cut & 9 5/8" set & SW @ 400')
- 15. TOOH w/ tbg @ 300; gel hole @ 300' to 200'
- 16. TOOH w/ tbg @ 200'; Set 200' C1A Cement Plug @ 200' to 0' (FW @ 10')
- 17. Top off as needed
- 18. Set Monument to WV-DEP Specifications
- 19. Reclaim Location & Road to WV-DEP Specifications.

WK.



4

TIP LEB no 1200

DIVISION OF OIL & GAS DEPARTMENT OF ENERGY Bepartment of Mines Gil und Gas Bivision Farm Rowland Land Co

API No. 47 - 081 -0769

131371

WELL OPERATOR'S REPORT

OF

DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

LOCATION: Elevation: 1006.4 Watershed M				
District: Marsh Fork County Rales	gh ·	Quadrangl	e Whitesv	rille 7.5
CMPANY Allegheny & Western Frergy Corp				
ADDRESS P.O.Box 2587 Charleston, W.Va., 25329	Casing	Used in	Left	Cement
DESIGNATED AGENT Dennis L. Mann 1	Tubing	Drilling		fill up Cu. ft.
DDRESS P.O.Box 2587, Charleston, W.Va., 25329	Size !	DEFERMING	TI HELL	Cu. Ic.
SURFACE OWNER Rowland Land Co .	20-16 i			
DDRESS 1033 Quarrier St, Charleston, W.Va	Cond.	10	_	-
INERAL RIGHTS OWNER . Same .	13-10",	40	0	0
DDRESS .	9 5/8	380	380	150 sks
OIL AND GAS INSPECTOR FOR THIS WORK Rodney	8 5/8	1683	1683	250 sks
Dillon ADDRESS Sophia, W.Va	7			-
PERMIT ISSUED 6/17/87 · :	5 1/2	5//2	5110	005 1
DRILLING COMMENCED 8/20/87 :	4 1/2	5443	5443	235 sks
DRILLING COMPLETED 8/30/87	3	-		-
IF APPLICABLE: PLUSGING OF DRY HOLE ON	2 :			
CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED	Liners			
ON	used			
EDIOGICAL TARGET FORMATION Devonian SI	nale	Don	th 5200	fee
Depth of completed well 5479 feet				
Water strata depth: Fresh 10 feet;			_	***********
Coal seam depths: N/A				nwasa no
	. 15 000	remy nun	a 111 1116	area: no
DPEN FLOW DATA				
Producing formation Devonian Shale		zone dep	-	fee_fee
		itial open		
Final open flow 474 Mcf/d		ral opening		and Gass
Time of open flow between init		The second secon	11111	ours
"Static rock pressure 900 psig (surface		ment) afte	r 24 hou	rs shut i
(If applicable due to multiple completion)	W	V Depart	ment of
" Second producing formation	Pay	zone dep		
Gas: Initial open flowMcf/d		and the second second		Pb1
Final open flow Mcf/d	Oil. Fir	nal open f	low	08/29



DIVISION OF OIL & GAS DEPARTMENT OF ENERGY

WELL LOG

sandstone & shale saltsand salt sand shale salt sand shale & sand lifey little lime big lime shale surbury shale surbury shale sandy shale gordon grey & brown shale 1021 1266 1301 1694 1752 1834 1694 1752 1834 2295 2353 2510 2740 2766 2954 2973 2973 2973 2973 2973 TD 5479 KB.	l fresi	of all	ation	REMAR ndica ter,	ज्य में	ludin salt	Inc.	गळ्या	TTOM	R	FEET	TOP	SOFT	OR	HARD	COLOR	ORMATION
		. .			KB.	5479 1	TD :	• •	1266 1301 1694 1752 1834 2295 2353 2510 2740 2766 2954 2973	-	221 266 301 394 752 334 295 353 310 740 766	10 12 13 16 17 18 22 23 25 27 27	:		-	nd ne ale e	altsand hale alt sand hale & sa ittle lin ig lime hale eir hale unbury sh andy shale
											•	• .	 		•	· · · · .	•

Allegheny & Western Energy Corp


Well Operator

By:

Date:

December 1 and Gas

Office of Oil and Gas



WW-4-A Revised 6/07

1)	Date:	7-15	1-19	-		
2)	Operator's Well 131371 (Rowla					
3)	API Well No.:	47	081	X	00769	
		State	County		Permit	

STATE OF WEST VIRGINIA - BUREAU OF ENVIRONMENT DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL & GAS NOTICE AND APPLICATION TO PLUG AND ABANDON WELL

4)	Surface Owner(s) to be served:	5) (a) Coa	al Operator:
	(a) Name	Rowland Land Company LLC	Name	None
	Address	1405 Capitol Street	Address	
		Suite 609		
		Charleston, WV 25301		
	(b) Name		(b) Coal O	wner(s) with Declaration
	Address		Name	Rowland Land Company LLC
				1405 Capitol Street
			Address	Suite 609
				Charleston, WV 25301
	(c) Name		Name	
	Address		Address	
	40.7755.00			
3)	Inspector	Gary Kennedy	(c) Coal Le	essee with Declaration
	Address	P.O. Box 268	Name	Performance Coal Company
		Nimitz, WV 25978	Address	Alpha Natural Resources
	Telephone	304-382-8402		300 Running Right Rd.
				Julian, WV 25521

TO THE PERSONS NAMED ABOVE:

You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Division of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in Secretain circumstances) on or before the day of mailing or delivery to the Chief.

Well Operator:	EQT Production Company	a print of spanie
OFFICIAL SEAL By:	Victoria J.Roark	100
Notary Public, State Of West Virging: NICHOLAS L, BUMGARDNER Address:	Permitting Supervisor	-tette
NICHOLAS L. BUMBAHDINE Address:	PO Box 280	CACHT ETOTOL
Liberty WV 25124	Bridgeport, WV 26330	WA SUIGH
L'y Commission Expires June 27. Telephone:	(304) 848-0076	Jr6Nnia.
Subscribed and sworn before me this	day of Tax	. 2014
	/	Notary Public
My Commission Expires: 7/37	12018	

The Office of Oil & Gas processes your personal information, such as name, address and phone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

Bridgeport, W	P.O. Box 280	C/O Vicki Roan	
V 26330		*	

PHINITE PHINE PAR

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse	A. Signature X
so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits.	B. Received by (Printed Name) C. Date of Delivery
Article Addressed to:	D. Is delivery address different from item 1? Yes If YES, enter delivery address below: No
Rowland Land Company LLC 1405 Capitol Street	
Rowland Land Company LLC 1405 Capitol Street Suite 609 Charleston, WV 25301 131371 plugging	3. Service Type Certifled Mail
1405 Capitol Street Suite 609 Charleston, WV 25301	☐ Certified Mail ☐ Express Mail ☐ Registered ☐ Return Receipt for Merchandis

U.S. Postal Servicens

CERTIFIED MAIL. TRECEIPT

For delivery information visit our website at www.usps.com.

For delivery information visit our website at www.usps.com.

For delivery information visit our website at www.usps.com.

Certified Fee

For delivery information visit our website at www.usps.com.

For delivery information visit our website at website

Rowland Land Company LLC 1405 Capitol Street Suite 609 Charleston, WV 25301 131371 plugging



ii

Bridgeport, WV	P.O. Box 280	C/O Vicki Roarl		
2633				

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse	A. Signature X. Agent Addressee
so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits.	B. Received by (Printed Name) C. Date of Delivery
Article Addressed to: Performance Coal Company Alpha Natural Resources	D. Is delivery address different from item 1? If YES, enter delivery address below: No No
300 Running Right Rd. Julian, WV 25521 131371 Plugging	Service Type Certified Mail Express Mail Registered Return Receipt for Merchandise Insured Mail C.O.D.
	4. Restricted Delivery? (Extra Fee) Yes
2. Article Number (Transfer from service label) 7013 25	30 0002 2366 4266
PS Form 3811, February 2004 Domesti	c Return Receipt 102595-02-M-1540

Performance Coal Company Alpha Natural Resources 300 Running Right Rd. Julian, WV 25521 131371 Plugging



WV Department of Environmental Protection

neopost** 07/15/2014 US POSTAGE

ZIP 263300 041L10228692

WW-9 Revised 2/03

Page of			
2) Operator's We	II Nu	mber	
131371 (Rowlan	d B-	20)	
3) API Well No .:	47	081 -	00769

STATE OF WEST VIRGINIA

DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL & GAS CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name:	EQT PRODUCTION C		OP ID:	
Watershed:	Marsh I		_Quadrangle: _	Whitesville 7.5'
Elevation:	1019' Count	ty: Raleigh	District:	Marsh Fork
Description of antic	cipated Pit Waste:		Formation Fluids	S
이 매가네워 아내일은 가입니다 게시네. 이	using more than 5,000 bbl be used in the pit?		ne proposed well wor hat ml.?	k? Yes_ No_X 20 -10-ml
Proposed Disposal	Underground Inject	ion - UIC Permit Numbe	· _	
	Reuse (at API Num Offsite Disposal Pe Other: Explain		\ -	
	ticipated for this well? Air sed, what type? Synthetic ed?		etc	
Landfill d	pit and plan to solidify what r or offsite name/permit numb	er?		
ssued on August 1 understand that the permit and/or other certify under pena application form an for obtaining the in significant penaltie	I, 2005, by the Office of O e provisions of the permit r applicable law or regulat alty of law that I have pers and all attachments thereto	oil and Gas of the West \ are enforceable by law. ition can lead to enforcent conally examined and and and that, based on my in the information is true, accommation, including the po	Virginia Division of Er Violations of any terment action. In familiar with the information of those individuals and complete essibility of fine or impersional virginians.	TER POLLUTION PERMIT nvironmental Protection. I ms or condition of the general protection submitted on this duals immediately responsible in an aware that there are prisonment.
- Value - San	cial (Typed or Printed)	Victoria Roark		Savironmania
	Carlo de la company			Elle
Company Offi		Permitting Superviso	r-vv v	
Subscribed and	sworn before me this		Notary F	. 2014 Public OFFICIAL SEAL Notary Public, State Of West Vir
My Commission	Expires	7/27/2018		NICHOLAS L. BUMGARDNE Ht. 1 Box 4 Liberty, WV 25124 My Commission Expires, June 27

			131371 (Rowland B-
	LEC	GEND	
Property Boundary		Diversion	
		Spring	Wet Spot
Road	Road		4
Planned Fence	Drain Pipe with size in inches		Water Way
//_		- ∰	← → ← →
Existing Fence Stream			Cross Drain
Open Ditch		Filter Strip	Rock
	·- X X		8 666
North	Building	Water well	Drill site
N		W	\oplus
Pit with Cut Walls	Pit with Comp	Dacted Walls Area o	f Land Application of Pit Wa
فنسنه	-	→	
Posed Revenetation Treatmo	at: Acres Dicturbed:	1+ Representation	
_	_		on pH 5.8
Lime 3 Ton	s/acre or to correct to	pH <u>6.5</u>	· · · · · · · · · · · · · · · · · · ·
Lime 3 Tons Fertilizer (10-20-20) or equ	s/acre or to correct to		in pH 5.8
Lime 3 Tons Fertilizer (10-20-20) or equ	s/acre or to correct to livalent s/acre or hydroseed.	pH <u>6.5</u> 1/3 ton	· · · · · · · · · · · · · · · · · · ·
Lime 3 Ton: Fertilizer (10-20-20) or equ Mulch 2 Ton:	s/acre or to correct to	pH <u>6.5</u> 1/3 ton	ibs/acre (500 lbs minim
Lime 3 Tons Fertilizer (10-20-20) or equivalent 2 Tons Area i	s/acre or to correct to livalent s/acre or hydroseed. SEED MIXTUR	pH <u>6.5</u> 1/3 ton	ibs/acre (500 lbs minimi
Lime 3 Tons Fertilizer (10-20-20) or equivalent 2 Tons Area i Seed Type	s/acre or to correct to livalent s/acre or hydroseed.	pH <u>6.5</u> 1/3 ton	ibs/acre (500 lbs minimi
Lime 3 Tons Fertilizer (10-20-20) or equ Mulch 2 Tons Area i Seed Type	s/acre or to correct to livalent s/acre or hydroseed. SEED MIXTUR Ibs/acre	pH 6.5 1/3 ton RES Seed Type Orchard Grass	ibs/acre (500 lbs minimi
ime 3 Tons Fertilizer (10-20-20) or equ Mulch 2 Tons Area i Seed Type (Y-31 Maike Clover	s/acre or to correct to livalent s/acre or hydroseed. SEED MIXTUR	pH 6.5 1/3 ton RES Seed Type	ibs/acre (500 lbs minimi Area II
Lime 3 Tons Fertilizer (10-20-20) or equivalent 2 Tons Area i Seed Type CY-31 Usike Clover	s/acre or to correct to livalent s/acre or hydroseed. SEED MIXTUF Ibs/acre 40 5	pH 6.5 1/3 ton RES Seed Type Orchard Grass	ibs/acre (500 lbs minimi Area II ibs/ac
Fertilizer (10-20-20) or equ	s/acre or to correct to livalent s/acre or hydroseed. SEED MIXTUF Ibs/acre 40 5	pH 6.5 1/3 ton RES Seed Type Orchard Grass	ibs/acre (500 lbs minimi Area II ibs/ac
Tons Fertilizer (10-20-20) or equivalent 2 Tons Area i Seed Type (Y-31 Asike Clover Annual Rye ATTACH: Drawing(s) of road, location, p	s/acre or to correct to livalent s/acre or hydroseed. SEED MIXTUF Ibs/acre 40 5 15	pH 6.5 1/3 ton RES Seed Type Orchard Grass Alsike Clover	ibs/acre (500 lbs minimi Area II ibs/ac
Fertilizer (10-20-20) or equivalent 2 Tons Area I Seed Type (Y-31 Asike Clover Annual Rye ATTACH: Drawing(s) of road, location, prophotocopies section of involve	s/acre or to correct to livalent s/acre or hydroseed. SEED MIXTUF Ibs/acre 40 5 15	pH 6.5 1/3 ton RES Seed Type Orchard Grass Alsike Clover	ibs/acre (500 lbs minimi Area II ibs/ac
Fertilizer (10-20-20) or equivalent 2 Tons Area i Seed Type (Y-31 Asike Clover Annual Rye ATTACH: Drawing(s) of road, location, properties of involved approved by:	s/acre or to correct to livalent s/acre or hydroseed. SEED MIXTUF Ibs/acre 40 5 15 olt and proposed area fored 7.5' topographic sheet	pH 6.5 1/3 ton RES Seed Type Orchard Grass Alsike Clover	ibs/acre (500 lbs minimi Area II ibs/ac
Fertilizer (10-20-20) or equal Mulch 2 Tons Area i Seed Type CY-31 Alsike Clover Annual Rye ATTACH: Drawing(s) of road, location, percent of involved and involve	s/acre or to correct to livalent s/acre or hydroseed. SEED MIXTUF Ibs/acre 40 5 15 olt and proposed area for ed 7.5' topographic shee	pH 6.5 1/3 ton RES Seed Type Orchard Grass Alsike Clover	Area II Ibs/acc 15 5

Whitesville 7.5' Topo Quad: Scale: 1 " = 2000' Raleigh County: Date: June 5, 2014 District: Marsh Fork Project No: 23-06-00-08 Торо 47-081-00769 WV 131371 (Rowland B-20) Edwight Naoma Sundial FOR 47-081-00769 ilot Knob 7.5' Quadrangle Arnett 7.5' Quadrangle WV 131371 Pettry Bottom NAD 27,188 Outh 28 ne MEST9,239:19 E: 10852,422,06 WGS 84 7 LAT: 37.875721 mil of LONG: -81.571 (201061) ELEV: 1,018.53 PREPARED FOR: SURVEYING AND MAPPING SERVICES PERFORMED BY: ALLEGHENY SURVEYS, INC. **EQT Production Company**

1-800-482-8606

237 Birch River Road

Birch River, WV 26610 PH: (304) 649-8606 FAX: (304) 649-8608

08/29/2014

P.O. Box 280

Bridgeport, WV 26330



West Virginia Department of Environmental Protection Office of Oil and Gas WELL LOCATION FORM: GPS

API: 47-081-00769 WELL NO.: WV 131371 (Rowland B-20)
FARM NAME: Rowland Land Company .
RESPONSIBLE PARTY NAME: EQT Production Company .
COUNTY: Raleigh DISTRICT: Marsh Fork 2
QUADRANGLE: Whitesville 7.5' 677
SURFACE OWNER: Rowland Land Company, LLC
ROYALTY OWNER: Rowland Land Company, LLC, et al.
UTM GPS NORTHING: 4192149
UTM GPS EASTING: 455049 . GPS ELEVATION: 310 m (1019 ft) .
The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS: Post Processed Differential
I the undersigned, hereby certify this data is correct to the best of my knowledge and and Gas belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas. REFERMEDO14 Office of Oil and Gas PS# Z180 Title WV Department of Environmental Protection 08/29/2014



POTENTIAL WATER SAMPLE DATA SHEET

EQT PRODUCTION COMPANY LEASE NAME AND WELL No. Rowland B-20 WV 131371 API No. 47-081-00769

POTENTIAL SAMPLE LOCATIONS

There appears to be no known water samples within the required 1000' of the existing well WV 131371.

All potential water users within 1000' use Public Water.

ALUM CREEK OFFICE
PO. Box 108-1413 Childress Rd. Solth Fairfax Blvd, Suite 3
Alum Creek, WV 25003

RECEIVED Gas

No. 1 7 2014

RANSON OFFICE
RANSON OFFICE
RANSON, WV 25438

BIRCH RIVER OFFICE

237 Birch River Road Birch River, WV 26610 phone 304-649-8606 faz: 304-649-8608

BRIDGEPORT OFFICE

172 Thompson Drive Bridgeport, WV 26330 phone 304-848-5035 /ax. 304-848-5037

CALDWELL OFFICE

212 Cumberland Street Caldwell, OH 43724 phone: 740-305-5007 fan 740-305-5126

Alum Creek, WV 25003 phone: 304-756-2949 Jax. 304-756-2948

Ranson, WV 25438 phone: 304-724-5008 fax: 304-724-5010

ALLEGHENYSURVEYS.COM -

Whitesville 7.5' Topo Quad: Scale: 1 " = 2000' Raleigh County: Date: June 5, 2014 Marsh Fork District: Project No: 23-06-00-08 Water 47-081-00769 WV 131371 (Rowland B-20) No water wells within 1000 (All potential water users within 1000' use Public Water) Edwight Naoma lot Knob 7.5' Quadrangle 47-081-00769 WV 131371 Pettry Bottom .. NAD 27, South Zone N: 319,239.19 E: 1,852,422.06 WGS 84 LAT: 37.875721 LONG: -81.511121 ELEV: 1,018.53 PREPARED FOR: SURVEYING AND MAPPING SERVICES PERFORMED BY: ALLEGHENY SURVEYS, INC. **EQT Production Company** 1-800-482-8606 P.O. Box 280 237 Birch River Road Birch River, WV 26610 Bridgeport, WV 26330 PH: (304) 649-8606 FAX: (304) 649-8608