

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

May 15, 2014

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-8101065, issued to EXCO RESOURCES (PA), LLC, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions, please free to contact me at (304) 926-0499 ext. 1654

Chief

James Martin

Operator's Well No: BEAVER #116

Farm Name: BEAVER COAL CO. LTD.

API Well Number: 47-8101065

Permit Type: Plugging Date Issued: 05/15/2014

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. This well is under a consent order and must be plugged within two years of the date of issuance of this permit.

#100 E

WW-4B Rev. 2/01

1) Date February 4	,	2014
2)Operator's		
Well No. Beaver Coal 116		
3) API Well No. 47-09	1	- 01065

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

		0.450	Tributary of Piney Crook			
5)		ation 2458'	Watershed Tributary of Piney Creek			
	Dist	rict Town	County Raleigh Quadrangle Beckley 7.5			
6)	Well Operator E	XCO Resources (PA), LLC	7) Designated Agent Diana Stamper/C.T. Corp Systems			
	Address F	O Box 8	Address 5400 D Big Tyler Road			
	F	Ravenswood, WV 26164	Charleston, WV 25301			
8)	Oil and Gas Ins	pector to be notified	9) Plugging Contractor			
- 4	Name Gary Keni		Name			
	Address PO Bo		Address			
	Nimitz	, WV 25978				
	RIH check TD @ +/- 21		ner of plugging this well is as follows: h 6% gelled water - rig up and pump 25 sks Class A			
1.) 2.) 3.) 4., 5.	RIH check TD @ +/- 21 cement 2100'-1787' Pooh tbg to 1450' - rig to Rig up and pump 15 sk RIH and cut 4 1/2" casi	00', RIH tbg to 2100', load hole wit up and pump 30 sks class A cemer s class A cement 700'-510' - pooh ng @ 490' estimated TOC - pooh 4 rig up and pump 25 sks class A ce	h 6% gelled water - rig up and pump 25 sks Class A nt 1450'-1075' pooh tbg to 700' tbg 4 1/2" casing			
2.) 3.) 4.	RIH check TD @ +/- 21 cement 2100'-1787' Pooh tbg to 1450' - rig to Rig up and pump 15 sk RIH and cut 4 1/2" casi	00', RIH tbg to 2100', load hole wit up and pump 30 sks class A cemer s class A cement 700'-510' - pooh ng @ 490' estimated TOC - pooh 4 rig up and pump 25 sks class A ce	th 6% gelled water - rig up and pump 25 sks Class A Int 1450'-1075' pooh tbg to 700' Itbg Int 1/2" casing Int 1/2" casing Internet 490'-366' Int 100' - surface. Erect monument with API#			
1.) 2.) 3.) 4. 5.	RIH check TD @ +/- 21 cement 2100'-1787' Pooh tbg to 1450' - rig to Rig up and pump 15 sk RIH and cut 4 1/2" casi	00', RIH tbg to 2100', load hole wit up and pump 30 sks class A cemer s class A cement 700'-510' - pooh ng @ 490' estimated TOC - pooh 4 rig up and pump 25 sks class A ce	th 6% gelled water - rig up and pump 25 sks Class A Int 1450'-1075' pooh tbg to 700' Itbg Int 1/2" casing Internet 490'-366' It 100' - surface. Erect monument with API#			

WR-35

27-Feb-97 API # 47- 81-01065

State of West Virginia
Division of Environmental Protection
Section of Oil and Gas

Well Operator's Report of Well Work

Farm name: BEAVER COAL CO. LTD. Operator Well No.: BEAVER #116

LOCATION: Elevation: 2,458,00 Quadrangle: BECKLEY

District: TOWN County: RALEIGH

Latitude: 13890 Feet South of 37 Deg. 47Min. 30 Sec. Longitude 5550 Feet West of 81 Deg. 10 Min. 0 Sec.

Company: ENERGY SEARCH, INC. 280 FT.SANDERS, W.BLVD., STE. 200 | Casing | Used in | Left Cement KNOXVILLE, TN 37922-0000 Fill Up Tubing | Drilling | in Well Cu. Ft. Agent: GARRY-G:--RANGON Frank R. Rotunda Size Inspector: RODNEY DILLON 02/28/97 3/11/97 Permit Issued: 12-3/4" | 16' 16' Well work Commenced:
Well work Completed:
Verbal Plugging
Permission granted on:
Rotary XX Cable
Total Depth (feet) 8/15/98 6821___ _165____ 2176 21761 Fresh water depths (ft) Salt water depths (ft) 3060' Is coal being mined in area (Y/N)? Coal Depths (ft):

OPEN FLOW DATA

Producing formation Maxton Pay zone depth (ft) 2022-31'

Gas: Initial open flow 0 MCF/d Oil: Initial open flow 0 Bbl/d

Final open flow not taken MCF/d Final open flow not taken Bbl/d

Time of open flow between initial and final tests n/a Hours

Static rock Pressure 170 psig (surface pressure) after 12 Hours

Second producing formation Ravencliff Pay zone depth (ft) 1342-93'
Gas: Initial open flow 0 MCF/d Oil: Initial open flow 0 Bbl/d
Final open flow not taken MCF/d Final open flow not taken Bbl/d
Time of open flow between initial and final tests n/a Hours
Static rock Pressure psig (surface pressure) after 12 Hours

NOTE: ON BACK OF THIS FORM PUT THE FOLLOWING: 1). DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2). THE WELL LOG WHICH IS A SYSTEMATIC DETAILED GEOLOGICAL RECORD OF ALL FORMATIONS, INCLUDING COAL ENCOUNTERED BY THE WELLBORE.

FOR ENERGY SEARCH, INC.

00/.0/20

By:

Frank R. Rotunda - VP Land - Agent

Beaver Coal #116

Permit # 47 81 01065

 Tops From KB
 2463'

 Princeton
 1142' - 1176'

 Ravencliff
 1340' - 1396'

 Avis
 1434' - 1472'

 Middle Maxton
 2018' - 2033'

 Little Lime
 2422'

 Big Lime
 2570' - 3089'

Not Reached

COMPLETION SUMMARY - BEAVER COAL #116

Cased Hole LTD = 2161'

TOC = unavailable

MAXTON

Perforations: 2022' - 2031' (10 shots)

Treated with 500 gls of 15% Hcl, 75 Quality foam consisting of 90 bbls of gelled/treated water + 20000 lbs of 20-40 mesh sand and 170 mcf N2. ATR = 18 bpm. ATP = 2265 psi.

RAVENČLIFF

Perforations: 1342' - 1393' (29 shots)

Treated with 500 gls of 15% Hcl, 75 Quality foam consisting 203 bbls of gelled/treated water + 66000 lbs of 20-40 mesh sand and 330 mcf N2. ATR = 25 bpm. ATP = 1790 psi.

FORM	W-2B		• •		•	41.031-010	65 Pageof	
	DIV	SION OF	environme	NTAL PROTE	CTION, OFF	TCE OF OIL	AND GAS	
					r applicat			
1)		• –		Search Inc		(Q)	234	. 1
•				Beaver #		3)	Elevation: 2450)
23271	Well ty	pa: (a)	017_/	or. Ga	s_xy .	•		
7		(p)	If Gas:	Productio Dec	n_xy Under P/	ground Stor	rage/	
	Propose	d Target	Pormation	1(s):_Weir,	Big Lime	Maxton, R	lavenc'l i'ff	
				3800				
7)	Approxi	mate fres	h water s	strata dep	ths:	100 ft		
8)	Approxi	mate salt	water de	pths:				
9)	Approxi	mate coal	seam dep	ths: <u>660</u> .	795			
10)	Does la	nd contai	n coal se	ams tribu	tary to ac	tive/mine?	Yesp-6-Mound	
				l & Stimul	///		Yes RECENTED WW Division of Emigraphy of Profession	
12)			Clem	7 No see	ING PROGRA		FFB 2.7 1997	
			3,30,44	A SAD TOB	THE ENTREY	<u> </u>		
TYPE			PECTFICAT	TONS	FOOTAGE :	- Intervate	Permitting	
TYPE_		Size	PECIFICAT Grade	Weight	For	Left in	Pill-up	
Condu	ptor		-		For	Left in well	Pill-up (cu. ft.)	
Condu	ctor_		-	Weight	Por drilling	Left in well	Pill-up (cu. ft.)	
Condu		Size	Grade	Weight	For	Left in well	Pill-up (cu. ft.)	
Condu Fresh		Size 9-5/8	Grade	Weight	Por drilling	Left in well	Fill-up (cu. ft.) 30(K)[]3 cement to surface	,
Condu Fresh	Water OAL mediate	Size 9-5/8	Grade 324	Weight	For drilling	Left in well 125	Pill-up (cu. ft.) 30CK/MH.3 cement to surface 125 sks to surf. 30 CSR 18-113.	<u>د</u>
Condu Fresh Geel	Water OAL Sediate	9-5/8	32# 17#	Weight	For drilling	Left in well	Fill-up (cu. ft.) 30(K)[]3 cement to surface	۷.
Conduction of Co	Water OAL sediate	9-5/8	32# 17#	Weight	For drilling	Left in well 125	Pill-up (cu. ft.) 30'CR/6#.3 cement to surface 125 sks to surf. 30 CSR 18-112.2 200 sks or as req	٤.
Conduction of the Conduction o	Water OAL sediate stion ES: Kin	9-5/8 7* 4)"	32# 17#	Weight	For drilling	Left in well 125	Pill-up (cu. ft.) 30CK/MH.3 cement to surface 125 sks to surf. 30 CSR 18-113.	٤.
Conduction of the Conduction o	Water OAL Section Size: Kin Siz	9-5/8 7* 4)"	32# 17#	Weight	For drilling	Left in well 125	Pill-up (cu. ft.) 30 CR/64.3 cement to surface 125 sks to surf. 30 CSR 18-11 2.2 200 sks or as req RECEIVED	۷.
Conduction of the Conduction o	Water OAL Section Size: Kin Siz	9-5/8 7" 4i"	32# 17# 10.5#	Weight per ft.	For drilling	Left in well 125 900 3800	Pill-up (cu. ft.) 30CK/04/.3 cement to surface 125 sks to surf. 30 CSR 18-11 2.2 200 sks or as req 38 CSR 18. //. RECEIVED (avironmental Protection	۷.
Conduction of the Conduction o	Water OAL pediate stion Size : Kin Size Dep	9-5/8 7" 4i" d_esths set	32# 17# 10.5#	Weight per ft.	for drilling 125 900 3800	Left in well 175 125 125 3800 Only	Pill-up (cu. ft.) 30'CR/18#.3 cement to surface 125 sks to surf. 30 CSR 18-112. 200 sks or as req RECEIVED Environmental Protection Formatting Opera of Pala Ges	۷.
Conduction of the Conduction o	Water OAL pediate stion Size : Kin Size Dep	9-5/8 7" 4i" d_esths set	32# 17# 10.5# or Office	Weight per ft.	for drilling 125 900 3800	Left in well 125 900 3800	Pill-up (cu. ft.) 30'CR/18#.3 cement to surface 125 sks to surf. 30 CSR 18-112. 200 sks or as req RECEIVED Environmental Protection Formatting Opera of Pala Ges	۷.

Out By it's own on road to Religh
7 21 21
STARTED/LOCATION, 3/3/97 Office of Oil and Gas
LING COMMENCED: 3-0-27 DEC 0.9 1997 WELL NO.1
WYDMstrond CONPANY, Ellergy leach
SK DEPTHSCOAL DEPTHS
IS THE OPERATOR RESPING DETAILED DRILLING AND CEMENT RECORDS: YES [NO [] (6 Pts)
feet of _ pipe on _ cemented with _ sacks (circulated) YES [NO [] _ feet of _ pipe on _ cemented with _ sacks (circulated) YES [] NO [] _ feet of _ pipe on _ cemented with _ sacks (circulated) YES [] NO [] _ DISCULDED PARTY.
DISCHARGE DATE: TYPE: WEATHER CONDITIONS: LAND:
ES DISCHARGED PIT VOLUME PIT ADDITIVES
LD ANALYSIS: pH mg/1 Cl mg/1 D.O mg/1 TOC mg/1
stions for this report are in accordance of My code 220-1-28 220-1-20 220 1 c
10-11-10-11-10-11-11-11-11-11-11-11-11-1
AL POINTS AVAILABLE FOR QUESTION 2: 2. (10 pts) 10
Did operator give proper notice to inspector before the following: Construction Yes [No [] (2 pts) B. Drilling Yes [] No [] (2 pts)
Pit Treatments Yes [] No [] (2 pts) D. Pit Discharge Yes [] No [] (2 pts) Reclamation Yes [] No [] (2 pts)
the second secon
uirt work started? Yes [] No [] 4. (4 pts)
Are all location and/or road banks being sloped? Yes []. No [] 5. (4 pts) 4
AL POINTS AVAILABLE FOR QUESTION 6: (21 pts) 18
nata the initiating angless coulted statistists above in the light for the terms
Culverts Yes [] No [] () pts) D. Crosk Crossings Yes [] No [] (3 pts)
Diversion Ditches Yes [] . No [] (3 pts) F. Barriers Yes [] No [] (3 pts) Temporary Seeding Yes [] No [] (3 pts)
Has top soil (if any) been stocked piled? Yes [/ No [] 7. (2 pts)
Is the well stake in the proper spot in accordance with 38CSR 18-9.2.3 after construction? Yes [] No [] 8. (3 pts) 3
. Is the pit properly installed? Yes [1] No []
. Walls Compacted Yes [] Ro [], Cut Yes [] No [] . Free of Debris before lining Yes [] No []
Tined Yes [] No []
. Free of Non Exempt/Restricted Materials Yes [[] No []
Properly Treated Yes [[] No [] 9. (6 pts)
Was inspector on site during the following:
Construction Yes [No [] B. Drilling Yes [No []
. Pit Treatment Yes [] No [] D. Reclamation Yes [] No []


1610	10 VVVZ-A	1) Date: February 25, 1997 2) Operator's well number	
(0/9		Beaver # 116	
Sur	face Owner Copy	3) API Well No. 47 - 081	1.0
	4 4 4 4	State County Permit	
	STATE OF WEST VID	GINIA - BUREAU OF ENVIRONMENT	
	DIVISION OF ENVIRONMENT	AL PROTECTION, OFFICE OF OIL AND GAS	
		TE THE TECHON, OFFICE OF OIL AND GAS	
	NOTICE AND APPLIC	ATION FOR A WELL WORK PERMIT	
4)			
-1)	Surface Owner(s) to be served: 5)	(a) Coal Operator:	
	(a) Name Reaver Coal Company Address P.O. Box 1537	/ Name	
	Beckley, WV 25802	Address	
	(b) Name	(b) Coal Owner(s) with Declaration	
	71001633	Name Beaver Coal Company	
		Addrace b a b see	
	(C) Name	Deelel en 199 25000	
	Address	Name	
		Address	
6)	Inspector Rodney Dillon	(c) Coal Lessee with Declaration	_
	Address Box 131	Name None	
	Bradley WV 25818	Address	
	Telephone (304)-256-6946		
rigit		er continuing contract or contracts by which I hold the	
this r	I certify that as required under Chapi notice and application, a location plat, a bove named parties, by: Personal Service (Affidavit att Certified Mail (Postmarked po Publication (Notice of Publical	stal receipt attached) find attached) Environmental Pi Es R	ies of
this r	I certify that as required under Chaptotice and application, a location plat, above named parties, by: Personal Service (Affidavit att Certified Mail (Postmarked po Publication (Notice of Publication) INSTRUCTIONS TO S	ter 22-6 of the West Virginia Code I have served coperand accompanying documents pages 1 through ached) ached) stal receipt attached) tion attached) URFACE OWNERS NAMED ABOVE	ies of on VED not rotection 1997
work.	I certify that as required under Chapter to the protice and application, a location plat, a bove named parties, by: Personal Service (Affidavit attage of Certified Mail (Postmarked po Publication (Notice of Publication (Notice o	ter 22-6 of the West Virginia Code I have served coperand accompanying documents pages 1 through ached) ached) stal receipt attached) lion attached)	ies of on /ED of otection 1997
work.	I certify that as required under Chapter of the protice and application, a location plat, a bove named parties, by: Personal Service (Affidavit att Certified Mail (Postmarked po Publication (Notice of Publ	ter 22-6 of the West Virginia Code I have served coperand accompanying documents pages 1 through acched) stal receipt attached) tion attached) URFACE OWNERS NAMED ABOVE tinued on Reverse) upplying for a permit from the State to do applying by more than three persons, then these materials and on the Sheriff's tax ticket on the land or because case, you may be the only owner who will actually revest Virginia Code. Well work permits are valid for	ies of on /ED of otection 1997
this r the a work. serve actual	I certify that as required under Chapter of the protice and application, a location plat, a bove named parties, by: Personal Service (Affidavit att Certified Mail (Postmarked po Publication (Notice of Publication (Notice)) INSTRUCTIONS TO S (Con The well operator named below is a (Note: If the surface tract is owned and on you because your name appeared on you because your name appeared on you because Your name appeared on your particular occupy the surface tract. In either of materials.) See Chapter 22 of the Vers. Well Oper	ter 22-6 of the West Virginia Code I have served coperand accompanying documents pages 1 through acched) ached) stal receipt attached) tion attached) URFACE OWNERS NAMED ABOVE tinued on Reverse) upplying for a permit from the State to do applying by more than three persons, then these materials by more than three persons, then these materials ed on the Sheriff's tax ticket on the land or because case, you may be the only owner who will actually revest Virginia Code. Well work permits are valid for the land of the state of the land of t	ies of on /ED of otection 1997
this r the a work. serve actual	I certify that as required under Chapter of the protice and application, a location plat, a bove named parties, by: Personal Service (Affidavit att Certified Mail (Postmarked po Publication (Notice of Publ	ter 22-6 of the West Virginia Code I have served coperand accompanying documents pages 1 through ached) stal receipt attached) stal receipt attached) tion attached) URFACE OWNERS NAMED ABOVE tinued on Reverse) supplying for a permit from the State to do on the Sheriff's tax ticket on the land or because as you may be the only owner who will actually revest Virginia Code. Well work permits are valid for the search Inc. Tator Energy Search Inc. Tagor S. Ranson Tagnated Agent	ies of on /ED of otection 1997
this r the a work. serve actual	I certify that as required under Chapter of the protice and application, a location plat, a bove named parties, by: Personal Service (Affidavit att Certified Mail (Postmarked po Publication (Notice of Publ	ter 22-6 of the West Virginia Code I have served coperand accompanying documents pages 1 through ached) stal receipt attached) stal receipt attached) tion attached) URFACE OWNERS NAMED ABOVE tinued on Reverse) supplying for a permit from the State to do an enterials by more than three persons, then these materials and on the Sheriff's tax ticket on the land or because as you may be the only owner who will actually revest Virginia Code. Well work permits are valid for the search Inc. Tator Energy Search Inc.	ies of on /ED of otection 1997
this r the a work. serve actual	I certify that as required under Chapter of the protice and application, a location plat, a bove named parties, by: Personal Service (Affidavit att Certified Mail (Postmarked po Publication (Notice of Publication (Notice of Publication (Note: If the surface tract is owned and on you because your name appeared materials.) See Chapter 22 of the Verson Note: Well Oper By: Cart Its: Well Oper By: Cart Cart Cart Cart Cart Cart Cart Cart	ter 22-6 of the West Virginia Code I have served coperand accompanying documents pages 1 through ached) ached) stal receipt attached) tion attached) URFACE OWNERS NAMED ABOVE tinued on Reverse) supplying for a permit from the State to do the ematerials by more than three persons, then these materials by more than three persons, the person three persons are the person than the person three persons are three persons and the person three persons are three pe	ies of on /ED of otection 1997
work. serve	I certify that as required under Chapter of the protice and application, a location plat, a bove named parties, by: Personal Service (Affidavit att Certified Mail (Postmarked po Publication (Notice of Publication (Notice of Publication (Notice of Publication (Note: If the surface tract is owned on you because your name appeared on you because your name appeared on materials.) See Chapter 22 of the Vers. Well Open By: Well Open By: Carrills: Design Address Telephone	ter 22-6 of the West Virginia Code I have served coperand accompanying documents pages 1 through ached) ached) stal receipt attached) stal receipt attached) tion attached) URFACE OWNERS NAMED ABOVE tinued on Reverse) supplying for a permit from the State to do attached by more than three persons, then these materials and on the Sheriff's tax ticket on the land or because as you may be the only owner who will actually revest Virginia Code. Well work permits are valid for the state of the state	ies of on /ED of otection 1997
work. serve	I certify that as required under Chapter of the protice and application, a location plat, a bove named parties, by: Personal Service (Affidavit att Certified Mail (Postmarked po Publication (Notice of Publication (Notice of Publication (Note: If the surface tract is owned and on you because your name appeared materials.) See Chapter 22 of the Verson Note: Well Oper By: Cart Its: Well Oper By: Cart Cart Cart Cart Cart Cart Cart Cart	ter 22-6 of the West Virginia Code I have served coperand accompanying documents pages 1 through acched) ached) stal receipt attached) tion attached) URFACE OWNERS NAMED ABOVE tinued on Reverse) upplying for a permit from the State to do applying by more than three persons, then these materials by more than three persons, then these materials ed on the Sheriff's tax ticket on the land or because case, you may be the only owner who will actually revest Virginia Code. Well work permits are valid for the control of the cont	ies of on /ED of otection 1997
work. work. Subse	I certify that as required under Chapter of the protice and application, a location plat, a bove named parties, by: Personal Service (Affidavit att Certified Mail (Postmarked po Publication (Notice of Publication (Notice of Publication (Notice of Publication (Note: If the surface tract is owned on you because your name appeared on you because your name appeared on materials.) See Chapter 22 of the Vers. Well Open By: Well Open By: Carrills: Design Address Telephone	ter 22-6 of the West Virginia Code I have served coperand accompanying documents pages 1 through ached) ached) stal receipt attached) stal receipt attached) tion attached) URFACE OWNERS NAMED ABOVE tinued on Reverse) supplying for a permit from the State to do attached by more than three persons, then these materials and on the Sheriff's tax ticket on the land or because as you may be the only owner who will actually revest Virginia Code. Well work permits are valid for the state of the state	ies of on /ED of otection 1997

Form WW-9


BEAVER NO. 116

page 5 of 7

8101065P




150't @ 10-14% GRADE. 80'-60' SPACING



Jum off Ca let 20 Left, go 185 miles & turn right grown I round part 104, go

de



P.O. BOX 150, GLENVILLE, WV 26351

Phone (304) 462-5656 or 462-5634

DATE 2/25/97 FILE NO. 3639 DRAWN BY N.C.T.

Received

APR 1 7 2014

ANDELS 3 000 COME ROAD


PARKERSHAME, WV 26101

ADDRESS 200 SANDERS W BING SUITE 700

KNOKWELE, TEMMESSEE 37927

81010658

.



WW-4A Revised 6-07

1) Date:	February 4, 2	014		
2) Operator's 'Beaver Co		er		
3) API Well No	. 47 -	081	01065	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

Address	115 1/2 South Kanawha Street	Address
0.000	Beckley, WV 25801	
(b) Name		(b) Coal Owner(s) with Declaration
Address		Name
		Address
(c) Name		Name
Address		Address
i) Inspector	Gary Kennedy	(c) Coal Lessee with Declaration
Address	PO Box 268	Name
	Nimitz, WV 25978	Address
Telephone	304-382-8402	

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

	OFFICIAL SEAL	Well Operator By:	Rick Gr	een (PA)	2 a Stree	W Me	ceived
NOTARY PUBLIC STATE OF WEST VIRGINIA		Its:	Construction Specialist I				
	SHELLYWELLING	Address	PO Box	8		API	7 2 1 0000
Give	RR.1, Box 120 en, West Virginia 25245		Ravens	wood, WV 261	64	731.1	2 1 2014
My Comn	ission Expires Nov. 19, 2018	Telephone	304-273	1-5371			
Substribad	and sworn before me th	is 19th di	ay of _	Feb	2014	WV Dept. of E	of Oil and Gas nvironmental Protecti
Mes	ly Williams				Notary P	ublic	
My Commis	sida Expires	8119111					

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

05/16/2014

SURFACE OWNER WAIVER

Operator's Well Number

Beaver Coal 116

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;

5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, 2000 should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION	Office of Oil and Gas WV Dept. of Environmental Protection
I hereby state that I have read the instructions to surface owners and that I have	received copies of a Notice
and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a	a survey plat.
I further state that I have no objection to the planned work described in these	e materials and I have no

objection to a permit being issued on those materials.

FOR EXECUTION BY A NATURAL PERSON

FOR EXECUTION BY A CORPORATION,

ETC.

	Date	Name BEAVER COAL CO, LTO
Signature		By R. WOODROW, DUBA
		Its GRENERAL MANAGER Date > 27/1

R. Woodrow Dob/16/2014

WW-4B

API No.	47-081-01065
Farm Name	Beaver Coal
Well No.	116

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

WAIVER

The undersigned coal operato	or / owner // lessee / of the coal under this well location
	work order. The undersigned has no objection to the work proposed to be
done at this location, provided, the	well operator has complied with all applicable requirements of the West
Virginia Code and the governing regu	lations.
Date: 2/27/14	BRANGE COALCO., LTD BY: R. WOODROW DUBA
Date. 2/2///4	Destroy COACU, E1B
	By: K. WOODROW DUBA
	Its GRENERAL MANAGER
	P 11/1 0 1
	1. Woodrow Dula

Received

AFR 1 7 2014

WW-9 Rev. 5/08


Page 1	of 6
API Number 47 - 081	- 01065
Operator's Well No. Beaver	r Coal 116

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE.

Operator Name EXCO Reso	ources (PA), LLC	OP Code 307860	
Watershed Tributary of Pine	y Creek Qu	uadrangle Beckley 7.5	
Elevation 2458'	County Raleigh	District Town	
Description of anticipated Pit V	vaste: cement, water, gel		
Will a synthetic liner be used in	the pit? yes 20 MIL.	JIK .	
Proposed Disposal Method For			
	Application	A	
	erground Injection (UIC Permit Num	nber	
	se (at API Number	Con diamond Innerland	
X Other	Site Dispposal (Supply form WW-9 for (Explain pit to be solidified with cen	nent	
Proposed Work For Which Pit	Will Be Used;		
Dril		Swabbing	
Wor	kover X	Plugging	
Othe	er (Explain		
law or regulation can lead to en I certify under penal application form and all atta obtaining the information, I b	nforcement action. ty of law that I have personally example the personal of t	term or condition of the general permit and/or other applicable mined and am familiar with the information submitted on this my inquiry of those individuals immediately responsible for accurate, and complete. I am aware that there are significant of fine or imprisonment.	
Company Official Title Cor	struction Specialist I	APR 1 7 2014	
Subscribed and sworn before r	ne this 19 day of Re	Office of Oil and Gas	
Subscribed and Sworn before i	ne tins day or FC	, 20 1 1	
Inelly Wille	lling	Notory Public	
	()		
V	1 1	OFFICIAL SEAL.	
My commission expires	1/19/18	NOTARY PUBLIC STATE OF WEST VIRGINIA	
	11.11.	SHELLY WELLING RR 1, Box 120 Given, West Virginia 25245 05 16/20	

		LEGEND
Property Boundary		Diversion Contraction of the Con
Rond = = = = =	=====	Spring ->
Existing Fence — 🗶 –	- × - × -	Wet Spot
Planned Fence / _	_/_ /_	Drain Pipe with size in inches (3)
Stream / 1,7	7	T Waterway C+ C+ C+
Open Ditch		Cross Drain //////////////
Rock & 35886	*	Artificial Filter Strip
North N		Pit: cut walls
Buildings		Pit: compacted fill walls
Water wells (W)		Area for Land Application of Pit Waste
Drill site		
roposed Revegetation Treatr	nent: Acres Disturbed >1	Prevegetation pH
	Tons/acre or to correct	
Fertilizer (10-20-20	or equivalent) 500	Ibs/acre (500 lbs minimum)
Mulch 2		Tons/acre
		Co. J. M. Catalana
		Seed Mixtures
Are	a I lbs/acre	Area II Seed Type Ibs/acre
Seed Type Y 31 Fescue	40	same as Area I
		Same as Area I
Alsike Clover	5	
Annual Rye	16	
Attach; Drawing(s) of road, location, Photocopied section of involv		nd application.
Plan Approved by:	H V ···	Receive
ian Approved by.	The second	
Comments:		APR 1 7 2014
itle: Inspecto	~	Date: 2/28/14 WV Dept. of Environmental Pr
field Reviewed? (_) Yes (_) No





West Virginia Department of Environmental Protection Office of Oil and Gas WELL LOCATION FORM: GPS

William Doctation and State
API: 47-081-01065 WELL NO .: 116
FARM NAME: Beaver Coal
RESPONSIBLE PARTY NAME: Exco Resources PALLC.
COUNTY: Raleigh DISTRICT: Town
QUADRANGLE: Beckley 7.5
SURFACE OWNER: Beaver Coal Company
ROYALTY OWNER: Beaver Coal Company
UTM GPS NORTHING: 4178488.32
UTM GPS EASTING: 483632.32 GPS ELEVATION: 749.19 2458.
preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS — Post Processed Differential
Survey grade GPS: Post Processed Differential APR 1 7 2014 Real-Time Differential
Mapping Grade GPS: Post Processed Differential WV Don't il Environmental Protection
Real-Time Differential
4. Letter size copy of the topography map showing the well location. I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.
Signature Construction Specialisti-21-14 Date 05/16/2014