

### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Friday, October 28, 2022 WELL WORK PLUGGING PERMIT Vertical Plugging

DIVERSIFIED PRODUCTION LLC 101 MCQUISTON DRIVE

JACKSON CENTER, PA 16133

Re:

Permit approval for ROWLAND LAND 31

47-081-01159-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: ROWLAND LAND 31

Farm Name: ROWLAND LAND CO.

U.S. WELL NUMBER: 47-081-01159-00-00

Date Issued:

Vertical Plugging

### PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

#### CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

WW-4B Rev. 2/01 1) Date February 1 , 20 22 2) Operator's Well No. Rowland Land 31 3) API Well No. 47-081 - 01159

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	APPLICATION FOR A PERM	MIT TO PLUG AND ABANDON
4)	Well Type: Oil/ Gas $\frac{X}{X}$ / Liquid (If "Gas, Production $\frac{X}{X}$ or Und	d injection/ Waste disposal/ derground storage) Deep/ Shallow X
5)	Location: Elevation 2286 feet  District Clear Fork	Watershed Workman Creek of Clear Fork of the Big Coal River  County Raleigh Quadrangle Dorothy
6)	Well Operator Address  Diversified Production, LLC  414 Summers Street  Charleston, WV 25301	7) Designated Agent Charles Shafer Address 414 Summers Street Charleston, WV 25301
8)	Name Gary Kennedy	9) Plugging Contractor  Name Next LVL Energy  Address 1951 Pleasantview Ridge Road
	Address 66 Old Church Lane Pipestem, WV 25979	Ravenswood, WV 26164
	See Atta	ached
		RECEIVED Office of Oil and Gas
		OCT 06 2022
		WV Department of Environmental Protection
	fication must be given to the district of can commence.	il and gas inspector 24 hours before permitted
Work	order approved by inspector	Date 10/4/22

### **Plugging Prognosis**

API #: 4708101159

West Virginia, Raleigh Co.

Lat/Long: 37.88207748, -81.37568941

Nearest ER: Raleigh General Emergency Room - 1710 Harper Rd, Beckley, WV 25801

### Casing Schedule:

9-5/8" @ 20' 7" @ 892' (cemented to Surface with 140 sx of cmt) 4 ½" @ 3605' (cemented to Surface with 270 sx of cmt) TD @ 3605'

Completion - 3304'-3311'; 2600'-2608'; 2320'-2327'

Fresh Water: None listed Salt Water: None listed

Gas Shows: 3304'-3311'; 2600'-2608'; 2320'-2327'

Oil Shows: None listed

Coal: 540'-542' Elevation: 2309'

- 1. Notify Inspector Gary Kennedy @ 304-382-8402, 48 hrs prior to commencing operations.
- 2. Check and record pressures on csg/tbg.
- 3. Check TD w/ wireline.
- 4. Run in to depth @ 3311'. Kill well as needed with 6% bentonite gel and fill rat hole with gel. Pump at least 10 bbls gel. Pump 107' C1A cement plug from **3311' to 3204' (Weir Completion plug)** Tag TOC. Top off as needed.
- 5. TOOH w/ tbg to 3204'. Pump 6% bentonite gel from 3204' to 2608'.
- 6. TOOH w/ tbg to 2608'. Pump 108' C1A cement plug from **2608' to 2500' (Lower Maxton Completion plug)**
- 7. TOOH w/ tbg to 2500'. Pump 6% bentonite gel from 2500' to 2327'.
- 8. TOOH w/ tbg to 2327'. Pump 116' C1A cement plug from 2327' to 2209' (Middle Maxton Completion and elevation plug).
- 9. TOOH w/ tbg to 2209'. Pump 6% bentonite gel from 2209' to 942'.
- 10. TOOH w/tbg to 942'. Pump 100' C1A cement plug from 942' to 842' (7" csg shoe depth).
- 11. TOOH w/tbg to 842'. Pump 6% bentonite gel from 842' to 592'.
- 12. TOOH w/ tbg to 592'. Pump 102' C1A cement plug from 592' to 490. (Coal shows plug)
- 13. TOOH w/tbg to 490'. Pump 6% bentonite gel from 490' to 100'.
- 14. TOOH w/tbg to 100'. Pump 100' C1A cement plug from 100' to Surface. (Surface plug)
- 15. Reclaim location and well road to WV DEP specifications and erect P&A well monument.

RECEIVED

OCT 06 2022

10/28/2022

10-Dec-98

Farm name: ROWLAND LAND CO.

. . . .

API # 47- 81-01159 Reviewed State of West Virginia Division of Environmental Protection Section of Oil and Gas Well Operator's Report of Well Work

Operator Well No.: ROWLAND LAND 31

Reviewed\_

Elevation: 2,309.00 Quadrangle: DOROTHY

District: CLEAR FORK County: RALEIGH Latitude: 12600 Feet South of 37 Deg. 55Min. 0 Sec. Longitude 200 Feet West of 81 Deg. 22 Min. 30 Sec.

Company: DOMINION APPALACHIAN DEVE Casing | Used in | Left P. O. BOX 1248 Fill Up JANE LEW, WV 26378-0000 Tubing | Drilling | in Well Cu. Ft. Agent: JOHN T. HASKINS ------Inspector: RODNEY DILLON Permit Issued: 12/10/98 20' 20' 9 5/8 Well work Commenced: 5/22/99 Well work Completed: 5/04/99 Verbal Plugging 892' 892' 140 sks Rotary X Cable Rig 4 1/2" | 3605 | 3605 | 270 sks Fresh water depths (ft) None reported --Salt water depths (ft) None reported Is coal being mined in area (Y/N)? Coal Depths (ft): 350-351, 540-542

OPEN FLOW DATA 3304-3311' Weir Pay zone depth (ft) 2600-2608' Producing formation Lower Maxton Gas: Initial open flow 900 MCF/d Oil: Initial open flow 0 Bbl/d
Final open flow 1841 MCF/d Final open flow 0 Bbl/d
Time of open flow between initial and final tests 20 Hours Static rock Pressure 440 psig (surface pressure) after

Second producing formation Middle Maxton Pay zone depth (ft) 2320-2327 Gas: Initial open flow \* MCF/d Oil: Initial open flow \* Bbl/d Final open flow \* MCF/d Final open flow \* Bbl/d Time of open flow between initial and final tests Static rock Pressure \* psig (surface pressure) after

\* Commingled
NOTE: ON BACK OF THIS FORM PUT THE FOLLOWING: 1). DETAILS OF PERFORATED
INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2). THE WELL
LOG WHICH IS A SYSTEMATIC DETAILED GEOLOGICAL RECORD OF ALL FORMATIONS, INCLUDING COAL ENCOUNTERED BY THE WELLBORE.

> For: DOMINION APPALACHIAN DEVELOPMENT, INC. Carollo By: Larry J. Cavallo; Manager of Engineering

Date: 7/7/99

OCT 06 2022

3	STAGE(S) 75Q foam	r FRAC		DATE	6/4/	99
ZONES	PERFS	HOLES		BBL	BP	ISIP
Weir	3304-3311	. 16	3	90 foam	1743	1424
Lower Maxton	2600-2608	3 16	2	91 foam	2794	1385
Middle Maxton	2320-2327	16	3	52 foam	1462	1027
FORMATION	COLOR	HARD/SOFT	TOP	ВОТ	гом	REMARKS
VERBURDEN			0		20	
HALE		6	20		30	
ANDSTONE		*	30	1	20	
ANDY SHALE			- 120	2	90	
ANDSTONE_			290		20	
ANDY SHALE			320	3	50	
OAL			350	3	51	
ANDY SHALE			351	4	50	
ANDTONE			450	5	20 .	
ANDY SHALE	20 X 24 1		520	5	40	
OAL			540	5	42	
ANDY SHALE			542	7	30	
			730	8	10	27.7
ANDSTONE	_		810		00	
ANDY SHALE			1000	17		
ANSTONE			1720		80	
ANDY SHALE			1980		20	
AVENCLIFF			2020		20	
ED SHALE		20 0	2120		20	AND AND THE PARTY OF THE PARTY
PPER MAXTON	release that the exercise of	-27: 1.122:31 - 1.11 - 1.11	2320		75.	Andrew Commencer
ANDY SHALE	THE STATE OF THE PARTY.	for the same of	2375		95	and the same of the same of
IDDLE MAXTON					30	
ANDY SHALE			2395	277 2	60	
ED SHALE			2430	3.75		
ANDY SHALE			2460	- 1	90	
ANDSTONE		en ag afficiant of the file	2490	The second secon	80	TO STATE OF
ANDY SHALE	ANN FROM TRY		2580		50	100 - D
OWER MAXTON			2650		75	2.0
NDYSHALE			2675		.30	
G LIME		4 4.	3130		.60	a dis
.G INJUN		147	3160		70	104
ANDY SHALE			3270		15	
PPER WEIR			3315		71	
ANDY SHALE	ä	*1 98		36	72 TD	

RECEIVED Office of Oil and Gas

OCI 06 2022

WV December of Environment of 10/28/2022

WW-4A Revised 6-07

1) Date:	September 6,	2022				
<ol> <li>Operator's Rowland Lan</li> </ol>	r's Well Number and 31					
3) API Well l	No.: 47 -	081	-	01159		

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4) 8	Surface Owr	ner(s) to be served:	<ol><li>(a) Coal Operator</li></ol>		
(	a) Name	Rowland Land Company	Name	Republic Energy, LLC	
I	Address	405 Capital Street, Suite 609	Address	P.O. Box 69	
		Charleston, WV 25301		Pax, WV 25904	
(	b) Name		(b) Coal Ow	ner(s) with Declaration	
	Address		Name	Rowland Land Company, LLC	
			Address	405 Capitol Street, Suite 609	
				Charleston, WV 25301	
(	c) Name		Name		
Ä	Address		Address		
		-			
6) Ir	ispector	Gary Kennedy	(c) Coal Les	see with Declaration	
	ddress	66 Old Church Road	Name	Black King Mine Development Company	
		Pipestem, WV 25979	Address	P.O. Box 261	
T	elephone	304-382-8402		Julian, WV 25529	
ТО	THE PE	RSONS NAMED ABO	VE: You should have rece	ived this Form and the following documents:	
	well i	application to Plug and Abandon a its and the plugging work order; an olat (surveyor's map) showing the v	nd	sets out the parties involved in the work and describes the	
		you received these documents is that you are not required to take any action at		ation which are summarized in the instructions on the reverses side.	
	accompany	ing documents for a permit to plug and	abandon a well with the Chief of the	operator proposes to file or has filed this Notice and Application and e Office of Oil and Gas, West Virginia Department of Environmental on and depicted on the attached Form WW-6. Copies of this Notice,	

accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

Well Operator	Diversified Production, LLC
By:	Austin Suller Just Suth
	Asset Retirement Manager
Address	414 Summers Strret
	Charleston, WV 25301
Telephone	304-419-2562

Subscribed and sworn before me this 8th day of Sloten Der 2022 OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA SANGRE L. Messer 2417 Man Pd. Julian Pd.

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

OCT 06 2022

# Rowland Land \$1159P 47-081-01159







Office of Oil and Gas

SEP 9 2022

WV Depa ... Environmental E

47 0 8 1 0 1 1 5 9 P

API No. Farm Name

Well No.

Rowland Land Company

Rowland Land 31

### INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

WAIVED

	THE VER
has examined this proposed plugging work order.	er/ lessee/ of the coal under this well location. The undersigned has no objection to the work proposed to be has complied with all applicable requirements of the West.
Date: 9/29/22	Republic, Energy, LLC  By: Imothy & M'Grachy  Its Athonized Agut

RECEIVED
Office of Oil and Gas

OCT 06 2022

WV Department of Environmental Protection

4708101159

API No. Farm Name 47-081-01159 Rowland Land Company

Well No.

Rowland Land 31

### INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER
has examined this proposed plugging work order.	ner/ lessee/ of the coal under this well location The undersigned has no objection to the work proposed to be has complied with all applicable requirements of the West
Date: 9/29/2022	In Alyn
	By: James A. CAPPUCCT  Its Black King Mine Development Co.

RECEIVED
Office of Oil and Gas

OCT 06 2022

10/28/2022

WW-9 (5/16)

API Number	47	_ 0	81 _	01159
Operator's W	/ell 1	No.	Rowland	Land 31

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Diversified Production, LLC	OP Code 494524	121
Watershed (HUC 10) Workman Creek of Clear Fork of the	Big Coal River Quadrangle Dorothy	
Do you anticipate using more than 5,000 bbls of wat	ter to complete the proposed well work? Yes _	No ✓
Will a pit be used? Yes 🗸 No 📗		
If so, please describe anticipated pit waste:	Produced fluid and cement returns	
Will a synthetic liner be used in the pit? Ye	es / No If so, what ml.? 20	
Proposed Disposal Method For Treated Pit	Wastes:	
Underground Injection ( Reuse (at API Number Off Site Disposal (Suppl	octed provide a completed form WW-9-GPP)  UIC Permit Number_Twin Branch - 2D 04701511002  by form WW-9 for disposal location)	)
Will closed loop systembe used? If so, describe: N	I/A	
Drilling medium anticipated for this well (vertical a	nd horizontal)? Air, fieshwater, oil based, etc. 1	WA
-If oil based, what type? Synthetic, petrole	um, etc. N/A	
Additives to be used in drilling medium? N/A		
Drill cuttings disposal method? Leave in pit, landfil	I, removed offsite, etc. N/A	
-If left in pit and plan to solidify what med	ium will be used? (cement, lime, sawdust) N/A	
-Landfill or offsite name/permit number?	N/A	·
Permittee shall provide written notice to the Office West Virginia solid waste facility. The notice shall where it was properly disposed.		
on April 1, 2016, by the Office of Oil and Cas of the provisions of the permit are enforceable by law. Victor regulation can lead to enforcement action.  I certify under penalty of law that I have application form and all attachments thereto and the information, I believe that the information is to submitting false information, including the possibility Company Official Signature	plations of any term or condition of the general position of the general position of the general position of the general position and the general position of the general posi	Protection. I understand that the ermit and/or other applicable law e information submitted on this diately responsible for o btaining
Company Official (Typed Name) Austin Sutler		RECEIVED
Company Official Title Asset Retirement Manager		Office of Oil and Gas
Subscribed and sworn before me this Sth d	av of Sonlembur 2022	OCT 06 2022
Sandia R. Mosor	Notary Pul	WV Department of Environmental Protection
My commission expires Sept. 18	2027	OFFICIAL SEAL MOTARY PUBLIC STATE OF WEST VIRGINIA Sandra L. Misser 2412 Juhan Pd. Juhan, WV 25529 My Commission Express September 18, 2027

### 4/081011596

Form WW-9

Operator's Well No. Rowland Land 31


2	tment: Acres Disturbed 1 +/-		
	Tons/acre or to correct to pH	605	
Fertilizer type	10-20-20 or equivalent		
Fertilizer amount		os/acre	
Mulch 2	Tons/a	acre	
	Seed	d Mixtures	
Te	emporary	Perma	nent
Seed Type	lbs/acre	Seed Type	lbs/acre
Red Fescue	40	Red Fescue	15
Alsike	5	Alsike Clover	5
Annual Rye	15		
Maps(s) of road, location, p provided). If water from the (L, W), and area in acres, of	e pit will be land applied, provide wa	ation (unless engineered plans includater volume, include dimensions (L,	ding this info have been W, D) of the pit, and dimensions
Maps(s) of road, location, p provided). If water from the (L, W), and area in acres, of Photocopied section of invo	e pit will be land applied, provide was fithe land application area.	ation (unless engineered plans includater volume, include dimensions (L,	W, D) of the pit, and dimensions
Maps(s) of road, location, p provided). If water from the (L, W), and area in acres, of Photocopied section of invo	e pit will be land applied, provide was fithe land application area.	ater volume, include dimensions (L,	W, D) of the pit, and dimensions
Maps(s) of road, location, p provided). If water from the (L, W), and area in acres, of Photocopied section of invo	e pit will be land applied, provide was fithe land application area.	ater volume, include dimensions (L,	W, D) of the pit, and dimensions
Maps(s) of road, location, p provided). If water from the (L, W), and area in acres, of Photocopied section of invo	e pit will be land applied, provide was fithe land application area.	ater volume, include dimensions (L,	W, D) of the pit, and dimensions
Maps(s) of road, location, p provided). If water from the (L, W), and area in acres, of Photocopied section of invo	e pit will be land applied, provide was fithe land application area.	ater volume, include dimensions (L,	W, D) of the pit, and dimensions
Maps(s) of road, location, p provided). If water from the (L, W), and area in acres, of Photocopied section of invo	e pit will be land applied, provide was fithe land application area.	ater volume, include dimensions (L,	W, D) of the pit, and dimensions
provided). If water from the (L, W), and area in acres, of	e pit will be land applied, provide was fithe land application area.	ater volume, include dimensions (L,	W, D) of the pit, and dimensions
Maps(s) of road, location, p provided). If water from the (L, W), and area in acres, of Photocopied section of invo	e pit will be land applied, provide was fithe land application area.  Solved 7.5' topographic sheet.	ater volume, include dimensions (L,	W, D) of the pit, and dimensions

WV Department of Environmental Protection WW-7 8-30-06



### West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOC	CATION FORM: GPS					
<sub>API:</sub> 47-081-01159	WELL NO.: 3	1				
FARM NAME: Rowland La	nd Co					
RESPONSIBLE PARTY NAME:	Diversified Production	on LLC	_			
COUNTY: Raleigh	DISTRICT: Cle	ar Fork	<u></u> -			
QUADRANGLE: Dorothy			_			
SURFACE OWNER: Rowland	d Land Co					
ROYALTY OWNER: Rowlan	d Land Co		_			
UTM GPS NORTHING: 41928						
UTM GPS EASTING: 466978	.46 GPS ELEVATI	ON: 2286'				
The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements:  1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters.  2. Accuracy to Datum – 3.05 meters  3. Data Collection Method: Survey grade GPS: Post Processed Differential						
	me Differential					
Mapping Grade GPS X : Post	Processed Differential X					
	-Time Differential					
I the undersigned, hereby certify this belief and shows all the information r prescribed by the Office of Oil and G	required by law and the regulatio	knowledge and	RECEIVED Office of Oil and Gas			
Digitally signed by Austin Sutler Date: 2022,09.02 13:13:23 -04'00'	Asset Retirement Manager	9/2/2022	OCT 06 2022			
Signature	Title	Date	Wy Department of Environmental Protection			





To Whom it May Concern,

Attached is an amendment that has been submitted to Chief of the office of oil and gas of the West Virginia Department of Environmental Protection. The subject well is listed within the letter to the Chief.

Thank You.





9/16/2022

James Martin Office of Oil and Gas 601 57<sup>th</sup> Street, SE Charleston, WV 25304 (304)926-0450

Mr. Martin,

Due to our cement provider, LaFarge Holcem, discontinuing the manufacturing of Class A cement, DGOC will be utilizing Class L cement to plug the following well:

4708101159 Rowland Land 31

Attached is the approved variance order for use of Class L cement.

Sincerely,

Austin Sutler Asset Retirement Manager

RECEIVED Gas
Office of Oil & Gas
SEP 21 2022

WV Department of Environmental Protection



west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 Phone (304) 926-0450 Harold D. Ward, Cabinet Secretary dep.wv.gov

### BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

IN THE MATTER OF A VARIANCE FROM LEGISLATIVE RULE 35CSR4 SECTION 14.1. AND LEGISLATIVE RULE 35CSR8 SECTION 20.1, RELATING TO THE CEMENTING	) ) )	ORDER NO.	2022-13
OF OIL AND GAS WELLS	)		

### REPORT OF THE OFFICE

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute (API) Class L cement to be used in place of API Class A cement for well plugging.

- 1. On July 28, 2022, Diversified Gas & Oil Co. (DGO) submitted a variance request from Department Protect Legislative Rule 35CSR4 for the use of API Class L cement in place of API Class A cement, relating to the plugging of conventional wells.
- 2. Laboratory analysis submitted by DGO on July 28, 2022, indicates API Class L cement is comparable to API Class A cement and thereby satisfies the requirements of the West Virginia Code.
- 3. Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a variance to Legislative Rule 35CSR8 Section 20.1., for the use of API Class L cement in place of API Class A cement, relating to the plugging of horizontal wells.

Promoting a healthy environment.

4708101159

 On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of public comments on the variance consideration. During the 20-day public comment period, no comments were received.

### CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules.

### ORDER

It is ordered that the Class L cement product approved and monogramed by API is approved for use in place of API Class A cement for well plugging subject to the provisions of Legislative Rule 35CSR4 and Legislative Rule 35CSR8.

Dated this, the 13th day of September, 2022.

### IN THE NAME OF THE STATE OF WEST VIRGINIA

OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION OF THE STATE OF WEST VIRGINIA


James Martin, Chief Office of Oll and Gas

Office of Oil & Gas

SEP 21 2022

WV Department of Environmental Protection

4708101159



Environmental Protection



#### Kennedy, James P < james.p.kennedy@wv.gov>

### plugging permits issued for 4708101159, 08101128

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Fri, Oct 28, 2022 at 2:25 PM

To: Gary L Kennedy <gary.l.kennedy@wv.gov>, Austin Sutler <asutler@dgoc.com>, Phyllis Copley <pcopley@dgoc.com>, raleigh@wvassessor.com

To whom it may concern, plugging permits have been issued for 4708101159, 08101128.

James Kennedy

WVDEP OOG

#### 4 attachments



**4708101159.pdf** 3524K



**4708101128.pdf** 3617K



**IR-8 4708101159.pdf** 12K



**IR-8 4708101128 .pdf** 12K