

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

June 23, 2016

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-8101268, issued to EXCO RESOURCES (PA), LLC, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions, please free to contact me at (304) 926-0499 ext. 1654.

Operator's Well No: 4-C

Farm Name: WESTERN POCAHONTAS PROP.

James Marti

API Well Number: 47-8101268
Permit Type: Plugging
Date Issued: 06/23/2016

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. This well is under a consent order and must be plugged under the terms of that agreement.

WW-4I	3
20	
Rev.	2/01

1) Date	e5/:	1/20	16		,
2) Ope:	rator	's			-
Wel	l No.	WpP	4-C		
API	Well	No.	47	081-01268C	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

APPLICATION FOR A PERM	MIT TO PLUG AND ABANDON		
4) Well Type: Oil/ GasX_/ Liquid (If "Gas, Production X or Und	derground storage/ Deep/ Shallow		
5) Location: Elevation 2516	Watershed Stover Fork		
District Trap Hill			
6) Well Operator EXCO Resources (PA), LLC	7) Designated Agent Diana Stampler/C.T.Corp.		
Address PO Box 8.	Address 5400 D Big Tyler Road		
Ravenswood, WV 26164	Charleston, WV 25301		
Oil and Gas Inspector to be notified	9)Plugging Contractor		
Name GARY KENNEDY	Name R & R WELL SERVICE		
Address Po Box 268, Nimitz WV 25978	Address 42 LYNCH RIDGE		
PHONE 304 382 8402	WALTON, WV 25286		
Well is as follows: Well is as follows: Which Rive pressure Remove all equipment used to produce well Pull 1125' of tubing' Fill sump and laterials with water Gel hole cement 765 to 665			
Set permsnent bridge at 490'			
Cement 100' above bridge to 390			
Gel to 390 to 100'			
Cement 100'to surface			
Set Monument with proper API	AFA.		
SIGNATURE Myny Kennaly	DATE- CPAPERS DATE- CPAPERS WV Department of Environmental Protection		

WR-35 Rev (5-01) DATE: 11/5/2004 API#: 47-8101268-C

State of West Virginia Department of Environmental Protection Office of Oil and Gas

Well Operator's Report of Well Work

6C7

		56070200301 P. D. P \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Farm name:	Western Pocahontas	Operator Well No.: <u>4-C</u>
LOCATION:	Elevation: GL 1964'	Quadrangle: LESTER 7.5"
Dis	strict: TRAP HILL	County: RALEIGH
Lat	titude: 3,100 Feet South of 37 De	eg. 45 Min. 00 Sec.
Lo	ngitude 120 Feet West of 81 De	g. 20 Min. 00 Sec.

Company: Casing & Used in Left in well Cement fill up Energy Search, Inc Tubing drilling Cu. Ft. Address: 88 Products Lane, Marietta, Ohio 45750 20" 20' 20' Mike McCown Agent: 13 3/8" 220' 220' 185 sks Inspector: Rick Campbell 4/11/2002 Date Permit Issued: Date Well Work Commenced: 9 5/8" 510' 510' 175 sks 8/10/2002 Date Well Work Completed: 9/3/2002 Verbal Plugging: Date Permission granted on: Not Comented 5 1/2" 1188' Rotary XX Cable Rig Total Depth (feet): Sump Hole 1199'MD/865'TVD Main Lateral: 2804'MD/714"TVD Leg 1: 2072'MD/732"TVD


OPEN FLOW DATA

Producing formation	Poca #3 Coal Seam	Pay zone de	pth (ft) TVD Ra	nge 714 –735'
Gas: Initial open flow	220 in-line MCF/d O	il: Initial open flov	vBbl/d	
Final open flow	220 in-line MCF/d	Final open flow	Bbl/d	
Time of open flow	between initial and f	inal tests	Hours	
Static rock Pressure_	psig (surface press	sure) afterI	Hours	
Second producing for	mation	Pay zone de	oth (ft)	
Gas: Initial open flow	MCF/d Oil:	Initial open flow_	Bbl/d	
Final open flow	MCF/d Fi	nal open flow	Bbl/d	
Time of open flow	between initial and f	inal tests	Hours	
Static rock Pressure_	psig (surfac	e pressure) after _	Hours	0)
Signed:	Knot	Henry		RECEIV Office of Oil Office of C
Date:	11.10.04		_	MAR 18/8

PECEIVED
Office of Oil & Gas
Office of Chief ///
MAR 11.8 / 2005

WV Department of
Environmental Protection


WESTEN POCAHONTAS 4-C RALEIGH CO., WV



Office of Oil and Gas

JUN 0 9 2016

WV Department of Environmental Profession



WW-4A Revised 6-07

1) Date:	5/1/2016		and the last
	's Well Number Coal Wpp 4-C		
3) API Well	No.: 47 -	081-01268C	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

	NOTICE OF APPLICATION 1		D ABANDON A WELL		
4) Surface Owne (a) Name Address	er(s) to be served: 5) (x) C Western Pocahontas Properties, LP 5260 Irwin Rd. Huntington, WV 25705	Coal Operator Name Address	Beaver Coalco. — Westen Aveobates fees. 145 1/2 Kanawha St. Beckley, Wv 25801		
(b) Name Address		Name Address P.O.	mer(s) with Declaration peace.		
(c) Name Address		Address			
6) Inspector Address Telephone	Gary Kennedy P.O. Box 268 Nimitz, WV 25978 Ph. (304) 382 8402	(c) Coal Les Name Address	see with Declaration		
(1) The appendix well it (2) The p The reason properties the properties of the period	pplication to Plug and Abandon a Well on Forms and the plugging work order; and lat (surveyor's map) showing the well location of you received these documents is that you have rights out are not required to take any action at all. that under Chapter 22-6 of the West Virginia Code, the good documents for a permit to plug and abandon a well have the contraction of the second contraction.	n WW-4B, which on Form WW-6. regarding the application and the undersigned well with the Chief of the attached Application certified mail or determined to the certified to the cer	sets out the parties involved in the work and describes the cation which are summarized in the instructions on the reverses side. operator proposes to file or has filed this Notice and Application and the Office of Oil and Gas, West Virginia Department of Environmental ion and depicted on the attached Form WW-6. Copies of this Notice, elivered by hand to the person(s) named above (or by publication in		
	Public, State of West Virginia Kathryn Shafer 4427 Charleston Road Ripley WV 25271 R	Randall Sheets Softer O BOX 8 AVENSWOOL	Januar & She		
	- 4.	of Jun Suofus	Notary Publice of Oil and Gas		
My Commission	Expires	,	JUN 0 9 2016		
Oil and Gas Priva	Oil and Gas Privacy Notice				

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

WW-9 (5/13)

	Page	_ of
API Number 47 -	081 - 0126	8C
Operator's	Well No. WPF	4C


STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name ÉXCO Resources (PA), LLC OP	Code 307860
Watershed (HUC 10) <u>Trib. Of Rockhouse</u> Quadrangle <u>Le</u>	ester 7.5
Elevation 2010 1965 County Releigh D	istrict Trap Hill
Do you anticipate using more than 5,000 bbls of water to complete the proposed well wo Will a pit be used for drill cuttings? Yes No While the proposed well wo	
If so, please describe anticipated pit waste:	
Will a synthetic liner be used in the pit? Yes No If so, wh	
Land Application Underground Injection (UIC Permit Number Reuse (at API Number)
Off Site Disposal (Supply form WW-9 for disposal location) Other (Explain no flluids are expected in return	
Will closed loop system be used?	
Drilling medium anticipated for this well? Air, freshwater, oil based, etc	
-If oil based, what type? Synthetic, petroleum, etc	
Additives to be used in drilling medium?	
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc	
-If left in pit and plan to solidify what medium will be used? (cement, lime, saw	wdust)
-Landfill or offsite name/permit number?	
I certify that I understand and agree to the terms and conditions of the GENE on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Er provisions of the permit are enforceable by law. Violations of any term or condition law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am fam application form and all attachments thereto and that, based on my inquiry of the obtaining the information, I believe that the information is true, accurate, and compenalties for submitting false information, including the possibility of fine or imprisonm	of the general permit and/or other applicable niliar with the information submitted on this ose individuals immediately responsible for plete. I am aware that there are significant
Company Official Signature Randall & Shi	Office of OVE
Company Official (Typed Name) Randall Sheets	Office of Oil and Gas
Company Official Title Sufurus or	JUN 0 9 2016
Subscribed and sworn before me this 7th day of Jul My commission expires 5/9/24	Official Seal Notary Public, State of West Virginia Notary Public

Form WW-9			Operator'	s Well No. WPP 4C
Proposed Revegetation Treat	ment: Acres Disturbe		Prevegetation	npH 6.0
	s per Acre of correct to 6. or equivalent)		(500 lbs minimum)	
Mulch		2 Tons/acre		
		Seed Mixture	es	
Ar Seed Type	ea I lbs/acre		Seed Type	Area II lbs/acre
KENTUCKY FESCUE	40	S	AME AS #1	
ALSIKE CLOVER	5			
ANNUAL RYE	16		A	
Plan Approved by:	Many Kows			
Title: Inspecto	V-	Date	e: 6/7/2016	
) Yes	() No		Office of Oil and Gas
				JUN 0 9 2016

WV Department of Environmental Protection





West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

_{API:} 47 081 01268 C	WELL NO.	. <u>WPP 4C</u>		
FARM NAME: Western Pocahontas Properties				
RESPONSIBLE PARTY NAME: EXC	CO Resources	s (PA), LLC		
	DISTRICT: _			
QUADRANGLE: Lester 7.5				
SURFACE OWNER: Western Po	cahontas Pro	perties		
ROYALTY OWNER: Western Po	ocahontas Pro	perties		
UTM GPS NORTHING: 4177193				
UTM GPS EASTING: 470615	GPS ELEV	ATION: 1964		
The Responsible Party named above has che preparing a new well location plat for a plu above well. The Office of Oil and Gas will the following requirements: 1. Datum: NAD 1983, Zone: 17 N height above mean sea level (M. 2. Accuracy to Datum – 3.05 meters.) 3. Data Collection Method: Survey grade GPS: Post Processes.	gging permit or assigner not accept GPS coordinate Units: SL) – meters.	ed API number on the inates that do not meet		
	fferential			
Mapping Grade GPS X : Post Processed Differential				
4. Letter size copy of the topogra I the undersigned, hereby certify this data i belief and shows all the information require prescribed by the Office of Oil and Gas.	ed by law and the regui	e well location () and Gas		
Naclal Signature	Suproisor Title	Date of ection		

We so Vicinian Department of Living a second Probabilism When O weath() THE ENTRY HOLDS TO USE SET FARMAN AND PROBLEMS & REPORTED

LESPONSIAL PRINCES VILLE BACCO ROS LAP -- (PA) LLC

o because a various.

Vastore Po Ceorda Coperies


suinsquaria a made Heart Pocarcia a Propertions

e source at the set for any of the registration and the second of the contract of the property of the second of the seco is in whatevecomes a Otto construction of a little section of

sout title i restrance in last last of a contract of the Migraphy,

and the difference of a mention and of a graph of the graph and expression of the

describbled the distance of the form of the superconductions and but it is the first party of the conduction of the cond



06/24/2016