

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Tuesday, August 30, 2022 WELL WORK PLUGGING PERMIT Coal Bed Methane Well Plugging

DIVERSIFIED PRODUCTION LLC 101 MCQUISTON DRIVE

JACKSON CENTER, PA 16133

Re: Permit approval for HENDERSON 1BR 47-081-01421-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

> James A. Martin Chief

Operator's Well Number: HENDERSON 1BR

Farm Name: TROY & NORMA HENDERS

U.S. WELL NUMBER: 47-081-01421-00-00

Coal Bed Methane Well Plugging

Date Issued: 8/30/2022

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

WW-4B Rev. 2/01

| 1) Date April 19 | , | 20 22 | _ |
|------------------------|-----|---------|---|
| 2) Operator's | -21 | | |
| Well No. Henderson 1BR | | | |
| 3) API Well No. 47-081 | | - 01421 | |

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

| | | OIL AND GAS |
|------|---|--|
| | APPLICATION FOR A PERM | IIT TO PLUG AND ABANDON FOR A CBM WELL. |
| 4) | Well Type: Oil/ Gas X/ Liquid | |
| - 1 | | derground storage) Deep/ Shallow X |
| | | Ole on Foods |
| 5) | Location: Elevation 1959.29 ft | Watershed Clear Fork |
| | District Trap Hill | County Raleigh Quadrangle Arnett |
| 6) | Well Operator Diversified Production, LLC | 7) Designated Agent Jeff Mast |
| 0, | Address 414 Summers Street | Address 31 Hickory Drive |
| | Charleston, WV 25301 | Barboursville, WV 25504 |
| | | |
| 8) | Canallanada | Name R & J Well Services |
| | Name Gary Kennedy Address 66 Old Church Lane | Address P.O. Box 40 |
| | Pipestem, WV 25979 | Hueysville, KY 41640-0040 |
| | THIS IS THE PRODUCTION WELL | |
| | | RECEIVED Office of Oil and Gas |
| | | APR 29 2022 |
| | | WV Department of Environmental Protection |
| | | |
| | fication must be given to the district of can commence. | il and gas inspector 24 hours before permitted |
| Wor} | order approved by inspector | Kumed Date 4/26/22 |

Plugging Prognosis

API#: 4710901421

Casing Schedule:

13 3/8" @ 65' CTS 9 5/8" @ 515' CTS 7" @ 752' CTS

TD listed as 882' Estimated lateral from plat

- B Hole
 - o 32,500' x 4.75" Hole ID = 4,000 Cu ft = 890 BBL w/ 125% excess

Fresh Water: 385

Salt Water: None listed Gas Shows: None listed Oil Shows: None listed Coal: 362', 521', 563', 787

Elevation: 1967'

- 1. Notify Inspector Gary Kennedy @ 304-382-8402, 48 hrs prior to commencing operations.
- 2. Record pressure on csg.
- 3. TOOH w/ rods and tbg.
- 4. Kill well with gel as needed. Then proceed to load wellbore with gel to a minimum of 125% capacity until wellbore is filled.
- 5. Proceed to load wellbore with bentonite pellets. Top is not to exceed 802'
- 6. TIH w/ tbg to 802'. Pump 490' C1A cement plug from **802' to 312' (7" & 9 5/8" csg shoe plug** and coal shows). Tag TOC
- 7. TOOH w/ tbg to 312'. Pump 6% bentonite gel spacer from 312' to 100'.
- 8. Confirm 7" csg is cemented to surface. If not TOOH w/ tbg. Free point csg and set plug 50' in/out of cut for total of 100'.
- 9. TOOH w/ tbg to 100'. Pump 100' C1A cement plug from 100' to surface
- 10. Reclaim site and set monument per WV DEP regulations.

SHE

CEIVED oil and Gas

APR 29 2022

e nent of Protection

DATE: 08/28/2008 API#:: 4708 1617210 8 1 0 1 4 2 1 P

09/02/2022

State of West Virginia Division of Environmental Production Section of Oil and Gas


Well Operator's Report of Well Work

| Farm Name TROY & NORMA HENDERSON | | Opera | tor Well No.: HEN | DERSON 1BR | |
|--|--|---|--|------------------|--------------------------------------|
| LOCATION Elevation: 1967.43 | | Quadra | ingle: Arnett 7 1/2 | | F |
| District: Trap Hill | | County: Ra | leigh | | |
| Latitude: Feet South of | Deg. | Min. | Sec. | | * |
| Longitude: Feet West of | Deg. | Min. | Sec. | | |
| | | | | | |
| Company: | | l Handin | Left in well | Cement fill | |
| Penn Virginia Oil & Gas Corporation | Casing and Tubing | Used in drilling | | up Cu. Ft. | |
| Address: 2550 East Stone Drive, Suite 110 | 13 3/8" | 65' | 65' | 182.9 Cu Ft. | |
| Kingsport, TN 37660 | 9 5/8" | 515' | 515' | 295 Cu Ft. | |
| Agent: Bryant Bowman | 7" | 752' | 752' | 236 Cu Ft. | |
| Inspector: Terry Urban | | | | | ei . |
| Date Permit Issued: 12/18/2006 | | | | | 21 |
| Date Well Work Commenced: 13/18/2004 | | | | | |
| Date Well Work Completed: 01/31/2007 | | | | | |
| Verbal Plugging: | | | | | |
| Date Permission granted on: | | | | - | |
| Rotary X Cable Rig | | | | | |
| Total Depth (feet): 882 | | | | | ž |
| Fresh Water Depth (ft): | | - | | | |
| 385" | | | | | į. |
| Salt Water Depth (ft): | | | | | |
| None Reported | | | | Off | RECEIVED ice of Oil and Gas |
| Is coal being mined in area (N/Y)? N | | | | | |
| . Coal Depths (ft): | | | | A | PR 29 2022 |
| 362; 521; 563; 787 | | | | 170 | Ties |
| | | | NI. | Enviror | Department of Inmental Protection |
| <u>a</u> | J. | l | - Come | 1 | |
| OPEN FLOW DATA | | | | | |
| Producing formation Lower Beckley | | Pa | y zone depth (ft) | 792 | R |
| | Dil: Initial open flo | w | Bbl/d | | |
| | inal open flow | Bbl/d | | | |
| Time of open flow between initial and final | tests: | Hours | | | |
| Static rock pressure psig (surface | | Hou | rs | | |
| Second producing formation | | Pay zone | e depth (ft) | | |
| Gas: Initial open flow MCF/d | Oil: Initial open flo | ow . | Bbl/d | | |
| Final open flow MCF/d | Final open flow | Bbl | /d | o skie | |
| Time of open flow between initial and final | tests: | Hours | | a The Made | |
| Static rock pressurepsig (surface p | | Hou | rs | 61 66 | |
| NOTE: ON BACK OF THIS FORM PUT THE FOLL INTERVALS, FRACTURING OR STIMULATING, F WHICH IS A SYSTEMATIC DETAILED GEOLOGI COAL ENCOUNTERED BY THE WELLBORE. | LOWING: 1). DET PHYSICAL CHAN CAL RECORD O | AILS OF PERF E, TEC. 2). TH F ALL FORMA | FORATED E WELL LOG TIONS, INCLUDIN | e VIR 3 3 5008 | ol distillar |
| Signed: Martha Eo. A By: Everyn HI Date: \$128/08 | hudson | | | Michigan Chiales | |

WELL #: HENDERSON 1BR

DETAILS OF PERFORATIONS, FRACTURING, OR PHYSICAL CHANGE, ETC.

| FORMATIONS | TOP | BOTTOM | REMARKS | |
|---------------------|------|--------|--|--|
| * | | | SHE | |
| Sand | 0000 | 0124 | | |
| Shale / Sandy Shale | 0124 | 0252 | | |
| Sand | 0252 | 0335 | | |
| Shale / Sandy Shale | 0335 | 0362 | | |
| Coal | 0362 | 0364 | | |
| Sand | 0364 | 0476 | Water @ 385' | |
| Shale | 0476 | 0508 | | |
| Sand | 0508 | 0514 | | |
| Shale | 0514 | 0521 | | |
| Coal | 0521 | 0527 | | 990 |
| Shale | 0527 | 0563 | | |
| Coal | 0563 | 0565 | | RECEIVED Office of Oil and Gas |
| Shale · . | 0565 | 0572 | | |
| Sand | 0572 | 0713 | | APR 29 2022 |
| Sandy Shale | 0713 | 0719 | | |
| Sand | 0719 | 0721 | | NV Lapartment of Environmental Protection |
| Shale | 0721 | 0724 | | Fliamor: martial - totaction- |
| Sand | 0724 | 0757 | to the state of th | |
| Shale | 0757 | 0783 | | |
| Sand | 0783 | 0787 | | |
| Lower Beckley Coal | 0787 | 0792 | Target formation, produced water | |
| Shale / Sandy Shale | 0792 | 0834 | a ⁸ | |
| Fire Creek Coal | 0834 | 0835 | | |
| Shale / Sandy Coal | 0835 | 0872 | TB 1/2 C 114/1111 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | |
| Sand | 0872 | 0882 | TD Vertical Well Henderson 1BR | |





WW-4A Revised 6-07

| 1) | Date: | April 19, 2022 | | | |
|----|---|----------------|-----|-------|--|
| 2) | Operator's Well Number Henderson 1BR | | er | | |
| 3) | API Well | No.: 47 - | 081 | 01421 | |

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

| Surface Ow | ner(s) to be served: | (a) Coal Operator | | |
|------------------------------|----------------------|-------------------------------------|------------------------------|--|
| (a) Name | Clint Henderson | Name | None | |
| Address | P.O. Box 136 | Address | | |
| | Fairmont, WV 25839 | | | |
| (b) Name | (| (b) Coal Own | ner(s) with Declaration | |
| Address | | Name | Clint Henderson | |
| | | Address | P.O. Box 136 | |
| | | | Fairmont, WV 25839 | |
| (c) Name | | Name | | |
| Address | | Address | | |
| 6) Inspector | Gary Kennedy | (c) Coal Less | see with Declaration | |
| Address | 66 Old Church Lane | Name | Rhino Energy LLC | |
| | Pipestem, WV 25979 | Address | 836 Euclid Avenue, Suite 302 | |
| Telephone | 304-382-8402 | | Lexington, KY 40502 | |
| | | | · | |

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

- The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the
 well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

| | OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA Phyllis A. Copley 144 Willard Circle Hurricane, WV 25528 | Well Operator By: Its: Address | Diversified Production, LLC Jeff Mast Director Technical Services 414 Summers Strret |
|-------|---|---|---|
| My Co | mmission Expires September 16, 2023 | | Charleston, WV 25301 |
| | | Telephone | 304-543-6988 |

Subscribed and sworn before me this 215t day of Capril 2022

My Commission Expires September 16, 2023

Notary Public

Office of Oil and Gas

WV Department of Environmental Protection

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

47-081-01421 Wenderson IBR

| 27 | U.S. Postal Service [™] CERTIFIED MAIL [®] RECEIPT Domestic Mail Only | |
|--------|---|--|
| 1617 | For delivery information, visit our website at www.usps.com°. Lex instant, KY 405021 A L S E | |
| 5225 | Certified Mail Fee \$3,75 \$ 0523 \$ 11 Extra Services & Fees (check box, add fee as appropriate) Return Receipt (hardcopy) \$ 11 \$ 12 \$ 13 \$ 14 \$ 15 \$ 15 \$ 15 \$ 15 \$ 15 \$ 15 \$ 15 | |
| 0001 | Return Receipt (electronic) Certified Mail Restricted Delivery Adult Signature Required Adult Signature Restricted Delivery Adult Signature Restricted Delivery | |
| 2450 | Postage \$1.96 \$ 04/21/2022 | |
| 7020 | \$8.76 Henderson 1A, Henderson 1BR Rhino Energy LLC 836 Euclid Avenue, Suite 302 Lexington, KY 40502 | |
| | PS | |
| 1624 | U.S. Postal Service™ CERTIFIED MAIL® RECEIPT Domestic Mail Only For delivery information, visit our website at www.usps.com®. | |
| 5225 l | Certified Mail Fee \$3.75 0523 | |
| 0007 | Extra Services & Fees (check box, add fee \$(app)q_ptiate) Return Receipt (hardcopy) \$ | |
| 2450 | Postage \$1.96 \$ Total Pc \$8.76 Underson 1A Hondorson 1RP | |
| 7020 | Sent To Clint Henderson P.O. Box 136 Henderson 1A, Henderson 1BR Clint Henderson P.O. Box 136 | |
| ~ | Fairmont, WV 25839 | |

Office of Oil and Gas

APR 25 2022

WV Department of Environmental Protection

WW-9 (5/16)

| API Number | 47 - | 081 | _ 01421 | |
|--------------|--------|---------|------------|--|
| Operator's W | ell No | o. Heno | derson 1BR | |

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

| FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN |
|---|
| Operator Name_Diversified Production, LLC OP Code 494524121 |
| Watershed (HUC 10) Clear Fork Quadrangle Arnett |
| Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No |
| Will a pit be used? Yes V No No |
| If so, please describe anticipated pit waste: Produced fluid and cement returns |
| Will a synthetic liner be used in the pit? Yes No If so, what ml.? 20 |
| Proposed Disposal Method For Treated Pit Wastes: |
| Land Application (if selected provide a completed form WW-9-GPP) Underground Injection (UIC Permit Number Twin Branch 47471511 |
| Reuse (at API Number) |
| Off Site Disposal (Supply form WW-9 for disposal location) Other (Explain |
| Other (Explain |
| Will closed loop systembe used? If so, describe: N/A |
| Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. N/A |
| -If oil based, what type? Synthetic, petroleum, etc. N/A |
| Additives to be used in drilling medium? N/A |
| Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. N/A |
| -If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A |
| -Landfill or offsite name/permit number? N/A |
| Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed. |
| I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penaltics for submitting false information, including the possibility of fine or imprisonment. Company Official Signature Company Official Title Director Technical Services Director Technical Services |
| Off RECEIVED |
| Subscribed and sworn before me this day of Gow , 2022 |
| APR 25 2022 |
| My commission expires September 16, 2023 Notary Public Environmental Protection |

| 1700 | tment: Acres Disturbed 1 +/- | | • |
|---|---|---|---|
| | Tons/acre or to correct to pI | 605 <u>605</u> | |
| Fertilizer type | 10-20-20 or equivalent | | |
| | | bs/acre | |
| Mulch 2 | Tons | /acre | |
| | Sec | ed Mixtures | |
| Te | emporary | Perma | nent |
| Seed Type | lbs/acre | Seed Type | lbs/acre |
| Red Fescue | 40 | Red Fescue | 15 |
| Alsike | 5 | Alsike Clover | 5 |
| Annual Rye | 15 | | |
| Maps(s) of road, location, porovided). If water from the L, W), and area in acres, of | pit will be land applied, provide v | cation (unless engineered plans incluwater volume, include dimensions (L, | ding this info have been W, D) of the pit, and dimensions |
| Maps(s) of road, location, porovided). If water from the (L, W), and area in acres, of Photocopied section of invo | pit will be land applied, provide of the land application area. | cation (unless engineered plans inclu water volume, include dimensions (L, | W, D) of the pit, and dimensions |
| Maps(s) of road, location, porovided). If water from the L, W), and area in acres, of Photocopied section of involved Approved by: | e pit will be land applied, provide we fithe land application area. | water volume, include dimensions (L, | W, D) of the pit, and dimensions |
| Maps(s) of road, location, porovided). If water from the L, W), and area in acres, of Photocopied section of involved Approved by: | e pit will be land applied, provide with the land application area. Solved 7.5' topographic sheet. | water volume, include dimensions (L, | W, D) of the pit, and dimensions |
| Maps(s) of road, location, porovided). If water from the L, W), and area in acres, of Photocopied section of involved Approved by: | e pit will be land applied, provide with the land application area. Solved 7.5' topographic sheet. | water volume, include dimensions (L, | W, D) of the pit, and dimensions |
| Maps(s) of road, location, porovided). If water from the L, W), and area in acres, of Photocopied section of involved Approved by: | e pit will be land applied, provide with the land application area. Solved 7.5' topographic sheet. | water volume, include dimensions (L, | W, D) of the pit, and dimensions |
| Maps(s) of road, location, porovided). If water from the L, W), and area in acres, of Photocopied section of involved Approved by: | e pit will be land applied, provide with the land application area. Solved 7.5' topographic sheet. | water volume, include dimensions (L, | W, D) of the pit, and dimensions |
| Maps(s) of road, location, porovided). If water from the L, W), and area in acres, of Photocopied section of involved Plan Approved by: | e pit will be land applied, provide with the land application area. Solved 7.5' topographic sheet. | water volume, include dimensions (L, | W, D) of the pit, and dimensions |
| provided). If water from the (L, W), and area in acres, of the Photocopied section of involved and Approved by: | e pit will be land applied, provide with the land application area. Solved 7.5' topographic sheet. | water volume, include dimensions (L, | W, D) of the pit, and dimensions |
| Maps(s) of road, location, porovided). If water from the L, W), and area in acres, of Photocopied section of involved Plan Approved by: | pit will be land applied, provide with the land application area. Solved 7.5' topographic sheet. | water volume, include dimensions (L, | W, D) of the pit, and dimensions |

WW-7 8-30-06



West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

| WELL LOC | ATION FORM. GIS | |
|---|--|--|
| API: 4708101421 | WELL NO.:_1 | BR |
| FARM NAME: Troy Hender | rson | |
| RESPONSIBLE PARTY NAME: | Diversified Production | on LLC |
| COUNTY: Raleigh | bistrict: Tra | p Hill |
| QUADRANGLE: Arnett, WV | | |
| SURFACE OWNER: Clint He | nderson | |
| ROYALTY OWNER: DP Blue | | |
| UTM GPS NORTHING: 41831 | | |
| UTM GPS EASTING: 465924. | 22 GPS ELEVAT | ION: 1959.29' |
| The Responsible Party named above In preparing a new well location plat for above well. The Office of Oil and Gast the following requirements: 1. Datum: NAD 1983, Zone: height above mean sea leven 2. Accuracy to Datum – 3.05. 3. Data Collection Method: Survey grade GPS: Post Pro- | a plugging permit or assigned As will not accept GPS coordinate 17 North, Coordinate Units: meet (MSL) – meters. | API number on the es that do not meet eters, Altitude: |
| | me Differential | Calca of Oil and Gas |
| Mapping Grade GPS X : Post | | APR 29 2022 |
| | equired by law and the regulation | knowledge and |
| Digitally signed by Austin Sutler Date: 2022.04.12 17:07:41 -04'00' | Sr. Proj. Manager | 4/12/2022 |
| Signature | Title | Date |



Kennedy, James P < james.p.kennedy@wv.gov>

Plugging permits issued 4708101421, 08101408

1 message

Kennedy, James P <james.p.kennedy@wv.gov> Tue, Aug 30, 2022 at 11:26 AM To: Gary L Kennedy <gary.l.kennedy@wv.gov>, raleigh@wvassessor.com, Phyllis Copley <pcopley@dgoc.com>, Austin Sutler <asutler@dgoc.com>

To whom it may concern, plugging permits have been issued for 4708101421, and 08101408.

James Kennedy

WVDEP OOG

3 attachments

