

#### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Tuesday, March 8, 2022
WELL WORK PLUGGING PERMIT
Coal Bed Methane Well Plugging

DIVERSIFIED PRODUCTION LLC 101 MCQUISTON DRIVE JACKSON CENTER, PA 16133

Re: Permit approval for RLHC-317B

47-081-01494-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A Martin Chief

Operator's Well Number: RLHC-317B

Farm Name: CLEAR FORK COAL COMPA

U.S. WELL NUMBER: 47-081-01494-00-00

Coal Bed Methane Well Plugging Date Issued: 3/8/2022

### **PERMIT CONDITIONS**

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

#### **CONDITIONS**

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

WW-4B Rev. 2/01

1) Date	February 1	,	2022
2)Opera			
Well	No. 317B		
3)API	Well No.	47-081	- 01494

### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	Levation 2401.28 feet		ove Branch of Sandlick Creek
Di	Istrict Clear Fork	County Raleigh	Quadrangle Eccles
	Diversified Production, LLC	7)Designated Age	
Address 414 Summers Street		Addre	ess 31 Hickory Drive
	Charleston, WV 25301		Barboursville, WV 25504
0	Inspector to be notified	9) Plugging Cont	
71/2/1997	ry Kennedy Old Church Lane	Name K	& J Well Services
	pestem, WV 25979		lueysville, KY 41640-0040
	The work order for the man		nis well is as follows:
	The work order for the man		nis well is as follows:
			RECEIVED Office of Oil and Gas
			RECEIVED
			RECEIVED Office of Oil and Gas
			RECEIVED Office of Oil and Gas FEB 0 9 2022 WV Department of
			RECEIVED Office of Oil and Gas FEB 0 9 2022 WV Department of

#### Plugging Prognosis

COAL BED METHANE WELL

API#: 4708101494

West Virginia, Raleigh Co.

Lat/Long: 37.855719, -81.360614

Nearest ER: Raleigh General Emergency Room - 1710 Harper Rd, Beckley, WV 25801

#### Casing Schedule:

13-3/8" @ 31' (No cement data listed)

9-5/8" @ 168' (Cemented to surface with 90 sx)

7" @ 1419' (cemented to surface with 245 sx)

TD @ 1614' w/ production from the Lower Beckley Zone 1465'-1468'

Completion - Production well for CBM production, producing zone Lower Beckley Zone 1465'-1468'. The Lateral Length is estimated as 23,000' (4 34" bit to drill 1240 BBL Capacity (125% = 630 BBL))

Fresh Water: None listed

Salt Water: None listed Gas Shows: None listed Oil Shows: None listed

Coal: 28'; 256'; 311'; 428'; 558'; 1465'

Elevation: 2412'

5.

1. Notify Inspector Gary Kennedy @ 304-382-8402, 48 hrs prior to commencing operations.

2. Record pressure on tbg/csg

3. TOOH w/ rods. TOOH w/ tbg Tally and LD.

surface plug). Break plug up as needed.

1455 TO 1355

AA MINIMUM OF 125% UNTIL WELL BOOK IS FILLED.

4. Kill well gel as needed. Then proceed to load with 125% of capacity of lateral with gel (630 bbl).

6. TOOH w/ tbg to 608'. Pump 608' C1A cement plug from 608' to surface (coal seams and

7. Reclaim site and set monument per WV DEP regulations.

Office of Oil and Gas

FEB 0.9 2022

WV Department of Environmental Protection

5. TIH W/ TUBING TO 1455' AND SET CIBP ABOUT COAL SEAM. POMP 100' CIA CEMENT PLUE FROM

03/11/2022

DATE: 03/25/2009

API#:: 47081014949 0 8101494P

# State of West Virginia Division of Environmental Production Section of Oil and Gas

Well Operator's Report of Well Work

	Opera	tor Well No.: RLH	C-317B	
_	Quadra	ingle: Eccles, WV		
	County: Ra	leigh		
of 37 Den 52				
			2.2	
	14.111. 55		HALA	
			- Comment	-
Casing and Tubing	Used in drilling	Left in well	Cement fill up Cu. Ft.	
13 3/8"	31'	-31'		-
9 5/8"	168'	168'	90sks/105cf	CTS
7"	1419	1419'		CT3
	1		- 170110110001	
		1		-
			1	-
			100	
				_
				_
	1			
			-	-
		-		_
			+	
		8	0	
	Pav	zone depth (ft)	RE 1-468	CEIVED
Oil: Initial open flow			1442 Ource	of Oil and Gas
Final open flow	Bbl/d		EED	0 0 2022
final tests:	Hours		LEB	0.8 5055
face pressure) after	Hours		V. 2. 1. 1.	
			VVV De	epartment of
Oils Initial annual		-	⊏nvironme	ental Protection
ce pressure) after	Hours			
G. PHYSICAL CHANE	TEC 21 THE	MELLLOG		¢=
OGICAL RECORD OF	ALL FURIMATIO	ONO, INCLUDING		
OGICAL RECORD OF	ALL FURIMATI	ONO, INCLOSING		
OGICAL RECORD OF	ALL FORMATI	i vere		
SURNS	ALL FORMATI	L. The	- menang	
	Oil: Initial open flow Final open flow final tests: face pressure) after  Oil: Initial open flow Final open flow	County: Ra   County: Ra   Sof   37   Deg.   52   Min.   30   Sof   81   Deg.   20   Min.   00   Sof   81   Deg.   20   Min.   30   Sof   31   Sof   95/8"   168   7"   1419   Sof   1419	County: Raleigh   County: Ra	County: Raleigh   Sec.

03/11/2022

FORM WR-35R (REVERSE)

DETAILS OF PERFORATIONS, FRACTURING, OR PHYSICAL CHANGE, ETC.

PERMIT # 4708101494C WELL #: RLHC-317B

FORMATIONS	TOP	BOTTOM	REMARKS
Sand & Shale	0000	<b>0028</b> .	
Coal	0028	0034	
Sand & Shale	0034	0161	
Shale .	0161	0172	
Sand	0172	0207	
Shale	0207	0228	
Sand	0228	0256	
Coal	0256	0262	
Shale	0262	0265	
Sand	0265	0293	
Shale	0293	0305	
Sandy Shale	0305	0311	
Coal	0311	0313	
Sand	0313	0370	
Sandy Shale	0370	0428	
Coal	0428	0430	
Sandý Shale	0430	0460	
Sand	0460	0502	
Shale	0502	0521	
Sand	0521	0532	
Shale	0532	0542	
Sand ,	0542	0555	·
ihale	0555	0558	
Coal	0558	0560	•
andy Shale	0560	0622	
Sand	0622	0653	
andy Shale	0653	0670	
and	0670	0697	
hale	0697	0707	•
and	0707	0890	•
andy Shale	0890	0935	
and	0935	1034	
andy Shale	1034	1068	
and	1068	1128	

Sandy Shale	1128	1141	17
Sand	1141	1204	72. 0
Sandy Shale	1204	1233	
Sand	1233 -	1260	
Shale	1260	1273	
Sand	1273	1465	
Coal .	1465	1468	Lower Beckley Horizontal Target
Sand	1468	1493	
Sandy Shale	1493	1511	
Sand	1511	1614	TD Vertical Production Well

Alt

RECEIVED
Office of Oil and Gas

081014948

FEB 0 9 2022

WV Department of Environmental Protection



81-01494

#### RLHC-317 B Proposed Well Work

- 11) (a): RLHC-317B Drill vertical well to Lower Beckley coal. Produce CBM from multi-lateral horizontal pattern drilled from well RLHC-317A.
- 13) (b) RLHC-317B TVD of the target coal seams are 1468' 1472' and 1486' 1489'. To protect the penetrated upper workable coal seams, 1440 feet of 7" casing string will be run and cemented to surface.
- 14) (b) RLHC-317B Horizontal drilling will take place from the 'A' well and intersect the 'B' well. The surface and bottom-hole locations of the A and B wells are in alignment with each other.

All casing and tubing depths are TVDs. Exact casing depths will be determined by final directional drilling plan.

WW-4A	
Revised	6-07

1)	Date:	February 1, 2022	
2)	Operator'	s Well Number	
	317B		

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

3) API Well No.: 47 -

4)	Surface Ow	ner(s) to be served:	5) (a) Coal Operator	D
	(a) Name	Clear Fork Coal Company, LLC	Name	REPUBLIC EVENCY, LLC
	Address	P.O. Box 271	Address	4101 SLATE DRIVE
		Julian, WV 25529		SCARBO, WV 25917
	(b) Name		(b) Coal Owr	ner(s) with Declaration
	Address		Name	Rowland Land Company, LLC
			Address	405 Capitol Street, Suite 609
				Charleston, WV 25301
	(c) Name		Name	
	Address		Address	
6) I	nspector	Gary Kennedy	(c) Coal Less	see with Declaration
	Address	66 Old Church Road	Name	Republic Energy, LLC
		Pipestem, WV 25979	Address	4101 Slate Drive
	Telephone	304-382-8402		Scarbro, WV 25917
me	mrrn nn	Daggia Military I Do	****	yed this Form and the following documents:

(1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and

The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

THE PARTY OF THE P	OFFICIAL SEAL NOTAFY PUBLIC	Well Operator	Diversified Production, LLC	
	STATE OF WEST VIRGINIA Phyllis A. Copley	By: Its:	Jeff Mast  Director Technical Services	
	144 Willard Circle Hurricane, WV 25528	Address	414 Summers Stret	MECHIVED Gas
Maria Maria	Commission Expires September 16, 2023		Charleston, WV 25301	Chips (i) and
***********	****************	Telephone	304-543-6988	FEB 3 2022
Subscribe	d and sworn before me thi	s and de	ayof Lebruary 2022 Notary Public	Will Department of Environmental Proteo

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

#### SURFACE OWNER WAIVER

Operator's Well Number

317B

#### INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

> NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

> > Office of Oil and Gas

Chief. Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

FFB 1 6 2022

WV Department of Environmental Protection

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

#### VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I h objection to a permit being issue		ne planned work described in these materials, and I have no
FOR EXECUTION BY A NATUETC.		FOR EXECUTION BY A CORPORATION,
	Date	Name Clear Fork Coal Company By Timethy & Milacach
Signature		By Timothy & Mancache

Signature





## Well: 317B 47-081-01494P







PECEIVED Gas
Chice of Oil and Gas
FEB 3 2022
WW Department of Environmental Protection

WW-9 (5/16)


API Number	47 -	081	-	01494	
Operator's Wo					

#### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

perator Name Diversified Production, LLC  /atershed (HUC 10) Wingrove Branch of Sandlick Creek Quadrangle Eccles  /o you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes // No	No V
If so, please describe anticipated pit waste:  Produced fluid and cement returns  Will a synthetic liner be used in the pit? Yes  Proposed Disposal Method For Treated Pit Wastes:  Land Application (if selected provide a completed form WW-9-GPP)  Underground Injection (UIC Permit Number Twin Branch - 2D 04701511002	No V
If so, please describe anticipated pit waste:  Will a synthetic liner be used in the pit? Yes  Proposed Disposal Method For Treated Pit Wastes:  Land Application (if selected provide a completed form WW-9-GPP)  Underground Injection (UIC Permit Number Twin Branch - 2D 04701511002	_ No <u></u>
If so, please describe anticipated pit waste: Produced fluid and cement returns  Will a synthetic liner be used in the pit? Yes  No  If so, what ml.? 20  Proposed Disposal Method For Treated Pit Wastes:  Land Application (if selected provide a completed form WW-9-GPP)  Underground Injection (UIC Permit Number Twin Branch - 2D 04701511002	<del></del>
Will a synthetic liner be used in the pit? Yes   No If so, what ml.? 20  Proposed Disposal Method For Treated Pit Wastes:  Land Application (if selected provide a completed form WW-9-GPP) Underground Injection (UIC Permit Number Twin Branch - 2D 04701511002	
Land Application (if selected provide a completed form WW-9-GPP)  Underground Injection (UIC Permit Number Twin Branch - 2D 04701511002	
Underground Injection (UIC Permit Number Twin Branch - 2D 04701511002	
Reuse (at API Number	
Off Site Disposal (Supply form WW-9 for disposal location)	
Other (Explain	
/ill closed loop systembe used? If so, describe: N/A	
rilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. N/A	RECEIVED Office of Off and Gas.
-If oil based, what type? Synthetic, petroleum, etc. N/A	FFO A 2 2020
dditives to be used in drilling medium? N/A	FEB 0 9 2022
rill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. N/A	WV Department of
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A	Environmental Protection
-Landfill or offsite name/permit number? N/A	
ermittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associate Vest Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permit where it was properly disposed.	ed waste rejected at any ttee shall also disclose
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POI on April I, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protect provisions of the permit are enforceable by law. Violations of any term or condition of the general permit or regulation can lead to enforcement action.  I certify under penalty of law that I have personally examined and am familiar with the information form and all attachments thereto and that, based on my inquiry of those individuals immediately the information, I believe that the information is true, accurate, and complete. I am aware that there are trubmitting false information, including the possibility of fine or imprisonment.	etion. I understand that the and/or other applicable law bring in a submitted on this y responsible for obtaining are significant penalties for a submitted of the submitted of
Company Official Signature	NOTARY PUBLIC STATE OF WEST VIRGINIA Phyllis A: Copley
ompany Official (Typed Name) Jeff Mast	144 Willard Circle Hurricane, WV 25526
Company Official Title Director Technical Services	My Commission Expires September 18, 2

Operator's Well No. 317B

	ment: Acres Disturbed 1 +/-	605	
	Tons/acre or to correct to pH	000	
Fertilizer type	10-20-20 or equivalent		
Fertilizer amount_	lb	s/acre	
Mulch 2	Tons/s	acre	
	See	d Mixtures	
Temporary		Permanent	
Seed Type	lbs/acre	Seed Type	lbs/acre
Red Fescue	40	Red Fescue	15
Alsike	5	Alsike Clover	5
Annual Rye	15		
Maps(s) of road, location, p provided). If water from the (L, W), and area in acres, of	pit will be land applied, provide w	eation (unless engineered plans inclu ater volume, include dimensions (L,	ding this info have been W, D) of the pit, and dimensio
Maps(s) of road, location, p provided). If water from the (L, W), and area in acres, of	pit will be land applied, provide w the land application area.	eation (unless engineered plans inclu eater volume, include dimensions (L,	W, D) of the pit, and dimension
provided). If water from the (L, W), and area in acres, of Photocopied section of invo	pit will be land applied, provide with land application area.  Ived 7.5' topographic sheet.	ater volume, include dimensions (L,	W, D) of the pit, and dimension
Maps(s) of road, location, p provided). If water from the (L, W), and area in acres, of Photocopied section of invo	pit will be land applied, provide w the land application area.	ater volume, include dimensions (L,	RECEIVED Office of Oil and Ga
Maps(s) of road, location, porovided). If water from the L, W), and area in acres, of Photocopied section of invo	pit will be land applied, provide with land application area.  Ived 7.5' topographic sheet.	ater volume, include dimensions (L,	RECEIVED Office of Oit and Ga FEB 0.9 2022
Maps(s) of road, location, porovided). If water from the L, W), and area in acres, of Photocopied section of invo	pit will be land applied, provide with land application area.  Ived 7.5' topographic sheet.	ater volume, include dimensions (L,	RECEIVED Office of Oit and Ga FEB 0.9 2022
Maps(s) of road, location, p provided). If water from the L, W), and area in acres, of Photocopied section of invo	pit will be land applied, provide with land application area.  Ived 7.5' topographic sheet.	ater volume, include dimensions (L,	RECEIVED Office of Oil and Ga FEB 0.9 2022





## West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LO	CATION FORM: GPS				
<sub>API:</sub> 4708101494	WELL NO.: 3	17B			
FARM NAME: Rowland La	and Co				
RESPONSIBLE PARTY NAME: Diversified Production Co					
COUNTY: Raleigh	DISTRICT: Cle	ar Fork			
QUADRANGLE: Eccles					
SURFACE OWNER: Clear Fork Coal Company					
ROYALTY OWNER: Rowland Land Company LLC					
UTM GPS NORTHING: 41898					
UTM GPS EASTING: 468267		ON: 2401.28			
height above mean sea le  2. Accuracy to Datum – 3.0  3. Data Collection Method: Survey grade GPS: Post Pr  Real-T  Mapping Grade GPS X _: Post  Rea	or a plugging permit or assigned A as will not accept GPS coordinate as: 17 North, Coordinate Units: me vel (MSL) – meters.  5 meters  occessed Differential ime Differential Processed Differential I-Time Differential	API number on the s that do not meet sters, Altitude:  Fiecelved Critice of Oil and Gas  FEB 3 2022  Wy Department of Environmental Protection			
4. Letter size copy of the topography map showing the well location.  I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and					
prescribed by the Office of Oil and O		io iopava aira			
Digitally signed by Austin Sutler Date: 2022.01.31 10:49:10	Sr. Proj. Manager	1/31/2022			
Signature	Title	Date			



Stansberry, Wade A <wade.a.stansberry@wv.gov>

#### Plugging Vertical Well Work Permit API: 47-081-01493 & 01494)

1 message

#### Stansberry, Wade A <wade.a.stansberry@wv.gov>

To: "Mast, Jeff" <imast@dgoc.com>, raleigh@wvassessor.com, "Kennedy, Gary L" <gary.l.kennedy@wv.gov>

Tue, Mar 8, 2022 at 11:18 AM

I have attached a copy of the newly issued well permit number. This will serve as your copy.

47-081-01493 - RLHC-317A 47-081-01494 - RLHC-317B

If you have any questions, then please contact us here at the Office of Oil and Gas.

Thank you,

Wade A. Stansberry
Environmental Resource Specialist 3
West Virginia Department of Environmental Protection
Office of Oil & Gas
601 57th St. SE
Charleston, WV 25304
(304) 926-0499 ext. 41115
(304) 926-0452 fax
Wade.A.Stansberry@wv.gov

#### 4 attachments

