All provisions being in accordance with Chapter 22, of the W. Va. Code, the location is hereby approved	Date: February 18 , 1980
for drilling . This permit shall expire if	Operator's Well No. A-888
operations have not commenced by 11-4-80	
Nobot of dell	API Well No. 47 - 083 - 0307 State Co. Permi
Deputy Director - Oil & Gas Division	State Co. Permi
	TO MEDICENTA
STATE OF WESDEPARTMENT OF MINES, O	
	gfa
OIL AND GAS WELL PE	ERMIT APPLICATION
WELL TYPE: Oil/ Gas _XX /	310-31
(If "Gas", Production/u	inderground storage/ Deep/ Shallowxx
LOCATION: Elevation: 2340 Watershed:	Osborne Run
District: Roaring Ck County: Rar	ndolph Quadrangle: Cassity 7.5'
WELL OPERATOR ALLEGHENY LAND & MINERAL CO.	Designated Agentallegheny Land & MINERAL CO.
Address P.O. Box_1740	Address: P.O. BOX 1740
CLARKSBURG, WV 26301	CLARKSBURG, WV 26301
OIL & GAS	
ROYALTY OWNER G. H. Norvell, etux Address St. Albans WV 25177	COAL OPERATOR
ot. Albans, WV 231/1	address
Acreage 440	Coal Owner(s) With Declaration On Record: NAME COA James LaRosa
SURFACE OWNER G. H. Norvell etux Address St. Albans, WV 25177	Address 420 Buckhannon Pike
	Clarksburg, WV 26301
Acreage 440 FIELD SALE (IF MADE) TO:	NAMEAddress
Name Columbia Gas Transmission Corpora	ition
Address P. O. Box 498	COAL LESSEE WITH DECLARACTON ON RECORD:
OIL & GAS INSPECTOR TO BE NOTIFIED	NAME Address
Name Robert S. Stewart	FEB 1 9 1980
Addres's P. O. Box 345 Jane Lew. WV 26378	— <u> </u>
	OIL & GAS DIVISION
the above location under a deed / 1	ed to operate for of operate privates at sease XX / other contract
dated August 14 , 1972 , to the und	ersigned well operator from G. H. Norvell.
etux unto Allegheny Land and Mineral C	ompany
Recorded on August 22 , 19 72 , in the offi	ce of the Clerk of the County Commission
of Randolph County, West Virgi. 523 . A permit is requested as follow	nia, inbook 278 at page
PROPOSED WORK: Drill XX /DRILL DEEP	ER / REDRILL / FRACTURE OR STIMULATE
other physical change	FORMATION / Perforate new formation /
planned as shown on The above named coal operator	the work order on the reverse side hereof. coal owner(s), and coal lessee are hereby
notified that any objection they wish to make	e or are required to make by Code c 22-4-3
must be filed with the Department of Mines words of this Application by the Department.	ithin fifteen (15) days after the receipt
Copies of this Permit Application	on and the enclosed plat and reclamation plan
have been mailed by registered mail or delive	ered by hand to the above named coal
operator, coal owner(s), and Coal lessee on a delivery of this Permit Application to the De	or before the day of the mailing or
Virginia.	The state of the s
PLEASE SUBMIT COPIES OF ALL	
GEOPHYSICAL LOGS DIRECTLY TO:	ALLEGHENY LAND & MINERAL COMPANY
WEST VIRGINIA OIL AND GAS	ALLEGHENY LAND & MINERAL COMPANY Well Operator 03/29/2024
CONSERVATION COMMISSION	- Manhan
1615 WASHINGTON STREET EAST	Daniel I Wheeler Vice President
CHARLESTON, WV 25311	Daniel L. Wheeler, Vice President
TELEPHONE: (304) 348-3092	

THIS PERMIT MUST BE POSTED AT THE WELL SITE.

BLANKET ROMA

888-A

PROPOSED WORK OFDER

THIS IS AN ESTIMATE. ONLY:

ACTUAL INFORMATION MUST BE SUBMITTED ON FORM IV-35 UPON COMPLETION

RILLING CONT	RACTOR		ress P.	O. B	OX 40	G COMPANY EST VIRGINIA	26201		<u>a</u>
EEOLOGICAL TA Estimated Approxima Approxima Yes	depth	of co	ON, ELK mpleted wata depth	ell,	5100 Fresh,	feet Ro	ctary XX / Cab salt, feet ing mined in th	•	_/
CASING AND TO CASING OR TUBING TYPE	100	SPECI	FICATIONS Weight	-1	al ebna	FOOTAC	Loarin	CEMENT FILL OR SACKS (cubic ft.)	
Conductor	SIZE	GRADE	Per ft.	New	X	20'	20'	cement to surface	kinds
Fresh Water	8-5/8	•						coment to	
Coal	8-5/8		20#	х		600'	600'	cement to surface	sizes
Intermediate						WV 25177	St. Albans,	cement to	
Production	d4½" B oASJ nonns	Lame	J 55 10.50#	х		5100'	640 G. F '0015 ve St. Albans,	300''above producing horizon	depths
Tubing							03/47		
Liners	511,5 57.1				ration	ission Corpo	s Gas Transd	tdmulo0	perfor-
	and A. J.					15301	shington, PA	Top	ations botto
080	FEBI	COM ADAI					b. Stewart	Robert	,
DIVISION	1000					26378	e Lew, WV	rst	
copie in th by Re (iii) S 22- fee r Code	s of Form gulation Form 14-12b at genuired	prescipn 12, IV-9, and Red by C-8a fr	-2 must b ribed by or in li "Reclama gulation ode S 22- om the ow	e fil Regul eu th tion 23, 4-12	led with lation nereof Plan", (iv) un a, and	h the Departme ll, (ii) a bon the other secu applicable to less previousl (v) if applica	that the originat, accompanied in one of the rity allowed by the reclamating paid on the able, the consedwelling within	d by (i) a per forms pressy Code S 22-on required same well, the required same required to the following the required to the same well and the required to the following the same well are the s	clat scribed -4-2, by Cod the by
which	lating	a wel	l where for sought a	ract	uring o	r stimulating	for fracturing is to be part ne Form IV-2 fi	of the work	for

03/29/2024 ___/ of the coal under The undersigned coal operator ___ / owner __ / lessee __ / of the coal under this well location has examined this proposed well location. If a mine map exists which covers the area of the well location, the well location has been added to the mine map. The undersigned has no objection to the work proposed to be done at this location, provided, the well operator has complied with all applicable requirements of the West Virginia Code and the governing regulations.

WAIVER.

_	10	
Date:	19	
Date.		

Date: February 18 , 1980

Operator's A-888

Well No. 47 -083 State County Permit

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES, OIL AND GAS DIVISION

RECLAMATION PLAN

WELL	OPERATOR	Allegheny Land & Mineral	Co DESIGNATED AGENT	Allegheny Land & Mineral
		P. O. Drawer 1740		P. O. Drawer 1740
	The second secon	Clarksburg, WV 26301		Clarksburg, WV 26301

The well operator hereby agrees to carry out the reclamation requirements of Code § 22-4-12b in the manner set out below.

This plan has _ / has not XX / been reviewed with the district oil and gas inspector.

SKETCH: (Locate and show the (1) well location, (2) existing access road, (3) access road to be constructed, (4) well site, (5) drilling pit(s), and (6) necessary drainage features, including drains (natural and manmade), silt traps, etc.)



STATEMENT OF RECLAMATION PLAN (Complete on reverse side if necessary)

Designates Location A-888 Cassity 7.5' Quad.

Location will be ditched to disperse water without causing erosion. Road will be culverted to prevent erosion and provide for proper drainage where needed. After well is completed, surface will be restored to its original contour or as near as possible to its original contour. Area will then be seeded and mulched down.

FEB 1 9 1980

OIL & GAS DIVISION

ALLEGHENY LAND & MINERAL COMPANY

03/29/2024

By Daniel L. Wheeler, Vice President

[08-78]

DETAILS OF PERFCRATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

Well was fractured by Halliburton - April 23, 1980.

Perforations: 1831-34' - 3 holes

1840-45' - 5

1874-81' - 8 "

3601-05' - 6

Benson Log not on depth

- Aug 1, 111479 Aug 1

3607-15' - 10 "

ALLECH MY : TO A REAL OF A PROPERTY OF

4788-96" - 16 "

WELL LOG

FORMATION	Color	Hard or Soft	Top Feet	Bottom Feet	Remarks Including indication of all fresh and salt water, coal, oil and gas
Clay			0	5	
Sand	1		5	229	Water - ½" @ 15'; ½" @ 400
COAL ****			229	233	Coal ****
Sand			233	498	
COAL *****			498	501	Coal ****
Sand & Shale			501	1180	
Big Lime			1180	1342	
Injun Sand			1342	1394	
Sand & Shale	12 19 19 19		1394	1826	
Gordon Sand			1826	1860	
Sand & Shale			1860	1872	
4th Sand			1872	1920	
Sand & Shale			1920	1950	
5th Sand			1950	1972	
Sand & Shale			1972	2062	
Bayard Sand		7	2062	2070	
Sand & Shale			2070	2182	
Speechly Sand			2182	2208	
Sand & Shale			2208	3606	-
Benson Sand			3696	3628	
Sand & Shale .			3628	4784	
Elk Sand			4784	4814	
Shale			4814	5103	
		total d	epth	5103	(Driller)
		Thursday, and the same			

(Attach separate sheets to complete as necessary)

Well Operator Land & Mineral Company

By ____ Claron Dawson

Its Supt.

03/29/2024

NOTE: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic, detailed geologial record of all formations, including coal, encountered in the drilling of a well."

PORM IV-35 Columbia
(Stylerse)
[93-73]

Date:	May 29	_, 13_80
Operator's Well No.	A-888	
API Well No.	083	- 0307

(Continue on reverse side)


STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

WELL OPERATOR'S REPORT 23 OF DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

			. / ********	Talantian /	Wasta Dis	20531 /		
				Injection/ Underground stor			hallow xx /)	
							assity 7.5'	_
								-
Address		Control of the Contro						
							,	
PERMITTED WO							ture or stimulate	/
	Othe	r physic	al change in	well (specify)				
				<u> </u>				
PERMIT ISSU	ED ON	Februa	ary 18 , 19	80 01	L & GAS INSPE	ECTOR FOR THIS	WORK:	
(IT APPLICA	BI.E: PLUC	GGING OF	DRY HOLE ON	Na				
CONTIN	UOUS PROGI	RESSION BAL PERM	FROM DRILLING ISSION OBTAIN	EOR	Address _	P. O. Box	345	
		, 1	9		_	Jane Lew,	WV 26378	
				Elk		Depth	5100 feet	
						he area?		
			THE RESERVE AND THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TW					
CASING AND	ALEGHENY LAND & MINERAL CO. District: Roaring Creek County: Randolph Quadrangle: Cassity 7,5' L OPERATOR ALLEGHENY LAND & MINERAL CO. P. OR 1740 CLARKSBURG, W. VA. 25301 CLARKSBURG, W. VA. 25301							
CASING OR TUBING TYPE	S S170 G	SPECIFIC	CATIONS	FOOTAGE IN	TERVALS (CEMENT FILL-UF OR SACKS (Cubic feet)	PACKERS	
		11		20'	20'	100000	Kinds	
			V	1132'	1132'	Cemented	to: basrface	
			x	4919'	4919'	11	Depths1450	
	12							
							Perforations:	
22::2:5							Top Bott	om
			1					
				1	-		1	
								Ceet
	Gas: Init	tial ope	n flow,	Mcf/d 0	il: Initial	open flow,	Bbl/d	
Both san	ds - Fina	al open	flow, 1,	100 Mcf/d	Final or	en flow, _	Bb1/d	
		Time o	f open flow b	etween initial a	nd final test	s, hour	s	
	Static ro	ck press	ure, 1330#	psig (surface m	easurement) a	after 60 ho	urs shut in	
Secon	d produci	ng forma	tion Elk	Sand		Pay zone dept	4784-4814	feet
	Gas: Ini	tial ope	n flow,	Mef/d 0	il: Initial	open flow, _	Bb1/d	
	Fin	al open	flow,	Mcf/d	Final o	pen flow, _	Bb1/d	
	Static ro			_ psig (surface m				
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION



APR 1 5 1980

DEPT. OF MINES

OIL & GAS DIVISION

Oil or Ga: Well GAS

INSPECTOR'S WELL REPORT

Permit No. 083-0307

Company Alle 6 Hery	1 LAND & M	iv	TUBING	DRILLING	Left in Well	PACK	ERS
Address C/ARKS	BURG		Size				
Farm 6, H. No;	eve//		16			Kind of Pac	ker
Well No. A - 88	38		13				
District ROARING CRE		1714	814			Size of	
Drilling commenced 4			65%			Depth set_	
Drilling completed			5 3/16				
Date shot			32			Perf. top	
Initial open flow			Liners Used			Perf. bottom Perf. top	
Open flow after tubing						Perf. bottom	í
Volume		Cu. Ft.	CASING CEMEN	TED	SIZE	No. FT	Dat
Rock pressure	lbs	hrs.	NAME OF SER				
Oil	bbls., 1st .2	A hrs.	COAL WAS EN	COUNTERED	AT1	FEET	_INCHES
Fresh water	feet	feet	FEET_	INCHI	ESI	FEET	_INCHES
Salt water							
	ion DE			-8			

Remarks:

Move Ri6 SPUD

4-12-80 DATE

Robert Ste 03

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No					We	II No	
COMPANY				ADDRESS			
FARM			DISTRICT.		COUNTY		
Filling Material Us	sed					7 63 7	
iner	Loca	ition	Amount	Packer	Location		
PLUGE	USED AN	D DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING
CEMENT-THICKN	ESS	WOOD-SIZE	LEAD	CONSTRUCTION-LUCATION	RECOVERED	SIZE	LOST
				All Charles			
						-	
41							
	3						
		Not a property					
						4 / 1	
illers' Names							
marks:							

I hereby certify I visited the above well on this date.

DATE

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S WELL REPORT

Permit	No. O	83	-03	70	7
L RL LOS IA	Pag.				_

Oil or Gas Well 645

Company Alle 6 He	y Land & min	CASING AND	USED IN DRILLING	Left in Well		PACKERS
Address C/4R	KSBUR6	Size				
Farm Gi H. 1	bruell	16			Kind o	of Packer
Well No. 4-88	78	13				
_	Ree K County FANDO IPH	81/4			Size o	f
Drilling commenced		6%			Depth	set
Drilling commenced	112-0	5 3/16				
Drilling completed	Total depth	3	-		Perf. t	op
Date shot	Depth of shot	2			Perf. h	oottom
Initial open flow	/10ths Water inInch	Liners Used				op
Open flow after tubing	/10ths Merc. inInch				Perf. l	pottom
Volume	Cu. Ft.	CASING CEME	NTED	SIZE	No.	FTDate
Rock pressure	lbshrs.	NAME OF SER	RVICE COMPA	NY		
Oil	bbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	FEET_	INCHES
Fresh water	feetfeet	FEET_	INCH	ES	FEET_	INCHES
Salt water	feetfeet	FEET_	INCH	IES	FEET_	INCHES
Drillers' Names						

O.K. To Release

RECEIVED

SEP - 2 1981

OIL AND GAS DIVISION WY DEPARTMENT OF MINES

8-31-80 BATE

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No	Call Salle				We	II No	
COMPANY				ADDRESS			ara e e e e
ARM	COUNTY						
illing Material U	sed						
ner	Locati	on	Amount	Packer	Location		
PLUG	S USED AND	DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING
CEMENT-THICKN	ESS	WOOD-SIZE	LEAD	CONSTRUCTION-LUCATION	RECOVERED	SIZE	LOST
					1. 1		
					2		
					1		
				233.			
			1111/1/2011				
					0.5		Elban :
							4.5-3-27.W.
lers' Names							
narks:							V 1
		g = 1					
O.Z.V	(LED	IN					
	AND GNA						
		ceby certify I vis					



State of Mest Birginia Pepartment of Mines Gil und Gas Pivision

Charleston 25305

WALTER N. MILLER DIRECTOR

January 25, 1982

Allegheny Land & Mineral Company P. O. Box 1740 Clarksburg, West Virginia 26301

Dear Sir:

The required records and reports have been received in this office and the District Inspectors have submitted Final Inspections for the following wells listed below:

PERMIT NO.	FARM AND WELL NO.	DISTRICT
RAN-0286	Neva McMullan/Westvaco #A-844	. Roaring Creek
RAN-0290	Neva McMullan/Westvaco #A-840	Middle Fork
RAN-0291	Robert E. Maxwell, et al #A-859	Middle Fork
RAN-0305	G. H. Norvell, et al #A-867	Roaring Creek
RAN-0306	Coastal Lumber Co./M. Ross et al #A-852	Middle Fork
→RAN-0307	G. H. Norvell, etux #A-888	Roaring Creek
RAN-0311	Mary K. Hedrick #A-868	Roaring Creek
RAN-0317	Lucian R. Whitmor #A-873	Roaring Creek
RAN-0318	Lucian R. Whitmore #A-896	Roaring Creek
RAN-0337	J. C. Michaels Heirs #A-895	Roaring Creek
RAN-0339	Neva McMullan, exec #A-903	Middle Fork
RAN-0342	Neva McMullan, exec #A-902	Middle Fork

In accordance with Chapter 22, Article 4, Section 2, the bond coverage for above captioned wells will stay in force for life of well.

Reclamation requirements have been approved.....

Fred Burdette

A-888

-5.

4800

FERC-121

JUN 11	VI	5
JUN 11	1900	

		- 1 1480
1.0 API well number: (If not available, leave blank, 14 digits.)	47 -083 - 0307 OIL & G	76.
2.0 Type of determination being sought: (Use the codes found on the front of this form.)	103 Section of NGPA Category Code	F MINES
3.0 Depth of the deepest completion location: (Only needed if sections 103 or 107 in 2.0 above.)		
4.0 Name, address and code number of applicant: (35 letters per line maximum. If code number not	Allegheny Land & Mineral Co.	000333 Seller Code
available, leave blank.)	P.O. Drawer 1740 Street Clarksburg, W W.Va. 26301 City State Zip Code	_
5.0 Location of this well: [Complete (a) or (b).](a) For onshore wells (35 letters maximum for field name.)	Rosung Creek District Field Name Thandalph W.Va. County State	-
(b) For OCS wells:	N/A Area Name Date of Lease: Mo. Day Yr. OCS Lease Number	
(c) Name and identification number of this well: (35 letters and digits maximum.)	A - 888	
(d) If code 4 or 5 in 2.0 above, name of the reservoir: (35 letters maximum.)	Benson	
6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)	Columbia Gas Transmission Corp.	004030 Buyer Code
(b) Date of the contract:	Mo. Day Yr.	
(c) Estimated annual production:	1	
	(a) Base Price (b) Tax (c) All Other Prices [Indicate (+) or (-).]	(d) Total of (a), (b) and (c)
7.0 Contract price: (As of filing date. Complete to 3 decimal places.)	2.238 0.223 0.223	2.684
8.0 Maximum lawful rate: (As of filing date. Complete to 3 decimal places.)	2.238 0.223 0.223	2.684
9.0 Person responsible for this application: Agency Use Only Dute Received by Juris, Agency JUN 111980	Daniel L. Wheeler Vice-Pre Name Name Sig(ature) Vice-Pre Title	s.Land Dept.
Date Received by FERC	Date Application is Completed 304-623-6671 Phone Number	

FT7900306/2-2

FILE TOR: Alloghous loud + Minguell
FIRST KCHASER: Columbia Gas Trans Corp. 000333
THER
DEU 2 1980
a. Department of Mines, Oil & Gas Division & map
WELL DETERMINATION FILE NUMBER
300611 · 103 · 083 · 0307 0830276 1400
e Above File Number on all Communications Zualufiex 78 Huggey
Relating To Determination of this Well
CHECK EACH ITEM AS COMPLETE OR NOTE WHAT IS MISSING
NO.
1. FERC-121 Items not completed - Line No.
2. IV -1 Agent James B. Gehr
3. IV-2 Well Permit
4. IV.6 Well Plat
5. IV-35 Well Record U Drilling Deepening
6. IV-36 Gas-Oil Test: Gas Only Was Oil Produced? Ratio
7. IV-39 Annual Production No Products
8. IV-40 90 day Production Days off Line:
9. IV-48 Application for certification. Complete?
7 IV Form #51 - 52 - 53 - 55 - 56 - 57 - 58 Complete? AFFIDAVIT SIGNED?
8 Other: Survey Logs Geological Charts
Structure Map 1:4000Map Well Tabulations Gas Analyses
(5) Date commenced: 4/12/80 Date completed 4/18/80 Deepened
(5) Production Depth: 3606/28; 4784/4814
(5) Production Formation: Beuson; Elk
(5) Final Open Flow: 1100 mcfd
(5) After Free. R.P. 1330#
(6) Other Gas Test:
(7) Avg. Daily Gas from Annual Production: No Prod
(8) Avg. Daily Cas from 90-day ending w71 - 120 days
(8) Line Pressure: None PSIG from Daily Repo
(5) Oil Production: No From Completion Report
7) Does lease inventory indicate enhanced recovery being done 03/2024
7) Is affidavit signed? Notarized?
official well record with the Department confirm the submitted information? Does computer program confirm? Pestermination Does computer program confirm? Does computer program confirm con
P.L.

DEPARTMENT OF MINES, OIL AND GAS DIVISION

Sate	6-9 1980
Operator's Well No	A.888.
AFI Well No. 47 State	Ounty Permit

WELL CLASSIFICATION FORM

NEW ONSHOPE PRODUCTION WELL

NGPA Section 103
DESIGNATED AGENT Allegheny Land & Mineral Co.
ADDRESS P.O. Drawer 1740
Clarksburg, W. Va. 26301
WELL OPERATOR Allegheny Land & Mineralocation 2340
ADDRESS P.O. Drawer 1740 Watershed Osboine Run
Clarksburg, W. Va. 26301 Dist Roaring Crukount Randolph Quad Cassety 7.
CAS PURCHASER Columbia Gas Transmission Corp.
ADDRES 1700 MacCorkle Ave. S.E. Contract No
Charleston, W.Va. 25314 Meter Chart Code Date of Contract A
* * * * * * * * * * * * * * * * * * * *
Date surface drilling was begun: 4-12-80
Indicate the bottom hole pressure of the well and explain how this was calculated:
Rock Pressure was
AFFIDAVIT

James B. Gehr

, having been first sworn according to law state that surface drilling of the well for which this determination is sought was begun on or after February 19. 1977; the well satisfies applicable state or federal well spacing requirements and the well is not within a protation unit, in existence at the time surface drilling began, which was applicable to the reservoir from which gas is or will be produced and which applied to any other well producing as in commercial quantities or on which surface drilling began on or after February 19, 1977, and which was capable of producing gas in commercial quantities. I state, further, that I have concluded, to the best of my information, knowledge and belief, that the well for which this determination is sought is a new onshore production well and that I am not aware of any information not described in the application which is inconsistent with this conclusion.

President

Allegheny Land & Mineral Co.

STATE OF WEST VIRGINIA.

COUNTY OF Harrison TO WIT:

I, Ethel Marie Crowley Notary Public in and for the state and county aforesaid, do certify that James B. Gehr, whose name is signed to the writing above, bearing date the 9th day of June, 1980, has acknowledged the same before me, in my county aforesaid Given under my hand and official seal this 9th day of June, 1980.

My term of office expires on the 20th day of December, 1989.

[NOTARIAL SEAL]

Ethel Marie Crowley

Ethel Marie Crowley

