b 10-27-80

FORM IV-2 (Obverse) (08-78)

Date: October 22 , 19 80 Operator's Well No. \_ 3 - 1596 - UC

API Well No. 47 - 083 0374

State

STATE OF WEST VIRGINIA

County

Permit

		Cleo W. Tacy, et. al. #3
		D GAS WELL PERMIT (1596-UC)
WELL TYPE:	Oil/ Gasx/	/ D
	(If "Gas", Productionx/	
LOCATION:	Elevation: 2210'	Watershed: Hell Run
	District: Roaring Creek	County: Randolph Quadrangle: Ellamore
WELL OPERATO	OR UNION DRILLING, INC.	DESIGNATED AGENT UNION DRILLING, INC.
Address	P. O. Drawer 40	Address P. O. Drawer 40
	Buckhannon, WV 26201	Buckhannon, WV 26201
OIL & GAS	(FEE SIMPLE)	COAL OPERATOR
	NER (1/2) Carl & Shirley Yokus (1/2) Cleo & Ruth Tacy	
Address	Cleo Tacy, Agent	Address
	P. O. Box 109 Elkins, WV 26241	
Acreage	66.6 EIRINS, WV 20241	COAL OWNER(S) WITH DECLARATION ON RECORD:
	NER	Name DECELVS
Address		Address
Addiess		OCT 24 1980
Acreage	Folload go	<u> </u>
FIELD SALE (I		
		DEPT. OF MINES
	Columbia Gas Transmission C Attn: Bill Gallagher	COLVET FORTE WITH DEGLED ATION ON DECORD.
	P. O. Box 498, Washington, P.	A
OIL & GAS INS	SPECTOR TO BE NOTIFIED	Name
Name Robert	Stewart ( 884-7782 )	Address
Address	P. O. Box 345	
	Jane Lew, WV 26378	UDI LEASE #1128
The undersigne	ed well operator is entitled to operate for o	oil or gas purposes at the above location under a deed/ leaseX
other contract	/ dated May 22 .19	80, to the undersigned well operator from Carl & Shirley Yokum
Cleo W. &	Ruth Tacy to Union Drilling	, Inc.
(IF said deed, le	ease, or other contract has been recorde	ed:)
Recorded on M	ay 27 , 19 80 , in the office	of the Clerk of the County Commission of Randolph County, West
West, inD	eed Book 330 at page_	576 . A permit is requested as follows:
PROPOSED W	ORK: Drill_x/ Drill deeper	/ Redrill/ Fracture or stimulatex_/
	Plug off old formation	Perforate new formation telepholy like symphoton in point gasalizera
	Other physical change in well (s	Described for
		in such the second second
	—planned as shown on the work	k order on the reverse side hereof.
The above nam		essee are hereby notified that any objection they wish to make or are required to
		t of Mines within fifteen (15) days after the receipt of this Application by the

Department.

Copies of this Permit Application and the enclosed plat and reclamation plan have been mailed by registered mail or delivered by hand to the above named coal operator, coal owner(s), and coal lessee on or before the day of the mailing or delivery of this Permit Application to the Department of Mines at Charleston, West Virginia.

PLEASE SUBMIT COPIES OF ALL
GEOPHYSICAL LOGS DIRECTLY
то:
WEST VIRGINIA OIL AND GAS
CONSERVATION COMMIS-
SION
1615 WASHINGTON STREET EAST
CHARLESTON, WV 25311
TELEBHONE: (204) 248 2002

BLANKET BOND


	03/22/202	4
U	UNION DRATLING, INC.	
	Well Sperator	
	Sent 1	
Ву _	1 Jalla	
	Coords Danham Coologist	
lts .	George Dasher, Geologist	

FORM IV-2 (Reverse) (08-78)


#### PROPOSED WORK ORDER

#### THIS IS AN ESTIMATE ONLY: ACTUAL INFORMATION MUST BE SUBMITTED ON FORM IV-35 UPON COMPLETION

DRILLING CO	ONTRAC	TOR (IF	KNOW	N) _		UNION DRI	LLING, INC		
				Ad	dress	P. O. Dra	wer 40		
						Buckhanno	n, WV 2620	1	
GEOLOGICAL	TARGE	ET FOR	MATION	,		Benson			
Estimated	d depth	of comp	leted we	11,	38	00 fee	et Rotary	x/ Cab	ole tools/
Approxir	nate wat	er strata	depths:	Fres	h,	? feet	; salt, ?	feet.	
Approxir	nate coa	l seam d	epths:	?		Is coal	being mined	in the area? Yes	/ Nox/
CASING AND	TUBING	G PROG	RAM						
- Care	177							1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6/10/10/10
CASING OR TUBING TYPE	SPE	CIFICAT Grade	IONS   Weight   per ft	New	Used	FOOTAGE	INTERVALS	CEMENT FILL-UP OR SACKS (Cubic feet)	PACKERS
	11 0 /								
Conductor	11 3/	4"		X		20'	20'		Kinds
Fresh Water	1 63			-	-				200
Coal		New York		-					Sizes
Intermediate	8 5/8	7.10	20#	x		800'	800'	to surface	
Production	4 1/2	<u>'</u>	10½#	x		2.	3800'	300 sks. or	Depths set
Tubing	10.212	8 110		-				us needed	
Liners	OF N	. 13-1-						-	Perforations:
	7 10 7 19				980	4			Top Bottom
						1		7 700	decreased the same of the
As	UST BE	POSTED accordan location This penced by	AT THE CE with is here permit s	be requermit  E WE  Chap by ap	uired is sought left 22 prove	for fracturing oght and is noted  E  2,	r stimulating a	O feet of the propose well where fracturing Form IV-2 filed in con	or stimulating is to
		•••••	•••••						who has recorded a
The	tollowing aration u	waiver n nder Coo	de 22-4	-20, if	the p	ermit is to be	issued within	al owner or coal lesses fifteen (15) days of r	receipt thereof.
						WAI	VER		
The undersign	location. ned has n	If a mine o objecti	on to the	sts wh	ich cov	vers the area of	the well location at this location	on, the well location han, provided, the well	well location by 2 12 12 12 12 13 13 13 13 13 13 13 13 13 13 13 13 13
								1. 1500 1. 100 100	19432 B177 - 412 - 11
	da hiji		THE .				Ву		
Date:			, 19		_		13/	medd so	



Sketch to include well location, existing access road, roads to be constructed, wellsite, drilling pits and necessary structures numbered or lettered to correspond with first part of this plan. Include all natural drainage.



Comments: All commercial Timber to be cut + stacked. All brush + small Trees to be cut + disposed of before dirt work begins. All slopes to be zil except in Rock. Average roadway grade + 5%


Signature: Crille P. Wilt, P.O. Drawer 40, Buckhannon, W.VA. 472-4610

Agent

Address

Phone Number
03/22/2024

Please request landowners cooperation to protect new seeding for one growing season.



Date	Oct	tober	15		19 80
Well No			1596		
API No.	47	7 -	083	-	0374
	State		County		Permit

# STATE OF WEST VIRGINIA OFFICE OF OIL AND GAS

Company Name UNION Drilling I	vc.	Designated Agent	Union Drilling	INC.
Address P.O. Drawer 40, Be	ick hannon, wil	Address	P.O. Drawer 40, E	BUCKHANNON, W.VA
Telephone 472-4616	0	Telephone _	472-46	10
Landowner Cleo W. Tacy		Soil Cons. District	TygArts VA	lley
Revegetation to be carried out by	UNION D	rilling INC	,	(Agent)
This plan has been reviewed by Tygo	uto Valle	SCD SCD	. All corrections and addi	tions become a part
of this plan. $\frac{10/22/80}{\text{(Date)}}$	Que	nior Hedri	che lean troo	man
(Date)	0	(SCD Agent	) / 0	
Access Road			Location	
	"-A' (A)	Stematura		
Structure <u>Culvert</u> Pipe 12 Spacing At inter section		Structure	1017 10150	(1)
Page Ref. Manual		Page Ref. Manual	777	- U
			00124	
Structure		Structure	OU 9 CAS	DIVISION (2)
Spacing		Material	DEPT. DE	
Page Ref. Manual		Page Ref. Manual		
Structure		- 4/		
Spacing				
Page Ref. Manual				
All structures should be inspected regular		E ( ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '		
	Reveget	ation		
Treatment Area I			Treatment A	
Lime 3 or correct to pH 6.5	Tons/acre	Lime or correct to	o pH 6,5	Tons/acre
	lbs/acre			
Fertilizer 600 (10-20-20 or equivalent)		(10	600 0-20-20 or equivalent)	
Mulch Z	Tons/acre	Mulch	2	Tons/acre
Seed* Ky 31 Fescue 30  Birdsfoot 10  Domestic Rye 10	lbs/acre	Seed* Ky 31	Fescue 3	lbs/acre
Birdsfoot 10	lbs/acre	Birds	foot 1	lbs/acre
Domestic Rye 10	lbs/acre	Domes	Fescue 3 foot 11 stic Rye 1	lbs/acre
*Inoculate all legumes such as vetch, trefoil an	nd clovers with the p			
Attach or photocopy section of involved Topo	ographic map. Quadi	rangle Ellamo	te 6.5'	pt to a di
Legend:  Well Site	Charles I &		<b>建</b> 和企业。	THE THE T
- Access Road		M. K. COM	2	PINE
		The Later N	The T	16
SW XIS	46	14 1/1 :	00	3/22/2024
Contract of the Contract of th	THE RESERVE OF THE PROPERTY OF THE PARTY OF	Mary Control of the C	THE RESERVE OF THE PERSON OF T	

Formation	Color	Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or Water	* Remarks
. Fill			0	502	VIZDZA	
Sand &	Shale		5	390	D. Sura	
Coa1			390	392	Coal @ 390-392'	
Sand &	Shale		392	635 MOISIV	OIL AND GAS DY	
Coal			635	645	Coal @ 635-645'	£ ,
Sand &	Shale		645	1116		
Big Lin	me		1116	1252		
Injun			1252	1340		
Sand &	Shale		1340	1782		
5th San	nd		1782	1822		
Sand &	Shale		1822	2102		a second
Bayard			2102	2156		
Sand &	Shale		2156	2202		Star -
Elizabe	eth		2202	2214		
Sand &	Shale		2214	3350		187-
Riley			3350	3446		-
Sand 8	& Shale		3446	3670		
Benson		K	3670	3692		
Sand &	Shale	1, 1, 1, 1, 2	3692	3940		
	exander		3940	3980	* *	
Sand &			3980	4418		
	exander		4418	4474		1162
Sand &			4474	4630	•	2-
lst Ell	-		4630	4734	registration in the	7964
Sand &			4734	5004		
2nd Ell			5004	5046		
Sand &	Shale		5046	4734 TD		
				t		
						. 3
	POT DE					
			1			
-					. 41	
					-	
٠ .						03/22/2024
V		1				USIZZIZUZ4

. Date_	August 6	. 19_81
APPROVED	UNION DRILLING, INC	. Owner
<b>Ву</b>	oseph C. Pettey, Vic	e President -

Production

(Revised)

Date: August 6, 1981
Operator's
Well No. 3-1596

(Well log on reverse side)

CELTACE West Virginia

API Well No. 47- 083-0374

Cleo W. Tacy #3-1596

# Department of Mines AUG 2 40118 and Gas Division

OIL AND GAS DIVISION RECORD WYDEPARTMENT OF MINES

Name:         Robert Stewart           Address:         P.O. Box 345           Jane Lew, WV 26378           Geological Target Formation:         Benson         Depth 3800         feet
District: Roaring Creek County: Randolph Quadrangle: Ellamore Well Operator UNION DRILLING, INC.  Address P.O. Drawer 40 Address P.O. Drawer 40  Buckhannon, WW 26201 Buckhannon, WW 26201  Permitted Work: Drill XX / Covert / Drill deeper. / Redrill / Fracture or stimulate XX / Plug off old formation / Preforate new formation / Other physical change in well (specify)  Permit Issued on October 24, 1980  Oil & Gas Inspector for This Work: Name: Robert Stewart Address: P.O. Box 345  Jane Lew, WW 26378  Geological Target Formation: Benson Depth 3800 feet
Well Operator UNION DRILLING, INC.  Address P.O. Drawer 40  Buckhamnon, WV 26201  Permitted Work: Drill XX / Covert / Drill deeper / Redrill / Fracture or stimulate XX / Plug off old formation / Preforate new formation / Other physical change in well (specify)  Permit Issued on October 24, 1980.  Oil & Gas Inspector for This Work:  Name: Robert Stewart  Address: P.O. Box 345  Jane Lew, WV 26378  Geological Target Formation: Benson Depth 3800 feet
Address P.O. Drawer 40 Buckhannon, WV 26201  Permitted Work: Drill XX / Covert / Drill deeper. / Redrill / Fracture or stimulate XX / Plug off old formation / Preforate new formation / Other physical change in well (specify)  Permit Issued on October 24, 1980  Oil & Gas Inspector for This Work: Name: Robert Stewart Address: P.O. Box 345 Jane Lew, WV 26378  Geological Target Formation: Benson Depth 3800 feet
Buckhannon, WV 26201  Buckhannon, WV 26201  Permitted Work: Drill_XX / Covert / Drill deeper. / Redrill / Fracture or stimulate XX / Plug off old formation / Preforate new formation / Other physical change in well (specify)  Permit Issued on October 24, 1980  Oil & Gas Inspector for This Work: Name: Robert Stewart Address: P.O. Box 345 Jane Lew, WV 26378  Geological Target Formation: Benson Depth 3800 feet
Permitted Work: Drill_XX / Covert / Drill deeper. / Redrill / Fracture or stimulate XX / Plug off old formation / Preforate new formation / Other physical change in well (specify)  Permit Issued on October 24, 1980.  Oil & Gas Inspector for This Work: Name: Robert Stewart Address: P.O. Box 345 Jane Lew, WV 26378  Geological Target Formation: Benson Depth 3800 feet
Fracture or stimulate XX / Plug off old formation/ Preforate new formation/ Other physical change in well (specify)  Permit Issued onOctober 24, 1980.  Oil & Cas Inspector for This Work:  Name: Robert Stewart  Address: P.O. Box 345  Jane Lew, WW 26378  Geological Target Formation: Benson Depth 3800 feet
Name: Robert Stewart
Name:         Robert Stewart           Address:         P.O. Box 345           Jane Lew, WV 26378           Geological Target Formation:         Benson         Depth 3800         feet
Geological Target Formation: Benson Depth 3800 feet
Geological Target Formation: Benson Depth 3800 feet
Believi I John
Believi I John
tienth of completed troll //2// toot 2/ Potent W/ / Labia 10010
Depth of completed well, 4734 feet Rotary XX / Cable Tools / Water strata depth: Fresh 15103001 feet; Salt; feet.
Coal seam depths: 390-392',635-645'  Is coal being mined in the area?
Work was commenced 6/26/81 , and completed 7/02/81
Casing and Tubing Program
Casing or Specifications Footage Intervals Cement Fi
Tubing Type   Size Grade   perft   New Used   For drilling   Left in well   (cubic fe
O'ROCCO!
Tesit water
Coal
Intermediate 8 5/8" 24# X 776.42" 776.42" 235 sks
Production 4 1/2"   10½" X   5113.14' 5113.14' 890 sks.
Tubing
iners
Nell Treatment details: HALLIBURTON WATER FRACTURE 7/13/81  Bayard
Benson 3675/82' 45,000# Sand 385 bbls water.
1st & 2nd Alexander 3968/70, 4466/68' 45,000# Sand 385 bbls water
03/22/2024
Cas: Initial open flow, Show Mcf/d Oil: Initial open flow, Bbl
Final open flow, 1,443 mcf Mcf/d Final open flow, Bbl Static Rock Pressure, 750# psig (surface measurement) after 24 hours shut i

## OIL AND GAS WELLS DIVISION

## INSPECTOR'S WELL REPORT

ermit No. 083-0374	VI or Gas Well Comments			
ompany UNION DRITTING INC	Leftin	PACKERS		
address Buck HANNON Size				
address DOE TACY		. Kind of Packer.	The second secon	
Well No 3-1596- UC 10		S12 ( [	*	
District ROARING CREEK County RANDO IPH 814	1 200	20 2 3 2 3 2 3 2 3 2 3 2 3 2 3 2 3 2 3 2	· · · · · · · · · · · · · · · · · · ·	
Orilling commenced 6-36-81	-	Der'l set		
0.70		Perf 'p		
Date shot Depth of shut 2		Perf bottom		
(10the Water inInch   Liners Used		Part tott m		
Open flow after tubing/10ths Merc. in Inch				
VolumeCu_Ft. (CASING CEMENTED	SIZE	No FT	Date	
Rock pressurelbshrs. NAME OF SERVICE COMP	ANY			
Oilbbls., 1st 21 h:s. COAL WAS ENCOUNTERED	D AT	_FEET	_INCHES	
Fresh waterfeetfeetFEETINC	HES	_FEET	_INCHE	
Salt waterfeetfeetFEETINC	HES	FEET	_INCHE	

Drillers' Names UNION RiG - 8

Remarks

SPUD Move RiG

JUN 2 9 1981

OIL & GAS DIVISION DEPT. OF MINES

6-26-81 BATE

511 Robert Stema

#### DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

## INSPECTOR'S PLUGGING REPORT

COUNTYCOUNTYCacker Location
COUNTY
Social States
Social States
Cacker Location
Cacker Location
Cacker Location
331.00
GES CASING AND TUBING
ON LUCATION RECOVERED SIZE LO
18-70-
***
The state of the s

hereby certify I so sted the are a well on this date

DATE

#### STATE OF WEST VIRGINIA

#### DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

## RECEIVED

MAY - 7 1982

OIL AND GAS DIVISION WYDEPARTMENT OF MINES

#### INSPECTOR'S WELL REPORT

Permit No. 083-0374

Oil or Gas Well GAS

Company UNION S	DR. Ilin6	CASING AND TUBING	USED IN DRILLING	LEFT IN	PAC	KERS
Address BuckH	ANNON	Size				
FarmCleo TA		16			Kind of Pac	eker
rarm		13				
Well No. 3-1596-	ve.	10			Size of	
District ROARING CRE	ek County RANDOIPH	81/4			-	*
Drilling commenced 6	-26-81	65/8			Depth set_	
Drining commenced		5 3/16				
Drilling completed	Total depth	3	dar medical dispension between		Perf. top	
Date shot	Depth of shot	2			Perf. botton	n
Initial open flow	/10ths Water inInch	Liners Used			Perf. top	
Open flow after tubing	/10ths Merc. inInch				Perf. bottor	n
Volume	Cu. Ft.	CASING CEMEN	VTED	SIZE	No ET	Date
		NAME OF SER			No. F1	Date
Rock pressure	lbshrs.					
Dil	bbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	_FEET	INCHES
Fresh water	feetfeet	FEET_	INC	HES	_FEET	INCHES
Salt water	feetfeet	FEET_	INC	HES	_FEET	INCHES
Drillers' Names		7				

O.K. To Release

Robert Steman

#### STATE OF WEST VIRGINIA

#### DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

## INSPECTOR'S PLUGGING REPORT

Permit No.					We	II No	2	
COMPANY	1			ADDRESS				
		DISTRICTCOUNTY						
Filling Material Us								
Liner	Loca	ation	Amount	Packer	Location			
PLUGI	USED AN	ID DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING	
CEMENT-THICKN	ESS	WOOD-SIZE	LEAD	CONSTRUCTION-LUCATION	RECOVERED	SIZE	LOST	
	3							
							and the second s	
	*							
and the same and the same of t								
				*				
rillers' Names								
	1							
emarks:								
							, r	
	ę.							
							•	
DATE	I	hereby certify I vi	sited the above	e well on this date.				

03/22/2024



### State of Mest Wirginia

Department of Mines Gil and Gas Division Charleston 25305

THOMAS E. HUZZE' DEPUTY DIRECTOR

WALTER N. MILLER DIRECTOR

May 24, 1982

Union Drilling, Inc. P. O. Drawer 40 Buckhannon, W. Va.26201

IN RE: PERMIT NO. 083-0374

FARM Cleo W. Tracy, et al

WELL NO. 3-1596-UC

DISTRICT Roaring Creek

COUNTY Randolph

Gentlemen:

The final inspection report for the above described well has been received in this office. Only the column checked below applies.

The well designated by the above permit number has been released under your Blanket Bond.

Please return the enclosed cancelled single bond which covered the well designated by the above permit number to the surety company who executed said bond in your behalf, in order that they may give you credit on your records.

XXXXXX Your well record was received and reclamation requirements approved. In accordance with Chapter 22, Article 4, Section 2, the above captioned well will remain under bond coverage for life of the well.

Very truly yours,

Thomas E. Huzzey

TEH/rl

#### FERC-12

				الله الله الله الله الله الله الله الله	busines in the same of the sam	
1.0 API well number: (If not available, leave blank. 14 digits.)			47-083-0374		-AUG 2 4 190	
2.0 Type of determination being sought: (Use the codes found on the front of this form.)		103 Section of N	GPA 1	Category Code	T. OF MIN	
3.0 Depth of the deepest completion location: (Only needed if sections 103 or 107 in 2.0 above.)		-	4468	feet	· DF MIN	
4.0 Name, address and code number of applicant: (35 letters per line maximum. If code number not available, leave blank.)	P. O Street	N DRILLING, Drawer 40		WV 26201 State Zip Code	019434 Seller Code	
5.0 Location of this well: [Complete (a) or (b).]  (a) For onshore wells  (35 letters maximum for field name.)	Roar Field Nar Rand		istrict	WV State		
(b) For OCS wells:						
	Area Nan	Date of Lea		Block Number		
(c) Name and identification number of this well: (35 letters and digits maximum.)	Cleo	W. Tacy #3	1596			
(d) If code 4 or 5 in 2.0 above, name of the reservoir: (35 letters maximum.)						
6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)	Colum Name	004030 Buyer Code				
(b) Date of the contract:	Mo. Day Yr.					
(c) Estimated annual production:						
	i	NOT IN	PRODUCTION	YET_MMcf.		
		(a) Base Price (\$/MMBTU)	(b) Tax	(c) All Other Prices [Indicate (+) or (-).]	(d) Total of (a), (b) and (c)	
7.0 Contract price: (As of filing date. Complete to 3 decimal places.)		2.488			2.488	
8.0 Maximum lawful rate: (As of filing date. Complete to 3 decimal places.)		2.488			2.488	
9.0 Person responsible for this application:  Agency Use Only  Date Received by Juris. Agency  AUG 2 4 1981  Date Received by FERC	Josepi Name Signature	sepl C. F.	elley	ident for Pro Title 304) 472-4610 Phone Number	_	

FT7900806/2-2

<u> F</u>
Determination Objected to By Whom?
Does computer program confirm?
s official well record with the Department confirm the submitted information?
17. Is affidavit signed?
17. Does lease inventory indicate enbanced recovery being done
From Completion Report
PSIG from Dist Plant
syab 021-1/w gaina yab-06 mori ebo (1112)
Comment Production:
13521 gpg
(5) After Frac. R. P. 750 # 24 Års.
+ ) M/CL-1-/
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
89-97hh. OL-8968 T8-5195 1/2 5 75-8105
Date completed 7 - 7 - 8
cost-run
Structure Map 1: 4000 Map
0-17. IV Form S1 - 52 - 53 - 62 - 52 - 17-0
9. IV-48 Application for certification. Complete?
7914211bgg Vab 09 04-VI .8
- CHUUT ACENT OF
6. IV=36 Gas-Oil Test of Gas Only Was Oil Produced?  Natio
) . The service of th
4. IV-6 Well Plat
3. IV-2 Well Permit
1. FERC -121  2. IV-1 Agent  A. Completed - Line No. 7.0 + 8.0 b.c
1
CHECK EACH ITEM AS COMPLETE OR NOTE WHAT IS MISSING
New, zirt to noitenimated of eniteies
Uso Above File Number on all Communications
100 280 201 11 11 1
WELL DETERMINATION FILE NUMBER
W. W. Va. Department of Mines, Oil & Gas Division (# 1540) = 1500'
OTHER:
FIRST PURCHASER: Columbia Gas Irans. Corp.
WELL OPERATOR: Union Deilling, Inc.
PARTICIPANTS: DATE:
DEC 11981 -

FORM IV-54WC (12-78)

STATE OF WEST VIRIGNIA

DEPARTMENT OF MINES,

OIL AND GAS DIVISION

Operator's
Well No. 3 - 1596 - UC

API Well
No. 47 - 083 - 0374

State County Permit

Date <u>AUGUST 19</u>, 1981

WELL CLASSIFICATION FORM

#### NEW ONSHORE PRODUCTION WELL

NGPA Section 103

		DESIGNATED AGENT	UNION DRILLING, INC.
		ADDRESS	P. O. Drawer 40
			Buckhannon, WV 26201
	R UNION DRILLING, INC.	LOCATION: Elevation	2210
ADDRESS	P. O. Drawer 40	Watershed He	11 Run
	Buckhannon, WV 26201	Dist. Roaring Creek	County Randolph Quad. Ellamo
GAS PURCHASEI	R Columbia Gas Transmission Corp.	Gas Purchase	
ADDRESS	P. O. Box 498	Contract No	
	Washington PA 15301	Meter Chart Code	
******	****************		
			*************
Date surface drilling	ng was begun 6/26/81		
	m hole pressure of the well and explain how		
L = 4466	Aug T = $.007L = 520^{\circ}R$ G = 0.1	635	
$BHP = P_1$	e $GL/53.34T = 825.9 PSI Bote$	tom Hole Pressure	
	AFFIDAY	/IT	
	C. Pettey , having be		
egan on or after urther, that I have etermination is s	ime surface drilling began, which was applied to any other well producing gas. February 19, 1977, and which was capable to concluded, to the best of my information ought is a new onshore production well and a which is inconsistent with this conclusion.	of producing gas in a knowledge and believed.	ies or on which surface drilling commercial quantities. I state
the application	which is inconsistent with this conclusion	on.	mormation not described
			A
TATE OF		- Joseph (	1. Dittail
TATE OF WEST	T VIRGINIA,	Joseph C. Pe	ttey, Vice President for
OUNTY OF Ups	shur , TO WIT		Production
1. Patrick	A. Bark		1
at Joseph G	A. Brake, a Notary Public in and	for the state and o	county aforesaid, do certify
A Coseph C. P	Pettey , whose name is signed to the	Writing obout 1	- H
14945+	, 19 <u>8/</u> , has acknowledged the	writing above, bearing	ng date the day of
C:	, has acknowledged the	same before me, in	my country of
Given under n	ny hand and official seal this 20th	A. 1	my county aforesaid.
My term of of	fice da	y of rigust	, 19_8/
y corni or or	ny hand and official seal this day of day of	land 109	02/22/2024
TARIAL SEAL	,,	19_1	. 03/22/2024
SEAT	1.		
TROTARY	m:	1-1	00
	7	aluck)	YWD.
FUBLIC.		Notae	Ty Duly
The state of the s	L.	Hotar	y Public
VIRGI.			