THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

PROPOSED WORK ORDER TO	XXX DRILL	DEEPEN	FRACTURE STIMULATE
DRILLING CONTRACTOR: (If Know	vn)	RESPONSIBLE AGENT:	
NAME: Union Drilling Comp	pany	NAME: Allegheny	Land and Mineral Company
ADDRESS: P. O. Drawer 40		ADDRESS: P. O. Draw	er 1740
Buckhannon, West Vi	rginia 26201	Clarksburg	, West Virginia 26301
TELEPHONE: 304-472-4610		Telephone: 304-623-66	571
ESTIMATED DEPTH OF COMPLETED W	VELL: 5200 1	ROTARY XXX	CABLE TOOLS TO THE MERA GRAD THE
PROPOSED GEOLOGICAL FORMATION			.6V TW INGISELIEUS
	The state of the s	OMB STORAGE	DISPOSAL BELL
	PRECYCLING		OTHER
TENTATIVE CASING PROGRAM:	re Celellan al sation (waters) Surger Pur	lina 2700 Far	Washington, North Carol
CASING AND TUBING	USED FOR	LEFT IN	CEMENT FILL UP
County Ran BIR	DRILLING	WELL	OR SACKS - CUBIC FT.
20 - 16	va v 201	201	cement to surface
13 - 10			
9 - 5/8 8 - 5/8	700'	700'	cement to surface
7	700	700	Thus yet to Violation to
5 1/2	THERETY IS THESON TO SERV	T-10133331	; Beat & Not Cuttered & time
A 1/2	5200'	5200'	cement to 300' above
1/2 87832 sitil	palv rank was man virg	0.550000	producing horizon
2		1.63.0000	Perf. Bottom
Liners			Perf. Top Perf. Bottom
			Pert. Bottom
TO DRILL: SUBMIT FIVE (5) COPIES OF TO DRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF TO 1929, A PERMANENT COPY TO FRACTURE - STIMULATE: OIL AND/OR GAS WELL ORIGI BOND, PERMANENT PLAT AND OIL AND/OR GAS WELL ORIGI PERMIT NUMBER, AND PERFORM	OG - 1, \$100.00 PERMIT FEE OG - 1, SHOWING ORIGINAL P OF THE PLAT AND THE ORIGIN NALLY DRILLED BEFORE JUNE 5 ORIGINAL WELL RECORD. NALLY DRILLED ON AND/OR AFT MANCE BOND.	, PERFORMANCE BOND AND PERM ERMIT NUMBER AND PERFORMANC AL WELL RECORD MUST ALSO BE , 1929, FIVE (5) COPIES OG ER JUNE 5, 1929, FIVE COPIE of completion for bond rel	E BOND. ON WELLS DRILLED PRIOR
WAIVER: I the undersigned, Age this lease have examine whether the home and the being bles.	ent for ned and place on our mine many control control component has complied with a	Coal Company, Owner aps this proposed well located with the proposed well and the proposed with the pr	be issued within ten days of the coal under the coa
			For Coal Company
	forth in	rez as etnemeniupen noifema	have read and understand the read

Official Title


HIS PERMIT MUST BE POSTED AT THE WELL SITE

All provisions being in accordance with Chapter 22, of the W. Va. Code, the location is hereby approved . This permit shall expire if

drilling 12-8-81

operations have not commenced by

Deputy Director - Oil & Gas Division





OIL & GAS DIVISION DEPT. OF MINES

OIL and GAS DIVISION

OIL AND GAS WELL PERMIT APPLICATION


	ARTMENT OF MINES, leston, W. Va.			DATE March	12 1081			
Ollai	reston, we vae				12, 1981 LEGHENY LAND AND	MINERAL COMPANY	190 01204	
Coal, Oil &	Harry McMullan, III,	Agent			0. Drawer 1740	.: 01L		
Gas Owner:		ATER FLODO		Address Clarksburg, West Virginia 26301				
	Washington, North Car	olina 27889			Mullan	Acres 9,757		
	nasiring ron, nor in our	01111d 27009			(waters) Surgar	THE PERSON NAMED IN COLUMN TWO	O VITAT	
	Wastunes							
Surface	Westvaco				A-1017	Elevation 3163'		
wner:	203 Randolph Avenue		IBW.		Middle Fork	County Randolph		
	Elkins, West Virginia	26241		Quandrang	le Cassity 7.5		-	
coal Lessee:	International Coal Co							
	Greenbrier Valley Bu		INSPECTOR	R TO BE	Robert S. Stewa	rt		
	Lewisburg, West Virgi		NOTIFIED		P. 0. Box 345			
	production borizon					Virginia 26378		
	AMAX Coal Company		ADDRESS:					
	105 South Meridan Str	eet						
	Indianapolis, Indiana	46225	PHONE:	884-7782				
						the state of the s		
SENTLEMEN:								
	rsigned well operator			the above	named farm or tr	act of land for oil an	d das.	
						1973 au by E		
							Sidie of	
					recorded on the	16th day of August		
973 In_		unty, Book	JE PORASY DES			LIVE (5) COPIES OF CO	THERE	
	NEW WELL	DRIL	L DEEPER		REDRILL	FRACTURE OR ST	IMULATE	
The above		nd/or operator	are hereby			n they wish to make, or		
10) days.*					TINE MERE BEOORD	ERMANCHT PLAT AND OPIG	a tunou	
Copies	f this notice and the	enclosed plat	were mailed	by registe	ered mail. or del	ivered to the above na	med coal	
perators or	coal owners at their	above shown r	espective ad	dress	day	bef	ore, or	
own the same	day with the mailing	or delivery o		to the Depa		at Charleston, West Vi		
				Very truly	yours,	tour (24) hours in adv		
PLEASE SUBMIT	COPIES OF ALL							
	LOGS DIRECTLY TO:			(Sign Name	ALLEGHENY LAND	AND MINERAL COMPANY		
					w Albania	11 / Mana		
			Address		BA: MANINE	M. DINKEYOU		
OFFICE OF OIL	AND GAS		of		and yell be a basic	lowing waiver must be		
	ton Street, East	W	dell Operator			eler, Vice President		
	West Virginia				P. 0. Box 1740			
rea Code 30	4 348-3092 348-3096	> senw vnac.k				est Virginia 26301	1.1.	
		M. FROCT (11.8%) PT				s leaso have examined		
from the rec	eipt of notice and pla sue to the well opera	at by the depa tor a permit r	rtment of min	nes, to sa filing of	id proposed locat such plat, that r	nin said period of tention, the department show objections Off 1502 of the well operator au	nall <mark>O@a4</mark> de by	
					47 -	- 083 - 0440 PERMIT	NUMBER	
'I have read Chapter 22,	and understand the re	eclamation req	uirements as gry out the	set forth specified	In			

DLANKET BOND

WELL SITE PLAN

Diversion
Spring
Wet Spot
Building
Drain Pipe
Waterway

Sketch to include well location, existing access road, roads to be constructed, well site, drilling pits and necessary structures numbered or lettered to correspond with first part of this plan. Include all natural drainage.



COMMENTS: Slope of access road 12% -- Cuts to be on a 2:1 slope or less -- Access road subject to change by company or landowner -- All ditches and culverts will be maintained after construction is completed -- Reclamation to be performed by Halls Reclamation, Inc.

Signature P. 0. Box 1740, Clarksburg, W. Va.

Agent Address Phone

Va. 623-6671
Phone Number 03/15/2024

Please request landowners cooperation to protect new seeding for one growing season.

Form IV-9 (01-80)



DEGETVED

Date March 16 , 1981

Well No. A-1017

API No. 47 - 083 - 0440 OIL & GAS DIVISION

State County Permit EFT. OF MINES

STATE OF WEST VIRGINIA OFFICE OF OIL AND GAS

company manie	Allegheny Land & Mi	ineral Co.	Designated	Agent J. Ronald	Cullen
Address	P. 0. Box 1740			P. 0. Box 1740	
-	Clarksburg, West V	irainia		Clarksburg, West	Virginia
Telephone		The section		623-6671	
		100 07 00 100 100	The second second	District Tygart	
Landowner	Westvaco		3011 00115	District Tygari	runoy
Revegetation	to be carried out I	by Halls Recl	amation, Inc		(Agent)
		AM 11	tolela	heer	CD. Al /corrections
This plan ha	s been reveiwed by	Mayor	1 Jany	A line It I	AT COLLECTIONS
and addition	s become a part of	this prans 4	///	union fra	ven
		(D	ate)	(SCD /	Agent)
				LOCATION	
	ACCESS ROAD			LOCATION	<u>v</u>
				11.0	/11
Structure D	rainage Ditch	(A)			(1)
	arthen		Material	Earthen	
Page Ref. Ma	nual		Page Ref.	Manual 1-10	
Structure	Culverts	(B)	Structure		(2)
Spacing I	2" Min. I. D. wher	e needed	Material		
	nual I-8		Page Ref.	Manual	
3					
Structure F	Rip-Rap	(C)	Structure	1 1 2	(3)
	Rock		Material		
	nual N/A			Manual	
begins.					
		<u> </u>	REVEGETATION	•	
	TREATMENT AREA I			TREATMENT AR	EA II
	- 2	T /	Lima	n= 3	Tons/acre
		Tons/acre	Lime	205	10113/4010
or corre	ect to pH 6.5		0.00	spect to pH 6	
		-	or co	rrect to pH 6.	
					5
Fertilizer_	600	lbs/acre		r 600	5Ibs/acre
					5Ibs/acre
(600 10-20-20 or equivale	ent)	Fertilize	r 600 (10-20-20 or equ	bs/acre
Mulch Strai	600 10-20-20 or equivale	_lbs/acre	Fertilize	r 600 (10-20-20 or equ	bs/acre ivalent) 2 bs/acre
Mulch Stran	600 10-20-20 or equivale w 2 cky 31 Fescue 40	lbs/acre	Fertilize Mulch S Seed* Ken	r 600 (10-20-20 or equ traw tucky 31 Fescue	Ibs/acre Ivalent) 2 Ibs/acre 40 Ibs/acre
Mulch Stran	600 10-20-20 or equivale w 2 cky 31 Fescue 40 foot Trefoil 10	Ibs/acre Ibs/acre Ibs/acre	Fertilize Mulch S Seed* Ken Bir	r 600 (10-20-20 or equitraw tucky 31 Fescue dsfoot Trefoil	1 bs/acre 1 bs/acre 2
Mulch Stran Seed* Kentur Birds	600 10-20-20 or equivale w 2 cky 31 Fescue 40 foot Trefoil 10	lbs/acre	Fertilize Mulch S Seed* Ken Bir	r 600 (10-20-20 or equ traw tucky 31 Fescue	Ibs/acre Ivalent) 2 Ibs/acre 40 Ibs/acre
Mulch Stran Seed* Kentur Birds Domes	600 10-20-20 or equivale w 2 cky 31 Fescue 40 foot Trefoil 10 tic Ryegrass 10	lbs/acre bs/acre bs/acre bs/acre	Mulch S Seed* Ken Bir	r 600 (10-20-20 or equations of the following state of the following	Ibs/acre Ibs/acre
Mulch Stran Seed* Kentur Birds Domes*	600 10-20-20 or equivale w 2 cky 31 Fescue 40 foot Trefoil 10 tic Ryegrass 10 all legumes such as	lbs/acre bs/acre bs/acre bs/acre	Mulch S Seed* Ken Bir	r 600 (10-20-20 or equations of the following state of the following	Ibs/acre Ibs/acre
Mulch Stran Seed* Kentur Birds Domes*	600 10-20-20 or equivale w 2 cky 31 Fescue 40 foot Trefoil 10 tic Ryegrass 10	lbs/acre bs/acre bs/acre bs/acre	Mulch S Seed* Ken Bir	r 600 (10-20-20 or equations of the following state of the following	Ibs/acre Ibs/acre
Mulch Stran Seed* Kentur Birds Domes *Inoculate a with 3X rec	600 10-20-20 or equivale w 2 cky 31 Fescue 40 foot Trefoil 10 tic Ryegrass 10 all legumes such as ommended amount.	_lbs/acre _lbs/acre _lbs/acre _lbs/acre _lbs/acre _vetch, trefoil a	Mulch S Seed* Ken Bir Dom	traw tucky 31 Fescue dsfoot Trefoil estic Ryegrass	Ibs/acre
Mulch Stran Seed* Kentur Birds Domes *Inoculate a with 3X rec	600 10-20-20 or equivale w 2 cky 31 Fescue 40 foot Trefoil 10 tic Ryegrass 10 all legumes such as ommended amount.	_lbs/acre _lbs/acre _lbs/acre _lbs/acre _lbs/acre _vetch, trefoil a	Mulch S Seed* Ken Bir Dom	traw tucky 31 Fescue dsfoot Trefoil estic Ryegrass	Ibs/acre
Mulch Stran Seed* Kentur Birds Domes *Inoculate a with 3X rec	600 10-20-20 or equivale w 2 cky 31 Fescue 40 foot Trefoil 10 tic Ryegrass 10 all legumes such as	lbs/acre lbs/acre lbs/acre lbs/acre vetch, trefoil a	Mulch S Seed* Ken Bir Dom nd clovers w	traw tucky 31 Fescue dsfoot Trefoil mestic Ryegrass with the proper back	Ibs/acre Ibs/acre
Mulch Stran Seed* Kentur Birds Domes *Inoculate a with 3X rec	600 10-20-20 or equivale w 2 cky 31 Fescue 40 foot Trefoil 10 tic Ryegrass 10 all legumes such as ommended amount.	lbs/acre lbs/acre lbs/acre lbs/acre vetch, trefoil a	Mulch S Seed* Ken Bir Dom nd clovers w	traw tucky 31 Fescue dsfoot Trefoil mestic Ryegrass with the proper back	Ibs/acre
Mulch Strain Seed* Kentur Birds Domes *Inoculate awith 3X recommendation	600 10-20-20 or equivale 2 cky 31 Fescue 40 foot Trefoil 10 tic Ryegrass 10 all legumes such as ommended amount.	lbs/acre lbs/acre lbs/acre lbs/acre vetch, trefoil a	Mulch S Seed* Ken Bir Dom nd clovers w	traw tucky 31 Fescue dsfoot Trefoil mestic Ryegrass with the proper back	Ibs/acre Ibs/acre
Mulch Strain Seed* Kentur Birds Domes *Inoculate awith 3X recommendation	600 10-20-20 or equivale w 2 cky 31 Fescue 40 foot Trefoil 10 tic Ryegrass 10 all legumes such as ommended amount. hotocopy section of	lbs/acre lbs/acre lbs/acre lbs/acre vetch, trefoil a	Mulch S Seed* Ken Bir Dom nd clovers w	traw tucky 31 Fescue dsfoot Trefoil mestic Ryegrass with the proper back	Ibs/acre Ibs/acre

			uny	Cold	UPS	H. 60	1-C
Formation Color Hard or Soft	Top Feet	Botte	23000-		und	*Rema	rks
Benson Shale & Sand Elk Sand Sand & Shale	3949 3952 5105 5142	39! 51(514 538		•	2909 ×3306		
Recycling Comma		3	LIEED	118			
	10 holes 16 holes 16 holes 16 holes 17 holes 18 holes 19 holes 19 holes 10 holes 10 holes 11 holes 12 holes 13 holes 14 holes 15 holes 16 holes 17 holes 18	201 17 18 1016 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			TRAIL X3291	108	A yearse? A yearse? A the color of co
/40 bbls 60,630/,2 0/ 40	1s 27,000% 20 1 fluid 78 v			15/		1/6	
		Freet	-569, Feet				
		yald	oeeg2-nvo				
	,110 1500	110	ce quí	1107 3			
L 15051 no show	b asî	01					
		30					
		ear					
	1 1 1	513					
	11	1200					
		2008 K					
# 4791 59,700cr	IL DIE	500					
" 234 73,3000, L.D. "	na thair	1581					03/15/2024
		11370	1350				elan 3
		2205	Date:	Ju	ly 7		
					//		

0G-10 9-71





JUL - 7 1981

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL & GAS DIVISION DEPT. OF MINES

OIL and GAS DIVISION WELL RECORD

	WELL RECORL
uadrangle Cassity 7.51	
ermit No 47 007 0440	

Rotary XX	011
Cable	Gas XX
Recycling	Comb.
WaterFlood	Storage
Disposal	
	11/1 15

Company Allegheny Land & Mineral Co. Address P. O. Box 1740, Clarksburg, W.Va. 26301 Farm McMullan Acres 9,757 Location (water) Sugar Run	Casing and Tubing	Used in Drilling		Cement fill up Cu. ft. (Sks.)
Well No. A-1017 Elev. 3163¹ District Middle Fork County Randolph The surface is owned in fee by Westvaco	Size 20-16 Cond.11 3/4 13-10"	17'	0'	
Address 203 Randolph, Elkins, W. Va	9 5/8 8 5/8 7	978.751	978.751	w/250 sks.to surface
Address P.O.Box 8, Washington, NC Drilling Commenced June 9, 1981 Drilling Completed June 16, 1981 Initial open flow 73.300 cu.ft. bbls.	5 1/2 4 1/2 3	52501	52501	w/660 sks. 1200'
Final production 1237M cu.ft.per day bbls. Well open 2 hrs before test 950# RP.	Liners Used			

Well treatment details:

Attach copy of cementing record.

Elk sand treated w/ 500 gal 15% Total fluid 778 bbls 57,000# 20/40 Benson sand treated w/500 gal 15% total fluid 812 bbls 57,000# 20/40 Sppechley-Ballown sand treated w/500 gal 15% HCL Total fluid 739 bbls 60,000# 20/40

Coal was encountered at 272-276,665-669,

Fresh water none Inches Feet Producing Sand Elk, Benson & Balltown-Speechley Salt water Feet Depth

Formation Color Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or Water *Remarks
Clay	0	10	Gas ck. @ 1605' no show
Sand	30	30 40	" " 1979' " "
Sand & Shale Shale	40	164	" " " 2199' " " " " " 2293' 10,900CF
Sand & Shale	164	185	" " 2477' 55,500CF
Coal	185 272	272	" " 2756' 55,500CF
Sand & Shale	276	276 665	" " 3353' 51,900CF
Coal Sand & Shale	665	669	" " 3572' 43,900CF " " 3697' 43,900CF
Salt Sand	669	957	" " 3977' 69,700CF
RR	957 982	982 1320	" " 4791' 58,900CF
.ime	1320	1358	" " 52311 62,000CF 03/15/2024
R & Shale	1358	1370	" " 5384' 73,300CF T.D.
3. Injun	1370 1550	1550	
and & Shale	2206	2206	
hale	2231	2337	
th sand and & Shale	2337	2350	

DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



INSPECTOR'S WELL REPORT

Permit No. 083-0440

OIL & GAS DIVISION DEPOTES

Company Alle 6 Hery LAND &Min	CABING AND USED IN LEFT IN	PACKERS	
Address C/ARKS BURG	Size		
HARRY MEMULLEN	10	Kind of Packer	-
Well No. A - 1017	10	Siz- of	
District MIDDLE FORK County RANDOLPH	814		
Drilling commenced 6-8-8/	6 %s	Depth set	-
Drilling commenced	5 3/16	S	-
Drilling completedTotal depth		Perf 'p	
Date shotDepth of shot	2	Perf bottom	
	Liners Used	Perf * p	_
In tial open flow/10ths Water in Inch		Perform	
Open flow after tubing/10ths Mcrc. in Inch			
VolumeCu Ft.	CASING CEMENTEDSIZE	No FTD.	ate
Nock pressurehrshrs.	NAME OF SERVICE COMPANY		
Oilbbls., 1st 21 hrs.	COAL WAS ENCOUNTERED AT	FEETINCH	ES
Fresh water feet feet	FEETINCHES	FEETINCH	IES
	FEETINCHES	FEETINCH	IES
Drillers' Names UNION RIG	-9		
Drillers' Names //////			
Remarks: Remarks: SI	ZD		

Robert Stemart

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

rmit No			The second second and the second	Well	No	
SSA-Aug - debat Sing SS SAMES SP-SA-AU - ABATHAN SING SAMES SPACE SPACE AND AUGUST AND A	Constitution (Constitution Constitution (Constitution Constitution Constitution Constitution Constitution Cons		ADDRESS		hijili -	<u> </u>
MPANY	The second of the second secon		The state of the s			
RM		DISTRICT.	(OUNTY		V-1/1/1
- Happing Billing Control of Control Control of Control						and the second
ling Material Used		and the second s			4/2	
COLUMN AND AND AND AND AND AND AND AND AND AN	A *	Amount	Packer	Location		
ner Loc	estion					
PLUGS USED AND DEPTH PLACED			BRIDGES		G AND TU	
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION LUCATION	RECOVERED	SIZE	LOST
HEISTAND SPTME CONTROLLED STANDARD STAND		!			1	
and the state of t			and the state of t	The state of the s		-
Street organic cold (IV-voltace and the following of season or higging as the reason of						
The state of the s			programme to the control of the cont	- (a)		
			and the second s			
of the second STA STA Annual Conference and the second second second second second second second second second						
And Market						
				and the same of th		1000
			per granden aggint to the proper company to the company of the com			· Kan -
			40.00			
			v	and the same of th		
						4
rillers' Names			which the complete state of the complete sta			
rillers Names						
emarks:						
	har in the	1 ar end the	well on this date			
DATE	Hereby certally					
					03/15/2	2024

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S WELL REPORT

10.083-0440				Oil or G	i; Well COTT	
CONTRACTOR - CONTR	1 LAND & Min	CABING AND TURING	USED IN DRILLING	Leftin	PACKERS	
Address C/ARKS F		Size				
Address Address	e miller	16			Kind of Packer	
FORM HARRY MC		13	-		S1z	-
Well No A-1017		10 878			250	
	K County RANDOIP	6%			Der't set	
Drilling commenced (6-8-81	53/16				
Drilling completed		3			Perf 'p	
Date shot		2	•		Perf bottom.	
		Liners Used	-		_ Peri t p	
	/10ths Water inIn		1		Post bett m	-
Open flow after tubing	/10ths Mcrc. inIn	Cn CFW	GENTED 8	SIZE 9	78 NO FT	/2-0/ Date
Volume	Cu	Ft. CASING CEM	FRVICE COM	PANY HA	11, BURT	TON
Rock pressure	lbs					
Oil	bbls., 1st 21 }	as. COAL WAS			FEET	
Fresh water	feet				FEET	
	feet	feetFE	ETIN	CHES	FEFT	INCHE
Salt water			DE	PERRIE	25	
Drillers' Names	NON Ri6	-9	KE	953 V	5	
			JL JL	IN 1 5 1981	- (
Remarks:	Ri6 51	POD				
Mave	110			& GAS DIVIS		

OIL & GAS DIVIS DEPT. OF MINE

6-12-81 BATE

Robert Stewart
03/15/2024

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

OMPANY			ADDRESS			12010
	and the second s			T. C. T. T.	114	140 / 14
lling Material Uard						
ner L	ocation	Amount	Packer	Location		
	AND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION LUCATION	RECOVERED	SIZE	LOST
ENVIRONMENTAL SERVICES CONTRACTOR AND		A CONTRACTOR OF THE PARTY OF TH				
an calaban a sangaradan sangaran san a manang sa gapitan da Biban da dagan pandan san san sangar						
manufar recent little geget fill for the garger of the fill of the			Ber Haustrag (Mathiata Angara Ang			
annunga (1888) (1884) kanang arabi sana manancanan at manancan at sana nang at manancanan					-	
				1.1		
					<u> </u>	
				in Land		
302102						
			in the component of the black and appropriate of the contract			
				23		
			and the second s			
llers' Names						
marks:	1.7500000000		The second secon			
marks.	The Law					
DATE	hereby certify I	critical the area	e well on this date			
DATE						

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S WELL REPORT

Permit No. 083-09	40			Oil or	Gas Well	145
Company Allo 6 Her	1 LAND AMI	CASING AND TUBING	USED IN DRILLING	LEFT IN	PAC	KERS
Address CARK	SBURG	Size		en European en en	Jack No.	
Farm HARRY	nemuller	16		SE 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 19	Kind of Pa	cker
Well No. A-10	/7	13			Size of	
District DIDDle Fo	PK County RANDOI		Section of the sectio		Size of	
Drilling commenced	6-81	65%			Depth set_	- 11
Drilling completed	Total depth		A - C - C - C - C - C - C - C - C - C -		Perf. top_	7
Date shot	Depth of shot	2				m
Initial open flow	/10ths Water inI	nch Liners Used			Perf. top	
Open flow after tubing	/10ths Merc. inI	nch			Perf. botto	m
Volume	Cu.	Ft. CASING CEME	NTED	SIZE	No. FT	Dat
Rock pressure	lbs	hrs. NAME OF SER	NAME OF SERVICE COMPANY			
0.11	bbls., 1st 24	ors. COAL WAS EN	COUNTERED	AT	FEET	INCHE
Fresh water	feetf	eetFEET_	INCH	ES	FEET	INCHE
Salt water	feetf	GeetFEET_	INCH	ES	FEET	INCHES
Drillers' Names						
			7	RECE	INE	0
Remarks:	To Roll	OASE		DEC 2	1 1981	,

Robert Stewart

OIL AND GAS DIVISION WY DEPARTMENT OF MINES

12-17-81

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No				We	II No		
COMPANY			ADDRESS				
FARM		DISTRICT	•	COUNTY			
Filling Material Used	account name with a company and a characteristic an					,	
Liner Loc	iner Location Amount Packer PLUGS USED AND DEPTH PLACED BRIDGES		Packer	Location			
PLUGS USED A			BRIDGES	CASIN	CASING AND TUBING		
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION LOCATION	RECOVERED	SIZE	LOST	
eagen and a second							
						Market 1997	
and the second s				A Commence of the Commence of		A CONTRACTOR OF THE PARTY OF TH	
			ilgean land, Land 1990		772	s regal bis.n	
nar galaktingan menerila (1903-1908) - 2 1975 nangan pendungan pendungan menerila di adalah sebagai sebagai sebagai			man a survey of the survey of	iji. sp ^o ti	grade da de	No enditioned	
	ar erec		surface of the			a fire to	
	771077	m-11/2 12 7				1900	
3 July 1981						,,,,,	
Prillers' Names							
2							
Remarks:	a per						
CIVII	10国图						
180115							
GAS DIVE ON TIMENT OF MINES							
TIMENT OF MINES	RANGO VW						

I hereby certify I visited the above well on this date.

DATE

03/15/2024



State of Mest Virginia

Pepartment of Mines Gil and Gas Pivision Charleston 25305

WALTER N. MILLER DIRECTOR

January 25, 1982

Allegheny Land & Mineral Company P. O. Box 1740 Clarksburg, West Virginia 26301


Dear Sir:

The required records and reports have been received in this office and the District Inspectors have submitted Final Inspections for the following wells listed below:

PERMIT NO.	FARM AND WELL NO.	DISTRICT
RAN-0381	Neva McMullan #A-925	Middle Fork
RAN-0403	L. T. & Dorothy Lewis #A-984	Roaring Creek
RAN-0428	Neva McMullan et al #A-1000	Middle Fork
	Harry McMullan, III #A-1017	Middle Fork
RAN-0458	Harry McMullan/Golf Arnold #A-1019	Middle Fork
RAN-0460	Mike Ross/John Petrice #A-1026	Roaring Creek
RAN-0466	Harry McMullan #0466	Middle Fork

In accordance with Chapter 22, Article 4, Section 2, the bond coverage for above captioned wells will stay in force for life of well. Reclamation requirements have been approved.....

Fred Burdette



	001				
1.0 API well number: (If not available, leave blank, 14 digits.)	47 - 083 - 0440				
Type of determination being sought: (Use the codes found on the front of this form.)	103 DEPNA OF M.NES Section of NGPA Category Code				
3.0 Depth of the deepest completion location: (Only needed if sections 103 or 107 in 2.0 above.)	5384 T.D. feet				
4.0 Name, address and code number of applicant: (35 letters per line maximum. If code number not available, leave blank.)	Allegheny Land & Mineral Co. 000333 Name P.O. Drawer 1740 Street Clarksburg, W W.Va. 26301				
	City State Zip Code				
5.0 Location of this well: [Complete (a) or (b).] (a) For onshore wells (35 letters maximum for field name.)	Middle Jak District Field Name Rondolph County State				
(b) For OCS wells:	N/A				
	Area Name Block Number Date of Lease:				
	Mo. Day Yr. OCS Lease Number				
(c) Name and identification number of this well: (35 letters and digits maximum.)	A - 1017				
(d) If code 4 or 5 in 2.0 above, name of the reservoir: (35 letters maximum.)	Elk, Benson, Balltown - Speechley				
6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)	Columbia Gas Transmission Corp. 004030 Name Buyer Code				
(b) Date of the contract:	Mo. Day Yr.				
(c) Estimated annual production:	Not in line ! MMcf.				
	(a) Base Price (b) Tax (c) All Other Prices [Indicate (b) and (c) (+) or (-).]				
7.0 Contract price: (As of filing date. Complete to 3 decimal places.)	2.476 0.247 0.247 2.970				
8.0 Maximum lawful rate: (As of filing date. Complete to 3 decimal places.)	2.476 0.247 0.247 2.970				
9.0 Person responsible for this application: Agency Use Only Date Received by Juris. Agency 7 1981 Date Received by FERC	Daniel L. Wheeler Vice-Pres.Land Dept. Name Title Sig(ature				
	7-6-8/ 304-623-6671 Date Application is Completed Phone Number				

4000

FT7900206/2-2

PARTICIPANTS: DATE: AUG 1 1 1981	<u>B</u> !	UYER-SELLER CO
WELL OPERATOR: Allegheny Land + Mineral Ca	e constante	000333
FIRST PURCHASER: Columbia Gas Trans Corp.	1.00	004036
OTHER:		2.2
W. Va. Department of Mines, Oil & Gas Division WELL DETERMINATION FILE NUMBER \$ 16707 -163-083=0440 CK map 1569 Defended for BHP Cauchy Street St	"alcula Juzzey	the
Use Above File Number on all Communications Relating to Determination of this Well		
CHECK EACH ITEM AS COMPLETE OR NOTE WHAT IS MISSING		
1. FERC -121 Items not completed - Line No.		
BING NO.	422	
2. IV-1 Agent 3. IV-2 Well Permit		
4. IV-6 Well Plat		-5-2 A-3
·	eepening _	
6. IV-36 Gas-Oil Test: Gas Only Was Oil Produced? _		Ratio
7. IV-39 Annual Production years		
8. IV-40 90 day Production Days off line:		17.00 A
9. IV-48 Application for certification. Complete?	- Jai	in the second
10-17. IV Form 51 - 52 - 53 - 54 - 55 - 56 - 57 - 58 Complete?	Affida	wit Signed
18-28. Other: Survey Logs Geological Characteristics		
Structure Map 1: 4000 Map W. Gas Analyses	ell Tabula	cions
(5) Date commenced: 6 -9 -8 Date completed 6 -16 -81	Deepened	
(5) Production Depth: 5123-31, 3951-59, 2614-18, 2467-70		
(5) Production Formation: Elk. Benson + Balltown - Speechl.		
(5) Final Open Flow: 1237 m CF	y	and the second
(5) After Frac. R. P. 950# 2 hss.	7. 22.	
(6) Other Gas Test:		
(8) Avg. Daily Gas from Annual Production:		
(8) Avg. Daily Gas from 90-day ending w/1-120 days	and the second	
(8) Line Pressure:	PSIG	from Daily Repo
(5) Oil Production: From Completion Report		
0-17. Does lease inventory indicate enhanced recovery being done	No	
O-17. Is affidavit signed?	1	4 F /000
oes official well record with the Department confirm the submitted info	03/ ormation?	15/2024 Lec
dditional information Does computer program confirm?		
as Determination Objected toBy Whom?		
	T	

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

Date 7-6 . 19 8/ Operator's Well No

API Well State

WELL CLASSIFICATION FORM NEW ONSHORE PRODUCTION WELL

MGPA Section 103

DESIGNATED AGENT Allegheny Land & Mineral Co. ADDRESS P.O. Drawer 1740 Clarksburg, W. Va. 26301 WELL OPERATOR Allegheny Land & Mineral Con Elevation 3/63 ADDRESS P.O. Drawer 1740 Watershed Lugar Run

Middle Jork County Randolph Quad Cassity 7.5 Clarksburg, W. Va. 26301 GAS PURCHASER Columbia Gas Transmission Corp. ADDRESS 1700 MacCorkle Ave. S.E. Meter Chart Code Charleston, W.Va. 25314 Date of Contract

Date surface drilling was begun: 6-9-81

Indicate the bottom hole pressure of the well and explain how this was calculated:

950# Rock Pressure was PSIG at the surface.

AFFIDAVIT

I. James B. Gehr James B. Gehr, having been first sworn according to law state that surface drilling of the well for which this determination is sought was begun on or after February 19. 1977; the well satisfies applicable state or federal well spacing requirements and the well is not within a proration unit, in existence at the time surface drilling began, which was applicable to the reservoir from which gas is or will be produced and which applied to any other well producing has in commercial quantities or on which surface drilling began on or after February 19, 1977, and which was capable of producing gas in commercial quantities. I state, further, that I have concluded, to the best of my information, knowledge and belief, that the well for which this determination is sought is a new onshore production well and that I am not aware of any information not described in the application which is inconsistent with this conclusion.

President

Allegheny Land & Mineral Co.

STATE OF WEST VIRGINIA.

COUNTY OF Harrison TO WIT

I, Ethel Marie Crowley Notary Public in and for the state and county aforesaid, do certify that James B. Gehr, whose name is signed to the writing above, bearing date the 6th day of July _____, 19 8/ . has acknowledged the same before me, in my county aforesaid Given under my hand and official seal this 6th, day of Luly . 198/.

My term of office expires on the 20th day of December 0, 1989.

[NOTARIAL SEAL]

Ethel Marie Crowley

THE PROPERTY OF CASE

03/15/2024