| Date: 14 | geril | . 19_ |
|------------------------|--------------|-------|
| Operator's Well No. | Lamb-1 | 8 1 |
| | 083 | 0474 |
| API Well No. | State County | Fermi |

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES, OIL AND GAS DIVISION

| OIL AND GAS WELL I | PERMIT APPLICATION |
|--|--|
| | and the state of t |
| WEIL TYPE: OII/ Cas _xk / | and storage/ Deep/ Shallow_xx/) |
| | Bighaurel Rux |
| Dockson | Candolph Quadrangle: Ellamore |
| | |
| WELL OPERATOR FMF Oil and Gas Properties, | The Designated agent 13 06 |
| Address Suite 305, 7030 So. Yale | Address P.O. Box 1386 |
| Tulsa, Oklahoma 74136 | Charleston, W. Va. 25325 |
| | |
| ROYALTY OWNER Toe Panther_ | COAL OPERATOR |
| Address Po Box 188 | Address |
| CIKINS, W. Va. 26241 | |
| Acreage 99 | COAL OWNER(S) WITH DECLARATION ON RECORD: |
| SURPACE OWNER Frank Camb | Name Forrest Hutton & Others |
| Address Rh. 6, Box 125 | Address Rt. 4, Box 40A |
| Laurinburg, N.C. 28352 | Leesburg Va. 22075 |
| Acreage 99 | Name 4 others - 21st arracket |
| FIELD SALE (IF MADE) TO: | · Address (Showing Coal owners) |
| Name | |
| Address | COAL LESSEE WITH DECLARATION ON RECORD: |
| | Name Meadowlark Farms, Inc. |
| OIL & GAS INSPECTOR TO BE NOTIFIED | Address 105 South Meridian St. |
| Name Robert Stewart | Indiana polis, Indiana |
| Address P.O. Box 345 | |
| Jane Lew, W. Va. 26378 | |
| • | to operate for oil or gas purposes at the above |
| The undersigned well operator in entire | ontract / dated 17 Sept , 19 80 , to the |
| undersigned well operator from | other |
| | |
| [If said deed, lease, or other contract has been re | of the Clerk of the County Commission of Candala |
| Recorded on 24 Sept., 1980, In the office | 2 at page 151. A permit is requested as follows: |
| PROPOSED WORK: Drill XXX/ Drill deeper/ | Redrill / Fracture or stimulate/ |
| Plug off old formation/ | Perforate new formation / |
| | |
| Other physical change in well | nouncil and the areas and |
| | order on the reverse side hereof. |
| planned as shown on the work | (s), and coal lessee are hereby notified that any |
| The above named coal operator, coal owner | by Code § 22-4-3 must be filed with the Department |
| objection they wish to make or are required to make | of this Application by the Department. |
| of Mines within fifteen (15) days after the receipt | enclosed plat and reclamation plan have been mailed |
| Copies of this Permit Application and the | e named coal operator, coal owner(s), and coal lessee |
| by registered mail or delivered by hand to the above | this Permit Application to the Department of Mines at |
| on or before the day of the mailing of delivery | 03/15/2024 |
| Charleston, West Virginia. | 03/15/2024 |
| PLEASE SUBNIT COPIES OF ALL GEOPHYSICAL LOGS DIRECTLY TO: APR 3 0 1981 | · |
| WEST VIRGINIA OIL AND GAS | FMF Oil and Gas Properties, Inc. |
| CONSERVATION COMMISSION 1615 WASHINGTON STREET EAST CHARLESTON, WV 25311 CHARLESTON, WV 25311 CHARLESTON, WV 25311 | ON / Well Operator |


Its Petroleum Engr.


PROPOSED WORK ORDER

THIS IS AN ESTIMATE ONLY:
ACTUAL INFORMATION MUST BE SUBMITTED ON FORM IV-35 UPON COMPLETION


| depth te wat te cos | n of ter stal sea ROGRAI | complet trata d am dept M IFICATION | ed we epths | :11, _:s: 'Fr | FOOTAGE | _ feet eet; salt, coal being mi | feet. ned in the area CEMENT PILL-UP OR SACKS | Cable tools/ 1? Yes/ No_X |
|-------------------------------------|--|--|---|--|---|--|---|---|
| depth te wat te cos ING PF | n of ter stal sea ROGRAI | complet trata d am dept M IFICATION | ed we epths | :11, _:s: 'Fr | 5400 resh, 3 s 3 Is | _ feet eet; salt, coal being mi | feet. ned in the area CEMENT PILL-UP OR SACKS | a? Yes/ No_∠⁄ |
| depth te wat te cos ING PF | n of ter stal sea ROGRAI | complet trata d am dept M IFICATION | ed we epths | :11, _ | 5400 resh, ? s Resh, ? s Is | eet; salt, coal being mi | feet. ned in the area CEMENT PILL-UP OR SACKS | a? Yes/ No_∠⁄ |
| te wat te cos ING PF | er son | trata d em dept M IPICATION | epths hs: | s: 'Fr | FOOTAGE | eet; salt, coal being mi | feet. ned in the area CEMENT PILL-UP OR SACKS | a? Yes/ No_∠⁄ |
| ING PF | ROGRAI | em dept M IFICATION Weight | hs: _ | | 3 Is | coal being mi | cement Pill-UP | |
| ING PF | SPECI | M IFICATI Weight | ONS New | 1 | FOOTAGE : | INTERVALS | CEMENT PILL-UP OR SACKS | |
| 3/4 S/2 | SPECI | FICATI | New | Used | | 1 | OR SACKS . | PACKERS |
| 3/4 S/2 | SPECI | FICATI | New | Used | | 1 | OR SACKS . | PACKERS |
| 3/4 G | 1 | Weight | New | Used | | 1 | OR SACKS . | PACKERS |
| 3/4 5/2 | rade | ber It | | Usea | For drilling | | | |
| 5/- | | | | | | | (Cubic feet) | |
| | | | 1 | | 50' | 20' | | Kinds |
| | - | | | | | | | |
| | | | | | | | | Sizes |
| 3" | | 20 | X | | 900' | 900' | To Surface | |
| 4 | | 10% | X | | 5400' | 5400' | 400 5KS | Depths set |
| | | | - | | | | | |
| | | | | | | | | Perforations: |
| | | : | - | | | • | | Top Botton |
| | | : | | | | | | |
| | | | | | | | | |
| C8 811 | ch on | the Fo | rm Il | V-2 fi | led in connec | tion therevit | th. | |
| MIT A | AUST | BE POS | TED | AT TH | IE WELL SITE | | | |
| nons I | Code | in accor | dance | with | Chapter 22, | • | | |
| * 4 | | | | 41 | | | | * 9 |
| | | | | 7 | | | | |
| INCOME | 101 0 | ommence | eu by | 1/ | 1 | | Latin N | • |
| 6 | X | 2 cu | de | lle | Z: | | vig su e r | |
| y Direc | tor - (| Oil & Go | is Div | ision | | | | |
| * | | | • , • | .*1 | | | A Property of | |
| | | | | : , | | F | | · · · · · · · · · · · · · · · · · · · |
| , | | | | | | | | |
| | | • | | | leted by the | | | |
| | 2 must ation the ation the ot le to ly pai not re of the A se cturi as suc WIT A | 2 must be ation 11, the other 12, the other 12, the to the 12 paid on 12 paid on 14 paid on 15 paid on 16 paid on 17 paid on 18 paid | on 7.02 of the De 2 must be filed wation 11, (ii) a the other securit le to the reclama ly paid on the saint required by Co of the proposed was A separate Form cturing or stimula as such on the Fo MIT MUST BE POS toons being in according to ya. Code, the locality | on 7.02 of the Departm 2 must be filed with to ation 11, (ii) a bond the other security all the to the reclamation by paid on the same we not required by Code we of the proposed well. A separate Form IV-2 cturing or stimulating as such on the Form IV MIT MUST BE POSTED wons being in accordance (. Va. Code, the location illing . This paid in the same well as such on the second and the second accordance with the second ac | on 7.02 of the Department of must be filed with the Department of the other security allowed the other security allowed to the reclamation requily paid on the same well, the notice proposed well. A separate Form IV-2 shall atturing or stimulating is the such on the Form IV-2 file. MIT MUST BE POSTED AT The mons being in accordance with the Na. Code, the location is here illing. This permit is have not commenced by Director - Oil & Gas Division | on 7.02 of the Department of Mines provies must be filed with the Department, according to the filed with the Department, according to the other security allowed by Code § 22-le to the reclamation required by Code § ly paid on the same well, the fee requirent required by Code § 22-le-8a from the confit the proposed well. A separate Form IV-2 shall not be required turing or stimulating is to be part of as such on the Form IV-2 filed in connections being in accordance with Chapter 22, I. Ya. Code, the location is hereby approved illing This permit shall expire if shave not commenced by 1-15-82. | on 7.02 of the Department of Mines provides that the 2 must be filed with the Department, accompanied by 2 mines to filed with the Department, accompanied by 2 mines of the forms prescribed the other security allowed by Code § 22-4-2, (iii) For the to the reclamation required by Code § 22-4-12b and by paid on the same well, the fee required by Code § 10 mines of the proposed well. A separate Form IV-2 shall not be required for fracticuring or stimulating is to be part of the work for as such on the Form IV-2 filed in connection therewise the code, the location is hereby approved illing This permit shall expire if shave not commenced by 1-15-82 Director - Oil & Gas Division | on 7.02 of the Department of Mines provides that the original and for must be filed with the Department, accompanied by (i) a plat in the other security allowed by Code § 22-4-2, (iii) Form IV-9, "Rectate to the reclamation required by Code § 22-4-12b and Regulation 23, by paid on the same well, the fee required by Code § 22-4-12a, and intrequired by Code § 22-4-8a from the owner of any water well or do find proposed well. A separate Form IV-2 shall not be required for fracturing or stimulating or stimulating is to be part of the work for which a permit as such on the Form IV-2 filed in connection therewith. ANIT MUST BE POSTED AT THE WELL SITE THIS permit shall expire if shave not commenced by 1-15-82. Director - Oil & Gas Division |

.





Sketch to include well location, existing access road, roads to be constructed, wellsite, drilling pits and necessary structures numbered or lettered to correspond with first part of this plan. Include all natural drainage.



1. Well road to be run with an existing road and then leave the for 500ft.
to the location being constructed on a gentle grade,

2. Location to be constructed in a cleared area.


3. Cuts will be on a 2:1 slope unless in rock.

4. Drainage to be maintained after reclamation is complete.

5. Seeding to commence within three (3) months after completion of well. $\frac{03}{15/2024}$

Signature: Aluin Some Rt. 4, Box 444, Buckhannon, WV 472-0007
Agent Address Phone Number

Please request landowners cooperation to protect new seeding for one growing season.



LAW OFFICES

BROWN, HARNER & BUSCH, L.C.

P. O. BOX 1333 ONE RANDOLPH AVENUE ELKINS, W. VA. 26241

TELEPHONE: (304) 636-3560

PARSONS OFFICE: 303 FIRST STREET PARSONS, W. VA. 26287 TELEPHONE (304) 478-3828

April 8, 1981

FMF Oil & Gas Properties, Inc. 537 Springvale Road Great Falls. VA 22066

Great Falls, VA 22066

RE: Joe Panther
99 Acres and 20 Poles - Roaring Creek District
Randolph County, WV
Coal Ownership

Gentlemen:

JOHN F. BROWN, JR.

W. DEL ROY HARNER

RICHARD H. TALBOTT, JR.

JOHN E. BUSCH

At the request of Rex Ostrander, examination has been made of the records in the Office of the Clerk of the County Commission of Randolph County, WV, to determine the identity of the current owners of the coal underlying the above property, which was reported by letter dated October 17, 1980, to have been severed in 1902 and conveyed to W. H. Cobb and C. W. Maxwell.

Based on our examination, it appears that the coal is presently owned as follows:

- (a) Forrest Hutton
 Route 4, Box 40A
 Leesburg, VA 22075
 One-Third Interest
- (b) Charleston National Bank Charleston, WV Executor and Trustee of Estate of George Ward, Deceased One-Ninth Interest
- (c) Cecelia Wallace and Sarah Ward Elkins, WV One-Ninth Interest
- (d) Samuel W. Channell Charleston, WV Two-Ninths Interest



OIL & GAS DIVISION
DEPT. OF MINES

Page 2 FMF Oil & Gas April 8, 1981

(e) Carl R. Channell
 Washington, D.C.
 Two-Ninths Interest

By various leases entered into during the year 1976, the then owners of said coal leased the coal to Meadowlark Farms, Inc., 105 South Meridian Street, Indianapolis, IN, for a period of twenty years, with certain renewal options.

If further information is need with regard to the addresses of the parties, please advise.

Very truly yours,

Richard H. Talbott, Jr.

RHT:bkp

cc: Rex Ostrander



OIL & GAS DIVISION
DEPT. OF MINES

CELLAN EN 1983

Operator's LAMIS-1

API Well No. 47-083-0474

State of West Virginia
Department of Mines
Oil and Gas Division
WELL RECORD



(Well log on reverse side)

| Well Type: 0 | ST.P. / Coo | X , | | | / 12 | | | |
|---------------|------------------------------|-----------|----------|-----------------------|------------------|-----------------------|-----------------|-----|
| well Type. (| Oil / Gas_ Yf "Gas", Prod | luction > | quid In | jection_ derground | / Was storage | te Disposal / Deep | / _/ Shallow | |
| | Elevation: 222 | | | | | | 8,7 | |
| ľ | istrict: ROARIA | 16 CREEK | < Cou | nty: RA | UDOLPH | Quadrangle | e: ELLAMOR, | C |
| | or FMF OIL + | | | | | | | |
| | | | | | | | LCKHANNON, L | J |
| | TULSA, O | | | | _ | | | |
| Permitted Wo | ork:_Drill_X | /. Covert | , | Drill de | ener- | / Redrill | 1 | |
| | | | | | | mation/ | | |
| | | | | | | | ell (specify)_ | |
| | | new ronne | | | physical | r change in we | sii (specify) | - |
| Downit Inne | 1 3 | 2. | | | | | | |
| remit Issue | ed on $4-30$ | -81 | | | | Inspector for | | |
| , | | | | _ | | BIERT ST | | _ |
| | | | | <u> </u> | | P.O Box 3 | | _ |
| | | | | - | 7 | ANE LEW ! | W. Ux. 26378 | _ |
| Geological T | arget Formation | : HAURR | 74 - FC |)X | Dept | h 4900 to 5 | 150 feet | |
| Depth | of completed we | 11, 549 | 50 | feet | Rotary | × / Cable | Tools/ | |
| Water' | strata depth: F | resh 40 | | _feet; | Salt; | fe | et. | |
| Coal s | eam depths: | | | | Is coal | being mined i | n the area? | |
| Work w | as commenced | 7-23-8 | | , | and compl | eted_7-29- | 81 | |
| Casing and T | ubing Program | | | | | | ·. | |
| Casing or | | ification | s I I | 1 | Footage | Intervals | Cement Fill-U | Jp |
| | Size Grade | Weight | New Us | ed For d | rilling | Left in well | (cubic feet) | - 1 |
| Conductor | | | | | . : | | | |
| Fresh Water | | | | : | | | | |
| Coal | | | | | | | | |
| Intermediate | | 23# | X | | | 1060 | TOSURFACE | |
| Production | 472 | 101/2 | X | | | 5272' | 500 SLs. | - |
| Tubing | | | | 11 | | | | |
| Liners | | | | | 1 | | | |
| Vell Treatmen | ot dotails: | | | | | | | |
| | Perfs: (49 | 37 51/ | 114 | · | 10 | | | |
| 8-19-81 | Feac: Un. | 32 - 316 | 1 15- | HOLES . | 1 | C = | | A |
| 0 11-81 | # 80/ | Chia | 7-157 | 20/ - | HAUERTY | - 1-ox (06 | ETHER. | P |
| 30 | 0000 # 80/00 000 # 80/00 | A. D. | 30000 | 740 SA | 20 210 | DISCS FOT | AL FLUID | Z |
| | | AV. FRE | SSURE | 2050 | ISIPI | 600 AV. K | PATE 27 BPM. | _ |
| | | | | | | · . | | 7 |
| | | | | | | | | 74 |
| | SHALLO | لىد | | | | 0 | 3/15/2024 | _ |
| Gas: Initial | open flow, | 170 | Mcf/d | Oil: | Initial | open flow, | Bbl/d | |
| Final o | open flow, | 267 | Mcf/d | | Final o | pen flow, | Bb1/d | |
| Static Rock F | Pressure, | 1850 | psig (s | urface me | asurement | after 4 + | hours shut in. | |
| | | | | | | | WEEKS | |



03/15/2024

| 2 | | 1 | 1 | |
|-------------------|---|---------------------------------------|-------------|--|
| . Formation Color | Hard or Soft | Top Feet | Bottom Feet | Oil, Gas or Water . Remarks |
| | | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 | |
| BIG LIME | ⊢ (. | 1305 | 1370 | |
| | | | | |
| BIG INSUN | <u>ı–l</u> . | 1370 | 1535 | |
| 7 | | | | |
| Pocono | SOFT | 1540 | 1615 | - SHOW 100 MCF |
| SHALE | 2 | 1615 | 107 | |
| | | 1612 | 1930 | |
| SAND + SHAL | E M | 1930 | 2360 | **** |
| · · | | | | |
| 5TH | H : | 2360 | 2450 | |
| SHALE | | | | |
| SHACE | 2 | 2450 | 4050 | |
| BENSON | m | 4050 | 4120 | |
| | | 4020 | 4126 | |
| SHALE & SILT | S | 4120 | 4905 | |
| HAVERTY | | | | |
| | m | 4905 | 4980 | 4 SHOW |
| SILT & SHALE | m. | 4986 | = | |
| Fox | ν- | 100 | 5150 | |
| 1-02 | n | 5150 | 5180 | 4- S120W |
| SHALE + SILT | 2. | 5180 | 5472 | the second secon |
| | | 0.00 | 3412 | |
| | | 5472 | | |
| | • | | | |
| | | | | |
| | | | | |
| | | | 5.4 | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | * |
| | | | | |
| | | | | |
| | | | | a to the second |
| | | | | |
| | | | | |
| | | | | |
| | | $2\frac{n}{N} - \infty \delta_n$ | | |
| | | | | |
| | | | | |
| | | | | 2011-100- |
| ** | ÷ | | Date_ | 03/15/2024 |
| | | | | • |

APPROVED____

Ву_____

Permit No. 083 - 0474

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION



INSPECTOR'S WELL REPORT

OIL & GAS DIVISION DEPT. OF MINES

| Oil | 10 | Gas | Well GAS | |
|-----|-----|-----|----------|--|
| | KIN | DI | | |

CASING AND USED IN Left in Company EMF Oil 4 GAS PACKERS Well Size Kind of Packer____ 13_ 10 Size of District ROARING CREEK COUNTY RANDOLPH 81/4 Drilling commenced 7-23-8/ Depth set____ 5 3/16_ Drilling completed_____Total depth_ Perf. top____ Date shot______Depth of shot__ Perf. bottom_ Liners Used Perf. top___ Initial open flow______/10ths Water in____Inch Perf. bottom_ Open flow after tubing _____/10ths Merc. in ___ Inch CASING CEMENTED____ SIZE No. FT. Date NAME OF SERVICE COMPANY Rock pressure_____ _bbls., 1st 24 hrs. COAL WAS ENCOUNTERED AT FEET INCHES Fresh water___ FEET INCHES FEET INCHES Salt water_ feet FEET____ INCHES _FEET___INCHES feet

Remarks:

Move Rib SPUD

7-23-81

Labert Sc

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

| COMPANY | | | 1000000 | | II No | | |
|-----------------------|----------------------|--------|-----------------------|---------------|----------|------|--|
| | | | ADDRESS | | | | |
| FARM | DISTRICTCOUNTY | | | | | | |
| Filling Material Used | | | | | | | |
| Liner Loc | ation | Amount | Packer | Location | | | |
| PLUGS USED AN | ND DEPTH PLACED | | BRIDGES | CASIN | G AND TU | BING | |
| CEMENT-THICKNESS | WOOD-SIZE | LEAD | CONSTRUCTION-LOCATION | RECOVERED | SIZE | LOS | |
| | | | | | | 200 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| - 475 | | | | | | | |
| | | | | - | | | |
| | | | | | | | |
| | 8 7 122 | | | | | | |
| | No. com | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| illers' Names | | | | | | | |
| marks: | | | | | | | |
| marks: | | | | (m. 5) (m. 5) | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Addition below the | hereby certify I vis | | | | | | |

03/15/2024

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION



SEP 8 - 1981

INSPECTOR'S WELL REPORTOIL AND GAS DIVISION WY DEPARTMENT OF MINES

| Permit No. <u>083-04</u> | 74 | | | Oil oi | Gas Well | 45 |
|--------------------------|--|-------------------|---------------------|---------|------------------------|--|
| Company FMF a | 11 46AS | CASING AND TUBING | USED IN DRILLING | LEFT IN | PAC | KERS |
| Address Buckt | HANNON | Size | | | | 37, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, |
| Farm FRANK | LAMB | 16 | | | Kind of Pac | cker |
| Well No. #/ | on the second se | 13 | | | a: | |
| District ROARING CZ | Rock County RANDO 1PH | | 3 | • | Size of | |
| Drilling commenced | 7-23-8/ | 65/8 | | | Depth set_ | |
| Drilling completed | Total depth | 5 3/16 | | | | |
| Date shot | Depth of shot | 2 | | | Perf. top Perf. botton | |
| Initial open flow | /10ths Water inInch | Liners Used | | - | Perf. top | |
| Open flow after tubing | /10ths Merc. inInch | | | | Perf. botton | n |
| Volume | Cu. Ft. | CASING CEMEN | TED | _SIZE | No. FT | Date |
| Rock pressure | lbs,hrs. | | | | | a |
| Oil | bbls., 1st 24 hrs. | COAL WAS EN | COUNTERED | AT | FEET | INCHES |
| Fresh water | feetfeet | | | | | |
| Salt water | feetfeet | | INCHI | | | |
| Orillers' Names | | | | | | |
| | | | | | | |
| LOCATION | BACK Fills | 2D - Se | e DeD Will | of mu | latted 4NO | P |
| Tone CUT | BACK FILL TINGS IN ST CENCE FLAN | NIGAN | Conf | 14 in | 7 | |
| | | | | | | |

Robert Ste

DISTRICT WELL INSPECTOR

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

| COMPANY | | | ADDRESS | _ADDRESS | | | | | |
|-----------------------------|-----------------------|-----------------|--|-----------------------|----------|-------|--|--|--|
| FARMDISTRICTCOUNTY | | | | | | | | | |
| Filling Material Used | | | | | | | | | |
| Liner Location | | Amount | Packer | Location | | | | | |
| PLUGS USED AND DEPTH PLACED | | | BRIDGES | CASIN | G AND TO | JBING | | | |
| CEMENT-THICKNESS | WOOD-SIZE | LEAD | CONSTRUCTION-LUCATION | RECOVERED | SIZE | Los | | | |
| | | | The state of the s | | | | | | |
| | | | | | • | | | | |
| | | | | - Florensky Street, 1 | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | 2 | | | |
| | | | | | | | | | |
| 58:100 | | | | | | | | | |
| rillers' Names | | | | | | | | | |
| emarks: | | | | | | , | | | |
| emarks: | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | I hereby certify I vi | sited the above | a mall on this data | | | | | | |

DISTRICT WELL WEFECTOR

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION



INSPECTOR'S WELL REPORT

Permit No. 083-0474

OIL & GAS DIVISION

| Company FMF 01/4645 | CASING AND TUBING | USED IN DRILLING | LEFT IN | PACKERS |
|---|----------------------|--|---------|----------------|
| Address | Size | | | |
| FARM FRANK LAMB | 16 | | | Kind of Packer |
| Well No. # / | 13 | | an age | |
| District ROARING CREEK County RANDO IPH | 81/4 | | | Size of |
| Drilling commenced 7-23-8/ | 6% | | | Depth set |
| | 5 3/16 | | | |
| Drilling completedTotal depth | 3 | | | Perf. top |
| Date shotDepth of shot | 2 | | | Perf. bottom |
| Initial open flow/10ths Water inInch | Liners Used | | | Perf. top |
| Open flow after tubing/10ths Merc. inInch | | | | Perf. bottom |
| VolumeCu. Ft. | CASING CEMEN | NTED | _SIZE | No. FTDate |
| lock pressurelbshrs. | NAME OF SER | VICE COMPA | ΥY | |
| Dilbbls., 1st 24 hrs. | COAL WAS EN | COUNTERED . | AT | FEETINCHES |
| resh waterfeetfeet | FEET_ | INCHI | ES | FEETINCHES |
| alt waterfeetfeet | FEET_ | INCHE | ES | FEETINCHES |
| Orillers' Names | | | | |
| Thers wantes | | | • | |
| OIK. To Release | n d | | | |
| | | 0 | | |
| Reguest to | IM per | The state of the s | | |

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

| Permit No | • 10, 19 | | | Wei | I No | | | |
|-----------------------|--------------------|------------------|-----------------------|-------------------|----------------|-----------|--|--|
| COMPANY | | | ADDRESS | | | | | |
| FARM | | DISTRICT | | OUNTY | | | | |
| Filling Material Used | | | | | , | | | |
| | | | | | | | | |
| Liner Lo | cation | Amount | Packer | Location | | | | |
| PLUGS USED A | AND DEPTH PLACED | | BRIDGES | CASING AND TUBING | | | | |
| CEMENT-THICKNESS | WOOD-SIZE | LEAD | CONSTRUCTION-LOCATION | RECOVERED | SIZE | LOST | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | - | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | *** | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Drillers' Names | | | | - | | | | |
| Remarks: | | | | | . • | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| DATE | I hereby certify I | visited the abov | ve well on this date. | | | | | |
| | | | | | .03/15/ | 2024 | | |
| | | | | Dist | LMAGAL AS REST | INSPECTOR | | |



State of West Virginia Bepartment of Mines (Dil and Gas Vivision Charleston 25305

WALTER N. MILLER DIRECTOR

August 24, 1983

FMF Oil & Gas Properties, Inc. P. O. Box 458

Belington, W. Va. 26250

| In Re: | | PERMIT NO: 47-083-0474 | |
|--------|--|-------------------------|------|
| | | FARM: Frank Lamb | mag. |
| | | WELL NO: 1 | - |
| | | DISTRICT: Roaring Creek | - |
| | | COUNTY Randolph | |

THEODORE M. STREIT

ADMINISTRATOR

Gentlemen:

The FINAL INSPECTION REPORT for the above described well has been received in this office. Only the column check below applies:

The well designated by the above permit number has been released under your Blanket Bond.

Please return the enclosed cancelled single bond which covered the well designated by the above permit number to the surety company who executed said bond in your behalf, in order that they may give you credit on their records.

XXXXXXX Your well record was received and reclamation requirements approved. In accordance with Chapter 22, Article 4, Section 2, the above captioned well will remain under bond coverage for life of the well.

Very truly yours,

Theodore M. Streit, Administrator Office of Oil & Gas-Dept. 903/15/2024