

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL
(REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)
WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS SECTION

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

H.N.RINEHART &. EDNA R. NAIL.

COAL OPERATOR OR COAL OWNER
CAIRO. W.VA. OAK LEA VILLA.
MANOR. PA.

ADDRESS

COAL OPERATOR OR COAL OWNER

ADDRESS

COAL OPERATOR OR COAL OWNER

ADDRESS

H. N. RINEHART.

NAME OF WELL OPERATOR
CAIRO. W. VA.

COMPLETE ADDRESS

JUNE. 18. 1934.

193.

PROPOSED LOCATION

GRANT. District

RITCHIE. County

I.

Well No.

H.N.RINEHART &. EDNA R. NAIL

Farm

GENTLEMEN :

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated JUNE 28. 33

made by EDNA R. NAIL., to

H. N. RINEHART.

and recorded on the 7 day

JUNE? 1934

of, in the office of the County Clerk for said County in

Book 62, page 302

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above

named coal operators or coal owners at their above shown respective address day before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,

H. N. Rinehart
WELL OPERATOR

Address of Well Operator }

CAIRO, W. VA.
CITY OR TOWN

STATE

*Section 3 If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

JUN 20 1934

216

RIT-216

RIT-216 Closed
2/11/35

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL
REQUIREMENT BY SECTION 3, CHAPTER 88, ACTS 1923
 WEST VIRGINIA DEPARTMENT OF MINES
 OIL AND GAS SECTION

FORM 3-1

To The Department of Mines
 Charleston, W. Va.

H. N. RINEHART & EDNA R. NAILL
COAL OPERATOR OR COAL OWNER
 CAIRO, W. VA. OAK LEE VILLA
 MANOR, PA.
ADDRESS

H. N. RINEHART
NAME OF WELL OPERATOR
 CAIRO, W. VA.
COMPLETE ADDRESS

JUNE 18, 1934
PROPOSED LOCATION

103

GRANT
County
 RITCHIE
County

Well No. I.
 H. N. RINEHART & EDNA R. NAILL
Farm

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated JUNE 28, 33

made by EDNA R. NAILL, and recorded on the 5 day of JUNE 1934, in the office of the County Clerk for said County in

Book 62, page 808
 The enclosed plan was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, delineated by survey and courses and distances from two permanent points or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundary of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by or filed with the Department of Mines within ten days from the receipt of a copy of this notice and accompanying plan by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)
 Copies of this notice and the enclosed plan were mailed by registered mail, or delivered to the above named coal operators or coal owners at their above shown respective address, on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,
 H. N. RINEHART
WELL OPERATOR

Address of Well Operator
 STREET
 CITY OR TOWN
 STATE

Section 3. If no such objections be filed or be found by the department of mines, within said period of ten days from the receipt of said notice and plan by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit retaining the filing of such plan, that no objections have been made by the coal operators to the location of said well, and that the same is approved and the well operator authorized to proceed to drill at said location.

JUN 20 1934

WEST VIRGINIA DEPARTMENT OF MINES
Oil and Gas Section
PRELIMINARY DATA SHEET NO. 1

File No. _____ Well No. **I**
H. N. RINEHART. Company, of **CAIRO. W. VA.**

_____ on ththe **H.N.RINEHART &. EDNA R. NALE** Farm

containing **12 &. 45.** acres. Location _____

GRANT District, in **RITCHIE** County, West Virginia.

The surface of the above tract is owned in fee by **H.N.RINEHART &. EDNA R. NALE.**

of **CAIRO. W.VA. &. MANOR. PA.** address, and the mineral rights are owned by
SAME. of **SAME.**

The oil and gas privileges are held under lease by the above named company, and this well is drilled under
permit No. **RIT_216.** issued by the West Virginia Department of Mines, Oil and Gas Section,
JUNE. 30. 1934. 19_____

Elevation of surface at top of well, **985.** Spirit Barometric.

The number of feet of the different sized casings used in the well.

14 1/2 feet **13"** size. Wood conductor.

10" feet **235.** size, csg. _____ feet _____ sized csg.

8" feet **1040'** size, csg. _____ feet _____ sized csg.

6 1/4 " feet **1350'** size, csg. _____ feet _____ sized csg.

_____ packer of _____ size, set at _____

_____ packer of _____ size, set at _____

_____ in casing perforated at _____ feet to _____ feet.

_____ in casing perforated at _____ feet to _____ feet.

Coal was encountered at **None.** feet; thickness _____ inches, and at _____

feet; thickness _____ inches; and at _____ feet; thickness _____ inches.

Liners were used as follows: (Give details) **None.**

AUG. 7. 1934. Date.

Approved **H. N. Rinehart**, Owner.

By _____ (Title)

WEST VIRGINIA DEPARTMENT OF MINES

Oil and Gas Section

PRELIMINARY DATA SHEET NO. 1

Well No. I

File No.

H. N. RINEHART.

Company of

CAIRO, W. VA.

on the farm of H. N. RINEHART & EDNA R. NALE

containing series location IS & 48.

District in RITCHIE County, West Virginia

The surface of the above tract is owned in fee by H. N. RINEHART & EDNA R. NALE.

of CAIRO, W. VA. & MANOR, PA. address and the mineral rights are owned by

SAME. SAME.

The oil and gas privileges are held under lease by the above named company, and this well is drilled under

permit No. RIT 318, issued by the West Virginia Department of Mines, Oil and Gas Section.

JUNE 30, 1934.

Elevation of surface at top of well 985.5 feet

The number of feet of the different sized casings used in the well

14 1/2"	feet	12'	size	Wood conductor
10"	feet	235'	size	sized cas.
8"	feet	1040'	size	sized cas.
6 1/2"	feet	1350'	size	sized cas.

packer of size set at

in casing perforated at feet to

in casing perforated at feet to

feet was encountered at feet: thickness

feet: thickness; and at inches: thickness

papers were used as follows: (Give details) None.

AUG. 7, 1934.

Date

Approved, H. N. Rinehart, Owner

By

(Title)

H. N. RINEHART. Company

CAIRO, W. VA. Address

RIT-216

COMPLETION DATA SHEET
NO. 2
FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
SAND.	WHITE.	HARD.	NONE.	I345.	I396.	51'		235' - 100'
"	"	"	"	I440.	I492.	52'		1040 - 8 1/2'
"	"	"	"	I822.	I538.	16'		1350' - 6 1/4'
"	"	"	"	I610.	I682.	72'		
MAXTON	"	"	"	I718.	I750.	30'		
Lime.	"	"	"	I755.	I830.	75'		
KEENER	"	"	"	I830.	I866.	36'		
INJUN	Dark	"	"	I866.	I940.	74'		
SQUAW	white	"	"	I940.	I960.	20'		
				970 1030'	980 1040'	10'		

L. J.
Big Duncard

shot
Well was not shot at feet; well was shot at feet.

Salt
Fresh water at NONE. feet; salt
fresh water at feet.

producing
Well was hole.
dry

AUG. 7. 1934. Approved *H. N. Rinehart*
Date Owner

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

COMPLETION DATA SHEET
 NO. 2
 FORMATION RECORD

Company: H. N. RINEBART.
 Address: CAIRO, W. VA.

Remarks	Test Depth	Thickness	Bottom	Top	Oil Gas or Water	Character	Color	Name
	51'		1398.	1348.	NONE.	HARD.	WHITE.	SAND.
	52'		1492.	1440.	"	"	"	"
	18'		1588.	1532.	"	"	"	"
	72'		1682.	1610.	"	"	"	"
	80'		1750.	1718.	"	"	"	MAXTON
	75'		1830.	1788.	"	"	"	lime.
	35'		1888.	1830.	"	"	"	KERRIN
	74'		1940.	1888.	"	"	Dark	INJUN
	80'		1960.	1940.	"	"	white	SQUAW

Well was not shot at _____ feet. Well was shot at _____ feet.
 Fresh water at _____ feet. Fresh water at _____ feet.
 Salt _____
 Well was _____ producing hole.
 dry
 Date: AUG. 7, 1934.
 Approved: *[Signature]*
 Owner:

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

FILE 216

FORM G-9

NOTICE OF INTENTION TO PLUG AND ABANDON WELL
(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

H. N. RINEHART.

NONE.

NAME OF WELL OPERATOR

COAL OPERATOR OR COAL OWNER

CAIRO, W. VA.

COMPLETE ADDRESS

ADDRESS

AUG. 13.

19 34

COAL OPERATOR OR COAL OWNER

WELL TO BE ABANDONED

GRANT.

District

ADDRESS

RITCHIE.

County

LEASE OR PROPERTY OWNER

I.

Well No.

ADDRESS

H.N.RINEHART & EDNA R. NALE Farm

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence the work of plugging and abandoning said well on the 13th day of August, 1934, (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

H. N. Rinehart

Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

WORK ORDER SUPPLIED BY THE DEPARTMENT OF MINES:

Bottom of well 1960'

Fill with clay from 1960' to 1810' - 20' above the Keener Sand.

Drive wood plug from 1810' to 1807'

Cement from 1807' to 1800' sealing the hole completely

Fill with clay from 1800' to 1698' - 20' above the Maxton

Drive wood plug from 1698' to 1695' sealing Maxton

SET A PERMANENT BRIDGE AT 1380' - 30' below the 6 1/4" casing.

Fill with clay from 1380' to 1350'

PULL 6 1/4" casing

SET A PERMANENT BRIDGE AT 1070'

Fill with clay from 1070' to 1040'

PULL 8 1/4" casing

Continue to fill with clay from 1040' to 950'

Drive wood plug from 950' to 947'

SET A PERMANENT BRIDGE AT 265'

Fill with clay from 265' to 238'

Drive wood plug from 238' to 235'

PULL 10" casing and

Fill with clay to surface

ERECT A MARKER SUCH AS IS DESCRIBED IN RULE 18, 1931 REGULATIONS.

All Be done in a workman-like manner.

To the Department of Mines,
Coal Owner or Operator,
Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this 8th day of August, 1934.

DEPARTMENT OF MINES
Oil and Gas Division

By:

NOTE: This "work order" must be filed in duplicate, one copy for the files of the Department of Mines and the other to be approved or corrected and returned to the well operator as his authority for plugging said well.

AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY SECTION 9, CHAPTER 86, ACTS 1929)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS SECTION

216-8

None.

H. N. RINEHART.

COAL OPERATOR

NAME OF WELL OPERATOR CAIRO, W. VA.

ADDRESS

COMPLETE ADDRESS

JAN. 9. 1935. 19

COAL OPERATOR

WELL AND LOCATION

ADDRESS

GRANT. District RITCHIE.

COAL OPERATOR

I

Well No. H. N. RINEHART*EDNA R. NALE.

ADDRESS

Farm

AFFIDAVIT TO BE MADE IN TRIPLICATE. ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT. ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

AFFIDAVIT

STATE OF WEST VIRGINIA, RITCHIE

COUNTY OF

SS:

R. C. PARR

T. B. JENKINS.

being first duly sworn according to law depose and say that they are experienced in the work of plugging

and filling oil and gas wells and were employed by H. N. RINEHART, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the

13 day of August, 1934, and that the well was plugged and filled in the following manner:

Manner in which sand was plugged: Well filled from bottom at 1960' with red mud to 1810' above Keener sand wood plug to 1807' Cement from 1807' to 1800' filled with clay to 1698' above Maxton sand set wood plug to 1695'

Set a bridge at 1380' filled with clay to 1350' pulled 6 1/4" casing. set bridge at 1070' filled to 1040' Pulled 8" casing parted it and left in 500' hole bridged at top of casing and felled to 500'

Manner in which coal was plugged:

Set bridge at 265' filled to 238' wood plug to 235' pulled 10" casing and filled to surface.

Description of monument:


Set casing and filled with cement.

(THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, OIL AND GAS ACT OF 1929.)

and that the work of plugging and filling said well was completed on the 20 day of Aug.,

1934.

And further deponents saith not.



R. C. Parr T. B. Jenkins

Sworn to and subscribed before me this 20 day of August, 1934

J. E. Overton Notary Public.

My Commission expires:

July 10th 1935

FEB 10 1935

see page 2-11-35 Closing - R17-216

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS SECTION
AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF
PLUGGING AND FILLING WELL
(REQUIRED BY SECTION 5, CHAPTER 52, ACTS 1933)

Name: H. N. RINSMART

COAL OPERATOR: CAIRO, W. VA.

ADDRESS: JAN. 9, 1938

COAL OPERATOR: GRANT, RITCHIE

ADDRESS: H. N. RINSMART, EDNA R. WAITE

WELL AND LOCATION: Well No. 1

County: RITCHIE

District: GRANT

REPRODUCED BY PERMISSION OF THE UNITED STATES GOVERNMENT FROM THE PUBLIC DOMAIN. THIS COPY IS BEING MADE FOR THE DEPARTMENT OF MINES AND IS NOT TO BE REPRODUCED BY ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION OF THE DEPARTMENT OF MINES.

AFFIDAVIT

STATE OF WEST VIRGINIA
RITCHIE
COUNTY OF

T. E. JENKINS

R. C. PARR

and being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by H. N. RINSMART, well operator, and participated in the work of plugging and filling the above well that said work was commenced on the _____ day of _____, 1938, and that the well was plugged and filled in the following manner:

Manner in which sand was plugged: Well filled from bottom at 1800' with red mud to 1810', above Kerner sand wood plug to 1807', cement from 1807' to 1800', filled with clay to 1828', above Kaxton sand set wood plug to 1828'.

Set a bridge at 1380', filled with clay to 1350', pulled 6 1/4" casing, set bridge at 1070', filled to 1040', pulled 8" casing parted it and left in 500' hole bridged at top of casing and filled to 500'.

Manner in which coal was plugged: Set bridge at 288', filled to 288', wood plug to 288', pulled 10" casing and filled to surface.

Description of monument:
Set casing and filled with cement.

and that the work of plugging and filling said well was completed on the _____ day of _____, 1938.

And further deponents said not.

to and subscribed before me this _____ day of _____, 1938.
Notary Public

