

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL  
(REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)  
WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS SECTION

To THE DEPARTMENT OF MINES,  
Charleston, W. Va.

None  
COAL OPERATOR OR COAL OWNER

G. F. Smith  
NAME OF WELL OPERATOR

ADDRESS

Saint Marys W. Va.  
COMPLETE ADDRESS

COAL OPERATOR OR COAL OWNER

June 11th 1934  
PROPOSED LOCATION

ADDRESS

Clay District

F. M. Wince  
COAL OPERATOR OR COAL OWNER

Ritchie County

Pike, W. Va.  
ADDRESS

Well No. One (1)

F. M. Wince Farm

GENTLEMEN:

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated.....

....., made by F. M. Wince....., to

....., and recorded on the.....day

of....., in the office of the County Clerk for said County in

Book....., page.....

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten\* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above named coal operators or coal owners at their above shown respective address.....day.... before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,

Kan-272

G. A. Smith  
WELL OPERATOR

Address of Well Operator }

304 4th St  
STREET

Saint Marys  
CITY OR TOWN

W. Va.  
STATE

\*Section 3 . . . . . If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.



WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Permit No. BIT 217

Oil or Gas Well one  
(Kind)

Company <u>Hillside Oil &amp; Gas Co</u>	Casing and Tubing	Used in Drilling	Left in Well	Packers
Address <u>Permsboro W. Va.</u>	Size			
Farm <u>F. M. Prince</u> Acres <u>one 1/8</u>				
Location (waters) <u>Bonds Creek</u>				
Well No. <u>one</u> Elev. <u>843-7</u>	16			Kind of Packer
District <u>Way</u> County <u>Ritchie</u>	13			
The surface of tract is owned in fee by <u>F. M. Prince</u>	10		<u>235</u>	Size of
Address <u>Pike W. Va</u>	8 1/4		<u>930</u>	
Mineral rights are owned by <u>F. M. Prince</u>	6 5/8		<u>1520</u>	Depth set
Address <u>Pike W. Va</u>	5 3/16			
Drilling commenced <u>June</u>	3			Perf. top
Drilling completed <u>July</u>	2			Perf. bottom
Date shot <u>1821</u> Depth of shot <u>1831</u>	Liners Used			Perf. top
Open Flow /10ths Water in _____ Inch				Perf. bottom
/10ths Merc. in _____ Inch				
Volume _____ Cu. Ft.	CASING CEMENTED _____ SIZE _____ No. FT. _____ Date _____			
Rock Pressure _____ lbs. _____ hrs.				
Oil <u>27 to 30</u> bbls., 1st 24 hrs.	COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES			
Fresh water _____ feet _____ feet	_____ FEET _____ INCHES _____ FEET _____ INCHES			
Salt water _____ feet _____ feet	_____ FEET _____ INCHES _____ FEET _____ INCHES			

Formation	Color	Hard or Soft	Top	Bottom	Oil Gas or Water	Depth Found	Remarks
Conductor				14			
10 in Casing				235			
Big red	Red			590			
Cow run				823			
Big Dunkard				930			
8 1/4 in Casing				930			
Big sand			1100	1140			
3d Salt sand			1515	1560			
6 7/8 Casing			1520	1520			
Mas sand			1675	1695			
Keener sand			1755	1779			
Big Injin			1779	1837			
slack lime			1837				
First Pay			1804	1821			
Top shot			1821		oil		
Bottom shot				1831			













NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

To THE DEPARTMENT OF MINES,  
Charleston, W. Va.

None  
.....  
COAL OPERATOR OR COAL OWNER

.....  
ADDRESS

.....  
COAL OPERATOR OR COAL OWNER

.....  
ADDRESS

.....  
LEASE OR PROPERTY OWNER

.....  
ADDRESS

Hillside Oil & Gas.,  
.....  
NAME OF WELL OPERATOR

Pennsboro, West Virginia.  
.....  
COMPLETE ADDRESS

November 9th, ..... 1937.  
WELL TO BE ABANDONED

Clay ..... District

Ritchie ..... County

Well No. One .....

F. M. Wince ..... Farm

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence the work of plugging and abandoning said well on the 17th day of November, 1937., (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

.....  
Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)



PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

TOTAL DEPTH 1831'

Set a permanent bridge 1801' - 20' above shot hole

One sack Cement on top of bridge sealing off production completely.

Fill with red Clay from 1801' - 1759' - 20' above Big Injun Sand.

Wood plug 1759' - 1756'

Cement 1756' - 1751'

Continue to fill with Clay to 1530' - 10' below 6-5/8" Casing.

Wood Plug 1530' - 1527'

Pull 6-5/8" Casing.

Cement 1527' - 1517' - Sealing hoel.

Continue to fill with Clay from 1517' - 940' - 10' below 8 1/4" Casing.

Wood plug 940' - 937'

Pull 8 1/4" Casing.

Cement 937' - 927' - Sealing Salt Sands above.

Set a permanent bridge 265' - 30' below 10" Casing.

One sack Cement on top of bridge.

Pull 10" Casing and

Fill with Clay to surface.

Erect Marker as required in Rule 18, 1931 Regulations.

To the Department of Mines,  
Coal Owner or Operator,  
Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this 13th day

of November 7, 193.....

DEPARTMENT OF MINES  
Oil and Gas Division

By:.....

NOTE: This "work order" must be filed in duplicate, one copy for the files of the Department of Mines and the other to be approved or corrected and returned to the well operator as his authority for plugging said well.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

Permit No. Rit 217-P

none  
COAL OPERATOR OR OWNER

Hillside Oil & Gas Co  
NAME OF WELL OPERATOR

ADDRESS

pennsboro W.Va,  
COMPLETE ADDRESS

COAL OPERATOR OR OWNER

November 9th 19 37  
WELL AND LOCATION

ADDRESS

clay District

LEASE OR PROPERTY OWNER

Ritchie County

ADDRESS

Well No. One

F.M. Wince Farm

AFFIDAVIT TO BE MADE IN TRIPPLICATE. ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of Ritchie } ss:

O.R. Whaler and W. P. Jones  
being first duly sworn according to law depose and say that they are experienced in the work of plugging

and filling oil and gas wells and were employed by Hillside Oil & Gas Co., well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the

17th day of November, 19 37, and that the well was plugged and filled in the following manner:

Manner in which sand was plugged:	1801 Total depth	1831'
Put in a permanent bridge at	1831'-20-	above shot hole
Put in a sack of cement on top of bridge sealing off production	1801'-1759'-20	above Big Ingin
Filled with clay from	1759'-1756'	
Put in wood plug	1756'-1751'	
put in cement	1530'-10'	below 6-5/8" casing
Filled with clay to	1530'-1527'	
put in wood plug	1527'-1517'	sealing hole
Casing pulled 6-5/8 cement	1517'-940'-10'	below 8-1/4 casing
Manner in which coal was plugged:	940'-937'	
Filled with clay from	937'-927'	sealing salt sand
put in wood plug	265'-30'	below 10" casing
Casing 8-1/4 pulled, Cement		
Set permanent bridge		
put in sack of cement on top bridge		
Casing 10" pulled filled to 3ft of surface marker a joint of casing		
Five feet long size 6-1/2" filled with cement and marked Wince No. 1.		
		8.12.37

Description of monument:

(THE ABOVE DESCRIPTION MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, ARTICLE 4, CHAPTER 22 OF THE CODE)

and that the work of plugging and filling said well was completed on the 9th day of December, 19 37.

And further deponents saith not.

O. R. Whaler

W. P. Jones

Sworn to and subscribed before me this 9th day of December, 19 37.

Robert Chalfant  
Notary Public.

My commission expires:

May 6th 1940

Rit 217-P



