

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL
(REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)
WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS SECTION

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

W. H. Ridgway

COAL OPERATOR OR COAL OWNER

Moll Hill, W. Va.

ADDRESS

COAL OPERATOR OR COAL OWNER

ADDRESS

COAL OPERATOR OR COAL OWNER

ADDRESS

Glenn F. McBurney

NAME OF WELL OPERATOR

1201 Berkshire Ave.
Pitt. Pa.

COMPLETE ADDRESS

July 2 1934

PROPOSED LOCATION

Clay District

Ritchie County

Well No. 2

W. H. Ridgway Farm

GENTLEMEN :

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated.....

Oct. 1, 1929

made by W. H. Ridgway, to

S. V. Ridgway, and recorded on the 13 day

of April 1932, in the office of the County Clerk for said County in

Book 59, page 461

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above

named coal operators or coal owners at their above shown respective address.....day.... before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Glenn F. McBurney, per-

Very truly yours,

W. H. Ridgway
WELL OPERATOR

Remond
STREET

CITY OR TOWN

W. Va.
STATE

Address of Well Operator }

*Section 3 If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL
(PREPARED BY SECTION 2, CHAPTER 88, ACTS 1923)
 WEST VIRGINIA DEPARTMENT OF MINES
 OLD AND GAS SECTION

To The Department of Mines
 Charleston, W. Va.

Glenn F. McBurney
NAME OF WELL OPERATOR
 1201 Berkshire Ave.
 Pitt. Pa.
COMPLETE ADDRESS

W. H. Higway
COAL OPERATOR OR COAL OWNER
 Moll Hill, W. Va.
ADDRESS

July 2, 1934
PROPOSED LOCATION
 Clay
District
 Ritchie
County
 2
Well No.

COAL OPERATOR OR COAL OWNER
ADDRESS
COAL OPERATOR OR COAL OWNER
ADDRESS

W. H. Higway
Farm

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas having fee title thereto, (or as the case may be) under grant or lease dated

Oct. 1, 1929, made by W. H. Higway to

and recorded on the 13 day

of April 1932 in the office of the County Clerk for said County in

Book 82, page 201

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Marshall District and County above named, determined by survey and courses and distances from two permanent points or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundary of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by or filed with the Department of Mines within ten days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)
 Copies of this notice and the enclosed plat were mailed by registered mail or delivered to the above

named coal operators or coal owners at their above shown respective addresses on the day before on the same day with the mailing or delivery of this copy to the Department of Mines at Charles

Glenn F. McBurney, Dep-

Very truly yours

Glenn F. McBurney
WELL OPERATOR

Address
 of
 Well Operator

CITY OR TOWN

Section 3. If no such objections be filed, or be found by the department of mines within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators or land owners to the location, or found therefor by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

Permit No. Rit 223


Oil or Gas Well dry
(KIND)

Company Glen J. McBurney
 Address 1001 Berkshire Ave, Pgh, Pa.
 Farm W. H. Ridgway Acres 26
 Location (waters) straight run
 Well No. 2 Elev. _____
 District Clay County Ritchie
 The surface of tract is owned in fee by W. H. Ridgway
 Address Mole Hill, W. Va.
 Mineral rights are owned by _____
 Address Same
 Drilling commenced Aug 24th 1934
 Drilling completed Oct 5th 1934
 Date Shot none From _____ To _____
 With _____
 Open Flow /10ths Water in _____ Inch
 /10ths Merc. in _____ Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs. _____ hrs.
 Oil _____ bbls., 1st 24 hrs.
 Fresh water _____ feet _____ feet
 Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13	140		
10	365		Size of
8 1/4	810	810	Depth set
6 5/8	1090		
5 3/16			Perf. top
3			Perf. bottom
2			Perf. top
Liners Used			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
 COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
 _____ FEET _____ INCHES _____ FEET _____ INCHES
 _____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
sand	Brown	Hard	310	865			
lime	Black	soft	865	868			
		"	868	1145			
sand	Brown	"	1320	1345			
1st salt sand	white	Hard	1390	1464			
2nd "	"	"	1479	1560			
3rd "	"	"	1690	1718			
stray	Brown	Hard	1768	1799			
Mapton	"	"	1799	1870			
Big Lime	White	"	1870	1969			
Big Injun	Brown	"					
Bottom Hole 2006							
This well was never plugged but lease gives up							



McBurney and Company Company

COMPLETION DATA SHEET

Pittsburgh, Pa. Address

No. 2

Well No. 2--W. H. Ridgway Farm RIT-223

FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Sand				70	100			
red rock				100	150			
sand and slate				150	430			
sand				430	465			
slate	white			465	530			
lime				530	535			
coal blossom				535	536			
lime				536	550			
slate	white	shelly		550	690			
red rock				690	775			
slate	white			775	875			
LITTLE DUNKARD SAND				875	890			
red rock				890	965			
BIG DUNKARD SAND				965	990			
slate				990	1160			
FIRST SALT SAND				1160	1240			
Black Slate				1240	1300			
SECOND SALT SAND		water	1335	1300	1425			
sand				1425	1500			
slate				1500	1536			
sand				1536	1595			
black slate				1595	1648			
MAXTON SAND				1648	1661			
			OIL	1651				
LITTLE LIME				1685	1700			
BIG LIME				1717	1796			
BIG INJUN				1796	1885			
SQUAW SAND				1887	1910			
		TOTAL DEPTH			1910			

shot
Well was ~~not shot at~~ in Maxton Sand 1651' feet; well was shot at feet.

~~Salt~~ salt
Fresh water at 80 feet; fresh water at 1335 feet.

~~-- producing --~~
Well was hole.
dry

Date

Approved

Owner

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

Mc Burney & Co Company
Pittsburgh Pa Address

COMPLETION DATA SHEET
 No. 2
 FORMATION RECORD

Well No. TWO

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
sand				70	100			
red rock				100	150			
sand and slate				150	430			
sand				430	465			
slate	white			465	530			
lime				530	535			
coal blossom				535	536			
lime				536	550			
slate	white	shelly		550	690			
red rock				690	775			
slate	white			775	875			
Little Dunkard sand				875	890			
red rock				890	965			
Big Dunkard sand				965	990			1000' - 87
slate				990	1160			
1st. Salt Sand				1160	1240			
Black slate				1240	1300			
2nd. Salt Sand		water	1335	1300	1425			
sand				11425	1500			
slate				1500	1536			
sand				1536	1595			
black slate				1595	1648			
Maxon sand				1648	1661			
			oil	1651				
Little Lime				1685	1700			
				1700	1717			
Big Lime				1717	1796			
Big Ingun				1796	1885			
Squaw Sand				1887	1910			
Shell Lime								
Total Depth.....							1910	

Well was ~~##~~ shot in Maxon sand 1651 feet; well was shot at feet.

Fresh water at 80 feet; ~~##~~ salt water at 1335 ft. feet.

Well was ~~#####~~ hole.
 dry

Approved Genl to Mc Burney
 By S & R Red Owner

Date

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

10-2-31

COMPLETION DATA SHEET
No. 2
FORMATION RECORD

Company: *Oil & Gas*
Address: *Washington D.C.*
Well No.: Two


Remarks	Total Depth	Thickness	Bottom	Top	Depth of Layer	Character	Color	Name
			100	70				band
			150	100				red rock
			180	150				sand and silt
			250	250				sand
			300	250			white	slate
			350	300				lime
			400	350				coal blossom
			450	400				lime
			500	450			white	slate
			550	500		shelly		red rock
			600	550				slate
			650	600			white	slate
			700	650				Little Dunbar sand
			750	700				red rock
			800	750				Big Dunbar sand
			850	800				slate
			900	850				lat. salt sand
			950	900				Black slate
			1000	950		water 1835		End. Salt Sand
			1050	1000				sand
			1100	1050				slate
			1150	1100				sand
			1200	1150				Blue slate
			1250	1200				limestone
			1300	1250				Little Tine
			1350	1300				Big lime
			1400	1350				Big Inver
			1450	1400				Green sand
			1500	1450				Shell
			1510	1487				Total Depth

..... 1510

NOTE: All bottom formations must be noted, or indicated by dots, on logs and on maps. The name must be recorded under their proper geological names in the column on well as any local names commonly used in the district for each strata.

Approved: *[Signature]*
Date: *[Date]*

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION



INSPECTOR'S WELL REPORT

Permit No. Letter 2-10-43

Oil or Gas Well _____
(KIND)

		Casing and Tubing	Used in Drilling	Left in Well	Packers
Company	<u>Glenn F. McBurney</u>				
Address	<u>1201 Berkshire Avenue Pittsburgh, Pennsylvania</u>	Size			
Farm	<u>W. H. Ridgeway</u>	16			Kind of Packer
Well No.	<u>1 and 2</u>	18			
District	<u>Clay</u> County <u>Ritchie</u>	10			Size of
Drilling commenced		8 1/4			
Drilling completed	Total Depth	6 7/8			Depth set
Date shot	Depth of shot	5 3/16			
Initial Open Flow	/10ths Water in Inch	3			Perf. top
Open Flow after tubing	/10ths Merc. in Inch	2			Perf. bottom
Volume	Cu. Ft.	Liners Used			Perf. top
Rock Pressure	lbs. hrs.				Perf. bottom
Oil	bbls., 1st 24 hrs.	CASING CEMENTED _____ SIZE _____ No. FT. _____ Date _____			
Fresh water	feet feet	COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES			
Salt water	feet feet	_____ FEET _____ INCHES _____ FEET _____ INCHES			
		_____ FEET _____ INCHES _____ FEET _____ INCHES			

Drillers' Names _____

Well Abandoned and Plugged _____ 19____

REMARKS: Mr. Glenn F. McBurney, et al drilled and abandoned a well on this Farm in 1934. S. V. Ridgway was the contractor and Cecil Ridgway and H. W. Stephan worked on the well and they all state the well was properly plugged. H. W. Stephan states there was a lot of cement used in the plugging. There is no marker at the well. did they have a permit to drill or plug this well?

Feb. 17. 1943.

DATE

L W Young
DISTRICT WELL INSPECTOR

There is another well with 8 1/4 casing. Mr. S. V. Ridgway says there is about 400' of 8 1/4.

S. V. Ridgway and Cecil Ridgway states there is a string 5-3/16 casing and a string 2" tubing that has been parted and taken out down to where it was parted

These men also state the 8 1/4 casing is parted two joints down but none of it taken out

S. V. Ridgway claims he drilled this well and he claims the lease is still in his name

Some of these men say this well was drilled in 1922 or 1923 and others say it was drilled in 1930

S. V. Ridgway claims this well made some oil but no gas and Cecil Ridgway claims it made about 300 000 ft gas but there is no gas now

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

W. H. Ridgway

COAL OPERATOR OR COAL OWNER

Molehill, W. Va.

ADDRESS

COAL OPERATOR OR COAL OWNER

ADDRESS

LEASE OR PROPERTY OWNER

ADDRESS

G. F. Mc. Burney

NAME OF WELL OPERATOR

Pittsburg, Pa.

COMPLETE ADDRESS

19

WELL TO BE ABANDONED

Clay

District

Ritchie

County

Well No. Two

W. H. Ridgway

Farm

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence the

work of plugging and abandoning said well on the 27 day of Oct., 1934
(which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

G. F. McBurney
Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)

OCT 23 1934

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

- Wooden plug to be 3' long 6 5/8" at 1910'
- Clay to be placed from plug to top of Big Ingun, sand, 1796'
- Wooden plug at 1796' with 10' concrete packing on top of plug; red clay from concrete plug on Ingun to bottom of Maxon, 1661', wooden plug 4' long 1661' with 10' concrete on top, fill with red mud to bottom of 8" casing at 1000'.
- Place wooden plug at 1000' concrete on top, rest of hole filled with red clay.
- Concrete monument as marker. ✓

Place casing as well is filled + plugged

WELL TO BE ABANDONED

Coal Owner or Operator

Address

County

Well No.

Location

The undersigned well operator is about to abandon the above described well and will commence the work of plugging and abandoning said well on the _____ day of _____ (which date shall not be less than five days after the day on which this notice is mailed or in the course should be received by the Department of Mines)

To the Department of Mines,
Coal Owner or Operator,
Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-currence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

G. F. M. Burns
Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this _____ day of _____, 193_____.

DEPARTMENT OF MINES
Oil and Gas Division

By: _____

NOTE: This "work order" must be filed in duplicate, one copy for the files of the Department of Mines and the other to be approved or corrected and returned to the well operator as his authority for plugging said well.

PROPOSED MANNER OF PLUGGING AND FILLING WELL
(REQUIRED BY RULES AND REGULATIONS)
WEST VIRGINIA DEPARTMENT OF MINES
NOTICE OF INTENTION TO PLUG AND ABANDON WELL
(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

W. H. Ridgway

COAL OPERATOR OR COAL OWNER

Molehill, W. Va.

ADDRESS

COAL OPERATOR OR COAL OWNER

ADDRESS

LEASE OR PROPERTY OWNER

ADDRESS

Glenn F. McBurney

NAME OF WELL OPERATOR

Pittsburgh, Pennsylvania

COMPLETE ADDRESS

October 22, 1934

WELL TO BE ABANDONED

Clay District

Ritchie County

Well No. 2

W. H. Ridgway Farm

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence the work of plugging and abandoning said well on the 27th day of October, 1934, (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

Glenn F. McBurney

Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)

OK 27K-2-14-35 Closing - RIT-151-

151

RIT-223-8
~~RIT-151~~

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

- Wooden plug to be 3' long 6 5/8" at 1910'
- Clay to be placed from plug to top of Big Injun Sand 1796'
- Wooden plug at 1796' with 10' concrete packing on top of plug;
- Red clay from concrete plug on Injun to bottom of Maxton 1661'
- Wooden plug 4' long 1661'
- 10' concrete on top of plug
- Fill with red mud to bottom of 8" casing at 1000'
- Place wooden plug at 1000'
- concrete on top for 10'
- Fill to surface with red clay

Erect a markers such as is described in Rule 18, 1931 Regulations

To the Department of Mines,
Coal Owner or Operator,
Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this.....1st.....day

of.....November....., 193..4.....

DEPARTMENT OF MINES
Oil and Gas Division

By:

NOTE: This "work order" must be filed in duplicate, one copy for the files of the Department of Mines and the other to be approved or corrected and returned to the well operator as his authority for plugging said well.

AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

151

W. H. Ridgway
COAL OPERATOR OR OWNER

Glenn F. McBurney
NAME OF WELL OPERATOR

Molehill, W.Va.
ADDRESS

Pittsburg, Penn.
COMPLETE ADDRESS

Nov. 27 1934

COAL OPERATOR OR OWNER

WELL AND LOCATION

ADDRESS

Clay District

Ritchie County

COAL OPERATOR OR OWNER

Well No. 2

ADDRESS

W. H. Ridgway Farm

AFFIDAVIT TO BE MADE IN TRIPLICATE. ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT. ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

AFFIDAVIT

STATE OF WEST VIRGINIA, }
COUNTY OF Ritchie } SS:

John Ridgway and H W Stephen
being first duly sworn according to law depose and say that they are experienced in the work of plugging

and filling oil and gas wells and were employed by Glenn F. McBurney, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the

25th day of October, 1934, and that the well was plugged and filled in the following manner:

Manner in which sand was plugged:

- Wooden plug to be 3' long 6 5/8" at 1910'
- Clay was placed from plug to top of Big Ingun Sand 1796'
- Wooden plug at 1796' with 10' concrete packing on top of plug;
- Red clay from concrete plug on Ingun to bottom of Maxton 1661'
- Wooden plug 4' long 1661'
- 10' concrete on top of plug
- Fill with Red mud to bottom of 6" casing at 1000'
- 10' Filled to surface with red clay.

Manner in which coal was plugged:

Erected a marker such as is described in Rule 18, 1931 Regulations.

Description of monument:

(THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, ARTICLE 4, CHAPTER 22 OF THE CODE)

and that the work of plugging and filling said well was completed on the 30th day of October, 1934

And further deponents saith not.

John Ridgway

Sworn to and subscribed before me this 15th day of January 1935

Ernest J. Reilly
Notary Public.

My Commission expires: March 31, 1936.

FEB 13 1935

2-13-35
RIT-NT-Closed
RIT-NT-35

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION
AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF
PLUGGING AND FILLING WELL
(PREPARED BY SECTION 2, ARTICLE 2, CHAPTER 25 OF THE CODE)

Glenn T. McBurney
Pittsburgh, Penn.
Nov. 27, 1934
Richie
W. H. Bigsby
Richie

W. H. Bigsby
Molehill, W. Va.
Nov. 27, 1934
Richie
W. H. Bigsby
Richie

STATE OF WEST VIRGINIA
COUNTY OF RICHIE

Glenn T. McBurney
W. H. Bigsby

and that the well was plugged and filled on the day of Nov. 27, 1934, and that the well was plugged and filled in the manner in which and with the material mentioned in the foregoing affidavit.

Witness my hand and seal of office at Molehill, West Virginia, this 27th day of November, 1934.

W. H. Bigsby
Description of instrument

and that the work of plugging and filling said well was completed on the day of Nov. 27, 1934.

W. H. Bigsby
Notary Public

