

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

(REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS SECTION

To THE DEPARTMENT OF MINES,  
Charleston, W. Va.

C. J. Williamson

COAL OPERATOR OR COAL OWNER  
OWNER OF SURFACE

Washburn, W. Va.

ADDRESS

J. F. Deem

NAME OF WELL OPERATOR

Harrisville W. Va.

COMPLETE ADDRESS

J. F. Deem

COAL OPERATOR OR COAL OWNER

Harrisville, W. Va.

ADDRESS

October 25th 1934

PROPOSED LOCATION

Murphy

District

Pitohie

County

Well No. ONE

C. J. Williamson Farm

GENTLEMEN :

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated.....

....., made by C. J. Williamson, to

J. F. Deem

....., and recorded on the..... day

of Lease Not Recorded as yet....., in the office of the County Clerk for said County in

Book....., page.....

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten\* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above

named coal operators or coal owners at their above shown respective address..... day before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,

J. F. Deem

WELL OPERATOR

Address of Well Operator }

STREET

Harrisville

CITY OR TOWN

West Virginia

STATE

\*Section 3 . . . . . If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

282

OCT 27 1934

WEST VIRGINIA DEPARTMENT OF MINES

Oil and Gas Section

PRELIMINARY DATA SHEET NO. 1

File No. .... Well No. One .....

J.F.Deem ..... Company, of Harrisville, W. va. .....

..... on the C.J.Williamson ..... Farm

containing 47 ..... acres. Location .....

Murphy ..... District, in Ritchie ..... County, West Virginia.

The surface of the above tract is owned in fee by C.J.Williamson .....

of Washburn, Wva ..... address, and the mineral rights are owned by

C.J.Williamson ..... of .....

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit No. Rit-282 ..... issued by the West Virginia Department of Mines, Oil and Gas Section,

November 7th ..... 1934..

Elevation of surface at top of well, ..... Spirit Barometric.

The number of feet of the different sized casings used in the well.

..... 10 ..... feet ..... 13" ..... size. Wood conductor

153 ..... feet ..... 10" ..... size, csg ..... feet ..... sized csg.

925 ..... feet ..... 8-1/4" ..... size, csg ..... feet ..... sized csg.

1259 ..... feet ..... 6-5/8" ..... size, csg ..... feet ..... sized csg.

..... packer of ..... size, set at .....

..... packer of ..... size, set at .....

..... in casing perforated at ..... feet to ..... feet.

..... in casing perforated at ..... feet to ..... feet.

Coal was encountered at None ..... feet; thickness ..... inches, and at .....

feet; thickness ..... inches; and at ..... feet; thickness ..... inches.

Liners were used as follows: (Give details) .....

.....

.....

.....

November 30th, 1934 .....

Date. ....

Approved J.F.Deem ....., Owner.

By .....

(Title)

DEC - 3 1934

WEST VIRGINIA DEPARTMENT OF MINES

Oil and Gas Section

PRELIMINARY DATA SHEET NO. 1

File No. \_\_\_\_\_ Well No. \_\_\_\_\_

Company of \_\_\_\_\_

on the \_\_\_\_\_ Farm

containing \_\_\_\_\_ acres location \_\_\_\_\_

District in \_\_\_\_\_ County, West Virginia.

The surface of the above tract is owned in fee by \_\_\_\_\_

of \_\_\_\_\_ address, and the mineral rights are owned by \_\_\_\_\_

\_\_\_\_\_ of \_\_\_\_\_

The oil and gas privileges are held under lease by the above named company, and this well is drilled under

permit No. \_\_\_\_\_ issued by the West Virginia Department of Mines, Oil and Gas Section,

\_\_\_\_\_ November 1934

Barometric \_\_\_\_\_ Spirit \_\_\_\_\_ Elevation of surface at top of well, \_\_\_\_\_

The number of feet of the different sized casings used in the well.

\_\_\_\_\_ feet \_\_\_\_\_ size Wood conductor \_\_\_\_\_

\_\_\_\_\_ feet \_\_\_\_\_ size esc. \_\_\_\_\_

\_\_\_\_\_ feet \_\_\_\_\_ size esc. \_\_\_\_\_

\_\_\_\_\_ feet \_\_\_\_\_ size esc. \_\_\_\_\_

\_\_\_\_\_ packer of \_\_\_\_\_ size, set at \_\_\_\_\_

\_\_\_\_\_ packer of \_\_\_\_\_ size, set at \_\_\_\_\_

\_\_\_\_\_ feet \_\_\_\_\_ in casing perforated at \_\_\_\_\_

\_\_\_\_\_ feet \_\_\_\_\_ in casing perforated at \_\_\_\_\_

\_\_\_\_\_ feet; thickness \_\_\_\_\_ inches; and at \_\_\_\_\_

\_\_\_\_\_ feet; thickness \_\_\_\_\_ inches; and at \_\_\_\_\_

\_\_\_\_\_ (Give details) \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_ Date \_\_\_\_\_

Approved \_\_\_\_\_ Owner \_\_\_\_\_

By \_\_\_\_\_ (Title) \_\_\_\_\_

J.F. Deem ..... Company

# COMPLETION DATA SHEET

Harrisville Wva ..... Address

NO. 2

RIF 282

## FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Shale	Light	sand	None	1300	1332	32		153' - 10' 925' - 8 1/4' 1259' - 68'
	Blue	shale	"	1332	1365	33		
	light	sand	"	1365	1450	85		
	blue	shale	"	1450	1654	204		
Maxon B Lime	light	sand	"	1654	1715	61		
	white	lime	"	1715	1800	85		
B Injun	light	sand	"	1800	1875	75		
				Total depth		1879		

Little salt water and trace of oil at 1659.

Well was not shot at ..... feet; well was shot at ..... feet.

Salt Fresh water at ..... feet; salt fresh water at ..... feet.

Well was producing hole. dry

November 30th, 1934  
Date

Approved J.F. Deem  
Owner

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

Rit-282

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

To THE DEPARTMENT OF MINES,  
Charleston, W. Va.

-----  
 COAL OPERATOR OR COAL OWNER  
 -----  
 ADDRESS  
 -----  
 COAL OPERATOR OR COAL OWNER  
 -----  
 ADDRESS  
 -----  
 LEASE OR PROPERTY OWNER  
 -----  
 ADDRESS

-----  
 J. F. Deem  
 NAME OF WELL OPERATOR  
 -----  
 Harrisville, Wva.  
 COMPLETE ADDRESS  
 -----  
 November 30th, 1934  
 -----  
 WELL TO BE ABANDONED  
 -----  
 Murphy  
 District  
 -----  
 Ritchie  
 County  
 -----  
 Well No. One  
 -----  
 C. J. Williamson  
 Farm

12/3/34

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence the work of plugging and abandoning said well on the 6th day of Dec, 1934, (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)

DEC - 3 1934

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

WORK ORDER SUPPLIED BY THE DEPARTMENT OF MINES:

Bottom of well 1879'

Fill with clay from 1879' to 1780' - 20' above the Big Injun Sand.  
Drive wood plug from 1780' to 1777'  
Cement from 1777' to 1767' sealing hole above the Big Injun Sand.

Continue to fill with red clay from 1767' to 1634' - 20'  
above the Maxton Sand.  
Drive wood plug from 1634' to 1631'  
Fill with clay from 1631' to 1621'

SET A PERMANENT BRIDGE AT 1480' and fill with clay to 1262'  
3' below the 6-5/8" casing  
Drive wood plug from 1262' to 1259'  
PULL 6-5/8" casing and

SET A PERMANENT BRIDGE 955' - 30' below the 8-1/4" casing  
Fill with clay to 928'  
Drive wood plug from 928' to 925'  
PULL 8-1/4" casing set at 925' and fill with clay  
to 153'  
Pull 10" casing and  
Fill with clay to the surface

Erect a marker such as is described in Rule 18, 1931 Regulations.

To the Department of Mines,  
Coal Owner or Operator,  
Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this 4th day of December, 1934.

DEPARTMENT OF MINES  
Oil and Gas Division

By: \_\_\_\_\_

NOTE: This "work order" must be filed in duplicate, one copy for the files of the Department of Mines and the other to be approved or corrected and returned to the well operator as his authority for plugging said well.