

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

(REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS SECTION

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

.....
COAL OPERATOR OR COAL OWNER

R. B. Roberts
.....
NAME OF WELL OPERATOR

.....
ADDRESS

Cairo, W. Va.
.....
COMPLETE ADDRESS

.....
COAL OPERATOR OR COAL OWNER

January 193*5*
.....
PROPOSED LOCATION

.....
ADDRESS

Clay District

J. D. Rogers
.....
COAL OPERATOR OR COAL OWNER
Property Owner
Pike W. Va.
.....
ADDRESS

Ritchie County

Well No. *ONE*

J. D. Rogers Farm

GENTLEMEN :

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated *October*

19, 1934, made by *J. D. Rogers*, to

R. B. Roberts, and recorded on the.....day

of....., in the office of the County Clerk for said County in

Book....., page.....

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners, (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above named coal operators or coal owners at their above shown respective address.....day before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,

R. B. Roberts
.....
WELL OPERATOR

Address of Well Operator }

Cairo, W. Va.
.....
STREET

.....
CITY OR TOWN

.....
STATE

*Section 3 If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

311

FEB 1 - 1935
RIT-311

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. 311

Well No. 1

R. B. Roberts Company of _____

on the J. D. Rogers Farm

containing 38 acres. Location _____

Clay District, in Ritchie County, West Virginia

The surface of the above tract is owned in fee by J. D. Rogers heirs

of Pike, W. Va. address, and the mineral rights are owned by

J. D. Rogers heirs of Pike, W. Va.

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit

No. Rit - 311 issued by the West Virginia Department of Mines, Oil and Gas Division

February 11 1935

Elevation of surface at top of well, 1080 Spirit Barometric.

The number of feet of the different sized casings used in the well.

13 feet 13 size. Wood conductor.

252 feet 10 size, csg. _____ sized csg.

1140 feet 8 size, csg. _____ sized csg.

1600 feet 5-3/16 size, csg. _____ sized csg.

_____ packer of _____ size, set at _____

_____ packer of _____ size, set at _____

_____, in casing perforated at _____ feet to _____ feet.

_____, in casing perforated at _____ feet to _____ feet.

Coal was encountered at none feet, thick ness _____ inches, and at _____

feet; thickness _____ inches; and at _____ feet; thickness _____ inches.

Liners were used as follows: (Give details) _____

March 25, 1935 Date.

Approved R. B. Roberts, Owner.

By _____ (TITLE)

MAR 26 1935

R. B. Roberts Company
 Cairo, W. Va. Address
 Well No. 1

COMPLETION DATA SHEET
 No. 2
 FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
B Dunkard	grey			1140	1150			252' - 10"
Slate	grey			1150	1280			1140' - 8 1/4"
Sand	blue			1280	1320			
Slate	grey			1320	1440			
Sand	grey			1440	1510			
				1510	1765			1600' - 5 3/16"
Sandy Bek.	Dark			1765	1860			
Slate & Sand Formation	grey			1860	1895			
maxon	white			1895	1935			
Black slate	black			1935	1987			
Slate & Sand formation	grey							
				1987	2007			
Keener	brown							
				2007	2107			
Injun	blue							
				2107	2165			
State	grey							
					2165			
Bottom								

shot
 Well was not shot at feet; well was shot at feet.

Salt
 Fresh water at feet; salt
 fresh water at feet.

~~Producing~~
 Well was hole.
 dry

March 25, 1935
 Date

Approved R. B. Roberts
 Owner

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

Permit No. Rit-311

Oil or Gas Well _____
(KIND)

Company R. B. Roberts
Address Cairo, W. Va.
Farm J. D. Rogers Acres 34
Location (waters) _____
Well No. 1 Elev. 1077'
District Clay County Ritchie
The surface of tract is owned in fee by J. D. Rogers Heirs
Address Pike, W. Va.
Mineral rights are owned by Same
Address _____

Drilling commenced February 1935
Drilling completed March 1935
Date Shot _____ From _____ To _____
With _____

Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer _____
13			
10	252		Size of _____
8 1/4	1140	Well Abandoned	
6 5/8			Depth set _____
5 3/16	1600		
3			Perf. top _____
2			Perf. bottom _____
Liners Used			Perf. top _____
			Perf. bottom _____

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT NONE FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Big Dunkard			1140	1150			
Slate			1150	1280			
Sand			1280	1320			
Slate			1320	1440			
Sand			1440	1510			
Sandy Brk.			1510	1765			
Slate & Sand			1765	1860			
Maxon			1860	1895			
Black Slate			1895	1935			
Slate & Sand			1935	1987			
Keener			1987	2007			
Big Injun			2007	2107			
Slate			2107	2165			
Total Depth				2165'	DRY HOLE		

Rit-311

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, CHAPTER 86, ACTS 1929)

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS SECTION

TO THE DEPARTMENT OF MINES,
Charleston, W. Va.

J. D. Rogers
COAL OPERATOR

Pike, W. Va.
ADDRESS

R. B. Roberts
NAME OF WELL OPERATOR

Cairo, W. Va.
COMPLETE ADDRESS

March 25 1935

WELL TO BE ABANDONED

COAL OPERATOR

ADDRESS

COAL OPERATOR

ADDRESS

Union District

Ritchie County

Well No. 1

J. D. Rogers Farm

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence the

work of plugging and abandoning said well on the 27 day of March, 1935,
(which date shall be not less than five days after the day on which this notice so mailed is received, or in
due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging
and filling of said well. You are further notified that whether you are represented or not represented the
undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner
required by law.

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

R. B. Roberts
Well Operator.

NOTE Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent
engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the
names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey,
and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted
with this notice.

MAR 25 1935

167

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

Required by Section 3, Chapter 88, Acts 1933

WORK ORDER SUPPLIED BY THE DEPARTMENT OF MINES:
WEST VIRGINIA OIL AND GAS SECTION

Bottom of Well 2165'

Fill with clay from 2165' to 1967' - 20' above the Keener Sand.
Drive wood plug from 1967' to 1964'
Cement from 1964' to 1954' sealing the hole completely.

Continue to fill with clay from 1954' to 1840' - 20' above the Maxton Sand.

Drive wood plug from 1840' to 1837'
Clay from 1837' to 1817'

SET A PERMANENT BRIDGE AT 1630' - 30' below the 5-3/16" casing
Fill with clay from 1630' to 1603'
Drive wood plug from 1603' to 1600'

PULL 5-3/16" casing

~~Fill with clay from 1600' to 1145' - 20' above the Big Dark Sand~~

Fill with clay from 1600' to 1145'
Drive wood plug from 1145' to 1142'
PULL 8-1/4" casing and
Fill with clay to 1110'

SET A PERMANENT BRIDGE AT 282'
Fill with clay from 282' to 255'
Drive wood plug from 255' to 252'
PULL 10" Casing set at 252' and
Fill with clay from 252' to surface.

Erect a marker such as is described in Rule 18, 1931 Regulations.

All be done in a workmanlike manner.

APPROVED MARCH 28, 1935

Very truly yours

Well Operator

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1933, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners of adjacent tracts, and the location of the point to be abandoned well, determined by survey, and the course and distance of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

MAR 29 1935