

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

(REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS SECTION

To THE DEPARTMENT OF MINES, Charleston, W. Va.

Geo. Amos Brissey

COAL OPERATOR OR COAL OWNER

Howard D. Robinson

NAME OF WELL OPERATOR

Berea, W. Va.

ADDRESS

Harrisville, W. Va.

COMPLETE ADDRESS

March 14 1935

COAL OPERATOR OR COAL OWNER

PROPOSED LOCATION

Union

District

Ritchie

County

Well No. Two

Geo. Amos Brissey Farm

GENTLEMEN:

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated.....

January 31, 1934

, made by Geo. Amos Brissey, to

Dr. S. M. Prunty & H. F. Jobs, Parkersburg, W. Va., and recorded on the 21st day

of February 1934

Above lease was then transferred to Howard D. Robinson, Harrisville, W. Va. but has not been recorded yet.

Book 62, page 39

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten\* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above

named coal operators or coal owners at their above shown respective address..... day before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,

Howard D. Robinson

WELL OPERATOR

Address of Well Operator

STREET

Harrisville

CITY OR TOWN

West Virginia

STATE

\*Section 3 . . . . . If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

MAR 18 1935 384

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. 324

Well No. TWO

Howard D. Robinson

Company of Harrisville, W. Va.

on the Geo. Amos Brissey Farm

containing 100 acres. Location UNION

District, in RITCHIE County, West Virginia

The surface of the above tract is owned in fee by Geo. Amos Brissey

of Berea, W. Va. address, and the mineral rights are owned by

Howard D. Robinson of Harrisville, W. Va.

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit

No. Rit-324 issued by the West Virginia Department of Mines, Oil and Gas Division

March 28th, 1935

Elevation of surface at top of well, 945.0 Spirit Barometric.

The number of feet of the different sized casings used in the well.

\_\_\_\_\_ feet \_\_\_\_\_ size. Wood conductor.

286 feet 10" size, csg. \_\_\_\_\_ feet \_\_\_\_\_ sized csg.

1044 feet 8" size, csg. \_\_\_\_\_ feet \_\_\_\_\_ sized csg.

\_\_\_\_\_ feet \_\_\_\_\_ size, csg. \_\_\_\_\_ feet \_\_\_\_\_ sized csg.

\_\_\_\_\_ packer of \_\_\_\_\_ size, set at \_\_\_\_\_

\_\_\_\_\_ packer of \_\_\_\_\_ size, set at \_\_\_\_\_

\_\_\_\_\_, in casing perforated at \_\_\_\_\_ feet to \_\_\_\_\_ feet.

\_\_\_\_\_, in casing perforated at \_\_\_\_\_ feet to \_\_\_\_\_ feet.

Coal was encountered at NONE feet, thick ness \_\_\_\_\_ inches, and at \_\_\_\_\_

feet; thickness \_\_\_\_\_ inches; and at \_\_\_\_\_ feet; thickness \_\_\_\_\_ inches.

Liners were used as follows: (Give details) \_\_\_\_\_

May 21

April 12th, 1935

Date.

Approved Howard D. Robinson, Owner.

By \_\_\_\_\_

(TITLE)

MAY 24 1935

WEST VIRGINIA DEPARTMENT OF MINES

OF THE STATE OF WEST VIRGINIA

PRELIMINARY DATA SHEET NO. 1

Howard L. Robinson

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

MAY 21 1935

Howard D. Robinson ..... Company

## COMPLETION DATA SHEET

Harrisville, W. Va. .... Address

No. 2

WELL NO. TWO RIT-324 FARM Geo. Amso Brissey

## FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Clay	yellow			1	15			
sand				115	95			
white slate and shells				95	190			
red rock				190	275			
Sand				275	325			
white slate and shells				325	590			
Red rock				590	605			
white slate and shells				605	656			
Red rock				656	760			
white slate and shells				760	950			
Sand				950	1005			
Black slate				1005	1018			
Pink rock				1018	1036			
white slate				1036	1115			
sand				1115	1208			
white slate				1208	1300			
sand		gas blubber	1410	1300	1420			
black slate				1420	1600			
sand				1600	1695			
white slate				1695	1715			
sand				1715	1760			
black slate				1760	1798			
sand				1798	1838			
Little lime				1838	1848			
Big Lime				1848	1906			
sand Big Injun				1906	1986			
Black slate				1986	2017			
shale and black slate				2017	2610			
total depth							2610	

shot

Well was not shot at ..... feet; well was shot at ..... feet.

Salt

salt

Fresh water at NONE ..... feet; fresh water at ..... feet.~~producing~~

Well was ..... hole.

dry

May 21April 18th, 1935

Date

Approved

Howard P. Robinson X

Owner

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

MAY 24 1935

COMPLETION DATA SHEET

FORMATION RECORD

Geo. Andriese

Howard D. Robinson

Lawrence, W. Va.

Well No. 10

Depth	Formation	Remarks	Pressure	Temperature	Flow	Direction	Notes
1	Clay						
118	sand						
190	White slate and shales						
275	red rock						
325	sand						
385	White slate and shales						
400	red rock						
485	White slate and shales						
500	red rock						
585	White slate and shales						
600	sand						
685	Black slate						
700	red rock						
750	White slate and shales						
800	sand						
850	Black slate						
900	red rock						
950	White slate						
1000	sand						
1050	White slate						
1100	sand						
1150	White slate						
1200	sand						
1250	White slate						
1300	sand						
1350	Black slate						
1400	sand						
1450	White slate						
1500	sand						
1550	Black slate						
1600	sand						
1650	White slate						
1700	sand						
1750	Black slate						
1800	sand						
1850	White slate						
1900	Black slate						
1950	White slate						
2000	Black slate						
2050	White slate						
2100	Black slate						
2150	White slate						
2200	Black slate						
2250	White slate						
2300	Black slate						
2350	White slate						
2400	Black slate						
2450	White slate						
2500	Black slate						
2550	White slate						
2600	Black slate						
2650	White slate						
2700	Black slate						
2750	White slate						
2800	Black slate						
2850	White slate						
2900	Black slate						
2950	White slate						
3000	Black slate						
3050	White slate						
3100	Black slate						
3150	White slate						
3200	Black slate						
3250	White slate						
3300	Black slate						
3350	White slate						
3400	Black slate						
3450	White slate						
3500	Black slate						
3550	White slate						
3600	Black slate						
3650	White slate						
3700	Black slate						
3750	White slate						
3800	Black slate						
3850	White slate						
3900	Black slate						
3950	White slate						
4000	Black slate						
4050	White slate						
4100	Black slate						
4150	White slate						
4200	Black slate						
4250	White slate						
4300	Black slate						
4350	White slate						
4400	Black slate						
4450	White slate						
4500	Black slate						
4550	White slate						
4600	Black slate						
4650	White slate						
4700	Black slate						
4750	White slate						
4800	Black slate						
4850	White slate						
4900	Black slate						
4950	White slate						
5000	Black slate						
5050	White slate						
5100	Black slate						
5150	White slate						
5200	Black slate						
5250	White slate						
5300	Black slate						
5350	White slate						
5400	Black slate						
5450	White slate						
5500	Black slate						
5550	White slate						
5600	Black slate						
5650	White slate						
5700	Black slate						
5750	White slate						
5800	Black slate						
5850	White slate						
5900	Black slate						
5950	White slate						
6000	Black slate						
6050	White slate						
6100	Black slate						
6150	White slate						
6200	Black slate						
6250	White slate						
6300	Black slate						
6350	White slate						
6400	Black slate						
6450	White slate						
6500	Black slate						
6550	White slate						
6600	Black slate						
6650	White slate						
6700	Black slate						
6750	White slate						
6800	Black slate						
6850	White slate						
6900	Black slate						
6950	White slate						
7000	Black slate						
7050	White slate						
7100	Black slate						
7150	White slate						
7200	Black slate						
7250	White slate						
7300	Black slate						
7350	White slate						
7400	Black slate						
7450	White slate						
7500	Black slate						
7550	White slate						
7600	Black slate						
7650	White slate						
7700	Black slate						
7750	White slate						
7800	Black slate						
7850	White slate						
7900	Black slate						
7950	White slate						
8000	Black slate						
8050	White slate						
8100	Black slate						
8150	White slate						
8200	Black slate						
8250	White slate						
8300	Black slate						
8350	White slate						
8400	Black slate						
8450	White slate						
8500	Black slate						
8550	White slate						
8600	Black slate						
8650	White slate						
8700	Black slate						
8750	White slate						
8800	Black slate						
8850	White slate						
8900	Black slate						
8950	White slate						
9000	Black slate						
9050	White slate						
9100	Black slate						
9150	White slate						
9200	Black slate						
9250	White slate						
9300	Black slate						
9350	White slate						
9400	Black slate						
9450	White slate						
9500	Black slate						
9550	White slate						
9600	Black slate						
9650	White slate						
9700	Black slate						
9750	White slate						
9800	Black slate						
9850	White slate						
9900	Black slate						
9950	White slate						
10000	Black slate						

3011

total depth

Approved: \_\_\_\_\_

April 1935

NOTE: All data furnished are based on logs and all entries are to be checked against the original logs and all entries are to be checked against the original logs.

MAY 21 1935

RILEY-324

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

To THE DEPARTMENT OF MINES,  
Charleston, W. Va.

No Affidavit

Harold D. Robinson

NAME OF WELL OPERATOR

COAL OPERATOR OR COAL OWNER

Harrisville, W. Va.

COMPLETE ADDRESS

ADDRESS

May 21st, 1935

19

COAL OPERATOR OR COAL OWNER

WELL TO BE ABANDONED

UNION

District

ADDRESS

RITCHIE

County

Geo. Amos Brissey  
LEASE OR PROPERTY OWNER

Well No. TWO

Berea, W. Va.

ADDRESS

Geo. Amos Brissey

Farm

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence the work of plugging and abandoning said well on the 27th day of May, 1935, (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

Harold D. Robinson X  
Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)

MAY 24 1935

OK JWK 5-24-35

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

Start filling with red mud at 2610 and fill to 1865  
then drive a wooden plug 1865 to 1862  
then fill concrete seal plug 1862 to 1852  
fill with red mud from 1852 to 1045

Pull 1044 ft. of 8" casing

continue filling with red mud from 1045 to <sup>289</sup>286 - Wood Plug 289' - To 286'

Pull 286ft. 10" casing

continue filling with red mud to the surface and erect a suitable  
marker as required by law.

To the Department of Mines,  
Coal Owner or Operator,  
Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your dis-approval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

*Harward P. Robinson* X

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this 24th day

of May, 193 5

DEPARTMENT OF MINES  
Oil and Gas Division

By: .....

NOTE: This "work order" must be filed in duplicate, one copy for the files of the Department of Mines and the other to be approved or corrected and returned to the well operator as his authority for plugging said well.

MAY 5 4 1932