

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL  
(REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)  
WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS SECTION

To THE DEPARTMENT OF MINES,  
Charleston, W. Va.

A. J. Glass  
COAL OPERATOR OR COAL OWNER

Western Turn Oil Co.  
NAME OF WELL OPERATOR

Ellenboro, W. Va.  
ADDRESS

Cairo, W. Va.  
COMPLETE ADDRESS

COAL OPERATOR OR COAL OWNER

Mar. 26, 1935 1935  
PROPOSED LOCATION

ADDRESS

Clay District

COAL OPERATOR OR COAL OWNER

Ritchie County

ADDRESS

Well No. Two

A. J. Glass Farm

GENTLEMEN:

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated

March 10, 1933, made by A. J. Glass, to

L. N. Rinehart, and recorded on the 22nd day

of December 1933, in the office of the County Clerk for said County in

Book 100, page 77

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten\* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above

named coal operators or coal owners at their above shown respective address. None day before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,

Western Turn Oil Co  
By L. N. Rinehart Agent

Western Turn Oil Co  
WELL OPERATOR

L. N. Rinehart Agent  
STREET

Address of Well Operator }

Cairo

CITY OR TOWN

West Virginia

STATE

\*Section 3 . . . . . If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

3-28-35

379 MAR 28 1935

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL  
(REQUIRED BY SECTION 2, CHAPTER 88, ACTS 1929)  
WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS SECTION

To The Department of Mines,  
Charleston, W. Va.

Western Turn Oil Co.

A. J. Glass

NAME OF WELL OPERATOR

COAL OPERATOR OR COAL OWNER

Cairo, W. Va.

Rinehart, W. Va.

COMPLETE ADDRESS

ADDRESS

Mar. 28, 1933

COAL OPERATOR OR COAL OWNER

PROPOSED LOCATION

City

ADDRESS

District

Ritchie

COAL OPERATOR OR COAL OWNER

County

Two

Well No.

ADDRESS

Farm

A. J. Glass

REMARKS:

The undersigned well operator is entitled to drill upon the above named farm or tract of land for

oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated

March 10, 1933

March 10, 1933

made by A. J. Glass

and recorded on the

L. W. Rinehart

day

1933

December

in the office of the County Clerk for said County in

77

100

book page

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundary of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addresses.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 2 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by or filed with the Department of Mines within ten days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail or delivered to the above

named coal operators or coal owners at their above shown respective addresses None day before or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,  
L. W. Rinehart Agent

WELL OPERATOR

STREET

Cairo

CITY OR TOWN

West Virginia

STATE

Address  
of  
Well Operator

Section 2. If no such objections be filed or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit locating the line of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

MAR 28 1933

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. 329

Well No. 2

WESTERN TURN OIL Company of Cairo, W.Va.

on the A. J. Glass Farm

containing 371 acres. Location Near Ellenboro

Clay District District, in Ritchie County, West Virginia

The surface of the above tract is owned in fee by A. J. Glass

of Ellenboro, W.Va. address, and the mineral rights are owned by

A. J. Glass of Ellenboro, W.Va.

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit No. Rit-329 issued by the West Virginia Department of Mines, Oil and Gas Division

April 10, 1935

Elevation of surface at top of well, 1052' ~~XXXX~~ <sup>Spirit</sup> Barometric.

The number of feet of the different sized casings used in the well.

| Feet        | Size                      | Material                         |
|-------------|---------------------------|----------------------------------|
| <u>622</u>  | <u>15'</u> feet           | <u>16"</u> size. Wood conductor. |
| <u>1157</u> | <u>8 1/2"</u> size, csg.  | feet sized csg.                  |
| <u>1776</u> | <u>6 5/8"</u> size, csg.  | feet sized csg.                  |
|             | <u>5 3/16"</u> size, csg. | feet sized csg.                  |

\_\_\_\_\_ packer of \_\_\_\_\_ size, set at \_\_\_\_\_

\_\_\_\_\_ packer of \_\_\_\_\_ size, set at \_\_\_\_\_

\_\_\_\_\_, in casing perforated at \_\_\_\_\_ feet to \_\_\_\_\_ feet.

\_\_\_\_\_, in casing perforated at \_\_\_\_\_ feet to \_\_\_\_\_ feet.

Coal was encountered at None feet, thickness \_\_\_\_\_ inches, and at \_\_\_\_\_

feet; thickness \_\_\_\_\_ inches; and at \_\_\_\_\_ feet; thickness \_\_\_\_\_ inches.

Liners were used as follows: (Give details) \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

June 1, 1935

Date.

Approved WESTERN TURN OIL CO. Owner.

By L. W. Purbhart Agent  
(TITLE)

WEST VIRGINIA DEPARTMENT OF MINES

OUT AND GAS HISTORY

PRELIMINARY DATA SHEET NO. 1

2

Cairo, W. Va.

WESTERN TURN OIL

A. J. Glass

371

Near Ellenboro

Clay District

Ritchie

A. J. Glass

Ellenboro, W. Va.

Ellenboro, W. Va.

A. J. Glass

Rif-329

April 10,

5

1052\*

XXXX

18"

18"

8 1/2"

622

6 3/8"

1157

5 3/16"

1776

None

June 1, 1935

WESTERN TURN OIL CO.

WESTERN TURN OIL Company

Cairo, W.Va. Address

WELL No. 2 FARM A. J. Glass

RIT-329

COMPLETION DATA SHEET  
No. 2  
FORMATION RECORD

| Name                 | Color  | Character        | Oil, Gas or Water | Top  | Bottom | Thickness | Total Depth | Remarks        |
|----------------------|--------|------------------|-------------------|------|--------|-----------|-------------|----------------|
| Unrecorded           |        |                  |                   | 0    | 625    |           |             | 622' - 8 1/4   |
| Pittsburgh Formation |        |                  |                   | 625  | 625    |           |             |                |
| Unrecorded           |        |                  |                   | 625  | 995    |           |             |                |
| 1st Cow Run          | white  | Lime shell       |                   | 995  | 1001   | 6         |             |                |
| Unrecorded           |        |                  |                   | 1001 | 1095   |           |             |                |
| 2nd Cow Run          | White  | hard             |                   | 1095 | 1142   | 47        |             |                |
| Unrecorded           |        |                  |                   | 1142 | 1255   |           |             | 1157' - 6 5/8  |
| Red Rock             | Red    | soft             |                   | 1255 | 1260   |           |             |                |
| 1st Salt Sand        | Broken | sand and lime    |                   | 1265 | 1420   | 155       |             |                |
| 2nd "                | "      | "                | "                 | 1470 | 1575   | 105       |             |                |
| 3rd "                | "      | "                | " Gas             | 1770 | 1832   | 62        |             | 1776' - 5 3/16 |
|                      |        |                  | 1810-1812         |      |        |           |             |                |
| Maxton Sand          | White  | Broken           |                   | 1855 | 1865   | 10        |             |                |
| Big Injun horizon    | White  | hard lime shells |                   | 1914 | 2130   |           |             |                |
| Total Depth          |        |                  |                   |      |        |           | 2155        |                |

shot

Well was not shot at ..... feet; well was shot at ..... feet.

Salt Fresh water at No water found salt feet; fresh water at ..... feet.

Well was ~~producing~~ hole.  
dry

June 1, 1935

Date

WESTERN TURN OIL CO.

Approved

Per L. N. Burchast Owner Agent

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

| Depth     | Formation            | Color                | Texture          | Notes | Pressure | Temperature | Flow |
|-----------|----------------------|----------------------|------------------|-------|----------|-------------|------|
| 0         | Unrecorded           |                      |                  |       |          |             |      |
| 625       | Pittsburgh Formation |                      |                  |       |          |             |      |
| 625       | Unrecorded           |                      |                  |       |          |             |      |
| 995       | Unrecorded           |                      |                  |       |          |             |      |
| 1001      | 1st Cow Run          | white                | lime shell       |       |          |             | 6    |
| 1095      | Unrecorded           |                      |                  |       |          |             |      |
| 1142      | 2nd Cow Run          | white                | hard             |       |          |             | 47   |
| 1255      | Unrecorded           |                      |                  |       |          |             |      |
| 1280      | Red Rock             | Red                  | soft             |       |          |             |      |
| 1420      | 1st Salt Sand        | Broken sand and lime |                  |       |          |             | 155  |
| 1575      | 2nd "                | "                    | "                | "     |          |             | 108  |
| 1770      | 3rd "                | "                    | "                | "     | gas      |             | 62   |
| 1810-1812 |                      |                      |                  |       |          |             |      |
| 1865      | Maxton Sand          | white                | broken           |       |          |             | 10   |
| 2130      | Tig Injun horizon    | white                | hard lime shells |       |          |             | 2155 |

No water found

XXXXXX

WESTERN TURN OIL CO.

June 1, 1935

Per

Small text at the bottom of the page, likely a signature or company name.

RIT-329

*No affidavit*

**NOTICE OF INTENTION TO PLUG AND ABANDON WELL**

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

**WEST VIRGINIA DEPARTMENT OF MINES**

**OIL AND GAS DIVISION**

To THE DEPARTMENT OF MINES,  
Charleston, W. Va.

**A. J. Glass**  
COAL OPERATOR OR COAL OWNER

**Ellenboro, W.Va.**  
ADDRESS

COAL OPERATOR OR COAL OWNER

ADDRESS

**A. J. Glass**  
LEASE OR PROPERTY OWNER

**Ellenboro, W.Va.**  
ADDRESS

**WESTERN TURN OIL CO.**  
NAME OF WELL OPERATOR

**Cairo, W.Va.**  
COMPLETE ADDRESS

**June 1, 1935** 19

**WELL TO BE ABANDONED**

**Clay** District

**Ritchie** County

Well No. **2**

**A. J. Glass** Farm

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence the work of plugging and abandoning said well on the **10th** day of **June**, 19**35**, (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

*Western Turn Oil Co*  
*L. N. Purchase Agent*  
Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

- Fill with red mud from bottom of hole 2155 to 1900, 14' below top of lime.
- Drive wood plug from 1900 to 1897
- Fill with cement from 1897 to 1892 sealing the hole completely.
- Fill with red mud from 1892 to 1835, 20' above top of Maxton.
- Drive wood plug from 1835 to 1832 sealing the Maxton.
- Fill with red mud from 1832 to 1780.
- Drive wood plug from 1780 to 1777.
- Pull the 5 3/16" Casing.
- Fill with red mud from 1777 to 1270
- Drive wood plug from 1270 to 1267 sealing the salt sand.
- Pull the 6 5/8" Casing.
- Fill with red mud from 1267 to 975, 20' above 1st Cow run sand.
- Set permanent bridge at 150' and fill to surface with red mud.
- Erect a marker such as described in rule # 18.

WORK ORDER INTERPOSED BY THE DEPARTMENT OF MINES:

- Same as above to 975'
- SET A PERMANENT BRIDGE at 652'
- Fill with red mud from 652' to 626'
- Drive wood plug from 626' to 623'
- PULL 8-1/4" casing and
- Cement from 623' to 613' and
- Complete as stated above.

To the Department of Mines,  
Coal Owner or Operator,  
Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this.....day

of....., 193.....

DEPARTMENT OF MINES  
Oil and Gas Division

By: .....

NOTE: This "work order" must be filed in duplicate, one copy for the files of the Department of Mines and the other to be approved or corrected and returned to the well operator as his authority for plugging said well.