



Company South Fork Gas

Address 413 Peoples Bank Bldg, Marietta, Ohio

Farm Ralph Wass

Tract _____ Acres 160 Lease No. _____

Well (Farm) No. 1 Serial No. _____

Elevation (Spirit Level) 888'

Quadrangle Harrisville EC

County Ritchie District Murphy

Engineer Robert K Anderson
by O. Meredith

Engineer's Registration No. 296

File No. _____ Drawing No. _____

Date June 11 1958 Scale 20 Poles To 1 inch

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP
FILE NO. Rit-1901

⊕ Denotes location of well on United States Topographic Maps, scale 1- to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION 20

Quas. Harrisville

WELL RECORD

Permit No. RIT 1901

Oil or Gas Well Comp
(KIND)

Company South Fork Gas Co.
Address 413 Peoples Bank Building, Marietta,
Farm Ralph Wass Acres 163
Location (waters) South Fork, Hughes River
Well No. _____ Elev. 888
District Murphy County Ritchie
The surface of tract is owned in fee by Ralph Wass
Address Harrisville
Mineral rights are owned by Ralph Wass, etal.
Address Harrisville
Drilling commenced July 7, 1958
Drilling completed August 7, 1958
Date Shot _____ From _____ To _____
With _____
Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume 3500 Cu. Ft.
Rock Pressure 680 lbs. _____ hrs.
Oil None bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and O. Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
18			
10	24		Size of
8 1/4	855		
6 5/8	1355		Depth set
5 3/16	1926	1926	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED 5 1/2 SIZE 1926 No. Ft. July 31 Date

COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES
_____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sub Soil			0	10			
Red Rock			10	30			
Black Slate			30	65		10 3/4" - 20	Casing conductor
Sand			65	95			8 5/8 855'
W. Slate			95	125			700 - 1355'
Slate & Shells			125	210			5 1/2 OD -1926'
Sand			210	225			
Slate			225	245			
Sand			245	285			
Slate & Shells			285	310			
Red Rock			310	350			
Sand			350	400			
Slate & Shells			400	450			
Red Rock			450	490			
Slate & Shells			490	530			
Sand			530	570			
Slate & Shells			570	675			
Lime			675	690			Show Grease 1050
Red Rock			690	790			
Sand & Lime			790	805			
Pink			805	825			
Slate & Shells			825	900			
Red Rock			900	950			
Slate & Shells			950	1000			
Black Slate			1000	1040			
Sand			1040	1065			
W. Slate & Shells			1065	1145			Casing on Skidds 2040'
Sand			1145	1190			-6"
W. Slate & Shells			1190	1250			
Lime			1250	1265			
Black Slate			1265	1270			
Sand			1270	1390			
Black Slate			1390	1400			
Broken Sand Black			1400	1525			
Sand			1525	1550			
Broken Sand			1550	1705			
Sand			1705	1715		Gas 1710 Light Show	
Slate			1715	1725		Gas 1854 6/10 Through 3/4	
Broken Sand			1725	1750		Gas 1953 to 1974	



Fract

Formation	Color	Hard or Soft	Top 20	Bottom	Oil, Gas or Water	Depth Found	Remarks
Black & Red Lime	Shale		1750	1810			
Blue Monday Lime			1810	1830			Casing Perforated by Bird
Black Lime			1830	1840			Well Service 20 holes at
W. Lime			1840	1895			1853 down
Keener Sand			1895	1910			1500 gallon acid by Dowell
Big Engine Shale			1910	1920			At 1853
Total Depth			1920	1940			2500 gallon Acid 485 Water
			1940	1990			8000 lb Sand at 1953 - 1974
			1990				by Dowell
			1998				

Date 1/11/54, 1954

APPROVED [Signature], Owner

By [Signature] (Title)