(Obverse) (Revised 3-81)



DENNINGS ROSS GURFAC API #47 -085 -Date 9/09/82

085-5883

## STATE OF WEST VIRGINIA

OFFICE OF OIL AND G	AS - DEPARTMENT OF MINES
	PERMIT APPLICATION
WELL TYPE: 011 X / Gas X /	TENTE APPLICATION
(IT "Gas", Production X / Unc	derground storage/ Deep/ Shallow_X
LOCATION: Elevation: 1060 Watersh	ned: GOOSE CREEK RITCHIE Quadrangle: SCHULTZ 71/2'
WELL OPERATOR AUGERNAU OU & Con Da	DECISION OF THE STATE OF THE ST
PADEN (174 W/1/A. 21 150	Address Address
OIL AND GAS	
Address RT. 4 Box 581	COAL OPERATOR NA
PARKERSBURG VILLA 26101	Address
Acreage 62.5	
SURFACE OWNER JENNINGS ROSS	COAL OWNER(S) WITH DECLARATION ON RECORD:
Modress X7. 1	Address
Acreage 62.5	
	NAME N/A Address
FIELD SALE (IF MADE) TO:	
Address	COAL LEGGE
	COAL LESSEE WITH DECLARATION ON RECORD:
OIL AND GAS INSPECTOR TO BE NOTICE	M/A
OIL AND GAS INSPECTOR TO BE NOTIFIED:	Condition Till Toll Toll Toll Toll Toll Toll Toll
NAME DAM HERSMAN	DIEGETACI
Address P.O. Box 66	the state of the s
Telephone 304-477-3597	SEP 0 9 1982
was the first will be to be a first	at water
The moderate and the second and area	OIL & GAS DIVISION
THE UNDERSTONED Well Operator is ontial	The state of the s
above location under a deed/ lease to the undersigned well operator from Fire s	other contract X / dated Oct. 8 . 1980.
2066	NE CARK, BY MISSIGNMENT.
(If said deed, lease, or other contract has b	peen recorded:)
Recorded on JUNE 24, 1981, in the offi	
0	ce of the Clerk of County Commission of
KITCHIE County, West Virginia, in requested as follows:	136 Book at page 805. A permit is
PROPOSED WORK: Drill X / Drill Deeper	/ Podeill / S
Plug off old formation	/ Redrill / Fracture or stimulate X/
Other physical change in w	ell (specify)
planned as shown on the	More and a second of the secon
The above named coal operator, coal owner(s).	work order on the reverse side hereof. and coal lessee are hereby notified that any
epartment of Mines within fife	o make by Code \$22-4-3 must be filed with the
opies of this Permit Application and the	this Application by the Dept.
nailed by registered mail or delivered by	vosed plat and reclamation plan have been
o the Department of Missay of the day of	of the mailing or delivery of this Application
LEASE SUBMIT COPIES OF ALL	04/12/2024
SEOPHYSICAL LOGS DIRECTLY TO:	1

PL GE

WEST VIRGINIA OIL AND GAS CONSERVATION COMMISSION 1613 WASHINGTON ST., E. CHARLESTON, WV 25311 Telephone - 304/348-3092

LAUDERMAN OIL & GAS DRILLING
Well Operator

BLANKET BUND

Revised 3-81)

#### PROPOSED WORK ORDER

THIS 1	S AN	ESTIMATE	ONLY:	
				 COUDIET

ACT	UAL IN	FORMATI	ON MUST	BE SL	BMITT	ED ON FOR	M IV-35 U	PON COMPLETIO	DN	
RILLING CON	TRACTO	R (IF-K	NOWN)	Un	KNO	DKN				
		Ad	dress_				,	<u>X                                    </u>		
X			160	5.			X			
Approxima Approxima Is coal b	ite wat ite coa being m	er stra al seam nined in	depths:	N/F	)	- 200	: 60% D	$\frac{}{560}$ Cabl	e toolsfeet.	1
ASING AND	TUBING	PROGRAM	TIFICATI	ONS	19 34	FOOTAGE	NTERVALS	CEMENT FILL-	PACKER	S
ASING OR	, lane		Weight			For Dril-	Left in	UP OR SACKS	yellowiff.	3
TUBING TYPE	Size	Grade	per ft	New	Used	ling	Well	Cubic ft.	Kinds	-
Conductor				1	-		2001	MUD ROTARY (		SUR.
resh water	85/8"	ERW	20	V	-	900'	900'	AIR ROTARY		374
Coal			61111	-	-	300'		The parties		70.7
Intermed.	1	21.1	105	1/	-	EMENTE	0 TO T.O.	OF WELL	Depths set	
Production	412	CW	10.5	1	-	CEMENTE	70 70		6.23	
Tubing	-	-	1000	1	1				Perforation	
Liners	-	-	-	1					Top Bo	ottom
	-		-	1				1	161 N	-
	1	1								-
822-4 requi 822-4 posed A sep where sough JHIS PERM 'ALL PROV 'ARTICLE A	I-12b of red by I-8a fill well. Darate fraction of the condition of the co	md Reging Code & com the Form Inturing of is noted as No. VA. Codrilling	ilation 322-4-126 owner o V-2 shal	a, and f any l not lating well SI NCE WITH LOCATION CATERNATE CONTRACTOR CONT	be regist the I	if application well or equired for the part of the par	eable, the dwelling or fracture	nation required on the sale consent required within 200 for stime work for which connection	puired by C eet of the clating a w ch a permit	ode pro- pell
or or is to	igned of as example well no object to had a second contract to the contract to	coal openined the location in the location is compligularion.	erator_his propon, the to the ied with	ifteen / o oosed well	wner_well	days of $\frac{1}{\sqrt{\frac{E}{R}}}$ $\frac{R}{\sqrt{\frac{E}{R}}}$ location.	receipt to	cerator and becode \$22-4-20 thereof:  If the coal unine map exists to the mine this location of the West	nder this w s which cov map. The	vell vers the under- d the
	13.1		< S			Ву:		•		
						Its:	-			

SLANKET BUND

IV-9 REVERSE (REV 8-81) LEGEND ATTACH OR PHOTOCOPY SECTION OF INVOLVED TOPOGRAPHIC MAP. WELL SITE & ACCESS ROAD. QUADRANGIE SCHULTZ Glendale Sketch to structed, wellsite, drilling and with the first part of t LEGEND Property boundary Road = = = = = Spring O Existing fence -x - x -Wet spot Planned fence —/—/ Building Building Stream \... Drain pipe 0 0 Open ditch ------> Waterway ← = = = -LOW GAP Comments: 1. LENGTH OF ACCESS ROAD 300 04/12/2024 2. BRUSH AND TREES TO BE PILED AT SITE.

STATE OF THE PARTY OF THE PARTY



DATE 4 SEPTEMBER 1982

WELL NO. TWO

State of Mest Virginia

API NO. 47 - 085 - 5883

HARRISVILLE, W.VA. 26362

PHONE NO. (304) 643-4572

Bepartment of Mines

Oil and Gas Bivision Construction & Reclamation Plan

COMPANY NAME LAUDERMAN OIL !/ GAS ADDRESS 311 S. ATH AVENUE P.O. BOX 266	DESIGNATED AGENT ROBERT E. WETZEL ADDRESS 311 S. 4TH AVENUE, P.O. BOX 266
PADEN CITY W.VA. 26159	PADEN CITY, W.VA. 26159
Telephone(304) 337-2215	Telephone (304) 337-2215
LANDOWNER JENNINGS ROSS	SOIL CONS. DISTRICT LITTLE KANAWHA
Revegetation to be carried out by ROBERT	T E. WETZEL (Agent)
This plan has been reviewed by Latt	le Kanawha SCD. All corrections
and additions become a part of this plan:	9.7.82
	(Date)
	arrett / lewton
	(SCD Agent)
ACCESS ROAD	LOCATION
Structure (A)	Structure DIVERSION DITCH (1)
Spacing 16"	Material Soil
Page Ref. Manual 7:7	Page Ref. Manual 2:12
	h
Structure CROSS DRAIN (B)	Structure RIP-RAP (2
Spacing 45' TO 400' (AS NEEDED)	Material Rock-Logs
Page Ref. Manual 2:1	Page Ref. Manual 2-10
Structure RIP-RAP (STONE-LOGS) (C)	(D)Structure DRAINAGE DITCH
Spacing SAME AS CROSS DRAIN	Material
Page Ref. Manual 2-10	Page Ref. Manual 2:12
All structures should be inspected regularized commercial timber is to be cut and stacked out and removed from the site before dist	ed and all brush and small timber to be twork begins.
Skeveg	AS DIVINES  Treatment Area II
Treatment Area I	Treatment Area II
Lime Tons/acre T	Lime Tons/acre
or correct to pH 6.5	•• /
Fertilizer 500 lbs/acre (10-20-20 or equivalent)	Fertilizer 500 lbs/acre (10-20-20 or equivalent)
Mulch HAY OR STRAW 2 Tons/acre	MulchHAY OR STRAW 2 Tons/acre
Seed*KY31 TALL FESCUE 40 lbs/acre	Seed*KV31 TALL FESCUE 40lbs/acre
REDTOP 5 lbs/acre	REDTOP 5 lbs/acre
BIRDSFOOT TREFOIL 10 lbs/acre lbs/acre	BIRDSFOOT TREFOIL 10 lbs/acre
*Inoculate all legumes such as vetch, tr Inoculate with 3X recommended amount.	refoil and clovers with the proper bacterium. 04/12/2024
	AN PREPARED BY WILLIAM R. MOSSOR, L.L.S.
votter Dieses nominet landamens!	ADDRESS 106 NORTH SPRING STREET


cooperation to protect new

Attach separate sheets as

necessary for comments.

seedling for one growing season.







OIL & GAS DIVISION DEPT. OF MINES

LAUDERMAN OIL & GAS DRILLING

DATE: June 10, 1982

FROM:

Theodore M. Streit, Administrative Assistant

RE:

New Permit Application Forms

On March 13, 1982, the legislature passed HB-154 which goes into effect June 11, 1982. This bill requires proof of one-eighth (1/8) royalty payment to the royalty owners before any well permit can be issued.

We are at the present time printing up new Permit Application Forms which should be available by next month. In the meantime you will be required to send in a notarized affidavit (sample copy below) with each permit application.

#### AFFIDAVIT

1. ROBERT E. WETZEL (the above desginated owner or operator, or authorized representative thereof) hereby verifies that the owner or owners of the mineral estate upon which this proposed well is to be located will receive minimum one-eighth (1/8) royalty payments for any gas or oil extracted therefrom. Copies of the Permit Application and the enclosed plat and reclamation plan have been mailed by registered mail or delivered by hand to the above-named coal operator, co-owner(s), and coal lessee on or before the day of the mailing or delivery of this Permit Application to the Department of Mines at Charleston, West Virginia.

Signed: (Owner, Operator, or Authorized Representat

(Signed)

My commission expires My Commission Expires December 21, 1991





iled and admitted to record in the office f the Clerk of the County Commission of Ritchie county, W. Va.

JUN 24 1981

at 11:10 o'clock A M recorded in LeASe

cestes Sand A M Clerk

STATE OF WEST VIRGINIA,

The foregoing writing, with the certificate of acknowledgment thereto, was this day admitted to record in said office.

Teste: Linda B. Maze, Clerk

DEPT ON SEPON 1985

SEPON 1985

SEPON 1985

SEPON 1985

04/12/2024

#### ASSIGNMENT

THIS AGREEMENT, by and between Eugene Carr and Grace Louise Carr, husband and wife, P. O. Box 104, Friendly, West Virginia 26146 ("Assignor") and Gerald W. Lauderman, dba Lauderman Oil and Gas Drilling, 311 South 4th Avenue, Paden City, West Virginia 26159 ("Assignee").

WITNESSETH: That for and in consideration of the sum of Ten Dollars (\$10.00), cash in hand paid, and other valuable consideration, the receipt and sufficiency of all of which is acknowledged by the parties, Assignor does hereby sell, assign and convey unto Assignee all right, title and interest in and to the following lease and leasehold estate:

following lease and leasehold estate:
THAT CERTAIN oil and gas lease dated October 7th, 1980 by and
between Doris & Ira (husband) Bickerstaff, Harold Dennis (single), Charles &
Annamae (wife) Dennis, Clyde & Loraine (wife) Dennis, Grace & Ray (husband) Life
and Sophia & Glen (husband) Lowther
as lessor to as lessee covering lands situate in
Grant District, Ritchie County, and State of
West Virginia bounded and described as follows, to-wit:
On the North by lands of Carlile & Lowther
On the East by lands of Carlile Heirs
On the South by lands of Jennings Ross
On the West by lands of
containing 63 acres , more or less. as Recorded in Book 134 Page!
EXCEPTING AND RESERVING unto Assignor a One Thirty-Second (1/32) Over-
riding Royalty Interest, being One Thirty-Second (1/32) of the Seven-Eighths (7/8)
Working Interest free and clear of all exploration, drilling, completion and
operating costs, however, subject to any tax thereon.
PROVIDED, NEVERTHELESS, that this Assignment and the interests assigned
hereby are subject to all of the terms and conditions of said lease.
IN WITNESS WHEREOF, this instrument is executed on this 8th day of
October, 1980
WITNESS:
1/
Walter Slaw Sugger Word
Edgene Cavi
- other mil Grace Louise Carr
Grace Louise Carr
* * * * * * * * *
THE STATE OF WEST VIRGINIA)
)
COUNTY OF TYLER )

BEFORE ME, the undersigned authority, on this day personally appeared Eugene Carr and Grace Louise Carr, known to me to be the persons whose names are subscribed to the foregoing instrument, and acknowledged to me that they executed

the same for the purposes and consideration therein expressed.

GIVEN UNDER MY HAND AND SEAL OF OFFICE on this the

8th day of

October, 1980

My Commission Expires:

October 20, 1985

Phillip Worgan, NOTARY P

State of West Virginia County of Tyler

This instrument prepared by WALTER STARR



IV-35 (Rev 8-81)

LOCATION:

State of Mest Birginia

Bepartment of Mines Gil und Gas Bivision

	Date			2	•	
1	Opera Well	tor's	s #	2		
	Farm	Jenn	ings	Ross	(Bicke	erst
	APT M	0	47-0	85-58	8 3	

/ Shallow

Quadrangle Schultz 7.5

WELL OPERATOR'S REPORT

DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

Watershed Goose Creek

Ritchie

WEIL TYPE: Oil X / Gas X/ Liquid Injection / Waste Disposal (If "Gas," Production / Underground Storage / Deep

County

Elevation: 1060

District: Grant

			,	
COMPANY Lauderman Oil & Gas				
ADDRESS Paden City, WV DESIGNATED AGENT Robert Wetzel	Casing Tubing	Used in Drilling	Left in Well	Cement fill up Cu. ft.
ADDRESS Paden City, WV 26159  SURFACE OWNER Jennings Ross	Size 20-16 Cond.	40'	40'	Surface
ADDRESS Route 1, Cairo, WV 26337 MINERAL RIGHTS OWNER Doris & Ira Bickerstaff	11-3/411	328'	276'	Surface
ADDRESS Parkersburg, WV 26101	9 5/8 8 5/8 -	2070'	2029'	Surface
OIL AND GAS INSPECTOR FOR THIS WORK Sam  Hersman ADDRESS Smithville, WV	7	2.070	-	- Darrace
PERMIT ISSUED 9-9-82	5 1/2 ·	4834'	4795 <b>'</b>	604 F/3
DRILLING COMMENCED 9-29-82	3		<u></u>	
ORILLING COMPLETED 10-05-82  IF APPLICABLE: PLUGGING OF DRY HOLE ON	2 -			
CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED ON	Liners used		-	
Depth of completed well 4834 feet Rowater strata depth: Fresh 150 feet; Coal seam depths: None	otary xx	_/ Cable 0 _feet	$\frac{1}{100}$ $\frac{5500}{100}$	feet
PEN FLOW DATA  Producing formation Devonian Shale  Gas: Initial open flow 200 Mcf/d C				746 feet
Final open flow 200 Mcf/d  Final open flow 200 Mcf/d  Time of open flow between initia	Fina	l open flo	OW	Bbl/d
Static rock pressure 800 psig(surface (If applicable due to multiple completion-	measurene	mt) after	24 hour	rs shut in
Second producing formation- Devonian Shall	e Pay	zone depti	3579-40	04/12/2024 021 feet
Gas: Initial open flow 200 Mcf/d C Final open flow 200 Mcf/d C Time of open flow between initia	il: Init	ial open ; l open flo	flow :	15 Bb1/d
Static rock pressure 800 psig(surface m	easurenen'	t) after_	24 hour	s shut in

FORM IV-35 (REVERSE)

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

4686'-4746' 17 holes 168 Gal. Acid 570,000 SGF/N2

3579'-4021' 33 holes 500 Gal. Acid 15,000# 20/40 45,000# 10/20 250 BBLS. H<sub>2</sub>0

#### WELL LOG

ORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all fresh and salt water, coal, oil and gas
Top Logged Interval	2022.		
Sand and Shale	2022	2397	
Berea	2397	2400	
Sand and Shale	2400	2512	
Gantz	2512	2522	
Sand and Shale	2522	2780	
Gordon	2780	2820	
Devonian Shale	2820	4834	
			4834 T.D.
		- :	
			•

(Attach separate sheets as necessary)

Michael Taines

Well Operator

December-16, 188

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including wal, encountered in the drilling of a well."

Permit No.5-5883

#### STATE OF WEST VIRGINIA

#### DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION

## RECEIVED

SEP 3 0 1982

## INSPECTOR'S WELL REPORT

OIL AND GAS DIVISION WY DEPARTMENT OF MINES

			Oil o	r Gas Well
Company Lauderman Oil + Sas Drill	CASING AND TUBING	USED IN DRILLING	LEFT IN	PACKERS
Address	Size			
Farm Jennings Ross	16			Kind of Packer
Well No. 2	13		*44.5	
District Drant County Retchie	81/4		6.24	Size of
Drilling commenced 9-28-82	65%			Depth set
Drilling completedTotal depth	5 3/16			
Date shotDepth of shot	3			Perf. top
Initial open flow/10ths Water inInch	Liners Used	4		Perf. bottom
Open flow after tubing/10ths Merc. inInch			1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	Perf. top
VolumeCu. Ft.	CASING CEMEN	TED	SIZE	No. FTDate
Rock pressurelbshrs.	NAME OF SERV			No. FTDate
bbls., 1st 24 hrs.	COAL WAS THE			
resh waterfeetfeet				FEETINCHES
The state of the s		INCHES	5F	EETINCHES
alt waterfeetfeet	FEET_	INCHES	F	EETINCHES
rillers' Names Jim Shields/Hen S	ott / 72	mb 2		
ean Stalnaker Rig #4	, , , , ,	tool !	les he	
Moved on location	n/Rigging	rep		

9-28-

#### DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

#### INSPECTOR'S PLUGGING REPORT

Permit No				The second secon		<u> </u>
OMPANY			ADDRESS			
'ARM		DISTRICT.	C	OUNTY		V)
illing Material Used			8.33			
iner Los	etion	Amount	Packer	Location	-	
Liner Location		ATHOUGH.				
	ND DEPTH PLACED		BRIDGES		G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LUCATION	RECOVERED	SIZE	LOST
				-		
		A segretor of				
				, .		7.1
	*,					
					Q - 8 - 0	
rillers' Names						
Tillers Hames						
emarks:						

## DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



COT = - 1900

OIL AND GAT DIVISION WY DEPARTMENT OF MINES

DISTRICT WELL INSPECTOR

### INSPECTOR'S WELL REPORT

Permit No. 83-58	83	Oil or Gas Well					
Company Lauderm	an Oil & Has Drilling	CASING AND TUBING	USED IN DRILLING	LEFT IN	PACKERS		
Address		Size		New Address Con-	design and and		
FarmJennings	Ross	16			Kind of Packer		
Well No. 2		13					
District Strant	County Ritchie	10			Size of		
Drilling commenced 9		65%		,			
		5 3/16			Depth set		
	Total depth	3			Perf. top		
Date shot	Depth of shot	2			Perf. bottom		
Initial open flow	/10ths Water inInch	Liners Used			Perf. top		
Open flow after tubing	/10ths Merc. inInch				Perf. bottom		
/olume	Cu. Ft.	CASING CEMEN	TED	_SIZE	No. FTDate		
lock pressure	lbshrs.	NAME OF SERV			Date		
il	bbls., 1st 24 hrs.	COAL WAS ENC	COUNTERED A	AT	FEETINCHES		
resh water 102	feetfeet				FEETINCHES		
alt water	feetfeet	FEET_	INCHE	S	FEETINCHES		
rillers' Names Jim	Skields/xtlen aker Rig#4	Stump /	Frank	3 Francis	am e		
ean Stalm	aker Rig#4		tool B	Lesher	20		
marks.	Ran 280 foot	of 113 can	sinco				
	racidarlas ran	155 DALE	30 6	en1			
	Duide Shoe - one of Plug Down	Cent.		1			
	Flug Down	et 3:30 AM	, C,	T.S.			
9-30-82				10	94/12/2024 ***********************************		
BATE	The same of the sa		Dami	ref //,	Neroman		

#### DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

#### INSPECTOR'S PLUGGING REPORT

				We	II No	
OMPANY			ADDRESS			
ARM		DISTRICT	0	COUNTY		Y.
illing Material Used						
iner Loc	cation	Amount	Packer	Location		
PLUGS USED A	PLUGS USED AND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LUCATION	RECOVERED	SIZE	Los
				9 5 6 1 6		
						- 1 (m) - 1 (m)
2						
						1 . 7.
		17 K (2 K 1)				
		o gogunara s				
			our Marking Mar.			
rillers' Names				-		
emarks:						

DISTRICT WELL INSPECTOR

## DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION

## INSPECTOR'S WELL REPORT

Permit No.85-5883			Oil or	Gas Well
Company Louderman Oil & Has Dru	LASING AND	USED IN DRILLING	LEFT IN	PACKERS
Address	Size		~ ~ ~ ~ ~	
FarmJennings Ross	16			Kind of Packer
Well No. 2	13	RECE	IVE	
District Grant County Ritchie	81/4	OCT 8	- 1982	Size of
Drilling commenced 9-28-82	6%	OH AND	GAS DIVISION	Depth set
Drilling completed 10-4-82 Total depth 485-9	5 3/16	WV DELAN	1 111bmt X 1	
Date shotDepth of shot	3			Perf. top
Initial open flow/10ths Water inInch	Liners Used	v 1		Perf. bottom
Open flow after tubing/10ths Merc. in Inch				Perf. top
VolumeCu. Ft.				8 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
Cu. Ft.	NAME OF SER			No. FTDate
bbls., 1st 24 hrs.				EETINCHES
alt water				EETINCHES
	FEET_	INCHI	ESF	EETINCHES
rillers Names lim Skields / Alen	Stump/	Fran	& Fra	me
ean Stalnaker Rig # 4	Te Ste	rry Les	her	
Visit 4859 food	t deep	Blowing	Hole	
Ready to En	ell drill	Pypo		

10-4-82 DATE

Samuel 11. 894/12/2024

#### DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

#### INSPECTOR'S PLUGGING REPORT

Permit No.				Wel	II No	
COMPANY			ADDRESS	-		2 - 2 - 3 - 2 - 2
FARMCOUNTY						
Filling Material Used						
iner Lo	eation	Amount	Packer	Location		
PLUGS USED	AND DEPTH PLACED		BRIDGES	CASING AND TUBING		
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LUCATION	RECOVERED	SIZE	LOST
	TERMINAL ACT					
-						
						, -
rillers' Names					*****	
emarks:						7
٠						
DATE	I hereby certify I	visited the abov	ve well on this date.			
				(	04/12/2	0024

DISTRICT WELL INSPECTOR

## DEPARTMENT OF MINES

## RECEIVED

NOV 9 - 1982

OIL AND GAS DIVISION WY DEPARTMENT OF MINES

DISTRICT WELL INSPECTOR

### INSPECTOR'S WELL REPORT

rmit No. 85 - 5883 Oil or Gas Well CASING AND Company Landerman Oil & Has Orillian USED IN LEFT IN PACKERS DRILLING Size Address Kind of Packer 13 Size of Pitchio Drilling commenced Depth set\_\_\_\_ 5 3/16\_ Drilling completed\_\_\_\_ Total depth Perf. top\_\_\_\_ Date shot Depth of shot Perf. bottom\_\_\_ Initial open flow\_\_\_\_ Liners Used \_/10ths Water in\_ Perf. top\_\_\_ Open flow after tubing\_\_\_\_\_/10ths Merc. in\_ Perf. bottom\_ \_\_Inch Volume\_ Cu. Ft. CASING CEMENTED\_\_\_\_ SIZE \_No. FT.\_\_\_\_Date NAME OF SERVICE COMPANY Rock pressure\_ hrs. bbls., 1st 24 hrs. COAL WAS ENCOUNTERED AT\_\_\_\_FEET\_\_ \_INCHES Fresh water\_ feet feet FEET INCHES FEET INCHES Salt water. feet feet FEET INCHES FEET\_ INCHES Drillers' Names. Elivertigate complaint by Ma + Mrs Harry Jones of Ellendale of mo Water in water well at community building - On Auspection found Pumpwas had - Water OK. Well listed about was accused of coursing damage
But from all indications no domage or pollation was caused by this well

#### DEPARTMENT OF MINES

OIL AND SAS WELLS DIVISION

#### INSPECTOR'S PLUGGING REPORT

Permit No				We	11 No		
COMPANY			ADDRESS				
ARMDISTRICTCOUNTY							
'illing Material Used					ANT THE		
iner Loc	eation	Amount	Packer	Location		- 5/2	
PLUGS USED A	ND DEPTH PLACED		BRIDGES	CASING AND TUBING			
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST	
					No. 10		
					78 50 11/1		
		7774 60 7					
					Page (see See See See See See See See See See		
		section is	200 200 1 100 1 100 100 100 100 100 100				
						Tests of	
rillers' Names							
mers Names				THE RESERVE OF THE PARTY OF THE			
emarks:							
	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1			200			
DATE			re well on this date.				
					04/12/	2024	

DISTRICT WELL INSPECTOR

# STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION FINAL INSPECTION REQUEST INSPECTOR'S COMPLIANCE REPORT



OIL & GAS DIVISION
DEPT. OF MINES

Permit No	085-5883	County_	Ritchie			
Company_	Lauderman Oil & Gas	District	Grant			
Inspector	SAMUEL N. HERSMAN	Farm	Jennings 1	Ross		
Date	November 14, 1983	Well No.	2	Issued	9-13-82	
RULE	DESCRIPTION			IN Yes	COMPLIAN	NCE No
23.06	Notification prior to star	ting work		V		
25.04	Prepared before drilling	o prevent waste	е	/	_	
25.03	High-pressure drilling			V	_	
16.01	Required permits at wells:	.te		V		
5.03	Adequate fresh water casin	ıg				
15.02	Adequate coal casing			V		
15.01	Adequate production casing			V		
15.04	Adequate cement strength			V		
23.02	Maintained access roads			V		
25.01	Necessary equipment to pre	vent waste		V		
23.03	Reclaimed drilling site			V		
23.04	Reclaimed drilling pits			V		
23.05	No surface or underground	pollution		V		
7.05	Identification markings			V	· .	
COMMENTS:	OK to A	eleasp	}			
	8					

I have inspected the above well and have found it to be in compliance with the rules and regulations of the Office of Oil and Gas Department of Mines of the State of West riginia, and the well can be released from the permitted work.

SIGNED: Samuel M. Hersman

DATE: 11-29-83

04/12/2024



# State of West Virginia Bepartment of Mines Oil and Gas Division Charleston 25305

WALTER N. MILLER DIRECTOR THEODORE M. STREIT ADMINISTRATOR

January 4, 1984

Lauderman Oil & Gas Drilling 110 West Main Street Paden City, W. Va. 26159

Gentlemen:

The required records and reports have been received in this office and the District Inspectors have submitted FINAL INSPECTIONS for the following wells listed below:

PERMIT NUMBER	FARM AND WELL NUMBER	DISTRICT
RIT-5882	Craig Ross, #ï	Grant
RIT-5883	Jennings Ross, #2	Grant

In accordance with Chapter 22, Article 4, Section 2, the above captioned wells will remain under bond coverage for "life of wells." Reclamation requirements have been approved.

Very truly yours,

Theodore M. Streit, Administrator Dept. Mines-Office of Oil & Gas

TMS/rl

IV-27 11/23/81 JUN -7 1983

## OIL & GAS DIVISION DEPT. OF MINES STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

Date: June 2-83
Well No: 2

API NO: 47 - 085 - 5883 State County Permit

## Oil and Gas Division NOTICE OF VIOLATION

	NOTICE OF VIOLATION
WELL	TYPE: 0il X / Gas X Liquid Injection / Waste Disposal /
	Of "Gas" - Production / Storage / Deep / Shallow /
LOCAT	TION: Elevation: 1068 Watershed: House Creek
	District: Grant County: Pitchio Quadrangle: Schultz 7.5
WELL	OPERATOR Landerman Oil + Has DriDESIGNATED AGENT Rokert C. Wetzel
	Address 311 5 4 th are P. O Bay 266 Address 311 5 4th Quenus P.O Bay 26
	Paden City, W.Va. 26159 Paden City WV 26159
	The above well is being posted this 2 day of June, 1983, for a
viola	ation of Code 22-4-12 Band/or Regulation 23.03, set forth in detail as follows:
	(USE REVERSE SIDE OF THIS NOTICE IF NECESSARY)
	The operator of a well shall reclaim the land
	The operator of awen shak rectain the land
2	Surface within the disturbed area in siting, drilling.
6	completing, or producing the well, within six months
	A copy of this motice has been posted at the well site and sent by certified or
regis	stered mail to the indicated well operator or his designated agent.
	You are hereby granted until June 9, 1983, to abate this violation.
	Failure to abate the violation may result in action by the Department under
Code	22-4-17 or Code 22-4-18.
	Land M. Harman
	Samuel M. Heroman 0il and Gas Inspector
	Address P.O. B 66
	Smithville W.V
	26178
	Telephone: 477-35 04/12/2024

FORM IV-31 [08-78]



API Well No.

OIL & GAS DEPARTMENT OF WEST VIRGINIA
DEPT. OF MINES, OIL AND SAS DIVISION

NOTICE OF ABATEMENT

WELL TYPE:	Oil/ Gas/ Liquid Injection/ Waste Disposal/
	(If "Gas", Production / Underground Storage/ Deep/ Shallow/)
LOCATION:	Elevation: 1066 Watershed: 60052 Creek
	District: Brant County: Retchie Quadrangle: Scholte 7.5
WELL OPERATOR	R Lauderman Dil x Gas Dr. DESIGNATED AGENT Robert E. Wetzel
Address	3/15 4th Que POBZUE Address 3/15 4th Que POB. 266
	Paden City W. V 26159 Paden City 26159
	tice is hereby given that the undersigned authorized oil and gas inspector made a special
inspection of	f the above named well on $\overline{J0/4/3}$ , 19 $\overline{83}$ ,
Upo	on the expiration of a period of time originally fixed for abatement.
Upo	on the order of the Deputy Director for Oil and Gas at the request of the well operator.
Upo	on the request of the Deputy Director for Oil and Gas.
The	e violation of Code § $22-4-/2B$ heretofore found to exist on $50e$ , 19 $83$ , by
Form IV-27, '	"Notice of Violation" V/ Form IV-28, "Imminent Danger Order"/ of that date has
been totally	abated. If the abated violation was found by an Imminent Danger Order requiring operations
to cease, suc	ch requirement is hereby rescinded, and the well operator is hereby notified that he may
resume operat	tions.
COMMENTS	
Loca	ation now mulched & Seeded

A copy of this notice has been posted at the well site and sent by certified or registered mail to the indicated well operator or his designated agent.

Telephone: 472-3597

