

1)	Date: June 7	1983
	Operator's	

Well No. Brooks No. 3) API Well No. 47

3-A 6596

MILLENIO CON	INACION:		S	TATE OF WEST VI	DCINIA	State	County Perm
Burdette	Drilli	<del>ng</del> D	EPARTMEN	T OF MINES, OIL	AND GAS DIVISION	ON	
Charlesto	n W V	AFIL AN LAND IN .	1 1	GAS WELL PERMI			101
				SAS WEEL I ERWI	TATTLICATION		
) WELL TYPE	: A Oil _	X Gas	v /			TATEL TO	
	B (If"C	as", Production	X	/ Underground st	torage	_/ Deep	_/ Shallow/)
LOCATION:		n:1013		_ Watershed:	Brooks Ho	llow	
	District	Clay		_ County: Ri	tchie	Quadrangle:	Cllenboro 7
WELL OPER		y Petrole				AGENT Ron	
Address	Rt.2	Box H-2				Rt. 2 Box	
	Penns	boro, W.	V.,			Pennsboro.	
OIL & GAS	WHED DO	nal a Mac					
Address		uglas Mea			2) COAL OPERA	TOR	
71441633	St. N	larys, W.	V -		Address	N/A	
Acreage	103	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		1:	3) COAL OWNER		ATION ON RECORD:
SURFACEO		le and Ca	arl Sch	ofield	Name	N(3) WITH DECLAR	ATION ON RECORD:
Address	Rt.1				Address	N/A	
		rys, W.V					
Acreage					Name		
FIELD SALE	(IF MADE)	TO:		1.	Address	N/A	
Address							
011 4 515	N/A			14	) COAL LESSEE	WITH DECLARAT	ION ON RECORD:
		TO BE NOTIFIE	and the second second second		Name	N/A	
Address		rille. W.			Address	10))8	TO FINANCE
Address		77-3579				116/1	JOS GILL
PROPOSED	WORK: D	orill Y /	Drill deeper	/ Redrill			A STATE OF THE STA
	p	lug off old form	ation	Perforate n	Frac	ture or stimulate	JUN - 8 1983
		ther physical char			iew formation		0011 - 0 1303
GEOLOGICA				lus Shale		The state of the s	
				feet		, 0	IL & GAS DIVISION
		ata depths: Fresh			salt,	feet. DEF	T. OF MINE
19) Approxim	nate coal seam	depths:	N/A	Is coal	being mined in the	aran? Van	XIVE
CASING ANI			7	re .	being inmed in the	arcar res	
CASING ANI	D TOBING P	ROGRAM					
CASING OR TUBING TYPE	1	SPECIFICATION Weight		FOOTAGE	INTERVALS	CEMENT FILLUP	PACKERS
	Size	Grade per ft.	New Used	For drilling	Left in well	(Cubic feet)	
Conductor	12 3/4	24	X		300	120 sks	Kinds Dy Rule 1
resh water							
Coal							Sizes
ntermediate	8.5/8	24	X		23009	659 sks	
Production Fubing	5 1/2	15	X		5990	540 sks	Depths set OR AS 16
iners							by Ry12 15
Liners							Perforations:
							Top Bottom
EXTRACTION	DICUTE			1	L		
Check and pro		he fallowing					
greene .			continuing co	ntract or contracts b	w which I hold the	right to extract oil or	
The requ	uirement of (	Code 22-4-1-(c) (1)	through (4).	(See reverse side for	specifics.)	right to extract on or	gas.
ROYALTY PR			1.		opening.		.,,
Is the right to e	xtract, produ	ce or market the oi	l or gas based	upon a lease or other	continuing contrac	t or contracts providin	g for flat well royalty or a
similar provisio	on for compe	nsation to the ow	ner of the oil	or gas in place which	ch is not inherently	related to the volume	e of oil or gas so extracte
produced or ma			-d-d 164b-				
Required Copie	is No, nothi	ng additional is ne	eded. If the a	inswer is Yes, you m	ay use Affidavit Fo	orm IV-60.	
			losed plat and	reclamation plan h	ave been mailed by	registered mail or del	ivered by hand to the abo
named coal op	erator, coal o	owner(s), and coal	lessee on or t	efore the day of the	mailing or delivery	of this Permit Applie	cation to the Department
Mines at Charl							7
lotary Bund	a Sou (	ain			Signed:	onne to	û
		une 22,198		The second second	Ite:	AGENT	
,						S. F. C.	
	47-08	5-6596		OFFICE USE OF			July 14, 1983
		Tron the		DRILLING PER			
ilt humber	The sales of the sales of the sales	West States and the			C. S. Grande Co.		04/26/2024
normit count	the mall a	water and!! !	ation the	halam /a and f		Date	04/26/2024
ments subject to	o the condition	ons contained here	ation shown	reverse hereof. Not	permission granted	to drill in accordance	with the pertinent legal
er to No. 10) Pri	or to the con	struction of roads,	locations and	pits for any permitte	d work. In addition	, the well operator or h	is contractor shall notify t
er district oil an	id gas inspect	or 24 hours before	e actual perm	itted work has comm	nenced.)		the state of the s
		March 14, 1					

Permit expires	rarch 14, 1984.	unless d	frilling is commenced prior to that date and prosecuted with due diligence
Bond:	Agent: Plat: Casing	Fee	THE
	1040-40	141	Administrator, Office of Oil and Gas

ATTACHMENT TO FORM IV-2 (6-82) OIL & GAS WELL PERMIT APPLICATION

WELL	OPERATORS#	Wray	Petroleum
WELL	OPERATORS#	Wray	Petroleur

API#: 47- 085-



# ITEM #21 - EXTRACTION RIGHTS

CODE 22-4-11 (C)

			··· De-	CAS	
103	ACRES	Clay	DISTRICT Ritchie	COU	NIY, WV
	Bounded as follow on the North		& Schofield		
	on the East	by Osbourn	ne & Say & Scofield		
	on the South	h by Johnser	a & Riggs		
	on the West				
Ĭ	essors & Address		Percent OGM Royalty Interest (of 1/8ths)	Reco: BK	rding PG
Douglas					
Rt 1 Ellenbor	o, WV		ALL	8	334
			1		
			16		
			<u></u>		
	·		9		
					· · · · · · · · · · · · · · · · · · ·
	•				
				04/26/	2024

IV-9 (Rev 8-81)



DATE JUNE 7, 1983
WELL NO. Brooks #3

# State of Mest Mirginia Bepartment of Mines

API NO. 47 - 085 - 659

Gil und Ges Zivision

#### CONSTRUCTION AND RECLAMATION PLAN


CONSTRUCTION	AND RELLA	WALLON PLAN		
COMPANY NAME Wray Petroleum Corp.	DE	EIGVATED AG	ENT Ronnie Cain	_
Address 519 So. Otterbein Ave., Weste	rville,	Address Rt	. 2, Box H-2, Pennsboro, W	<u>N</u> 26415
Telephone (614) 891-6401 Or	1io 43081	Telephone_	(304) 869-3557	_
LANDOWNER Dale Schofield	_	SOIL CONS.	DISTRICT Little Kanawha	
Revegetation to be carried out by	Wray	Petroleum	Corp. (Agen	rt)
This plan has been reviewed by 4	H/e	Tanawh	2 SCD. All corrections	
and additions become a part of this plan		6-8-8.	3	
	0.	(Date)	0 /	
	Jar	(SCD Agent	ton	
A Line of the Control of the Absence is	0		a and the first of the world of	
ACCESS ROAD			LOCATION	
Structure Drainage Ditch	(A)	Structure_	Diversion Ditch	(1)
Spacing . N/A		Material_	Earthen .	
Page Ref. Marnual 2-12		Page Ref. 1	Mamual 2-12	
	(B)	Charchara	Sediment Barrier	(2)
Structure Cross Drain	(D)		The second secon	
Spacing as required per grade		the second second	Logs & Stone	
Page Ref. Marmal 2-1		Page Ref. 1	Marnual 2-16	
Structure Road Culverts	(C)	Structure		(3)
		Material		
Spacing two 20"		Page Ref. 1	Mamia 1	
Page Ref. Manual 2-7			. 10018-10-12-18/8/8/	ME
All structures should be inspected commercial timber is to be cut and st	regularly acked and	all brush	and small timber to be	3
cut and removed from the site before	dirt work	begins.	JUN - 8 1983	
		L <sub>y</sub>	0011 - 0 1000	
RE	VEGETATIO	4	OIL & GAS DIVISIO	N
Treatment Area I & II			MXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	VES
Lime Tons/acre		Line	Tons/ac	re
or correct to pH 6.5		Fertilizer	ect to pHlbs/acr	
Fertilizer 600 lbs/acre (10-20-20 or equivalent)			(10-20-20 or equivalent)	
Mulch Hay 2 Tons/acre		Mulch	Tons/ac	re
Seed* KY-31 35 lbs/acre		Seed*	lbs/acr	e
Ladino Clover 5 lbs/acre			lbs/acr	e
lbs/acre			lbs/acr	e
*Inoculate all legumes such as vetch, Inoculate with 3% recommended conount.	trefoil	ma clovers	with the proper bacterium.	
	FLAN PRE	PAPED BY	SMITH LAND SURVEYING 04/26/20	174
MOTES: Please request landounere		LDDRESS	111 South Street	··· -
seedling for one growing season.			Glenville, NV 26351	
Attach separate sheets is necessary for comments.	FH	ONE NO.	304-462-5634	


ATTACH OR PHOTOCOPY SECTION OF INVOLVED TOPOGRAPHIC MAP.
QUADRANGLE Ellenboro 7.5'

Well Site Access Road —

#### WEIL SITE PLAN

: ketch to include well location, existing access road, roads to be constructed, wellsite, drilling pits and necessary structures numbered or lettered to correspond with the first part of this plan. Include all natural drainage.







#### STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY Charleston, West Virginia 25311

ARCH A. MOORE. JR. Governor

Commissioner


RECL. - CHAS. 4 SEP 85 10: 27

This is to acknowledge that the wells listed on the reverse of this form are hereby
transferred from <u>BASIN ENTERPRISES INC.</u> (the transferor)
to HOBSON PETROLEUM CORPORATION (the transferee).
The transferee by this document is accepting all responsibility for compliance with
the provisions of Chapter 22B, Article 1 of the West Virginia Code and all rules and
regulations promulgated thereunder, for the listed wells.
The tran_feree's designated agent (name)
(address) Box 796, 165 Scott Ave., Suite 102, Morgantown, WV 26305
is on file with the Division of Oil and Gas.
The transferee has bonded the said wells by securities, cash, or (surety (circle one)
bond) identified below by amount, effective date, issuing authority, and any identifyin
number. Amount \$50,000; Aug. 8, 1985, The American Insurance Co.
No 262 35 69
(Transferee) HOBSON PETROLEUM CORPORATION  By Charles D. Hobson  Its President
Taken, subscribed and sworn to before me this 27th day of August, 1985  Notary Public Saudana L. Unicit
My commission expires Oct. 2 1985
(Transferor) BASIN ENTERPRISES, INC.
By John May h
Its President John R. Wray, Jr.
Taken, subscribed and sworn to before me this 27th day of August ,1985
Notary Public Vereoa S. Cale
My commission expires TERESA L. CALE 19  NOTARY PUBLIC, STATE OF ONIO  MY COMMISSION EXPIRES NOW, 14, 1288

ACCEPTED HIS 2 DAY OF 9 ..., 1985
BY: Director - Division of 04/26/2624

API (Permit) Number	Farm Name	Operator's Well Number
47-085 - 6281	Abicht.	1
6309	Robertson	1
6367	Johnson	1 8 8 8 8 8
6500	Fleming	1A
6538	Russell	2A
6596	Brooks (Schofield)	3
6720	R. Gregg (Lamp)	1A
6872	Henthorne	1
6928	Nell - Carmichael	1
7122	R. Gregg (Lamp)	2
7131	Fleming	2
7228	Grayam	1
7239	Goodnight	1
47-073-1872	John Gregg	1
•		
•		04/26/2024

IV-35 (Rev 8-81)





OIL & GAS DIVISION State of Mest Mirginia DEPT. OF MINES Department of Mines

Gil und Gas Division

Date	Jana	ury 5,	1983	
Opera				
Well	No	3		
Farm_	Broo	ks		
ADT N	2 47	- 085	_	6596

# WELL OPERATOR'S REPORT OF DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

WEILI.	WEIL TYPE: Oil X / Gas X / Liquid Injection / Waste Disposal / (If "Gas," Production / Underground Storage / Deep / Shallow /)							
LOCAT	IOCATION: Elevation: 1013 Watershed Brooks Hollow							
		District: Grant County Ritch			e Pennsbor	0 7.51		
COMPA	NY_	Wray Petroleum Corp.				3 CONTROL		
ADDRE	ESS 51	9 S. Otterbein, Westerville, OH 43081	Casing	Used in	Left	Cement		
DESIG	NATED	AGENT Ronald D. Cain	Tubing	Drilling	in Well	fill up Cu. ft.		
ADDRE	ESS 90	O Charleston, Spencer, WV 25276	Size					
SURF	ACE OW	NER Dale Schofield	20-16 Cond.					
ADDRE	SS Rt	#1, St. Marys, WV	13-10"	348	348	140 sk		
MINE	RAL RI	GHTS OWNER Douglas Mead	9 5/8	740	540	140 38		
ADDRE	SS Rt	#1, St. Marys, WV	8 5/8	2041	2041	150 sk		
		S INSPECTOR FOR THIS WORK	7			1,50 511		
Sam He	ersman	ADDRESS Smithville, WV	5 1/2	4250	4250	325 sk		
PERM	IT ISS	UED June 3, 1983	4 1/2	1250	4230	)2) 3N		
DRILL	LING C	OMMENCED August 25, 1983	3					
DRILL	LING C	OMPLETED September 7, 1983	2					
CONT	INUOUS	BLE: PLUGGING OF DRY HOLE ON PROGRESSION FROM DRILLING OR VERBAL PERMISSION OBTAINED	Liners used					
GEOL	OGICAL	TARGET FORMATION Marcellus Shale		Dep	th 5990	feet		
		of completed well 4529 feet F	Rotary X					
		strata depth: Fresh feet;				-		
		seam depths:				area?		
OPEN	FLOW I	DATA  cing formation Devonian Shale	Da	v zone den	3903 -	4126 3940		
		Initial open flow 5 Mcf/d						
		Final open flow 1000 Mcf/d						
		Time of open flow between initial						
	Statio	c rock pressure 900 psig(surface		-				
		pplicable due to multiple completion-				20 0140		
		d producing formation		v zone dep	th	feet		
		Initial open flow Mcf/d						
		Final open flow Mcf/d						
		Time of open flow between init:						
	Stati	c rock pressurepsig(surface						

#### DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

3604 - 3634 - 30 shots; 45,000 lbs. 20/40 sand; 15,000 lbs. 10/20 sand 3904 - 3940 - 24 shots; 45,000 lbs. 20/40 sand; 15,000 lbs. 10/20 sand 4096 - 4126 - 30 shots; 45,000 lbs. 20/40 sand; 15,000 lbs. 10/20 sand Nitrogen Foam Frac all three stages

#### WELL LOG

		1	REMARKS
FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	Including indication of all freshand salt water, coal, oil and ga
Clay, Rock, Sand, Shale	0	1528	
Maxon	1528	1645	
Big Lime	1645	1675	
Keener	1675	1715	
Injun	1715	1930	
Shale	1930	1943	
Squaw	1943	1975	
Shale	1975	2733	
Gordon	2733	2755	
Shale	2755	TD	
		- 1	

(Attach separate sheets as necessary)

Well Operator

John R. Wray, Jr.

Date: January 5, 1984

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including

### DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

# INSPECTOR'S WELL REPORT

Permit No. 85 -65-96			Oil or	Gas Well
Company Wray Petroleum	CASING AND TUBING	USED IN DRILLING	LEFT IN	PACKERS
Address	Size			
Farm Dalo Schofield	16			Kind of Packer
Well No Brooks 3-A	13			and and the state of the state
	10			Size of
District Cay County Ritchie	81/4	Di	Can-	
Drilling commenced 8-26-83	6%			Depth-set
Drilling completedTotal depth	5 3/16	S	EP 07 10	4///
Date shotDepth of shot	2	- 00	196	Berf. top
Initial open flow/10ths Water inInch	Liners Used	DEPT.	GAS DIVIS	Perf. top
Open flow after tubing/10ths Merc. inInch			MIN	Perf. top
and the second s				
Cu. Ft.				_No. FTDate
Rock pressurelbshrs.	NAME OF SERV	ICE COMPAN	Y	and the september of the second of the second second
Oilbbls., 1st 24 hrs. Fresh waterbox of Date	COAL WAS ENC	OUNTERED A	TF	EETINCHES
Fresh waterfeetfeet	FEET_	INCHES		
Salt water feet feet	FEET_			
Drillers' Names C. K. Pool C. W. Hood	A CONTRACTOR OF THE PROPERTY OF			EETINCHES
	lwin -	8. Ami	th	30.10, 30.20
Lefty Burdette Rig#3 Remarks: on 8-27-83 Ram 348	tool Push	er Wal	Cley Ly	iono
Nonsco ran 150 sack	cemeni	A ness	2 - 0	027
9 1 1 1		, ,	with	1 GCC
2071 foot deep at te	me of We	sit		
8-29-83			1	16 MOC 1000 4
DATE		Som	nel 1	RICT WELL INSPECTOR

#### DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

### INSPECTOR'S PLUGGING REPORT

Permit No.	•			Wei	I No	
COMPANY			ADDRESS			
FARM		DISTRICT.	CC	UNTY		
Filling Material Used						
iner Loc	cation	Amount	Packer	Location		
PLUGS USED A	ND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LUCATION	RECOVERED	SIZE	LOST
rde C						
					111 6/10 510	
		2000, 200, 400, 500				
		ggliolike i	3 ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) (		-	
			and the state of t			
de la						
rillers' Names						
riners Names						
emarks:	- Q.		1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -			and the
			1 1 2 20 0 10 1			
	I hamahu mantifu I	rigited the short	re well on this date.			
DATE	I hereby certify I'v	risited the abov	e west on this date.			

#### DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

DEPT. OF MINES

### INSPECTOR'S WELL REPORT

Permit No 85-6596

Company Wray Petroleum CASING AND USED IN LEFT IN PACKERS Size Address Scholield 16 Kind of Packer\_\_\_ Size of \_\_\_\_County Retelecto Drilling commenced 8-26-83 Depth set\_\_\_ 5 3/16\_ Drilling completed 9-1-83 Total depth 45/4 Perf. top\_\_\_ Date shot Depth of shot Perf. bottom\_\_\_\_ Initial open flow\_\_\_\_\_/10ths Water in\_\_\_ Liners Used Pert. top\_\_\_ Perf. bottom\_\_\_ Open flow after tubing \_\_\_\_\_/10ths Merc. in \_\_\_\_ Inch Volume \_Cu. Ft. CASING CEMENTED\_\_\_\_SIZE\_ Rock pressure\_\_ NAME OF SERVICE COMPANY \_bbls., 1st 24 hrs. COAL WAS ENCOUNTERED AT\_\_\_\_\_FEET\_ feet FEET\_ INCHES FEET\_ feet FEET INCHES FEET\_ INCHES Drillers' Names. on 8-30-83 Ran 2042 foot of 85 "casing Nowsco nan 200 sachs neat on 9-1-83 Complete drilling T.D. Hole at 45-14 fort Samuel 11.

#### DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

### INSPECTOR'S PLUGGING REPORT

COMPANY			ADDRESS				
			ADDRESS				
FARM	COUNTY						
Filling Material Used							
rining material Oseu	and a supplied that the supplier of the suppli						
	Location	Amount	Packer	Location			
PLUGS USE	D AND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING	
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOS	
			7				
			and the second s				
						belled a the recognition	
Orillers' Names		-					
Remarks:							
tellaras.							
	_ I hereby certify I	visited the abov	ve well on this date.				



## State of West Birginia

### Bepartment of Mines Gil and Gas Bivision Charleston 25305

FINAL INSPECTION REPORT INSPECTORS COMPLIANCE REPORT November 1, 1984

DI	CE	1 4 199	EM	100
M	NOV	1 4 198	34	

OIL & GAS DIVISION
DEPT. OF MINES

	November 1,	1984	
COMPANY	Wray Petroleum Corporation	PERMIT NO085	-6596
Route	2, Box H-2	FARM & WELL NO Dal	e Scholfield #3
Penns	boro, West Virginia 26415	DIST. & COUNTY Gra	nt/Ritchie
		IN COMP	LIANCE
RULE	DESCRIPTION	YES	NO
23.06 25.04	Notification Prior to Starting World Prepared before Drilling to Prevent	Waste	
25.03	High-Pressure Drilling	1	
16.01	Required Permits at Wellsite		
15.03	Adequate Fresh Water Casing		
15.02	Adequate Coal Casing		
15.01	Adequate Production Casing		
15.04	Adequate Cement Strenght		
15.05 23.02	Cement Type		
25.02	Maintained Access Roads	-\/-	
23.04	Necessary Equipment to Prevent Wast		
23.05	Reclaimed Drilling Pits		1
23.07	No Surface or Underground Pollution Requirements for Production & Gathe	_/	_
16.01	Well Records on Site	ring Pipelines	
16.02	Well Records Filed		-
7.05	Identification Markings		
	Temperature in internings	1	
I HAVE	INSPECTED THE ABOVE CAPTIONED WELL AN	D RECOMMEND THAT IT BE	DET EACED.
	, and the same of	SIGNED MILE UM	Front
		DATE 11-8-84	
with Cha	ll record was received and reclamation apter 22, Article 4, Section 2, the as for the life of the well.	n requirements approved.	In accordance ider bond
		Administrator-0il &	Gas Division

January 3, 1985

# APPLICATION FOR DETERMINATION OF THE MAXIMUM LAWFUL PRICE UNDER THE NATURAL GAS POLICY ACT (NGPA)

, , , , , , , , , , , , , , , , , , , ,	0,.02				
1.0 API we'l number.		47 •	- 085 - 659	06 -	D)
"(If not assigned, leave blank, 14 digits.)					
2.0 Type of determination being sought:	i		107		121200
(Use the corles found on the front	!	<u>-</u>	107	5	which say I shall be
of this form.)		Sec	TION OF NGPA	Category Code	-
3.0 Depth of the deepest completion	i		/ 10/	(a) (a)	
location   Only needed if sections 103	i		4,120	feet FE	B 6 1004
or 107 in 2.0 above.)	<del>_i</del>				1984
4,0 Name, address and code number of					
applicant. (35 letters per line	!Hc	obson Petrole	um Corporatio	DEPT.	GAS DIVICIO
maximum. If code number not	Name			DEPT	DE A Seller Corte
available, leave blank.)	G-	-2367 South L	inden Road		Dr MI
	Street				
	F	lint		<u>48504</u>	
	City		S	ate Zip Coi	de
50 Location of this well: [Complete (a)	i				1
or (b).)	!	Ellenboro			
(a) For onshore wells	Field Na				
(35 letters maximum for field	R	itchie	<u>k</u>	N	
na ne.)	County		Si	ate	
(b) For OCS wells:					
	!				
	Area Na	me		Block idun	nter
	i				
	i	Date	e of Lease:		
	i				
	i	Mo.	Day Yr.	OCS Lease Number	
(c) Name and identification number	1		_		
of this well: (35 letters and digits	Sch	nofield No. 🛩	3		
maximum.)					
(d) If code 4 or 5 in 2.0 above, name	1				
of the reservoir: (35 letters	!				
maximum.)					
6.0 (a) Name and code number of the	1		·		
purchaser: (35 letters and digits	i				
maximum. If code number not	i	N/A			
available, leave blank.)	Name			Х.	Buyer Code
(b) Date of the contract:	1				
	1		1 1 1 1	1 1 1	
	i		Mo. Day	Yr.	
(c) Estimated total annual production	!				
from the well:	1			30 Million Cub	ic : set
	1			(c) All Other	(d) Total of (a)
	1	(a) Base Price	(b) Tax	Prices [Indicate	(b) and (c)
	<u>i</u>			(+) or (-).]	107 8110 117
7.0 Contrar price:	i				
(As c' tiling date. Complete to 3	S/MMBTU	N/A			
riecimal pluces.)					
8.0 Maximum lawful rate:	1				1
(As of filing date. Complete to 3	S/MMBTU	N/A		1	
decimal places.)	!	The state of the s	• • • • • • • • • • • • • • • • • • • •		
9.0 Person responsible for this application:	1				
	The	1 Horn		Operati	ons Manager
Apendy Use Only	Name	8 011		Title	
Par Received by Juris, Agency B4		nex 100	~		
The second secon	Signature				
The state of the s					
One Received by FETIC		1-84		(313) 73	3-1710

E)-RC-121 (8-82)

DATE: MAR 28 1984  BUYER-SELLER C
WELL OPERATOR: Hobson Petroleum Corp
FIRST PURCHASER: NA
OTHER: APPROVED
W. Va. Department of Mines, Oil & Gas Division
WELL DETERMINATION FILE NUMBER  APR 11 1984
84 02 06 - 107 - 085 = 65 96  Use Above File Number on all Communications
Relating to Determination of this Well
CHECK EACH ITEM AS COMPLETE OR NOTE WHAT IS MISSING
ITEM NO.
1. FERC -121 Items not completed - Line No
2. Ik-1 Agent
3. IV-2 Well Permit
4. IV-6 Well Plat
5. IV-35 Well RecordDrilling Deepening
6. IV-36 Gas-Oil Test: Gas Only Was Oil Produced? Ratio
7. IV-39 Annual Production years
8. IV-40 90 day Production Days off lines
9. IV-48 Application for certification. Complete? Affidavit Signed_
10-17. IV Form 51 - 52 - 53 - 54 - 55 - 56 - 57 - 58 Complete: Attridavit Signed_  18-28. Other: Survey Logs Geological Charts
Structure Map 1: 4000 Map Well Tabulations
Gas Analyses
(5) Date commenced: Date completed Deepened
(5) Production Depth:
(5) Production Formation:
(5) Final Open Flow:
(5) After Frac. R. P.
(6) Other Gas Test:
(7) Avg. Daily Gas from Annual Production:
(8) Avg. Daily Gas from 90-day ending w/1-120 days
(8) Line PSIG from Daily
(5) Oil Production: From Completion Report
10-17. Does lease inventory indicate enhanced recovery being done Notarized? 04/26/2024
10-17.
Does official well record with the Department confirm the submitted information?
Additional information Does computer program confirm? By Whom?
Was Determination Objected to By Whom?

FORM 14-48WC		STATE OF VES	T VIRCINIA	Date February 2,
		DEPARTMENT OF HINTS, O	NOTETAL SES CAR TE	Corretor's Schofield No. +
				API Vell
				No. 47 • 085 • 65
		STATE APPLICATION FOR	LTIL CLASSIFICATION	Previous File No. (II Applie
				(II Applie
VILL CITATO	R Hobson Peti	roleum Corporation	DESIGNATED ACENT	Ronnie Cain
ADDRESS	-2367 South I	inden Road	ADDRESS Route 2	, Box H-2
		504	Pennsbor	ro, WV 26415
		and	Chenth, day and	Acces 1
		27/4		
Kina of Firs	f incusing _	N/A		·
		(Street or	P. O. BOX)	
		(St	(ata)	(ip toce)
			TERC tuper code _	
	EMINATION BEING		107	. 3
		tion (See FERC Form 121, t increased production (		Category Code
Tec	overy technolo			
			Thel Horn	Operations Manager
			Keme (Faint)	Title
			Signature	
			G-2367 South Lind	len Road
			Flint, MI 48504	
			(313) 733-1710	tt (Lip cott)
			Code Phone Ru	Set.
(Certificate	of Froof of S	ervice to Purchaser)		
		*		
(111 of the	above to be co	orplated by the Operator	(Applicant)	
(To be comp purchaser,	leted by Juriso	lictional Agency. Execu	uted copy to be return	ed to Operator/Applicant and
(NCPA):	ting the requir	rements of Section Instign that increased	production is the resu	ertification of the above descr Natural Gas Folicy Act of 1975, It of enhanced recovery technolo affected well under Section 108
the office be heard. th	Il interested of the Oil and here will be a	rarties are hereby noti Cas Division in Charle public hearing, if requ	fied that on the ston, West Virginia, o ested, or if objection	day of . 19 . 19 r as soon thereafter as it may is filed.
	oirapiicatio	n is assigned File No.	•	
and any ad	certification	ce will be made at the	intural Cas Folicy Act	is, is not (NOTA). A review of this evide ablic hearing or as abon therea
days, a he	aring will not	ns are timily filed or be held except on ax po	a request for a hearing	ng is rade within fifteen (15) artment and the matter will
			LEST VIRCINIA DEPAR	THENT OF HINES
				-for
	FEB 6	1984		04/2012024
Date recei			Ву	
	enal Agency		Title	

Title \_\_\_\_

acknowledged the same before me, in my county aforesaid.

(NOTARIAL SEAL)

Given under my hand and official seal this lst day of February

My term of office expires on the 27th day of July , 19 87 .

TINA MARIE BARLOW Notary Public, Genesee County, Mich. My Commission Expires July 20, 1987

Notary Public

04/26/2024

### APPLICATION FOR DETERMINATION OF THE MAXIMUM LAWFUL PRICE UNDER THE NATURAL GAS POLICY ACT

Oper	acor: Hobs	on Petroleum Corpora	tion A	gent: _	Ronnie Cain
Type	Determina	tion being soug	ht - 107 (	Devoniar	Shale)
API	Well No.:	47-085-6596	w	ell Name	Schofield No. + 3
West Refe	Virginia ( rences: S.	Office of Oil a JA File No.			
V	ol Pa	age Line _			
I.	(6	ine, (b) a line c) intervals wi	represent: th Gamma R	ing 0.7 av units	th the (a) Shale Base x (Shale Base Line), less than 0.7 x (Sha d with this analysis.
II.		y elevation ind			
	A.	Shale Base L	ine (API Ur	nits)	
		<ol> <li>GR Value</li> <li>Remarks:</li> </ol>	at Base Li	ine = <u>110</u>	-140 * API Units
	В.	Gamma Ray Log	Value at	0.7 x V:	alue at Base Line
		1. GR Value	= 110-140 * A on: 0.7 (	PI Units GR Value	
III.	Intervals	with GR index			alue at Base Line):
		erval To***	Thickn of Inte Feet	ess rval	Feet of less than* 0.7 (Shale Base Line Feet
	None	None	None	•	None
	2077	4529	245	ν	8
					1
					8
	Total D	evonial Interva	2452		
	Lace Than	0.7 (Shale Base			
Total	Dess Indii	o., (Share pase	-/		
		(Shale Base Lir		× 100 =	0037 04/26/2024

\*Marked on log included with analysis.

\*\*Top of Devonian Section Recorded on First Interval in this Column.

\*\*\*Lesser of TD or Bottom of Devonian Section Recorded as last Interval in this Column.

7







Date:	May	158	4
Well No	:Br	ooks A	6 3-A
API NO:			6596
	State	County	Permit

# Oil and Gas Division NOTICE OF VIOLATION

WELL TYPE: 0il / / Gas / Liquid Injection / Waste Disposal /

	Of "Gas" - Production / / Storage / Deep / Shallow /
LOCA	110N: Elevation: 1013 Watershed: Brooks Hollow
	District: Clay County: Ritchie Quadrangle: Ellenhors 7.5
WELL	OPERATOR Miray Potroleum DESIGNATED AGENT Ron Cain
	Address Rt 2 Box H-2 Address Rt 2 Box H-2
	Pennstoro WV Gennstoro
	The above well is being posted this 15 day of May, 1984, for a
viola	ation of Code 22-4-12 and/or Regulation 23.03, set forth in detail as follows:
	(USE REVERSE SIDE OF THIS NOTICE IF NECESSARY)
	a set of the sea
d	2-4-12 B states reclamation must be completed
w	iller six mouth of completion of Drilling process
1	veclamation incomplete - Pit not filled - no dist
_	work started
	A copy of this notice has been posted at the well site and sent by certified or
regis	stered mail to the indicated well operator or his designated agent.
	You are hereby granted until May 22, 1984, to abate this violation.
	Failure to abate the violation may result in action by the Department under
Code	22-4-17 or Code 22-4-18.
	11. To Ilmitean feet -
	Oil and Gas Inspector
	Address R. D. 2. Box 135
	516-1 11/1/1
	DHIM: W. VH
	26126
	Telephone: 782-/04/26/2024

NSPI I S YAM OIL & CAS DIVISION" OIL & CAS DIVISION STATESTA VILLE STATESTANDES OF MANESSES COCKETON STEWARDON 1873 WARRESTON BRANCHE HIBERT Discources Clary and Commerce Peters ? WELL OPERATOR & Pray Straw our consideration MENT Para Chiers The above well to being ported into 15 day of May 15 89, for a violation of Code 22-6-72 and/or Regulation 23.83, set, forth in detail at follows: 22-4420 with the radian less mark to much the reclaimstean severyple to - Pet out fulled - no short You are hereby granted until Way 22 1984 to shate this violation.

FORM IV-29 9-83



Date: 6-6-84 , 19
Operator's Well No. 280065 3-19
API Well NO. 47 - 085 - 6596
State County Permit

OIL & GAS DIVISION

# DEPT. OF MINES

# STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

### NOTICE EXTENDING ABATEMENT TIME

	V
WELL TYPE	E: Oil/ Gas/_ Liquid Injection/ Waste disposal/
LOCATION	Of "Gas" - Production Storage Deep Shallow Watershed:
LOCATION	District: GRANT County: Ritahia Quadrangle: SENBORO
WELL OPER	RATOR WEAR PETROLYCUM DESIGNATED AGENT KONNIE CAIN
A	Address Rt 2 Box H-2 - Address
	PENNSBERO W. VA-26415
	Notice is hereby given that the undersigned authorized oil and gas inspector made a special inspection
of the above	re named well on 6-6-84, 19
10	the violation of Code, neretorie found to exist on, by Form IV-27, "Notice of Violation", form IV-28, "Imminent Danger Order" of
that date h	as not been totally abated. Accordingly, the well operator is—
that date in	
	required to continue the cessation of operations until the imminent danger is totally abated.
	granted an extension of time to totally abate the violation, until,19
	This is the first/ second/ final/ extension of said Notice of
164	Violation.
001111511	S: (USE REVERSE SIDE OF THIS NOTICE IF NECESSARY)
COMMENT	5: (USE REVERSE SIDE OF THIS NOTICE II NECESOART)
	grant 30 day Extension, due to working or Locature
	GRANT 30 CING
	LOCATURE
	11/100 1/moter load.
	Oil and Gas Inspector
11	Address R.O.Z. Box 135
1	SA/Fer. V. VA - 26426
	Telephone 78,2-1043412612024
	Telephone

FORM IV-31. 9-83



 Date:
 9-11-84

 Operator's
 Brook's - 3-A 

 Well Number
 47 - 095 - 6596

 State
 County
 Permit

OIL & GAS DIVISION

# DEPT. OF MINES VIRGINIA

#### **DEPARTMENT OF MINES, OIL AND GAS DIVISION**

#### **NOTICE OF ABATEMENT**

WELL TYPE:	Traditional and the second and the s
	Underground  If "Gas" - ProductionX/ Storage/ Deep/ ShallowX/
LOCATION:	Elevation: 1013 Watershed: BROOKS HOSTON
LOCATION.	District: GRANT County: Rideline Quadrangle: Ellen Borer
WELL OPERA	TOR WEAR PETEROLIS DESIGNATED AGENT BONN'S CAIN
	dress 11/2. Buy 1/- 2 Address
	DENNISBORT W. VA. 26415 Situra
Notice is	s hereby given that the undersigned authorized oil and gas inspector made a special inspection of the above named well
on 9-11-	84 ,19 ,
The viola	tion of Code § 22-4-1213 heretofore found to exist on MAJ-15-67, 19 by Form IV-27, "Notice
	Form IV-28, "Imminent Danger Order" of that date has been totally abated. If the abated violation was found by
	Danger Order requiring operations to cease, such requirement is hereby rescinded, and the well operator is hereby notified that he may
resume opera	nions.
COMMENTS	
- 1	1:014tier Hits Baken ABITE,
	E WHERE the BEIEF, No WHERE the Line.
R	e where the Brist No WHERE THE LIME,
Hown	e vinere 7 mm
A copy o	f this notice has been posted at the well site and sent by certified or registered mail to the indicated well operator or his designated
agent.	
	Mill Margenice.
	Oil and Gas Inspector
	Address 10.2. Box 135
	SAKM. 12. VA. 26476
	SHIM. V.VI. 16026
	Telephone

