Date:	May 30	, 19

2) Operator's Mattern #1

1)

Well No. 3) API Well No

i c ceri	1 #1	
47	085 76	641
State	County	Pe

DRILLING	CONTRACTOR:	

#### STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

OIL AND GAS WELL PERMIT APPLICATION

47	085 (6641)
State	County Permit
11116	o bellif ad o't' -(1
00	JUN - 8 1983

a selection	B (If	"Gas", Pr		X		/ Underground s	torage		L & GAS DIVISION  Shallow A PA 157
) LOCAT		vation:	669	10.8 5	ou servo	Watershed:	Big Run	roses entertal do	TANK TANK
		rict:G		9.00.00	W. 1789.	County:	Ritchie	Quadrangle: _	Cairo
) WELL	OPERATOR_				ng	edalla in Comie	1) DESIGNATED	AGENT	Raymond Mattern
Add		30x 55	<b>のでは、「大学性の成立体」のに</b>		9 15 3 24	ndr en notth a	Address	Rt. 1 B	ox 4
	I	leming	, Ohio	457	29			Cairo,	W.V. 26337
) OIL &		Ray	mond M	2++0	nn			to location a	How shell M. T.
	LTYOWNER	. 1 Bo		atte	T.11	tredutos, deil	2) COAL OPERA	ror	the symbolic Co
Add	ress	iro, W		337			Address	tst. 2 sil di.	in a strain of
		14	20	221			the state of the s	the second to those and	
Acre		Sa	me as	Abov	e	1:			RATION ON RECORD:
	CE OWNER_					. Doutes		D. St. rottivito, 3 (E)	The Edward Control
Addi	ress						Address		whiteholder (c
Acre	200	14					ALEX COSTA	CT Annual Color	
		DE) TO:	2 2 2 2		g ge offici		. 101111	of an amusion for	N 1738 505 HU
Addi	Tess	DE) IU:	COMBINE		datenta	earmenbip, pr	Address	<del>de consent (1 o) si</del>	12) (000 00
rida	-						Sep Note 24	Harrisand & Jac	qu dobay
OIL & C	GAS INSPECT	OR TO BE	NOTIFIE	ZD.		12		WITH DECLARA	TION ON RECORD:
Name	C7	Hersm			ed tolar		Name	Complete of the Same September 5	mak and i out to the too t
Addr	ess P.	O. Box	66			an in a second	Address _	Strong at the	2011 Acc W (2)
	Sm	ithvil	le, W.	V. 2	6178	17 A C WE STALL BE	DEG OF OTHER	CHARLES BUILD	I san't mandre
PROPO	SED WORK:	Drill	Χ ,	Drill (	leener	/ Pedrill	/ Fract	repaired in beilt	1-W mm4
		Plug off	old form	ation	accpci	/ Perforate n	ew formation	ure or stimulate	1236 (2011)
		Other ph	ysical char	nge in	well (spec	ify)	cw formation		
GEOLO	GICAL TARG				Marce	llus			
	mated depth of				5900'	feet	SE SELDENCE VILLE ALS	usveites ir reseprat	POLITICISM (PT
18) App	proximate water	strata dept	hs: Fresh	1,	870		alt 425'	fact	
18) Apr 19) Apr	proximate water	strata dept	hs: Fresh	ı,	ALTERNATION OF THE PARTY OF THE	feet:	alt, 425	feet.	
19) App	proximate coal s	eam depths	:			feet; s	being mined in the a	rea? Yes	No_ No_ X
19) App	proximate coal s	eam depths	:			feet; s	being mined in the a	feet. rea? Yes	No_ No_ X
19) App	oroximate coal s  GAND TUBIN  OR	eam depths	:AM	,a.A.5		feet; s	being mined in the a	rea? Yes	No_ No_ X
19) App CASING	G AND TUBIN  OR YPE  Size	eam depths G PROGR SPI Grade	:	,a.A.5		feet; s	being mined in the a	rea? YesCEMENT FILL-UP OR SACKS	besonand (00
19) App CASING	FOR TUBIN  OR	eam depths G PROGR SPI Grade	AM  CCIFICATION  Weight	NS	8 2 m	feet; sIs coal FOOTAGE	being mined in the a	rea? Yes	PACKERS
CASING O TUBING T	G AND TUBIN  OR YPE  Size	eam depths G PROGR SPI Grade	AM  CCIFICATION  Weight	NS New	8 2 m	feet; sIs coal FOOTAGE	being mined in the a  INTERVALS  Left in well	rea? YesCEMENT FILL-UP OR SACKS	PACKERS  Kinds
19) App CASING CASING O TUBING T Conductor	G AND TUBIN  OR YPE  Size	eam depths G PROGR SPI Grade	AM  CCIFICATION  Weight per ft.	NS New	8 2 m	feet; sIs coal FOOTAGE	being mined in the a  INTERVALS  Left in well	rea? YesCEMENT FILL-UP OR SACKS	PACKERS  Kinds  By Rule 15
CASING OTUBING T	G AND TUBIN  OR YPE  Size	eam depths G PROGR SPI Grade	AM  CCIFICATION  Weight per ft.	NS New	8 2 m	feet; sIs coal FOOTAGE	INTERVALS  Left in well	rea? YesCEMENT FILL-UP OR SACKS	NoX PACKERS
CASING OTUBING T Conductor Fresh water Coal	G AND TUBIN Size Size 11 3/	eam depths G PROGR SPI Grade	AM  CCIFICATION  Weight per ft.	NS New X	8 2 m	feet; sIs coal FOOTAGE	being mined in the a  INTERVALS  Left in well	rea? YesCEMENT FILL-UP OR SACKS	PACKERS  Kinds  By Rule 155  Sizes
CASING OTUBING T Conductor Fresh water Coal Intermediate	G AND TUBIN Size Size 11 3/	eam depths G PROGR SPI Grade	AM  CCIFICATION  Weight per ft.	NS New X	8 2 m	feet; sIs coal FOOTAGE	INTERVALS Left in well 40' /00	rea? YesCEMENT FILL-UP OR SACKS	PACKERS  Kinds  By Rule 15  Sizes  Depths set
CASING OTUBING T Conductor Fresh water Coal Intermediate Production	G AND TUBIN  Size  11 3/	eam depths G PROGR SPI Grade	AM  CCIFICATION  Weight per ft.	NS New X	8 2 m	feet; sIs coal FOOTAGE	INTERVALS  Left in well	rea? YesCEMENT FILL-UP OR SACKS	PACKERS  Kinds  By llule 15  Sizes  Depths set  ON BRUG
CASING OTUBING T Conductor Fresh water Coal Intermediate Production Tubing	G AND TUBIN  Size  11 3/	eam depths G PROGR SPI Grade	AM  CCIFICATION  Weight per ft.	NS New X X X	8 2 m	feet; sIs coal FOOTAGE	INTERVALS Left in well 40' /00	rea? YesCEMENT FILL-UP OR SACKS	PACKERS  Kinds  By Rule 15  Sizes  Depths set  ON BRIGHT  Perforations: Rule 15
CASING OTUBING T Conductor Fresh water Coal Intermediate Production Tubing	G AND TUBIN  Size  11 3/	eam depths G PROGR SPI Grade	AM  CCIFICATION  Weight per ft.	NS New X X X	8 2 m	feet; sIs coal FOOTAGE	INTERVALS Left in well 40' /00	rea? YesCEMENT FILL-UP OR SACKS	PACKERS  Kinds  By Rule 15  Sizes  Depths set  ON BRULE 15
CASING OTUBING T Conductor Fresh water Coal Intermediate Production Tubing	G AND TUBIN  Size  11 3/	eam depths G PROGR SPI Grade	AM  CCIFICATION  Weight per ft.	NS New X X X	8 2 m	feet; sIs coal FOOTAGE	INTERVALS Left in well 40' /00	rea? YesCEMENT FILL-UP OR SACKS	PACKERS  Kinds  By Rule 15  Sizes  Depths set  ON BRIGHT  Perforations: Rule 15
19) App CASING CASING O TUBING T Conductor Fresh water Coal Intermediate Production Tubing Liners	G AND TUBIN  Size  11 3/	eam depths G PROGR SPI Grade	AM  CCIFICATION  Weight per ft.	NS New X X X	8 2 m	feet; sIs coal FOOTAGE	INTERVALS Left in well 40' /00	rea? YesCEMENT FILL-UP OR SACKS	PACKERS  Kinds  By Rule 15  Sizes  Depths set  ON BRIGHT  Perforations: Rule 15
19) App CASING CASING O TUBING T Conductor Fresh water Coal Intermediate Production Tubing Liners  EXTRAC Check and	S AND TUBIN  R Size  11   3/  8 5/8  4 1/2  TION RIGHT: d provide one of	eam depths G PROGR  SPI  Grade	AM  CCIFICATION  Weight per ft.  wing:	NS New X	Used	feet; sfeet; sIs coal FOOTAGE For drilling	INTERVALS Left in well 40' 1200'	CEMENT FILLUP OR SACKS (Cubic feet)  CTS  CTS  470 SKS	PACKERS  Kinds  By light 157  Sizes  Depths set  OR BRIGHT  Perforations: Light 10
19) App CASING CASING O TUBING T Conductor Fresh water Coal Intermediate Production Tubing Liners  EXTRAC Check and	SAND TUBIN  RAPPE Size  11   3/  8 5/8  4 1/2  TION RIGHT: d provide one of cluded is the lea	eam depths G PROGR  SPI  Grade	AM  CCIFICATION Weight per ft.  wing:	NS New X X X	Used	feet; sfeet; sIs coal  FOOTAGE For drilling	INTERVALS  Left in well  40'  1200'	CEMENT FILLUP OR SACKS (Cubic feet)  CTS  470 SKS	PACKERS  Kinds  By Rule 157  Sizes  Depths set  OR BRUP  Perforations: Rule 10
CASING OTUBING T Conductor Fresh water Coal Intermediate Production Tubing Liners  EXTRAC Check and	Size  Size  11 3/  8 5/8  4 1/2  TION RIGHT: d provide one coluded is the lease requirement of	G PROGR.  SPI Grade	AM  CCIFICATION Weight per ft.  wing:	NS New X X X	Used	feet; sfeet; sIs coal  FOOTAGE For drilling	INTERVALS  Left in well  40'  1200'	CEMENT FILLUP OR SACKS (Cubic feet)  CTS  470 SKS	PACKERS  Kinds  By Rule 15- Sizes  Depths set  OR B Rule  Perforations: Rule 16- Top Bottom
CASING OTUBING T Conductor Fresh water Coal Intermediate Production Tubing Liners  EXTRAC Check and Inc	SAND TUBIN  RAND T	G PROGR  SPI  Grade  Grade  S  of the followse or leases of Code 22-	AM  CCIFICATION  Weight per ft.  wing:  s or other of 4-1-(c) (1)	NS New X X X X	Used Used Ining contribution (4). (S	feet; s  Is coal  FOOTAGE For drilling  ///  //  fact or contracts by see reverse side for	INTERVALS  Left in well  40'  1200'  5900'	CEMENT FILLUP OR SACKS (Cubic feet)  CTS  470 SKS	PACKERS  Kinds  By lunc 157  Sizes  Depths set  Perforations: lunc 160  Top Bottom
CASING OTUBING T Conductor Fresh water Coal Intermediate Production Tubing Liners  EXTRAC Check and Inc The ROYALT Is the righ	SAND TUBIN  RAND T	G PROGR  SPI  Grade  Grade  S  of the followse or leases of Code 22-IS  duce or ma	AM  CCIFICATION Weight per ft.  wing: s or other of 4-1-(c) (1)	NS New X X X X	Used Used In the U	FOOTAGE For drilling  ///  //  act or contracts by the reverse side for co	INTERVALS  Left in well  40'  1200'  5900'	CEMENT FILLUP OR SACKS (Cubic feet)  CTS  470 SKS	PACKERS  Kinds  By lule 157  Sizes  Depths set  Perforations: lule 168  Top Bottom
CASING OTUBING T Conductor Fresh water Coal Intermediate Production Tubing Liners  EXTRAC Check and Inc The ROYALT Is the right	SAND TUBIN  RAND T	G PROGR  SPI  Grade  Grade  Soft the follows or leases of Code 22-IS  duce or man pensation	AM  CCIFICATION  Weight per ft.  wing:  s or other of 4-1-(c) (1)  rket the out to the own	NS New X X X X	Used Used In the U	FOOTAGE For drilling  ///  //  act or contracts by the reverse side for co	INTERVALS  Left in well  40'  1200'  5900'	CEMENT FILLUP OR SACKS (Cubic feet)  CTS  470 SKS	PACKERS  Kinds  By lule 15- Sizes  Depths set  Perforations: lule 16- Top Bottom
CASING OTUBING T Conductor Fresh water Coal Intermediate Production Tubing Liners  EXTRAC Check and Inc The ROYALT Is the right similar produced	SAND TUBIN  RAYPE Size  11 3/  8 5/8  4 1/2  TION RIGHT: d provide one of cluded is the lease requirement of the requirement of	G PROGR  SPI  Grade	AM  CCIFICATION Weight per ft.  wing: s or other of 4-1-(c) (1)  rket the oil to the own	NS New X X X X X X X X X X X X X X X X X X X	Used Used In the contract of the coll or t	FOOTAGE For drilling  ////  For drilling  ///  act or contracts by the reverse side for on a lease or other gas in place which	being mined in the a  INTERVALS  Left in well  40'  1200'  5900'  which I hold the rispecifics.)  continuing contract in is not inherently r	cement fill up or sacks (Cubic feet)  CTS  470 Sts  ght to extract oil or or contracts providir elated to the volume	PACKERS  Kinds  By lule 157  Sizes  Depths set  Perforations: lule 168  Top Bottom
CASING OTUBING T Conductor Fresh water Coal Intermediate Production Tubing Liners  EXTRAC Check and Inc The ROYALT Is the right similar produced the answer a Required of	Size  Size  11 3/  8 5/8  4 1/2  TION RIGHT: d provide one of cluded is the lease requirement of Y PROVISION to extract, proposition for comor marketed? bove is No, no Copies (See rev.	G PROGR  SPI  Grade	wing: s or other of 4-1-(c) (1) rket the oil to the own	NS New X X X X X X X X A X A X A X A X A X A	Used Used Ining contribution (A). (S) based up the oil or	FOOTAGE For drilling  ////  For drilling  ///  act or contracts by the reverse side for on a lease or other gas in place which wer is Yes, you may be a simple of the reverse of the reverse side for	being mined in the a  INTERVALS  Left in well  40'  1200'  5900'  which I hold the rispecifics.)  continuing contract in is not inherently r	cement fill up or sacks (Cubic feet)  CTS  CTS  470 Sts  ght to extract oil or or contracts providing elated to the volume m IV-60.	PACKERS  Kinds  By lule 15- Sizes  Depths set  Perforations: lule 15  Top Bottom  gas.
CASING OTUBING T Conductor Fresh water Coal Intermediate Production Tubing Liners  EXTRAC Check and Inc The ROYALT Is the right similar produced the answer a Required (Copies of	Size  Size  11 3/  8 5/8  4 1/2  TION RIGHT: d provide one of cluded is the lease requirement of the requirement of the recovery PROVISION to extract, proposed to extract proposed t	G PROGR  SPI  Grade	wing: s or other of 4-1-(c) (1) rket the oil to the own line and the enclude t	NS New X X X X X X X X X X X X X X X X X X X	Used Used upthe oil or f the answer	FOOTAGE For drilling  ////  ///  act or contracts by the reverse side for on a lease or other gas in place which wer is Yes, you manage the reverse side for the results of the reverse side for the results of the reverse side for the results of the reverse side for the reverse side	being mined in the a  INTERVALS  Left in well  40'  1200'  5900'  which I hold the rispecifics.)  continuing contract h is not inherently r	cement fill up or sacks (Cubic feet)  CTS  CTS  470 Sts  ght to extract oil or or contracts providir elated to the volume m IV-60.	PACKERS  Kinds  By lule 15- Sizes  Depths set  Perforations: lule 15- Top Bottom  gas.  gas.
CASING OTUBING T Conductor Fresh water Coal Intermediate Production Tubing Liners  EXTRAC Check and Inc Inc ROYALT Is the right similar produced at answer a Required Copies of named coal	Size  Size  11 3/  8 5/8  4 1/2  TION RIGHT: d provide one of cluded is the lease requirement of the component of the compone	G PROGR  SPI  Grade  Grade	wing: s or other of 4-1-(c) (1)  rket the oil to the own No in and the encland coal	NS New X X X X X X X X X X X X X X X X X X X	Used Used upthe oil or f the answer	FOOTAGE For drilling  ////  ///  act or contracts by the reverse side for on a lease or other gas in place which wer is Yes, you manage the reverse side for the results of the reverse side for the results of the reverse side for the results of the reverse side for the reverse side	being mined in the a  INTERVALS  Left in well  40'  1200'  5900'  which I hold the rispecifics.)  continuing contract h is not inherently r	cement fill up or sacks (Cubic feet)  CTS  CTS  470 Sts  ght to extract oil or or contracts providir elated to the volume m IV-60.	PACKERS  Kinds  By lule 15- Sizes  Depths set  Perforations: lule 15  Top Bottom  gas.
CASING OTUBING T Conductor Fresh water Coal Intermediate Production Tubing Liners  EXTRAC Check and Inc Inc ROYALT Is the right similar produced at answer a Required Copies of named coal	Size  Size  11 3/  8 5/8  4 1/2  TION RIGHT: d provide one of cluded is the lease requirement of the requirement of the recovery PROVISION to extract, proposed to extract proposed t	G PROGR  SPI  Grade  Grade	wing: s or other of 4-1-(c) (1)  rket the oil to the own No in and the encland coal	NS New X X X X X X X X X X X X X X X X X X X	Used Used upthe oil or f the answer	FOOTAGE For drilling  ////  ///  act or contracts by the reverse side for on a lease or other gas in place which wer is Yes, you manage the reverse side for the results of the reverse side for the results of the reverse side for the results of the reverse side for the reverse side	being mined in the a  INTERVALS  Left in well  40'  1200'  5900'  which I hold the rispecifics.)  continuing contract h is not inherently r	cement fill up or sacks (Cubic feet)  CTS  CTS  470 Sts  ght to extract oil or or contracts providir elated to the volume m IV-60.	PACKERS  Kinds  By Plule 157  Sizes  Depths set  OR B RIGHT  Perforations: Pulk 45  Top Bottom
CASING OTUBING T Conductor Fresh water Coal Intermediate Production Tubing Liners  EXTRAC Check and Inc Inc ROYALT Is the right similar produced at answer a Required Copies of named coal	Size  Size  11 3/  8 5/8  4 1/2  TION RIGHT: d provide one of cluded is the lease requirement of the component of the compone	G PROGR  SPI  Grade  Grade	wing: s or other of 4-1-(c) (1)  rket the oil to the own No in and the encland coal	NS New X X X X X X X X X X X X X X X X X X X	Used Used Used the (4). (S) based up the oil or	FOOTAGE For drilling  ///  act or contracts by the reverse side for on a lease or other gas in place which were is Yes, you make the day of the recommendation plan has the the day of the recommendation of the recommendation plan has the presentation pl	being mined in the a  INTERVALS  Left in well  40'  1200'  5900'  which I hold the rispecifics.)  continuing contract h is not inherently r  y use Affidavit Formula to the second of th	cement fill up or sacks (Cubic feet)  CTS  CTS  470 Sts  ght to extract oil or or contracts providir elated to the volume m IV-60.	PACKERS  Kinds  By little 157  Sizes  Depths set  Perforations: little 158  Top Bottom  gas.
CASING OTUBING TO TUBING T	Size  Size  11 3/  8 5/8  4 1/2  TION RIGHT: d provide one of cluded is the lease requirement of the component of the compone	G PROGR  SPI  Grade  Grade	wing: s or other of 4-1-(c) (1) rket the oil to the own No in and the encland coal in and	NS New X X X X X X X X X X X X X X X X X X X	Used Used Used the (4). (S) based up the oil or	FOOTAGE For drilling  ///  act or contracts by the reverse side for on a lease or other gas in place which were is Yes, you make the day of the recommendation plan has the the day of the recommendation of the recommendation plan has the presentation pl	being mined in the a  INTERVALS  Left in well  40'  1200'  5900'  which I hold the rispecifics.)  continuing contract h is not inherently r	cement fill up or sacks (Cubic feet)  CTS  CTS  470 Sts  ght to extract oil or or contracts providir elated to the volume m IV-60.	PACKERS  Kinds  By Rule 157  Sizes  Depths set  Perforations: Rule 167  Top Bottom  gas.  ag for flat well royalty or age of oil or gas so extracted

OFFICE USE ONLY

			TAXABLE P
1.7 00	F ( 17		INVILL
4/-110	5-6641		DRILL
1 1 00	J U U T 1		

ING PERMIT

August 2

This permit covering the well operator and well location shown below is evidence of permission granted to drill in accordance with the pertinent legal requirements subject to the conditions contained herein and on the reverse hereof. Notification must be given to the District Oil and Gas Inspector.

(Refer to No. 10) Prior to the construction of roads, locations and pits for any permitted work. In addition, the well operator or his contractor shall notify the proper district oil and gas inspector 24 hours before actual permitted work has commenced.)

Permit expires	Apr	il 2, 19	984	unless d	2011
Bond:	Agent: Pla	at:	Casin	Fee 309	rilling is commenced prior to that date and prosecuted with due diligence.  Administrator, Office of Oil and Gas

#### Line Item Explanation

- Date of Application 1)
- Your well name and number 2)
- To be filled out by office of oil & gas 3)
- 4A) "Oil" means natural crude oil or petroleum and other hydrocarbons, regardless of gravity, which are produced at the well in liquid form by ordinary production methods and which are not the result of condensation of gas after it leaves underground reservoirs: "Gas" means all natural gas and all other fluid hydrocarbons not defined as oil.
- "Shallow well" means any well drilled and completed in a formation above the top of the uppermost member of 4R) the "Onondaga Group" or a depth less than six thousand feet, whichever is shallower.
  - "Deep well" means any well drilled and completed in a formation at or below the top of the uppermost member of the "Onondaga Group" or at a depth less then six thousand feet, whatever is shallower.
  - Where well is located 5)
  - Before a permit can be issued in a corporation, company partnership, or fictitious name, the name must be registered with the Secretary of State Office
  - Use separate sheet if necessary 7)
  - Present surface owner at time application is filed. 8)
  - Optional 9)
- See Reg. 7.01 relating to code §22-4-1k 11)
- "Coal Operator" means any persons, firm, partnership, partnership association or corporation that proposes to 12) or does operate a coal mine. See Note 24
- As per §22-4-20; See Note 24 13 & 14)
  - Work that will be attempted—A separate Form IV-2 shall not be required for fracturing or stimulating a well where fracturing or stimulating is to be part of the work for which a permit is sought and is noted as such on the 15) Form IV-2 filed in connection therewith.
  - Anticipated formation for which well will be completed
  - Self explanatory 17)
  - Depth to deepest freshwater, and shallowest salt water, taken from nearby wells corrected for differences in 18) elevation
  - All coal seam depths 19)
  - Proposed casing program and cementing refer to Code 22-4-5, 22-4-6, 22-4-7, 22-4-8, 22-4-8a Reg 9.01, 15.01, 20) 15.02, 15.03, 15.04, 25.01, 25.02, 25.03, 25.04
  - 21) Code 22-4-11(c) In lieu of filing the lease or leases or other continuing contract or contracts, the applicant for a permit described herein may file the following:
    - (1)A brief description of the tract of land including the district and county wherein the tract is located;
    - (2) The identification of all parties to all leases or other continuing contractual agreements by which the right to extract, produce or market the oil or gas is claimed;
    - (3) The book and page number wherein each such lease or contract by which the right to extract, produce or market the oil or gas is recorded;
    - (4)A brief description of the royalty provisions of each such lease or contract.
  - Code 22-4-11(d) and 22-4-11(e). 22)

Date:

- Regulation 7.02 of the Department of Mines provides that the original and four copies of Form IV-2 must be filed with the Department, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code §22-4-2, (iii) Form IV-9, "Reclamation Plan", applicable to the reclamation required by Code §22-4-12b and Regulation 23, (iv) unless previously paid on the same well, the fee required by Code §22-4-12a, and (v) if applicable, the consent required by Code §22-4-8a from the owner of any water well or dwelling within 200 feet of the proposed well.
- 24) The above named coal operator, coal owner(s), and coal lessee are hereby notified that any objection they wish to make or are required to make by Code §22-4-3 must be filed with the Department of Mines within fifteen (15) days after the receipt of this Application by the Department.

The following waiver must be completed by the coal operator and by any coal owner or coal lessee

who has recorded a declaration under Code days of receipt thereof.	22-4-20, if the per	Timit is to be issued within inteen (13)
Y.IVC	WAIVER	
The undersigned coal operator/ owner/ owner/ amined this proposed well location. If a mine map exists added to the mine map. The undersigned has no objection operator has complied with all applicable requirements	/ lessee	rea of the well location, the well location has exosed to be done at this location, provided, the well his Code and the governing regulations.
thing is commanced prior to that tele will prosecure with the diffeence	Pro Pro	Bond: Asent: Delay Con

Keer one cony of this permit posted at the d

47-085-6641



# ITEM #21 - EXTRACTION RIGHTS

OIL & GAS DIVISION

	CODE 22-4-11 (C)	DEPT. OF		3
14 ACRES Grant	DISTRICT	Ritchie	COU	NTY, W
Bounded as follows: on the North by	D. Farley			
on the East by	R.R. Mahaney			
on the South by	R.R. Mahanev	•		
	Lambert and Waybright			
Lessors & Address	Percent OGM Royalt Interest (of	y 1/8ths)	Recor BK	rding PG
Raymond Mattern	Full 1/8			
Rt. 1 Box 4 Cairo, W.V. 26337				
XCO XCO	*			
Suite 205 216 Putnam St. Marietta	, ohio 1/32 of 7/8 .			
45750				
The state of the s				
Anderson Drilling				
Box 55 Fleming, Ohio 45729	27/32			
(4)				
	• 1			
		•		
• •				
·				
			10010001	
		04	/26/2024	
		•		
-				
	•		•	
				-

IV-9 (Rev 8-81)



DATE June 6, 1983
WELL NO. Mattern #1
API NO. 47 - 085 - 2641

State of Mest Wirginia

Bepartment of Mines Gil und Gas Bivision


#### CONSTRUCTION AND RECLAMATION PLAN

	CIGIRCII	AND REC	LAWALTON PLAN		
COMPANY NAME Ande			esignated age	NI Raymo	ond F. Matter
Address P.O. Box	55 Fleming,	3hio			; Cairo , W.Va.
Telephone_			Telephone		
LANDOWNER Raymo	and F. Matter	n		DISTRICT //	TTLE KANAWH
	ce carried out by		derson L	Drilling C	(Agent)
This plan has h	been reviewed by				
and additions become	a part of this pla		6-8-83	SD. AL	corrections
		77	(Date)		
		Jan	rett Res	whom	
			(SCD Agent)		
ACCE	SS ROAD			LOCATION	
Structure Cros	s Drain	(A)	Structure <		mment (1)
	per 1%		Material	see Co	mmen/ (1)
Page Ref. Manual	2-1		***************************************		
rage Rei. Manual	2-7		Page Ref. Ma	nual	
structure	NONE	(B)	Structure_		(2)
spacing			Material		
Page Ref. Manual	11		Page Ref. Ma	nual	
structure	NONE	(C)	Structure		(2)
spacing	11				(3)
			Material		
Page Ref. Manual			Page Ref. Mai	nual	1,70
	should be inspected is to be cut and strong the site before			if necessary d small timbe	. All er to be
	om the site before	airt work	begins.		
	777				
<u></u>		EVEGETATIO	N		
ime	ent Area I		Tre	eatment Area	<u>II</u>
or correct to pH	Tons/acre	3	Lime		Tons/acre
ertilizer	500 lbs/acre		or correct		The state of the s
	r equivalent)		Fertilizer	500	III ACTE
ulch HAY	1.5 Tons/acre		Mulch HAY	)-20-20 or eq	_
eed* Ky. 31	40 lbs/acre		Seed* Ky. 31	1.	
REDTOP	6 lbs/acre		REDTOP	6	
LADINO CLOVER	3 lbs/acre		LADINO		7, 2026
*Inoculate all leg noculate with 3X rec	umes such as vetch, ommended amount.	trefoil o			
1	wholere,	ELWA DEED			04/26/2024
NOTES: Please requ	בפר לביונלסטיוניים '		PDRESS	293 Ash C	
seedling for one	creat new	I isl			W, Va. 26142
Attach separate s necessary for com	neets as				
0 , 00111		530	NE NO.	(304) 485	5—4633

ATTACH OR PHOTOCOPY SECTION OF INVOLVED TOPOGRAPHIC MAP.


QUADRANGLE

AIRO (7.5')





LEGEND
Well Site 
Access Road ———

ketch to include well location, existing access road, roads to be constructed, wellsite, drilling pits and necessary structures numbered or lettered to correspond with the first part of this plan. Include all natural drainage.



- 1) The well site is located in a wide open feild. No grading or clearing will be necessary for this well.
- 2) Cross Drains will be cut at the approach of the access road and at the entrance of the site.
- 3) A dike made of soil will be constructed around the pit in case of flood.





085-6641

# Assignment



OIL & GAS DIVISION This Agreement, Made and entered into this ..... A. D. 19 83 by and between EASTERN MINERALS INC. AN ONIO COAPORATION of the first part and Bobby ANDERSON dbA ANDERSON DRIlling of the second part WITNESSETH: That the said EASTERN MINERALS INC. for and in to Them well and truly paid by ANGERS ON DAILING the receipt and payment of which is hereby acknowledged, has sold, granted, conveyed, assigned, transferred and set, over, and by these presents do sell, grant, convey, assign, transfer and set over unto the said ...... ANDERSON DRIlling of Box 55 Fleming, Ohio Their and lease made by RAYMOND F. & DONNA V. MAHERN to GREAT NORTHERN ExploRATION on the 9th day of Feburnay 1983 with All of the property, rights of property, interests, powers and possessions of every kind therein conveyed, all and singular, subject to the conditions therein specified WEST VIRGINIA. State RITCHIE County GRANT DISTRICT TOWNShip and bounded and described as follows to-wit: North by the lands of D. FARIBY East by the lands of R.R. MAHANEY (SEE DEEd book 149, Page 166) South by the lands of R. R. MAHANEY

West by the lands of LAMBERT & WAYBRIGHT

containing FOURTEEN

(14) acres, more or less TO OF 8/8 HAS BEEN PREVIOUS LY RESERVED by XCO RESOURCES, INC. REPARED by: EASTERN MINERALS INC. of 149 E. Liberty St. Wooster, Ohio 44691 In Witness Whereof, The parties have hereunto set their hands and seals the day and year first above written. BE IT REMEMBERED, That on the 27 12 day of MAY A. D. 1983 before me, a Notary Public in and for said County, personally came the above named EASTERN MINERALS INC. and in due form of law acknowledged the above indenture to be their act and deed, and desired that the same might be recorded as such.

State of \_\_\_\_West Virginia



DATE	:	May	30.	1983		
OPER	ATOR	3.2				
UFIL	NO		2.7		11.4	

API NO: 47 085 - 264/

State of Mest Dirginia

OFFICE OF OIL AND GAS DEPARTMENT OF MINES

AFFIDAVII



OIL & GAS DIVISION

County of Ritchie .
or authorized representative thereof), after being duly sworn, do depose and say that the undersigned is authorized by the owner of the working interest in the well permit application to which this affidavit is attached do state that (he, she, or it) shall tender to the owner of the oll and gas in place not less than one-eighth of the total amount paid to or received by or allowed to the owner of the working interest at the wellhead for the oil or gas so extracted, produced, or marketed before deducting the amount to be paid or set aside for the owner of the oil or gas in place, or all such oll or gas to be extracted, produced, or marketed from the well. West Virginia Code 22-4-11(e) (1982).
Signed: Bolly B. anderson
Taken, Subscribed, and sworn to before me this 28 day of May . 19 83.
Notary: Bruce E. Dock  Bruce E. Doak
My Commission Expires:

# CANCELLATION NOTICE



	AUG - 7 1984
Administrative Office of Oil & Gas	OIL & GAS DIVISION
State of West Virginia	DEPT. OF MINES
Department of Mines - Oil &	DEF 1. OF WINTES
Gas Division	
Charleston, West Virginia 25305	
	1002 Amount \$ 2,500.
RE: Bond No. <u>2-317-558-6</u> Dated	June 1, 1983 Amount \$ 2,500.  P.O. Box 55-Fleming, OH 4572
Principal: Bobby B. Anderson DB	BA Anderson Drilling
Obligee:State of W. Va.	(0:-1/41)
Description: Well #1 in Grant D	District of Ritchie County, W. V. (Rig-6641)
date indicated in the caption, a certain bond as of the Obligee whose names are written above, ar	Company (hereinafter called the Surety) executed, on the described for and on behalf of the Principal and in favor and
terminate its suretyship thereunder by serving no	t is provided that the said Surety shall have the right to otice of its election so to do upon the said Obligee, and
WHEREAS, the said Surety desires to take and does hereby elect to terminate its liability in	advantage of the terms of said bond as above referred to
and does hereby elect to terrimate the many	W. L. J. THE OHIO CASHALTY INSURANCE COM-
NOW, THEREFORE, you are hereby not	tified that THE OHIO CASUALTY INSURANCE COM- (or) at the expiration of days after the
PANY shall, on	ole) consider itself released from all liability by reason of
any default committed thereafter by said Princip	pal.
SIGNED AND SEALED thislst	
SIGNED AND SEALED this	
	THE OHIO CASUALITY INSURANCE COMPANY
	THE OTHER CASE OF THE CASE OF
	By Camera
	Robert S. Cannell Attorney-In-Fact
CERTIFIED MAIL XX	P.O. Box 16679
CENTITIED WITH	Columbus, Ohio 43216
REGISTERED MAIL	
RETURN RECEIPT REQUESTED	
0 2069 A	
Form S-2068-A	
Bonds are non	Mala
Bonds are non	- Could out
	ant signed
	Final insp. not signed  or dated or dated 11-17-83  Drilling completed 11-26  O4/26/2024
and the second second	of his mence 26.45
	Dalling leted 11- 04/26/2024
	Coluck

OIL & GAS DIVISION DEPT. OF MINES

E: Bond No. 2-317-550-5	
Obligeer State of W. Val. 2  Description: Wall alon Grant District of Ritchie County, W. V.	

WHEREAS, by the terms of said bond, it is provided that the said Surety shall have the right to terminate its suretyship there under by serving notice of its election so to do upon the said Obligee, and

				inapplicable)		
	100 E	40,		Jaqianna bita		
1	9 400 50					

P.O. Box 16679



IV-	35		
COU	Q	-21	١

Date 1-25-84
Operator's
Well No. 1

# State of Mest Nirginia

Bepartment of Mines Gil und Gas Division Farm Mattern

API No.47-05-085 - 6641

WELL OPERATOR'S REPORT

OF

## DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

WELL TYPE: Oil XX / Gas / Liquid Injection (If "Gas," Production X / Undergrou	/ Wast	ce Disposa ge / Dee	l/ p / Sha	ullow X /)
IOCATION: Elevation: 669' Watershed				
District: Grant County Ritch:	ie	Quadrangl	e Cairo	
COMPANY Anderson Drilling			-	
ADDRESS Box 55 Fleming, OH 45729	T			Cement
DESIGNATED AGENT Rymond mattern	Casing	Used in		fill up
ADDRESS Cairo, W. Va.	Tubing Size	Drilling	in Well	Cu. ft.
SURFACE OWNER Raymond mattern	20-16	10	10	
(ADDRESS Carro W. Va.	Cond.		10	
MINERAL RIGHTS OWNER Raymond Mattern	13-10"	203	203	Surface
ADDRESS Cano, W. Va.	9 5/8	1774 6	1774.6	100
OIL AND GAS INSPECTOR FOR THIS WORK Sam	8 5/8	1114.0	1774.6	100
Hershman ADDRESS P.O. Box 66 Smithville	7			
PERMIT ISSUED 26178	1			
DRILLING COMMENCED Nov. 17, 1983	4 1/2	4468	4468	605
DRILLING COMPLETED Nov 26,1983	3			
IF APPLICABLE: PLUGGING OF DRY HOLE ON	2			
CONTINUOUS PROGRESSION FROM DRILLING OR	Liners			
REWORKING. VERBAL PERMISSION OBTAINED ON	used			or a williad the first
CTOLOGICAL TOP				
GEOLOGICAL TARGET FORMATION Devonian Shale		-	4400	feet
Depth of completed well 4396 feet Ro	otary_x	_/ Cable	Tools	
Water strata depth: Fresh 120 feet;	Salt_none	feet		,
Coal seam depths: none	Is coal h	eing mine	d in the	area?no
OPEN FLOW DATA			,	
Producing formation Devonian Shale	Pay	zone depti	4396	feet
Gas: Initial open flow 250 Mcf/d C	il: Init	ial open i	Flow -	Ph7 /2
Final open flow 175 Mcf/d	Fina	l open flo	ω <del>2</del> 5	
Time of open flow between initia	l and fin	al tests	24 hour	
Static rock pressure 925 psig(surface	measureme	nt) after	48 hours	
(If applicable due to multiple completion	)	, "		5/2024
C		zone depth		
Gas: Initial open flow - Mcf/d 0	il: Init	ial open f	] Cw =	
Final open flowMcf/d O	il: Fina	l open flo		
Time of open flow between initia	l and fin	a) tosts	- ,	RDT\q
Static rock pressurepsig(surface m	ann IIII	t) after	nour	'S
	-usurelell	of arter	nc.rs	snut in
		(Continue	on reve	rse side)

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSIC'L CHANGE, ETC.

The Mattern #1 was frac'd in three stages using 800,000 SCF of Nitrogenand
250 gallons of treated acid and 250 gallons of Torulene. The first

Stage sonsisted of 26 perfs from 4396-3971'; the second stage sonsisted
of 24 perfs from 3954-3676' and the third stage consisted of
26 perfs from 3608-3399'.

NOTE: Intermediate casing set to 1775', No open hole log data above 1940' WELL LOG

			REMARKS
FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	Including indication of all fres
			and salt water, coal, oil and ga
hale gry sft	1940	2070	3 4
offee Shale blk sft	2070	2085	i
erea ltgry hd	2085	2103	
hale dkgry sft	2103	2198	
ifty Foot ltgry Hd	2198	2212	
hale dk pink brn sft	2212	2307	
hirty Foot clr-ltgry hd	2307	2370	
hale md-dkgry sft	2370	2492	
ordon Stray ltgry tan hd	2492	2502	
hale lt-mdgry sft	2502	2514	
ordon clgry hd	2514	2569	
hale ltgry gry sft	2569	3290	
iona tan dkgry sft	3290	3314	
hale brn tan sft	3314	3344	
peechley drty wh hd	3344	3360	
ale dkgry sft	3360	4167	
ane ltgry tan hd	4167	4178	
hale ltgry sft	4178	4434	
enson drtywh hd	4334	4437	,
hale gry sft	4437	4484	
		'	
•			•

(Attach separate sheets as necessary)

8 Bobby anderson Well Operator	0.4.10.0.10.0.4
Well Operator	04/26/2024
8 By: Bob anderson	
8 Date: Mar. 12, 1984	CONTROL CONTRO

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including

# DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



#### INSPECTOR'S WELL REPORT

OIL & GAS DIVISION
DEPT. of MINES

Permit No. 00 667	Oil or Gas Well					
Company anderson Drilling	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACK	ERS	
Address	Size				La. 148 1 1	
Farm Raymond Mattern	16		88.01 F.	Kind of Pac	ker	
Well No Waltern # 1	13					
	10			Size of	,	
District Scant County Pitchie	81/4					
Drilling commenced 11-19-83	5 3/16			Depth set		
Drilling completedTotal depth	3			Perf. top		
Date shotDepth of shot	2			Perf. bottom		
Initial open flow/10ths Water inInch	Liners Used			Perf. top		
Open flow after tubing/10ths Merc. inInch				Perf. bottom	1	
	to the second					
VolumeCu. Ft.				No. FT	Date	
Rock pressure lbs. hrs.	NAME OF SER	CVICE COMPA	.NY			
Oilbbls., 1st 24 hrs.		COUNTERED	AT	FEET	INCHES	
Fresh water	FEET_	INCH	ES	_FEET	INCHES	
Salt water <u>feet</u> feet	FEET_	INCH	ES	FEET	INCHES	
Drillers Names Freddy Wagoner / Charles	Rush /2	Dane John	nson			
	Tool Push			harty		
Remarks: Ran 205 foot of 11	3 11	-4	0	0		
B. J. Hughes san 1	8/ soll	Barre	A/00.			
B. J. Hughes ran 10 Plug Lown at 1:37	ess.	covien	1/ (40	20 A		
good cerculation						
11-20-83		0	Do	100		

#### DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

#### INSPECTOR'S PLUGGING REPORT

Pérmit No. 190			-	Wel	l No	
COMPANY			ADDRESS			
ARM				OUNTY		
Filling Material Used						
iner Loc	ation	Amount	Packer	Location		
PLUGS USED A	ND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LUCATION	RECOVERED	SIZE	LOST
		on the second se				
6						
	COMPANI					
	INCHA	trobes z.	March Britania de la compansión de la comp			
	100 SEC. 375.1.1					
rillers' Names						
emarks:						
	I herehv partifu I w	isited the she	ove well on this date.			
DATE	a neitoy ceruity I v	served the MDC	ove well on this date.			
				04	<del>//26/2</del> 0	24 INSPECTO

# DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



# INSPECTOR'S WELL REPORT OIL & GAS DIVISION DEPT. OF MINES

Permit No. 83 -664/	Oil or Gas Well					
Company anderson Drilling	CASING AND TUBING	USED IN DRILLING	LEFT IN	PAC	KERS	
Address	Size			1.71		
Farm Raymond Mattern	16			Kind of Pa	cker	
Well No Mallern # 1	13	0,230.25		Size of		
District Strant County Ritchie	81/4					
Drilling commenced 11-19-83	- 6%		-	_ Depth set_	Modern or department of the second	
Drilling completedTotal depth	5 3/16		4	Perf. top		
Date shotDepth of shot	_ 2			Commence of the second	m	
Initial open flow/10ths Water inIncl	Liners Used					
Open flow after tubing/10ths Merc. inInch				Perf. botto	m	
VolumeCu. Ft	. CASING CEME	NTED	SIZE	No. FT	Date	
Rock pressurelbshrs	. NAME OF SER	VICE COMPA	NY			
Oilbbls., 1st 24 hrs	. COAL WAS EN	COUNTERED	AT	_FEET	INCHES	
Fresh water <u>feet</u> feet	FEET_	INCH	ES	_FEET	INCHES	
Salt water feet feet	FEET_	INCH	ES	_FEET	INCHES	
Drillers' Names						
Remarks: Que 11 0 2 5 3		25-11				
Remarks: on 11-22-83 ran 177 B.J. Hughes comentel -	4 foot of	8 3 CC	O. O	2.60		
over half way down hat	Ce Co	ocean p	cacea o	n Jugar		
Rig shet down at time of	isit					
11-23-83		-0	00	200		
BATE		Dam	nel II.	04/26/20	TREPECTOR	

#### DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

#### INSPECTOR'S PLUGGING REPORT

COMPANY			ADDRESS			
FARM				OUNTY		
Filling Material Used						
Liner Lo	eation	Amount	Packer	Location		
PLUGS USED	AND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	Los
				A Second Control of the Control of t	-	
				-		
			Aufle			
				S		
	1	HOWAL WIT		1.		
		ALC: CONTRACTOR OF			- 10	
1146	L LA CHHEY	Ochas e w				
78 (7-87 T		· Articology				
rillers' Names					,	
emarks:						

I hereby certify I visited the above well on this date.

BATE

#### DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



# INSPECTOR'S WELL REPORT OIL & GAS DIVISION DEPT. OF MINES

Permit No. 83 -6	641	Oil or Gas Well					
Company Ande	rson Drill	ling	CASING AND TUBING	USED IN DRILLING	LEFT IN	PACE	(ERS
Address			Size				A 1 1 1 1
	and the second second second second second		16			Kind of Pac	ker
Farm			13				The state of the s
Well No Matte		0.1.1	10	A A		Size of	
District Gran	County_	Pitchie	81/4				
Drilling commenced	11-19-83		6%	1		Depth set_	
	-27-83 Total dep	4480	5 3/16				
Drilling completed //	Total dep	th	3			Perf. top	
Date shot	Depth of shot		2			Perf. botton	n
Initial open flow	/10ths Wat	er inInch	Liners Used			Perf. top	
Open flow after tubing	/10ths Merc	in Inch				Perf. botton	n
Volume		Cu. Ft.	CASING CEMEN	NTED	SIZE	No. FT	Date
Rock pressure	lbs	hrs.	NAME OF SER	VICE COMPA	NY		
Oil	bb	ols., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	FEET	INCHES
Fresh water	feet	feet	FEET_	INCH	ES	FEET	INCHES
Salt water	feet	feet	FEET_	INCH	ES	FEET	INCHES
Drillers' Names							
Remarks: Comp	lete hole on	11-27-8.	3 T.D.	at 4480	<i>y</i>		
Rang	gp, 4450'	of 4 5 "c	asing				
Moving	rig at tim	e of Visi	1				
11-28 -83				$\mathcal{A}$	00	Herson	
DATE	Marine Marine Marine Marine			Nan	wet of,	04/26/20	134

#### DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

## INSPECTOR'S PLUGGING REPORT

FARM	772. 2-732	DISTRIC	Packer	OUNTY		
iner Loca	ition					
PLUGS USED AN		Ameunt	Packer			
	D DEPTH PLACED		1 acket	Location		s rule
CEMENT-THICKNESS			BRIDGES	CASIN	G AND TU	BING
1	WOOD-SIZE	LEAD	CONSTRUCTION-LUCATION	RECOVERED	SIZE	LOS
		and the state of t	3000 36			
			And the second of the second o			
	The standard control of the	MI STATE			saud al le	
		131111111111				
	14, 0,75777	уориж а г	Digital part of the coldinary			
	e a tropper			1981		
illers' Names	E POR CAR					
		**				
emarks:						
BATE I	hereby certify I v	isited the abo	we well on this date.		1/26/20	





OIL & GAS DIVISION DEPT. or MINES

### State of West Birginia

# Bepartment of Mines Gil and Cas Bivision

Charleston 25305

FINAL INSPECTION REPORT INSPECTORS COMPLIANCE REPORT

	November 1,	1984	
COMPANY	Anderson Drilling	PERMIT NO	085-6641
P. O.	Box 55	FARM & WELL NO	Raymond Mattern #1
Flemi	ng, Ohio 45729	DIST. & COUNTY	Grant/Ritchie
RULE	DESCRIPTION	IN YES	COMPLIANCE
23.06	Notification Prior to Starting Work		/
25.04	Prepared before Drilling to Prevent	Waste	
25.03	High-Pressure Drilling	- L	
16.01	Required Permits at Wellsite	-/-	
15.03	Adequate Fresh Water Casing		
15.02	Adequate Coal Casing	-	
15.01	Adequate Production Casing		Company of the Compan
15.04	Adequate Cement Strenght		
15.05	Cement Type	-	
23.02	Maintained Access Roads	-	
25.01	Necessary Equipment to Prevent Waste		
23.04	Reclaimed Drilling Pits	-1/	
23.05	No Surface or Underground Pollution		
23.07	Requirements for Production & Gather	ing Pipelines	- Control of the Cont
16.01	Well Records on Site		/
16.02	Well Records Filed	V	
7.05	Identification Markings	V	
I HAVE	INSPECTED THE ABOVE CAPTIONED WELL AND	RECOMMEND THAT IT	BE RELEASED:
		SIGNED Samue	ON Hersman
1		DATE 4-19-	85
Your wel	ll record was received and reclamation	requirements appro	oved. In accordance
with Cha	apter 22, Article 4, Section 2, the abo	ove well will remai	in under bond
coverage	e for the life of the well.	7-11	110
		Administrator-O	il & Gas Division
		Control of the Contro	24, 1985
TMC/nw		DATE	

		N FOR DETERMINATION OF THE MAXIMUM LAWI UNDER THE NATURAL GAS POLICY ACT (NGPA)	DECENVE
1.0	API well number: (If not assigned, leave blank, 14 digits.)	47 - 085 - 6641 -	RESSIES !
2.0	Type of determination being sought:	103	JUN 2 6 1985
	(Use the corles found on the front	Superacyconic values of the section	2017 2 0 1303
20	of this form.)	Section of NGPA Category Code	DEPT OF A DIV.
3.0	Depth of the deepest completion location: (Only needed if sections 103 or 107 in 2.0 above.)	4396 feet	DEPT. OF MINES
4.0	Name, address and code number of applicant. (35 latters per line maximum. If code number not available, leave blank.)	Anderson Drilling Name Box 55	Seller Code
		Street Fleming Ohio City State	45729 Zip Code
5.0	Location of this well: [Complete (a) or (b).]  (a) For onshore wells  (35 letters maximum for field name.)	Cairo Field Name Ritchie WV County State	
	(b) For OCS wells:	Date of Lease:	lock Number
	(c) Name and identification number of this well: (35 letters and digits maximum.)	Mo. Day Yr. OCS Lense N  Mattern #1	umber
	(d) If code 4 or 5 in 2.0 above, name of the reservoir: (35 letters maximum.)		
6.0	(a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)		Buyer Code
	(b) Date of the contract:	Mo. Day Yr.	30ye. Cope
	(c) Estimated total annual production from the well:	36.5 Mi	llion Cubic Feet
		(c) All Or (c) All Or (d) Base Price (b) Tax Prices [In (+) or (-)	dicate (d) Total of (a).
	Contract price: (As of filing date. Complete to 3 decimal places.)	I S/MMBTU	
	Maximum lawful rate: (As of filing date. Complete to 3 decimal places.)	S/MMBTU DEREGULATED	
	Person responsible for this application:  Agency Use Only	y Bobby Anderson Name	Owner
-ale	Received M Jups CAg 1985		

Signature S 13 March 84

Date Application is Completed

Date Receive Jules GAS 1985

Date Received by FERC

FERC-121 (8-82)

614-678-2789

Phone Number

JUL 15 1985

# DEPARTMENT OF MINES, OIL AND GAS DIVISION

# COVER SHEET, STATE APPLICATION FOR WELL CLASSIFICATION

Date: 13 March ,19 84	AGENCY USE ONLY
Applicant's Name: Anderson Drilling	WELL DETERMINATION FILE NUMBER
Address: Box 55	850626 -430 - 085 - 6641
Fleming OH 45729	<u> </u>
Gas Purchaser Contract No.	Use Above File Number on all Communications Relating to This Well
Date of Contract (Month, day and year)	
	Designated Agent: Frank Pethtel
Add ess. 2 . o. Box 57	Address: 701 2nd Street
(Street or P.O. Box) Reno OH 45773	St. Marys, WV 26170
FERC Seller Code(State) (Zip Code)	FERC Buyer Code
NAME AND TITLE OF PERSON TO WHOM QUESTIONS CONCERNI	
Name: Bob Anderson	Owner
Signature: (Print) B. ander	(Title)
Address: Box 55 0	
(Street or P.O. Box) Fleming Oh	45729
(City) (State) Telephone: (614 ) 678 2789	
(Area Code) (Phone No	
(Certificate of Proof of Service to Purchas	
NGPA SECTION (SUBSECTION	lied For
NGPA SECTION/SUBSECTION	
102 New Natural Gas 102-2 2.5 Mile Test	108 Stripper Well Natural Gas 108- Stripper Well
102-3 1000 Foot Deeper Test 102-4 New Onshore Reservoir	108-1 Seasonally Affected 108-2 Enhanced Recovery
103 New Onshore Production Well	108-3 Temporary Pressure Buildup
103 New Onshore Production Well	
107 High Cost Natural Gas 107-0 Deep (more than 15,000 feet)	AGENCY USE ONLY
107-1 Geopressured Brine 107-2 Coal Seams	
107-3 Devonian Shale 107-5 Production enhancement	
107-6 New Tight Formation Tight Formation	
KERFIAE	QUALIFIED
JUN 2 6 1985	
OIL & GAS DIV.	04/26/2024
DEPT. OF MINES	

WV Department of Mines Oil and Gas Division Charleston, WV 1-15-84

REF: Anderson Drilling Mattern #1

The Mattern #1 commenced drilling November 17, 1983 and was TD November 26, 1983 to a depth of 4396 feet.

On December 6, 1983, the Mattern #1 was perforated and frac'd in three stages. The first stage consisted of twenty six (26) perfs from 4396-3971'. The second stage consisted of twenty four (24) perfs from 3954-3676'; and the third stage consisted of twenty six (26) perfs from 3608-3399'.

The frac was in three stages using in each stage 800,000 scf of Nitrogen and 250 gallons of treated acid and 250 gallons of Torulene.

Respectfully,

Timothy C. Huffman

Geologist

TCH/djh

 $HP = P_1 + P$ 

= 3899

=104°F

=.68

### STATE OF WEST VIRGINIA DEPARTMENT OF MINES. OIL AND GAS DIVISION

Date 13	March	1984
Operator's Well No	Mattern	#1
API Well No. 47 State	- 085 County	6641

#### WELL CLASSIFICATION FORM

NEW ONSHORE	PRODUCTION WELL
	ction 103
	DESIGNATED AGENT Frank Pethtel
	ADDRESS 701 Second Street
	St. Marys, WV 26170
WELL OPERATOR Anderson Drilling	LOCATION: Elevation 669
ADDRESS Box 55	Watershed Big Run
Fleming, OH 45779	Dist Grant County Ritchie Quad Cairc
GAS PURCHASER Petro Mark	Gas Purchase
ADDRESS P.O. Box 37	Contract No.  Meter Chart Code
Reno, OH 45773	Date of Contract
Date surface drilling was begun: $17 \text{ Nov}$ Indicate the bottom hole pressure of the well $(2^{N}-1)$	v .
$x = \frac{L(6)}{53.3}$	4x(T+460) -1
	651.32 0,083.76 -1)
within a proration unit, in existence at the reservoir from which gas is or will be producin commercial quantities or on which surface was capable of producing gas in commercial quithe best of my information, knowledge and held	aving been first sworn according to law state that etermination is sought was begun on or after February 19. federal well spacing requirements and the well is not time surface drilling began, which was applicable to the ed and which applied to any other well producing gas drilling began on or after February 19, 1977, and which antities. I state, further, that I have concluded, to ief, that the well for which this determination is sought
	Boby andersor
STATE OF WEST VIRGINIA,	
COUNTY OF Wood , TO WIT:	
do certify that BODDY Anderson , whose na	ary Public in and for the state and county aforesaid, me is signed to the writing above, bearing date acknowledged the same before me, in my county aforesaid.
Given under my hand and official	seal this 7th day of, 19 85 .
My term of office expires on the	28th day of December , 19 89 .
OFFICIAL SEAL  NOTARY PUBLIC  STATE OF WEST VIRGINIA	Notary Public
Mineral Wells, West Vindinia 26150 No Commission Expires Dac. 28, 1989	04/26/2024

