**FILE COPY** 



1)	Date:	2	15		, 19	84
	Operator's Well No.			#1	41V 2(B)	PORA

3) API Well No. 47 -085 - 6920 State County Permit

# STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION APPLICATION FOR A WELL WORK PERMIT

4) WELLTYPE: A Oil X Gas X Underground storage Deep X Shallow X  5) LOCATION: Elevation: 715 Watershed: S. F. Hughes River District: Murphy County: Ritchie Quadrangle: Burnt House  6) WELL OPERATOR Anvil Oil Company, Inc. 7) DESIGNATED AGENT JUSTIN I. Henderson Address PO Box 2566 Address 253 Carr Avenue Clarksburg, WV 26301 Clarksburg, WV 26301  8) OIL & GAS INSPECTOR TO BE NOTIFIED 9) DRILLING CONTRACTOR: Name Samuel Hersman Address PO Box 66 Smithville, WV 26178  10) PROPOSED WELL WORK: Drill X Drill deeper Redrill Stimule Name Other physical change in well (specify) MAP 2 2 1/34  11) GEOLOGICAL TARGET FORMATION, Alexander 12) Estimated depth of completed well, 5400 feet; salt, none feet. DEPT. OF MIN 14) Approximate trata depths: Fresh, 60 feet; salt, none feet. DEPT. OF MIN 15) CASING AND TUBING PROGRAM  CASING OR Weight Weight New Used Footage in well (specify) Size Grade Perft. New Used Footage in the area? Yes Conductor 11 3/4 X 301 301 Kinds  Fresh water Coal Seam depths: To Coal in this area is coal being mined in the area? Size Grade Perft. New Used Footage intermediate 8 5/8 20" x 4000 5400 700 Depths set Tubing Tree Name of Tubing Production 4 1/2 10.5" x 5400 5400 700 Depths set Tubing Intermediate 8 5/8 20" x 5400 5400 700 Depths set Tubing Intermediate 8 5/8 20" x 5400 5400 700 Depths set Tubing Intermediate 8 5/8 20" x 5400 5400 700 Depths set Tubing Intermediate 8 5/8 20" x 5400 5400 700 Depths set Tubing Intermediate 8 5/8 20" x 5400 5400 700 Depths set Tubing Intermediate 8 5/8 20" x 5400 5400 700 Depths set Tubing Intermediate 8 5/8 20" x 5400 5400 700 Depths set Tubing Intermediate 8 5/8 20" x 5400 5400 700 Depths set Tubing Intermediate 8 5/8 20" x 5400 5400 700 Depths set Tubing Intermediate 8 5/8 20" x 5400 5400 700 Depths set Tubing Intermediate 8 5/8 20" x 5400 5400 700 Depths set Tubing Intermediate 8 5/8 20" x 5400 5400 700 Depths set Tubing Intermediate 8 5/8 20" x 5400 5400 700 Depths set Tubing Intermediate 8 5/8 20" x 5400 5400 700 Depths set Tubing Intermediate 8 5/8 20" x 5400								WURK PERMIT		
District: Murphy County: Ritchie Quadrangle: Burnt House County: Ritchie Quadrangle: Burnt House Qua	4) WELL TY									경기 경기 내가 되었다. 그 아이들은 이 얼마를 되었다고 있다고 있었다.
District: Murphy County: Ritchie Quadrangle: Burnt House Anvil Oil Company, Inc. 7) DESIGNATED AGENT Justin L. Henderson Address PO Bos 2566 Address 253 Carr Avenue Clarksburg, WV 26301 Clarksburg, WV 26301  8) Oil & GAS INSPECTOR TO BE NOTIFIED 9) DRILLING CONTRACTOR: Name Samuel Hersman Name Unknown Address PO Box 66 Address Smithville, WV 26178  10) PROPOSED WELL WORK: Drill X / Drill deeper Redrill Stimuse VI 10 Proposed Heaville, WV 26178  11) GEOLOGICAL TARGET FORMATION, Alexander 12) Estimated depth of completed well, 13) Approximate trata depths: Fresh, 60 feet; salt, none feet. 14) Approximate coal seam depths: Prosh, 60 feet; salt, none feet. 15) CASING AND TUBING PROGRAM  CASING OR TUBING PROGRAM  CASING OR SPECIFICATIONS Weight New Used For drilling Left in well (Cubic feet) Conductor 11 3/4 x 301 301 Kinds  FOOTAGE INTERVALS CEMENT FILLUP OR SACKS (Cubic feet)  Conductor 11 3/4 x 301 301 Sizes  Tubing Left in well Size Grade per ft. New Used For drilling Left in well Cubic feet)  Fresh water  Coal Intermediate 8 5/8 2011 x 4000 5400 700 Depths set  OF AS INCARD Production 4 1/2 10.511 x 5400 5400 700 Depths set										
6) WELL OPERATOR Anvil Oil Company, Inc. Address PO Bos 2566 Clarksburg, WV 26301  8) OIL & GAS INSPECTOR TO BE NOTIFIED Name Samuel Hersman Address PO Box 66 Smithville, WV 26178  10) PROPOSED WELL WORK: Drill X / Drill deeper Redrill Stimuse Simulater Simulater Stimuse Stimuse Stimuse Simulater Stimuse Simulater Stimuse	5) LOCATIO									
Address PO Bog 2566 Clarksburg, WV 26301 Clarksburg, WV 26301 Solit & GAS INSPECTOR TO BE NOTIFIED Name Samuel Hersman Address PO Box 66 Smithville, WV 26178  10) PROPOSED WELL WORK: Drill X Drill deeper Redrill Stimuse Simuser Plug off old formation Perforate new formation Other physical change in well (specify).  Alexander  12) Estimated depth of completed well, Alexander 12) Estimated depth of completed well, 600 feet; salt, none feet. 13) Approximate trata depths: Fresh, 60 feet; salt, none feet. 14) Approximate coal seam depths: no coal in this area is coal being mined in the area? Yes Production 15) CASING AND TUBING PROGRAM  CASING OR SPECIFICATIONS FOOTAGE INTERVALS CEMENT FILLUP OR SACKS TUBING TYPE Size Grade Well, New Used For drilling Left in well Cabic feet  Conductor 11 3/4 x 30' 30' 30' Kinds  Fresh water  Conductor 4 1/2 10.5" x 5400 5400 700 Depths set  Tubing Lines Production 4 1/2 10.5" x 5400 5400 700 Depths set	6) WELLOI	DIS	Any	il Oil	Com	nany Tr	County: R1	CCN1e	Quadrangle: _	Burnt House 7.5
Clarksburg, WV 26301										
8) OIL & GAS INSPECTOR TO BE NOTIFIED Name Samuel Hersman Address PO Box 66 Smithville, WV 26178  10) PROPOSED WELL WORK: Drill_X Drill deeper Redrill_Stimulate Note Plug off old formation Perforate new formation Other physical change in well (specify)  11) GEOLOGICAL TARGET FORMATION, Alexander 12) Estimated depth of completed well, 5400 feet; salt, none feet. 13) Approximate trata depths: Fresh, 60 feet; salt, none feet. 14) Approximate coal seam depths: no Coal in this area is coal being mined in the area? Yes Production 11 3/4 x 301 301 Sizes  Conductor 11 3/4 x 301 301 Sizes  Intermediate 8 5/8 2011 x 4000 5400 700 Depths set  Tubing Liners Production 4 1/2 10.511 x 5400 5400 700 Depths set  Production 4 1/2 10.511 x 5400 5400 700 Depths set	Addres		The second second second							
Name Samuel Hersman Name Unknown Address PO Box 66 Smithville, WV 26178  10) PROPOSED WELL WORK: Drill X / Drill deeper Redrill Stimulate Name Plug off old formation Perforate new formation Other physical change in well (specify).  11) GEOLOGICAL TARGET FORMATION, Alexander 12) Estimated depth of completed well, 5400 feet; salt, none feet. 13) Approximate trata depths: Fresh, 60 feet; salt, none feet. 14) Approximate coal seam depths: no coal in this area is coal being mined in the area? Yes Production 13/4	8) OIL & GA	S INSPEC								bute, WV 20301
Smithville, WV 26178  10) PROPOSED WELL WORK: Drill X Drill deeper Redrill Stimulate Plug off old formation Perforate new formation Other physical change in well (specify)  11) GEOLOGICAL TARGET FORMATION, Alexander  12) Estimated depth of completed well, 5400 feet; salt, none feet. OIL & GAS DIVISION Approximate trata depths: Fresh, 60 feet; salt, none feet. Fresh, 14) Approximate coal seam depths: no coal in this area is coal being mined in the area? Yes Production 11 3/4 x 30 t 30 t 30 t Kinds  Fresh water  Coal Intermediate 8 5/8 20" x 4008/5 1008/5 250 CT NEAT Production 4 1/2 10.5" x 5400 5400 700 Depths set  Tubing Liners								NameUnk	nown	
10) PROPOSED WELL WORK: Drill_X	Addres	s PO	Box 6	6				Address		
Plug off old formation Perforate new formation Other physical change in well (specify) AP 2 1734  11) GEOLOGICAL TARGET FORMATION, Alexander  12) Estimated depth of completed well, 5400 feet OIL & GAS DIVISION feet oIL & G		Smi	thvil	le, WV	261	78			5050	PENTALEW
Other physical change in well (specify)  11) GEOLOGICAL TARGET FORMATION, Alexander  12) Estimated depth of completed well, 5400 feet OIL & GAS DIVISION  13) Approximate trata depths: Fresh, 60 feet; salt, none feet.  14) Approximate coal seam depths: no coal in this area is coal being mined in the area? Yes  15) CASING AND TUBING PROGRAM  CASING OR SPECIFICATIONS Weight Per II. New Used For drilling Left in well OR SACKS (Cubic feet)  Conductor 11 3/4 x 30 1 30 1 Kinds  Fresh water  Coal Intermediate 8 5/8 20" x 4000815 1000 5400 700 Depths set  Tubing Liners  Liners Fresh Alexander  OIL & GAS DIVISION  COLL & GAS DIVISION  For A SILE, NONE feet  OIL & GAS DIVISION  SACKS (Cubic feet)  No. X  AND TUBING TYPE Size Grade Per II. New Used For drilling Left in well  Conductor 11 3/4 x 30 1 30 1 Kinds  Fresh water  Coal Sizes  Tubing Production 4 1/2 10.5" x 5400 5400 700 Depths set  Tubing Liners	10) PROPOSI	ED WELL V	VORK:	Drill	X	_/ Drill	deeper	_/ Redrill	_/ Stimulate	PROPERTY CELL
12) Estimated depth of completed well, 13) Approximate trata depths: Fresh, 14) Approximate coal seam depths: no coal in this area is coal being mined in the area? Yes  15) CASING AND TUBING PROGRAM  CASING OR SPECIFICATIONS Weight TUBING TYPE Size Grade per ft.  Conductor 11 3/4				Plug of	ff old	formation	/ Perforat	e new formation_		
12) Estimated depth of completed well, 5400 feet OIL & GAS DIVISION 13) Approximate trata depths: Fresh, 60 feet; salt, none feet. 14) Approximate coal seam depths: no coal in this area is coal being mined in the area? Yes 15) CASING AND TUBING PROGRAM  CASING OR TUBING TYPE Size Grade per ft. New Used For drilling Left in well OR SACKS (Cubic feet)  Conductor 11 3/4 x 30! 30! Kinds  Fresh water  Coal Intermediate 8 5/8 20!! x 400815 100 5400 700 Depths set Tubing Liners									County frame	MAR 2 2 1934
13) Approximate trata depths: Fresh, 60 feet; salt, none feet.  14) Approximate coal seam depths: no coal in this area is coal being mined in the area? Yes No X  15) CASING AND TUBING PROGRAM  CASING OR TUBING TYPE Size Grade Perft. New Used For drilling Left in well OR SACKS (Cubic feet)  Conductor 11 3/4 x 30! 30! Kinds  Fresh water Coal  Intermediate 8 5/8 20!! x 4008/5 400 5400 700 Depths set  Tubing Liners Fresh, 10 Coal in this area is coal being mined in the area? Yes No X  TUBING TYPE Size Grade Perft. New Used FOOTAGE INTERVALS (Cubic feet)  FOOTAGE INTERVALS (Cubic feet)  Sizes (Cubic feet)  Kinds  Fresh water Sizes Sizes  Tubing Depths set Tubing Sizes							er			5 5 0 0 5 1 O N
14) Approximate coal seam depths: no coal in this area is coal being mined in the area? Yes / No X  15) CASING AND TUBING PROGRAM  CASING OR TUBING TYPE Size Grade Per ft. New Used For drilling Left in well (Cubic feet)  Conductor 11 3/4 x 30! 30! Kinds  Fresh water Coal Sizes  Intermediate 8 5/8 20!! x 40008/5 10008/5 250 CT NEAT Production 4 1/2 10.5!! x 5400 5400 700 Depths set  Tubing Liners Proforations:	12) Estim	ated depth o	f complet	ted well,	540	00				
14) Approximate coal seam depths: No A  15) CASING AND TUBING PROGRAM  CASING OR TUBING TYPE Size Grade per ft. New Used For drilling Left in well (Cubic feet)  Conductor 11 3/4 x 30! 30! Kinds  Fresh water Coal Sizes Intermediate 8 5/8 20!! x 4000815 1000815 250 CT NEAT Production 4 1/2 10.5!! x 5400 5400 700 Depths set  Tubing Liners Productions:										T. OF MINES
CASING OR TUBING TYPE   Size   Grade   Foother   Footh					coa.	i in thi	s area Is coal	being mined in the a	rea? Yes	/ NoX
TUBING TYPE   Size   Grade   Weight per ft.   New   Used   For drilling   Left in well   OR SACKS (Cubic feet)		AND TUBII								i.
Conductor		1 1		Weight	1				OR SACKS	PACKERS
Fresh water  Coal  Intermediate 8 5/8 20" x 4000815 1000815 250 CT3 NEAT  Production 4 1/2 10.5" x 5400 5400 700 Depths set  Tubing  Liners  Deforations:			Grade	per ft.	New	Used	For drilling	Left in well	(Cubic feet)	
Coal   Sizes   Sizes   Intermediate   8 5/8   20" x   1000815   1000815   250 CTS NEAT		11 3/4			X		30'	30'		Kinds
Intermediate         8 5/8         20" x         4000815         1000815         250 CTS NEAT           Production         4 1/2         10.5" x         5400         700         Depths set           Tubing         0 c 4s (4.5) y rule           Liners         Deforations:										Ciasa
Production         4 1/2         10.5" x         5400         5400         700         Depths set           Tubing         Or as 1/g, by rule           Liners         Deforations:		8 5 /8		2011	v		100815	100-815	ALL CY	
Tubing Liners  Or as reg, by rule Efforations:		7			STATE OF					
Liners Pyforations:	Statement Committee of Committe			1		y.	CE USE ONE	F10-1		
200 Form of Contract to sense of certain accurations of the certain of the certai	Liners									
( a)			ano ins	TRUE CITE	wollo	was hit	и вёсистепоея	e dates of certa	r baccaronsi k	Top Bottom
(albuett)   Selection   Select		100				1,445.57				
		duction I		96.6				steCl		
(a) CONTRACTOR LIGHT CALL V.					(e)aoi	TO TOTAL	TELCE LISE OF	II W		nplication received
OFFICE USE ONLY DRILLING PERMIT			100							
1G112:15.3.13						DR	ILLING FER	WIII		ell work started
Permit number 47-085-6920 April 13,	Permit number_	47-(	085-69	20				- <u> </u>	April 13	3, 19 84
Date that and to not										
This permit covering the well operator and well location shown below is evidence of permission granted to drill in accordance with the pertinent										
This permit covering the well operator and well location shown below is evidence of permission granted to drill in accordance with the pertinent quirements subject to the conditions contained herein and on the reverse hereof. Notification must be given to the District Oil and Gas Inspector, (									•	The prope
This permit covering the well operator and well location shown below is evidence of permission granted to drill in accordance with the pertinent quirements subject to the conditions contained herein and on the reverse hereof. Notification must be given to the District Oil and Gas Inspector, (No. 8) Prior to the construction of roads, locations and pits for any permitted work. In addition, the well operator or his contractor shall notify the	The permitted w	ork is as des	cribed in	the Notic	e and A	application, p	lat, and reclamati	on plan, subject to a	nv modifications a	nd conditions specified on the
This permit covering the well operator and well location shown below is evidence of permission granted to drill in accordance with the pertinent quirements subject to the conditions contained herein and on the reverse hereof. Notification must be given to the District Oil and Gas Inspector, (No. 8) Prior to the construction of roads, locations and pits for any permitted work. In addition, the well operator or his contractor shall notify the listrict oil and gas inspector 24 hours before actual permitted work has commenced.)										To real and the specified on the
This permit covering the well operator and well location shown below is evidence of permission granted to drill in accordance with the pertinent quirements subject to the conditions contained herein and on the reverse hereof. Notification must be given to the District Oil and Gas Inspector, (No. 8) Prior to the construction of roads, locations and pits for any permitted work. In addition, the well operator or his contractor shall notify th listrict oil and gas inspector 24 hours before actual permitted work has commenced.)  The permitted work is as described in the Notice and Application, plat, and reclamation plan, subject to any modifications and conditions specifie	Permit expires	Apri	11 13,	1986			unless well w	ork is commenced pr	ior to that date and	prosecuted with due diligence
This permit covering the well operator and well location shown below is evidence of permission granted to drill in accordance with the pertinent quirements subject to the conditions contained herein and on the reverse hereof. Notification must be given to the District Oil and Gas Inspector, (No. 8) Prior to the construction of roads, locations and pits for any permitted work. In addition, the well operator or his contractor shall notify th district oil and gas inspector 24 hours before actual permitted work has commenced.)  The permitted work is as described in the Notice and Application, plat, and reclamation plan, subject to any modifications and conditions specific everse hereof.			7.3							THER INSPECTIONS
This permit covering the well operator and well location shown below is evidence of permission granted to drill in accordance with the pertinent quirements subject to the conditions contained herein and on the reverse hereof. Notification must be given to the District Oil and Gas Inspector, (No. 8) Prior to the construction of roads, locations and pits for any permitted work. In addition, the well operator or his contractor shall notify the district oil and gas inspector 24 hours before actual permitted work has commenced.)  The permitted work is as described in the Notice and Application, plat, and reclamation plan, subject to any modifications and conditions specified everse hereof.  Permit expires April 13, 1986 unless well work is commenced prior to that date and prosecuted with due described.	Bond:	Agent	1	Plat:	Casin	ng Fe				
This permit covering the well operator and well location shown below is evidence of permission granted to drill in accordance with the pertinent quirements subject to the conditions contained herein and on the reverse hereof. Notification must be given to the District Oil and Gas Inspector, (No. 8) Prior to the construction of roads, locations and pits for any permitted work. In addition, the well operator or his contractor shall notify the district oil and gas inspector 24 hours before actual permitted work has commenced.)  The permitted work is as described in the Notice and Application, plat, and reclamation plan, subject to any modifications and conditions specific reverse hereof.  Permit expires April 13, 1986 unless well work is commenced prior to that date and prosecuted with due described in the Notice and Application and conditions specifications.	Blocks		1	- 1	n	2/1 100	7-			Reason
This permit covering the well operator and well location shown below is evidence of permission granted to drill in accordance with the pertinent quirements subject to the conditions contained herein and on the reverse hereof. Notification must be given to the District Oil and Gas Inspector, (No. 8) Prior to the construction of roads, locations and pits for any permitted work. In addition, the well operator or his contractor shall notify the district oil and gas inspector 24 hours before actual permitted work has commenced.)  The permitted work is as described in the Notice and Application, plat, and reclamation plan, subject to any modifications and conditions specific reverse hereof.  Permit expires April 13, 1986 unless well work is commenced prior to that date and prosecuted with due decrease.  Bond: Agent: Plat: Casing Fee	Diana		Y	M	11	MIO	13		00	1
This permit covering the well operator and well location shown below is evidence of permission granted to drill in accordance with the pertinent quirements subject to the conditions contained herein and on the reverse hereof. Notification must be given to the District Oil and Gas Inspector, (No. 8) Prior to the construction of roads, locations and pits for any permitted work. In addition, the well operator or his contractor shall notify th district oil and gas inspector 24 hours before actual permitted work has commenced.)  The permitted work is as described in the Notice and Application, plat, and reclamation plan, subject to any modifications and conditions specific everse hereof.  Permit expires April 13, 1986 unless well work is commenced prior to that date and prosecuted with due decrease.  Bond: Agent: Plat: Casing Fee	ACTION OF THE PROPERTY OF THE PARTY OF THE P			The state of the s				< /	- 11	
This permit covering the well operator and well location shown below is evidence of permission granted to drill in accordance with the pertinent quirements subject to the conditions contained herein and on the reverse hereof. Notification must be given to the District Oil and Gas Inspector, (No. 8) Prior to the construction of roads, locations and pits for any permitted work. In addition, the well operator or his contractor shall notify th district oil and gas inspector 24 hours before actual permitted work has commenced.)  The permitted work is as described in the Notice and Application, plat, and reclamation plan, subject to any modifications and conditions specific everse hereof.  Permit expires April 13, 1986 unless well work is commenced prior to that date and prosecuted with due decrease.  Bond: Agent: Plat: Casing Fee									4	RESIDENCE



	OFF	FICE USE ONL	Y			
DEDLAT MODULO	TIONS AND COMP				3000000	
	ATIONS AND COND					KT LUBW- (4
p X Shallow X )	E. Huding River			tion: 715		
drangler Butter Grant - W. S.						
Justin L. Henderson			Company, I	ElO Elva	NOTARE	6) WELL OP
253 Carr Avaque						* Address
Clarkspure, WV 26301			10283 VW .			
	PRILLING CONTRACT			M TO BE NOTE	ALABREAL C Seria	
	Address					Address
METERSON STOR			26178	LVWellivd		
III D V LECTOR		desperate			D WELL W	IN PROPOSE
7/11		/ Perforate				
A COLLEGE MAN AND MAN AND AND AND AND AND AND AND AND AND A		vell (specify)	iysical change in v	Other ph		
OIL & GAS DIVISION		due )	0045	ET EORMATI <mark>ON.</mark> Completed well. 🛌	DEAL JAD Geografia	
				lepitus: Fresh,	mengeom car ximale trafac	
DEPT. OF MINES	ocing muied in the area? Ye		coal in the	oam depths. 00		
				PROGRAM	ND TUBING	
PRIDLEY A BACKERS.				SPECIFICACIONS		
n (1997) if	de D) Haw at the L	S. gastlibero (	New Cared	Weight Ger St.		
	301	301			11 3/4	
						From water
- CTS NEAT	4 718-4	218-	50	1109		
C) Peptins set	07 8 0012	La supplie c	1 21:5	#8.01	2/1	Production
as regery rule 150	OFF	ICE USE ONLY	7			goido I
This was Secured Wally in A			1 6 11			
This part of Form IV-2(b) is to re	ecord the dates of cert	ain occurrences	and any follow	v-up inspection	S.	
	Date		7 4 6 8		Date(	(2)
					Dute	3)
Application received		Follow-u	up inspection(s	)		
		epice use on Rilling pern	o ·			
Well work started		IVECE S. COPPER, 1994	u "			
Completion of the drilling					(1-1-7)	Permit humber_
process meaning and the samplings a		r To somebive at World	location snown be			
District Oil and Cips Inspectors (Sector to			erein and on the n			
Well Record received	saidhion, the well operator	y <b>cermine work.</b> In A has commenced,)				
Darlaman amulayan haran baran amulayan	n plan, subject to any modif	plate and reclamation	and Application.	riced in the Notice	ork fras <b>de</b> ko	
Reciamation completed						
it date and proscouled with due diligonoc	rk is communed prior to the				1194	
OTHER INSPECTIONS				I K		
Reason:			Casing F	Plate.	Agent. 1	Bond.
	1	12	01/1/11/11	MIC		Distributed .
Reason:						

See the reverse side of the APPLICANT'S COPY for instructions to the well operator,

IV-9 (Rev 8-81)




DATE	FEBRUARY	28,	1984	•
WETT. N	) 1			

State of Mest Hirginia API NO. 47 -085 -6920

Bepartment of Mines Bil and Gas Bivision

## CONSTRUCTION AND RECLAMATION PLAN

COMPANY NAME ANVIL OIL CO., INC.	DE	SIGNATED AGENT BUZZ HENDERSON	
Address P.O. BOX 2566, CLARKSBURG,	WV 26301	Address P.O. BOX 2566, CLARKSBURG,	WV 26301
Telephone 622 - 6183 .		Telephone 622 - 6183	
LANDOWNER BRADLEY F. DAVIS		SOIL CONS. DISTRICT LITTLE KANAWHA	4
Revegetation to be carried out by	P.NV	IL OIL CO., INC. (Ag	ent)
This plan has been reviewed by	Hel	Whawha SOD. All corrections	5
and additions become a part of this pla		-29-84	
	(i')	(Date)	
	Jus	(SCD Agent)	
ACCESS ROAD		LOCATION	9
Structure ROAD CULVERT	(A)	Structure SEE COMMENTS ON BACK	(1)
Spacing ONE 16" MINIMUM		Material	
Page Ref. Manual 2-7		Page Ref. Manual	
Structure SEE COMMENTS ON BACK	(B)	Structure	(2)
Spacing		Material	J.
Page Ref. Manual		Page Ref. Manual	
Structure	(C)	Structure	(3)
Spacing		Material	
Page Ref. Manual		Page Ref. Manual	
All structures should be inspected commercial timber is to be cut and state and removed from the site before	tacked and	all brush and small timber to be begins.	
	3420221110		
Iime Treatment Area I & II		XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
or correct to pH 6.5		or correct to pH	cire
Fertilizer 600 lbs/acre		Fertilizer lbs/ac	re
(10-20-20 or equivalent) Mulch Hay 2 Tons/acre		(10-20-20 or equivalent) Mulch Tons/ac	
Seed* KY-31 40 lbs/acre		Seed* lbs/acc	
Red Top 5 lbs/acre		lbs/ac	
lbs/acre		lbs/acc	re
*Inoculate all legumes such as vetch, Inoculate with 3X recommended amount.	trefoil a	nd clovers with the proper bacterium.	
		ARED BY Smith Land Surveying Co.	
	FLAN PREP	04/26/2024	
COTES: Please request landowners!	A	PDRESS 111 South Street	
seedling for one growing season. Attach separate sheets as		Glenville, WV 26351	
necessary for comments.	PHO	NE NO. (304) 462 - 5634	_



Notary Public, State of (///

04/26/2024

#### INSTRUCTIONS TO APPLICANT

#### CONCERNING THE LINE ITEMS:

- 1) Date of Notice.
- 2) Your well name and number.
- 3) To be filled out by the Office of Oil & Gas.
- 4) & 5) Use separate sheet if necessary.
  - 4) Surface owner(s) of record to be served with Notice and Application. However, see also Code § 22-4-lb(b) if "more than three tenants in common or other co-owners of interest described in subsection (a) of this section hold interests in such lands".
  - 5(i) "Coal Operator" means any person, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine.
- 5(ii, iii) See Code § 22-4-20.
  - 6) See Code § 22-4-11(c). However, in lieu of filing the lease(s) or other continuing contract(s), the Applicant may fill out the information in the space provided below.
  - 7) See Code § § 22-4-11(d, e).

#### CONCERNING THE REQUIRED COPIES FOR FILING AND SERVICE:

Filing. Code § 22-4-lk and Regulation 7.02 provide that the original and required copies of the Notice and Application must be filed with the Administrator, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code § 22-4-lk(d) and the reclamation required by Code § 22-4-12b and Regulation 23, (iv) unless previously paid on the same well, the fees required by Code § 22-4-8a from the owner of any water well on dwelling within 200 feet of the proposed well.

Service. In addition, service must be made on the surface owner(s) and the person(s) with an interest in the coal. See Code § § 22-4-lm, 22-4-2a, and 22-4-2b.

# INFORMATION SUPPLIED UNDER CODE § 22-4-11(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on the obverse side of this Notice, I depose and say that I am the person who signed the Notice for the Applicant, and that-

- the tract of land is the same tract described in the Application to which this Notice applies, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book Page
Bradley F. Davis,	Walter C. Crane, et al	1/8	144/644
Walter C. Crane, et al	Anvil Oil Co., Inc.	1/8	169/101

#### SURFACE OWNER'S COPY



1)	Date:	15	, 19 84
2)	Operator's Well No.	Davis #1	
	API Well No.	47 -085-	
		State (	Country Danie

# STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION APPLICATION FOR A WELL WORK PERMIT

4) V	VELL TY	PE: A C	oil X	/ G	as X					
		B (1	If "Gas",	Productio	nX		Undergroun	d storage	_/ Deep	/ Shallow/)
5) I	OCATIO	N: Ele	evation: _	715			Watershed:	S. F. Hughes I	liver	
		Dis	strict:	Murph	17		County:	Ritchie	Quadrangle: _	Burnt House 7.5
6) V	VELL OP	ERATOR	PERSONAL PROPERTY OF		Comp	any. In	<u> </u>	7) DESIGNATED	AGENT Justin	L. Henderson
	Address	s	PO B	30g 256	6			Address	253 Ce	rn Avenue
			Clar	ksburg	, WV	26301	diameter les d		Clarka	burg. WV 26301
8) C	IL & GA	S INSPEC	TOR TO	BE NOTI	FIED			9) DRILLING CO	NTRACTOR:	
N	lame	Sam	uel He	rsman				Name Unk	cnown	
	Address	PO	Box 66					Address		
		Smi	thvill	e, WV	2617	8			50	जिल्लाहाराजाका जिल्लाहाराजाका
10) P	ROPOSE	D WELL	WORK.	Drill_		_/ Drill	deener	/ Redrill	/ Stimulate	(15 9 - J (V   B     )
10, 1	KOI OSL	D WELL	WORK.					orate new formation_	STATE OF THE PERSON NAMED IN THE PERSON NAMED	16
						change in we		orate new formation_		:/AR 2 2 1084
11) (	EOI OCI	ICAL TAR	CET EOD			Alexande				171711 2 2 130-4
					540					OIL & LAS DIVISION
		ated depth o				60	fe			
13		ximate trat			0001	partition of the last of the l		alt, none		PI. OF WINES
					WWGA	AR MILAC	Is o	coal being mined in the	area? Yes	/ No/
		AND TUBI								
CASIN	G OR G TYPE		SPEC	CIFICATION:   Weight	S		FOOTAGI	E INTERVALS	OR SACKS	PACKERS
		Size	Grade	per ft.	New	Used	For drilling	Left in well	(Cubic feet)	Company of the second second
Conduct	or	1 3/4			×		301	301		Kinds
Fresh wa	ater									
Coal					100 m	25				Sizes
Intermed	liate	8 5/8		50u	x		1000	1000	250	
Producti	on	4 1/2		10.51	X		5400	5400	700	Depths set
Tubing									100	- Department of the second of
Liners										Perforations:
								P A COLUMN		
										Top Bottom
	0.590.5	20 A 2010						a managaran and a managaran an		PARTONISCO DE L'ARRESTE DE L'AR
		The				-d 66				Cal three bounds of the
		the filing o	of the App	dication if	the surf	ace owner(s)	of record sign	wever, the permit can b (s) the following "Volum	e issued in less than	Objection"
							Application.	(3) the following voids	italy Statement of 14	o Objection
					VO	LUNTARY S	TATEMENT	OF NO OBJECTION		
I h	ereby star	te that I hav	ve read the	e instructio	ons to su	irface owners	on the reverse	e side of this Applicatio	n for a Well Work P	ermit, and that I have received
copies o	01 (1) a N	otice of App	plication i	or a Well	Work P	ermit on Fori	m IV-2(A), (2)	or proposed well work	ell Work Permit on	Form IV-2(B), (3) a survey plat
I fi	urther sta	te that I ha	ve no obje	ection to th	e nlann	ed work desc	rihed in these	materials and I have n	on my surface land	nit being issued based on those
materia		te that I ha	re no obje	ction to ti	ie piami	ed work desc	rioca in these	materiais, and I have in	o objection to a peri	int being issued based on those
(For ex	ecution b	y corporati	on, partn	ership, etc	.)		(Fe	or execution by natural	persons)	
								00	9//	. //
NAME	:						X	Rigalle	T Alex	Date: 3/16/84
	Ву						L	/Si	gnature)	Date 1770
	",							0		D-45
	Its				D	ate		(Si	gnature)	Date:
								`		

# INSTRUCTIONS TO SURFACE OWNERS AND EXPLANATION OF METHODS AND TIME LIMITS TO COMMENT ON OIL AND GAS WELL WORK PERMIT

The well operator named in the Notice and this Application and the attached materials is applying for a permit from the State to do oil or gas well drilling or other well work. You are being served with these materials because surface owners have the right to file comments before the permit is issued. (NOTE: If the surface tract is owned by more than three persons, in multiple heirship for example, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22, Article 4 of the W. Va. Code. Permits are valid for 24 months.

If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator named in the materials and the Administrator of the Office of Oil and Gas in the West Virginia Department of Mines immediately.

NOTE: You are not required to file any comment at all.

Where to file comments and obtain additional information:

Administrator of the Office of Oil and Gas West Virginia Department of Mines 1615 Washington Street East Charleston, West Virginia 25311 (304) 348-2057

Who may file comments? If you wish to file comments, you must be an owner of record of (1) an interest in the surface tract on which the well already is or is about to be located, or (2) an interest in any other surface tract under the same oil or gas lease which will be utilized for roads or other land disturbances.

Time limits for comments. The law requires these materials to be delivered on or before the date the operator files his Application. You have FIFTEEN (15) DAYS after the filing date to file your comments as provided in Methods for Filing Comments below. You may call the Administrator's office at the above telephone number to be sure of the date. However, if you have been contacted by the well operator, and if you have signed a "voluntary statement of no objection" to any of the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number, and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Methods for filing comments. Comments must be filed in person or received in the mail at the Administrator's office by the time stated above. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling.

The Administrator for Oil and Gas has the power to deny or condition a well work permit based on your comments on the following grounds:

- "(1) The proposed well work will constitute a hazard to the safety of persons; or
- "(2) The plan for soil erosion and sediment control is not adequate or effective; or
- "(3) Damage would occur to publicly owned lands or resources; or
- "(4) The proposed well work fails to protect fresh water sources or supplies."

If you want a copy of the permit as it is finally issued, or a copy of the order denying the permit, you should request a copy from the Administrator.

List of Water Testing Laboratories. The Administrator maintains a list of water testing laboratories which you can hire to test your water to establish water quality prior to and after drilling. Contact the Administrator's office or an Oil and Gas Inspector to obtain a copy of the list.



IV-35 OIL & GAS DIVISION (Rev 8-81) OF MINES



# State of Mest Airginia

Department of Mines Gil und Gas Division

Date 8-24-84	
Operator's sensie denia	
Well No. Davis #1	
Farm Bradley Davis	
API No. 47 - 085 - 6920	

# WELL OPERATOR'S REPORT OF

### DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

LOCATION: Elevation: 715: Watershed	South Fork	Hughes' Ri	ver	
District: Murphy County Rite	hie	Quadrangle	Burnt H	ouse 7.5'
1911 Free reten 1911				
COMPANY Anvil Oil Co., Inc.	0.20	Plane no	re mee an	ros àgada
ADDRESS P.O. Box 2566	Caging	Used in	Left	Cement
DESIGNATED AGENT Justin L. Henderson	Casing		OF MARY	fill up
ADDRESS 253 Carr Ave., Clarksburg, W.Va.	The state of the s	Drilling	In well	Cu. ft.
SURFACE OWNER Bradley F. Davis	Size 20-16 Cond.	30 '	30'	B , bnea serve, so
ADDRESS Rt.2, Box 71A, Harrisville, W.Va.	13-10"		edene	na inse
MINERAL RIGHTS OWNER same	9 5/8			- Lues
ADDRESS same	8 5/8	893'	893'	240sks
OIL AND GAS INSPECTOR FOR THIS WORK Sam	7	093	093	2405K5
Hersman ADDRESS Box 66, Smithville, W.Va				ne nnee
PERMIT ISSUED 4-13-84	Digital Sandyana (Sandyana and Sandyana and Sandyana (Sandyana)	1,000	1.00-	
DRILLING COMMENCED 7-26-84	4 1/2	4880 '	4880'	400sks
DRILLING COMPLETED 8-3-84	2			
IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR	Liners			
REWORKING. VERBAL PERMISSION OBTAINED ON	used			
REWORKING. VERBAL PERMISSION OBTAINED	used	Dept	-h_4740-4	788 feet
REWORKING. VERBAL PERMISSION OBTAINED ON  GEOLOGICAL TARGET FORMATIONAlexander	used Rotary X			788 <u>fee</u> t
REWORKING. VERBAL PERMISSION OBTAINED ON  GEOLOGICAL TARGET FORMATION Alexander  Depth of completed well 4974 feet		/ Cable		788 <b>fee</b> t
REWORKING. VERBAL PERMISSION OBTAINED ON  GEOLOGICAL TARGET FORMATION Alexander  Depth of completed well 4974 feet	Rotary X	/ Cable	Tools_	
REWORKING. VERBAL PERMISSION OBTAINED  ON  GEOLOGICAL TARGET FORMATION Alexander  Depth of completed well 4974 feet  Water strata depth: Fresh 40 feet;  Coal seam depths: none  OPEN FLOW DATA	Rotary X Salt na Is coal	/ Cablefeet	e Tools_	area? no
REWORKING. VERBAL PERMISSION OBTAINED  ON  GEOLOGICAL TARGET FORMATION Alexander  Depth of completed well 4974 feet  Water strata depth: Fresh 40 feet;  Coal seam depths: none  OPEN FLOW DATA  Alexander, Riley, and	Rotary X Salt na Is coal	/ Cablefeet_being mine	e Tools_ed in the	area? <u>no</u>
GEOLOGICAL TARGET FORMATION Alexander  Depth of completed well 4974 feet  Water strata depth: Fresh 40 feet;  Coal seam depths: none  OPEN FLOW DATA  Alexander, Riley, and Producing formation Devonian shale, comming	Rotary X Salt na Is coal	/ Cablefeet	e Tools  ed in the	area? <u>no</u> 4788 4142 feet
GEOLOGICAL TARGET FORMATION Alexander  Depth of completed well 4974 feet  Water strata depth: Fresh 40 feet;  Coal seam depths: none  OPEN FLOW DATA  Alexander, Riley, and Producing formation Devonian shale, comming Gas: Initial open flow show Mcf/d	Rotary X Salt na Is coal  Is coal  Oil: In:	feet being mine y zone dept	2 Tools 2 d in the 4660-4176-4 103620-4	area? <u>no</u> 4788 4142 <b>feet</b> 4094 Bbl/d
GEOLOGICAL TARGET FORMATION Alexander  Depth of completed well 4974 feet  Water strata depth: Fresh 40 feet;  Coal seam depths: none  OPEN FLOW DATA  Alexander, Riley, and Producing formation Devonian shale, comming	Rotary X Salt na Is coal  Is coal Oil: Inf	feet being mine y zone dept tial open hal open fi	ed in the  4660-  th 4176- flow 620-  tow show	area?_no 4788 4142
GEOLOGICAL TARGET FORMATION Alexander  Depth of completed well 4974 feet  Water strata depth: Fresh 40 feet;  Coal seam depths: none  OPEN FLOW DATA  Producing formation Devonian shale, comming Gas: Initial open flow show Mcf/d  Final open flow Estimated Mcf/d  Time of open flow between init	Rotary X Salt na Is coal  Is coal  Oil: In  Fir	feet being mine y zone dept tial open hal open fi	ed in the  4660-  th 4176-  flow show  4hrs.ho	area? no 4788 4142 feet 4094 Bbl/d Bbl/d
GEOLOGICAL TARGET FORMATION Alexander  Depth of completed well 4974 feet  Water strata depth: Fresh 40 feet;  Coal seam depths: none  OPEN FLOW DATA  Producing formation Devonian shale, comming Gas: Initial open flow show Mcf/d Final open flow Estimated Mcf/d Time of open flow between initial Static rock pressure 1500 psig(surface)	Rotary X Salt na Is coal  Is coal  Oil: Infinitial and fire measurer	feet being mine y zone dept tial open hal open fi	the show the state of the show	area? no 4788 4142 feet 4094 Bbl/d Bbl/d urs rs shut in
GEOLOGICAL TARGET FORMATION Alexander  Depth of completed well 4974 feet  Water strata depth: Fresh 40 feet;  Coal seam depths: none  OPEN FLOW DATA  Producing formation Devonian shale, comming  Gas: Initial open flow show Mcf/d  Final open flow Estimated Mcf/d  Time of open flow between init  Static rock pressure 1500 psig(surface)  (If applicable due to multiple completion)	Rotary X Salt na Is coal  Oil: In  Fir  tial and fire measurer  1)	feet being mine y zone dept tial open hal open fi	ed in the  4660-  th 4176-  flow show  4hrs.ho  24 hou  04	area? no 4788 4142 feet 4094 Bbl/d Bbl/d urs rs shut in /26/2024
GEOLOGICAL TARGET FORMATION Alexander  Depth of completed well 4974 feet  Water strata depth: Fresh 40 feet;  Coal seam depths: none  OPEN FLOW DATA  Producing formation Devonian shale, comming  Gas: Initial open flow show Mcf/d  Final open flow Estimated Mcf/d  Time of open flow between init  Static rock pressure 1500 psig(surface)  (If applicable due to multiple completion)  Second producing formation	Rotary X Salt na Is coal  Is coal  Oil: Infi  Fir  tial and fi  ce measurer  1)  Pay	feet feet being mine y zone dept tial open hal open fi inal tests ment) after	4660-4176-4 flow show 4hrs.ho	area? no  4788 4142 feet  4094 Bbl/d  Bbl/d  Bbl/d  irs  rs shut in  /26/2024  feet
GEOLOGICAL TARGET FORMATION Alexander  Depth of completed well 4974 feet  Water strata depth: Fresh 40 feet;  Coal seam depths: none  OPEN FLOW DATA  Producing formation Devonian shale, comming  Gas: Initial open flow show Mcf/d  Final open flow Estimated Mcf/d  Time of open flow between init  Static rock pressure 1500 psig (surface)  (If applicable due to multiple completion)  Second producing formation  Gas: Initial open flow Mcf/d	Rotary X Salt na Is coal Is coal Oil: In: Fir tial and fire measurer 1) Pay Oil: In:	feet  feet  being mine  zone dept  tial open  nal open fi  inal tests  ment) after  zone dept  tial open	the House to the H	area? no  4788 4142 feet  4094 Bbl/d  Bbl/d  urs rs shut in  /26/2024 feet  Bbl/d
GEOLOGICAL TARGET FORMATION Alexander  Depth of completed well 4974 feet  Water strata depth: Fresh 40 feet;  Coal seam depths: none  OPEN FLOW DATA  Producing formation Devonian shale, comming  Gas: Initial open flow show Mcf/d  Final open flow Estimated Mcf/d  Time of open flow between inite  Static rock pressure 1500 psig (surface)  (If applicable due to multiple completion)  Second producing formation	Rotary X Salt na Is coal  Is coal  Oil: In: Fir tial and f: ce measurer  1) Pay Oil: In: Oil: Fir	feet  feet  being mine  zone dept  tial open  nal open fi  inal tests  ment) after  zone dept  tial open  after  zone dept  tial open  nal open fi	the House to the H	area?_no  4788 4142 feet 4094 Bbl/d Bbl/d urs rs shut in /26/2024 feet Bbl/d Bbl/d

#### DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

first stage: Alexander: perfs 4784-4660-29 holes- 500 gal. acid, 1,000,000 scf N2 second stage: Riley: perfs 4136-4196-13 holes 400 gal acid, 800,000 scf N2

third stage: perfs 4094-3620- 19 holes- 500 gal acid, 580,000 scf N2

#### WELL LOG

FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all fresh and salt water, coal, oil and gas
gray, soft sand and shale white hard sand gray, soft sand and shale hard sand, MAXTON soft sand and shale hard LIME sand, BIG INJUN gray, soft sand and shale sand, WEIR sand and shale sand, BEREA sand and shale sand, RILEY sand and shale sand, ALEXANDER sand and shale	0 147 230 1150 1180 1524 1542 1598 1692 1767 2040 2113 2140 2152 4176 4200 4660 4788	147 230 1150 1180 1524 1542 1598 1692 1767 2040 2113 2140 2152 4176 4200 4660 4788 4974 T.D.	fresh water @ 40' show gas

(Attach separate sheets as necessary)

Anvil Oil Co. Well Operator

By:

04/26/2024

Date:

8-24-84

Note:

Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including mal, encountered in the drilling of a well."

#### STATE OF WEST VIRGINIA

#### DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION



OIL & GAS DIVISION

# DEPT. of MINES

## INSPECTOR'S WELL REPORT

Permit No. 85-6920	4 86 23			Oil or	Gas Well	
Company anvil Oil Co. Lone.		CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PAC	KERS
Company		Size		1		
Address						
Farm Bradley Davis Well No. Davis #/		16		in the second second	Kind of Pa	cker
0 #/		13			/	
		10			Size of	
Districe Murphy County Rite	hio	81/4				
Drilling commenced 7-26-84		65%			Depth set_	
Drining commenced		5 3/16				
Drilling completedTotal depth		3			Perf. top_	
Date shotDepth of shot		2			Perf. botto	m
		Liners Used			Perf. top_	
Initial open flow/10ths Water in	Inch				Perf. botto	
Open flow after tubing/10ths Merc. in_	Inch				T CIT. BOCCO	
Volume		CASING CEME			No. FT	Date
Rock pressurelbs,	hrs.		TVICE COMIT			
Oil 30' > River Level 1	1st 24 hrs.	COAL WAS EN	COUNTERED	AT	FEET	INCHES
Fresh water / 60' feet	feet	FEET	INCI	HES	FEET	INCHES
Salt water feet	feet	FEET	INCH	IES	FEET	INCHES
Drillers' Names						and the second
of of o o or "	2	× 00	0 0	0 21 22		
Remarks: 22 34 24 Reg #	x + 1	loof Tu	oker - Cd	. Huffn	ran	-
Leng Stalnaker Rig # Remarks: on 7-30-84 ron 886 Class A. with 6 sacks	of c.c.	8 g caseny	P - 8.J. 3	Lughes n	an 240	sachs
Waiting on coment of time	12.	1 0	will be	moved	out ans	Herr
Stalnaker Rig # 6 will be deeper depth than rig # 2	moved coold	Pon to per	mit Rol	to be de	rilled x	4
7-30-84			Sam	wel M.	3/ <u>04/28</u> 13	024

Form 26 2/16/82

# STATE OF WEST VIRGINIA DEPARTMENT OF MINES

## OIL AND GAS WELLS DIVISION

## **INSPECTOR'S PLUGGING REPORT**

COMPANY			ADDR	ESS			
FARM		DISTRICT		C	OUNTY		
Filling Material Used							a de la grada
Liner Loc	cation	Amou	ınt	Packer	Loc	cation	
PLUGS USED A	ND DEPTH PLACED			BRIDGES	CASIN	G AND TU	IBING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTR	UCTION-LOCATION	RECOVERED	SIZE	LOST
and disease							
						4000	
	The second second				110		Page 1918 Page
				1814 <sup>191</sup> 8	A State of the sta	Superior Alice	a a constitution
Service Contract Contract				Cod one \$ o		Maritie A	An William
		LINTERNA	r iekska s	(			a agus agus agus agus agus agus agus agu
	78.4480	1 1 1 1 1 1 1	O PLANE		, (d)		egrang da
	- 12 12 00 00						
					50 S		-
Drillers' Names				<u> </u>			Taken des
51071 <u></u>	nomen a total de	387			1817		L loss di
Remarks:							
	I hereby certify I vi	sited the chave	well on this d	ate			
DATE	I hereby certify I vi	sited the above	well ou tills a	ato.			

#### STATE OF WEST VIRGINIA

## DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION



OIL & GAS DIVISION

## INSPECTOR'S WELL REPORT DEPT. OF MINES

Permit No. 85 -6920	C81		Oil or	Gas Well	
Company anvil Oil Co, Inc.	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKE	ERS
	Size				73
Address	16			_ Kind of Pack	er
Farm Davis	13				
Well No. Davis #/	10			Size of	
District Murphy County Ritchio	81/4				
0	65%			Depth set	
Drilling commenced	5 3/16				
Drilling completedTotal depth	3			Perf. top	
Date shotDepth of shot	2			Perf. bottom	
	Liners Used			Perf. top	
Initial open flow/10ths Water inInch				Perf. bottom	
Open flow after tubing/10ths Merc. inInch					
VolumeCu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressurelbshrs.	NAME OF SEI	RVICE COMPA	ANY		
Oilbbls., 1st 24 hrs.	COAL WAS EN	NCOUNTERED	AT	_FEET	_INCHES
Fresh water <u>feet</u> <u>feet</u>	FEET	INCI	HES	_FEET	_INCHES
Salt water feet feet	FEET.	INCI	HES	_FEET	_INCHES
Drillers' Names					
Remarks: Visit - 1980 foot deg	- Dusti	ing Role.	P	it OK	

Form 26 2/16/82

### STATE OF WEST VIRGINIA

### **DEPARTMENT OF MINES**

#### OIL AND GAS WELLS DIVISION

## **INSPECTOR'S PLUGGING REPORT**

OMPANY			ADDRESS	1000		200 200
FARMDISTRICT						
illing Material Used		2 2 5 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2				N 180 g
iner Loc	cation	Amoun	t Packer	Lo	cation	
PLUGS USED A	ND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATIO	N RECOVERED	SIZE	LOST
				5100 (-)		
					200 T T T T T T T T T T T T T T T T T T	100
			3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1.9798	
				e to dance		
			the second second	Tad (II)	de service (1)	ang le
CONTROL OF THE PROPERTY OF THE PARTY OF THE				2 ad 807	garast as	in West
				1900 to the same of the same o	Assertance 150	
		Lago voi kralin	18. Maria de la Companya de la Comp	Commence processors and contract of the	NGC MINISTER STORE WAS AN	
	MOMPOUNT	STANGE TO		edt.	Land State of B	On the
e e a francial a	AS					
(1) 74 (1) (1) (1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2			TO SERVICE OF THE SER			
Drillers' Names	SHINE	e e e	1.46.1	349		
HTVL CHECK	2311061	72.3	\$6.75	1541		and the same
Remarks:						
	I hereby certify I vis	sited the above we	ell on this date.			
DATE						

#### DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



## OIL & GAS DIVISION INSPECTOR'S WELL REPORT DEPT. OF MINES

Permit No. 83-6920	44	respective to the	Oil or	Gas Well	
Company anvil Oil le. Inc.	CASING AND TUBING	USED IN DRILLING	LEFT IN	PACKE	ERS
	Size				
Address	16			_ Kind of Pack	er
Farm Bradley Frakert Davis	13				
Well No Davis #/	10			Size of	
District Marphy County RiteRio	81/4				
Drilling commenced 7-26-84	65%			Depth set	
	5 3/16				
Drilling completed 8-3-84 Total depth 4974	3			Perf. top	
Date shotDepth of shot	2			Perf. bottom.	
Initial open flow/10ths Water inInch	Liners Used			Perf. top	
				Perf. bottom.	
Open flow after tubing/10ths Merc. inInch					
VolumeCu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressure lbs. hrs.	NAME OF SER	RVICE COMPA	ANY		
Oilbbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	_FEET	_INCHES
Fresh waterfeetfeet	FEET.	INCE	HES	_FEET	_INCHES
Salt waterfeetfeet	FEET.	INCH	HES	_FEET	_INCHES
Drillers' Names					Part Of
Driners Traines					
Remarks: Visit - Hole completel of	depth of 4	1974 -	Low	ing Role	
amount of 4' "to be run, unknow	un at time	of Visit		9	

Form 26 2/16/82

#### STATE OF WEST VIRGINIA

## **DEPARTMENT OF MINES**

#### OIL AND GAS WELLS DIVISION


## **INSPECTOR'S PLUGGING REPORT**

FARM	DIST	Amount		Loc	cation G AND TU SIZE	- Various
PLUGS USED AND DEPTH F CEMENT-THICKNESS WOOD-S	PLACED		BRIDGES  CONSTRUCTION-LOCATION	CASIN	G AND TU	JBING
PLUGS USED AND DEPTH F			BRIDGES  CONSTRUCTION-LOCATION	CASIN	G AND TU	1
CEMENT-THICKNESS WOOD-S		AD	CONSTRUCTION-LOCATION	RECOVERED		1
	IZE LEA	AD			SIZE	LOST
					- Institute of the second	
THE THE REAL PROPERTY.		3		e Const	C	10000
				31 T	5	
SIZE NAVEL TENGEN				to (Cost)	100 100 100 100 100 100 100 100 100 100	Pr 75. 1
SIZE NO VI				to Rimail		
SIZE NO SE SIZE		10000				
SIZE No ve de la monte			Water in	ed Office and a		nego las
TA TELL AND			was and the same of the same o	44 C F	e melas es	leg ge il
AT LEFT ANGLE			A CONTRACTOR OF THE CONTRACTOR	COLUMN SEASON SE		
HOME TEMPERATURE	and the second	IAME IN	8A 380		gad in the table in the second	alianciana 38031
AT LEVEL TAKE	raarioo suud	rae form		en e	The California Provide Day	armi i
Harrison Carlon Land						
	0288T (060)		ACC THE SECTION AND ACCOUNTS		Control None Action	
Orillers' Names	140 PT	79.03		is 7		F-14- 11- 11-
Remarks:	de estado de Ariano, en desambelha estado de la como				ARTHUR TURNS TO	an vision and the second
Actinates.						
I hereby cer	tify I visited the	above well	on this date.			



## State of West Birginia

## Department of Mines Gil and Gas Division Charleston 25305



FINAL INSPECTION REPORT OIL & GAS DIVISION
INSPECTORS COMPLIANCE REPORT DEPT. OF MINES.

COMPANY Any	October 1	열심하는 어느님이 살아보면 그는 사람들이 하지만 하는 것이 되었다. 이 바람이 얼굴하다는 이 회에 대한 점에 가장하게 되었다면 하는 것이 없어요?
		PERMIT NO085-6920
P. O. Box	2566	FARM & WELL NO Bradley Davis #1
Clarksburg	, West Virginia 26301	DIST. & COUNTY Murphy/Ritchie
RULE	DESCRIPTION	IN COMPLIANCE YES NO
25.04 Prep. 25.03 High 16.01 Requi 15.03 Adeq 15.02 Adeq 15.01 Adeq 15.05 Cemer 23.02 Maint 25.01 Neces 23.04 Recla 23.05 No St 23.07 Requi 16.01 Well 16.02 Well 7.05 Ident	fication Prior to Starting Wared before Drilling to Prevent Pressure Drilling ired Permits at Wellsite wate Fresh Water Casing wate Coal Casing wate Production Casing wate Cement Strenght in Type tained Access Roads sary Equipment to Prevent Waimed Drilling Pits wiface or Underground Pollutivements for Production & Gar Records on Site Records Filed cification Markings	aste ion thering Pipelines
I HAVE INSPECT	ED THE ABOVE CAPTIONED WELL	AND RECOMMEND THAT IT BE RELEASED: SIGNED Samuel M. Harsing
		DATE 10-11-84
witch onapter 2	rd was received and reclamat 2, Article 4, Section 2, the he life of the well.	above well will remain under bond  Administrator-Oil & Gas Division  January 3, 1985  DATE

#### FERC-121

1.0 API well number: (If not available, leave blank. 14 digits.)	47085-6920	
2.0 Type of determination being sought: (Use the codes found on the front of this form.)	103 Section of NGPA Cacegory Code	ISI
3.0 Depth of the deepest completion location: (Only needed if sections 103 or 107 in 2.0 above.)	NOV - 9 19	84
4.0 Name, address and code number of applicant: (35 letters per line maximum. If code number not available, leave blank.)	Anvil Oil Co., Inc.    Anvil Oil Co., Inc.   DEPT. OF MAIN   Name	V.
5.0 Location of this well: [Complete (a) or (b).]  (a) For onshore wells  (35 letters maximum for field name.)	Murphy Field Name Ritchie County  Murphy  W.Va.	
(b) For OCS wells:	Area Name  Date of Lease:  Mo. Day Yr.  OCS Lease Number	
(c) Name and identification number of this well: (35 letters and digits maximum.)	Bradley Davis #1	
(d) If code 4 or 5 in 2.0 above, name of the reservoir: (35 letters maximum.)		
6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)	Consolidated Gas Transmission Corp. 0042 Name Buyer	-
(b) Date of the contract:	0 19 11 0 16 13 1 Mo. Day Yr.	
(c) Estimated annual production:	36MMcf.	
	(a) Base Price (b) Tax (c) All Other Prices [Indicate (b) and (b) and (c) (c) All Other Prices [Indicate (b) and (c) (c) (c) (c) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	
7.0 Contract price: (As of filing date. Complete to 3 decimal places.)		
8.0 Maximum lawful rate: (As of filing date. Complete to 3 decimal places.)		
9.0 Person responsible for this application:	Anvil Oil Co. Inc. President	
Agency Use Only	MARKAN SAME AND	
Date Received by Juris. Agency		
NOV - 9 1984	the Manden 11/7/84	
Date Received by FERC	Signature	
Date Heceived by I Enc	11/7/84 304-622-6183  Phone Number	
	A THORE WILLIAM	

Date Received

## STATE OF WEST VIRGINIA

# DEPARTMENT OF MINES, OIL AND GAS DIVISION NOV 30 1984

Determination Date

# COVER SHEET, STATE APPLICATION FOR WELL CLASSIFICATION

Date: Nov. 7 ,19 84	AGENCY USE ONLY
Applicant's Name: Anvil Oil Co., Inc.	WELL DETERMINATION FILE NUMBER
Address: P.O. Box 2566	81
Clarksburg, W.Va. 26301	841109 -103-085- 6920
Gas Purchaser Contract No	Use Above File Number on all Communications Relating to This Well
Date of Contract Sept 10, 1963 (Month, day and year)	
Consolidated Gas Transmission Corp	Designated Agent: Justin L Henderson
Address: P.O. Box 2566 (Street or P.O. Box)	Address: 253 Carr Ave.  Clarksburg, W.Va. 26301
Clarksburg, W.Va. 26301 (City) (State) (Zip Code) FERC Seller Code 044618	FERC Buyer Code 004228
NAME AND TITLE OF PERSON TO WHOM QUESTIONS CONCERNING BE ADDRESSED:	
Name: Justin L. Henderson	President
Signature: (Print)	(Title)
Address: 25% Carr Ave.  (Street or P.O. Box) Clarksburg, W.Va.  (City) (State) Telephone: 304 622-6183 (Area Code) (Phone No.	
(Certificate of Proof of Service to Purchas	
NGPA Catagory App	lied For
NGPA SECTION/SUBSECTION	
102 New Natural Gas 102-2 2.5 Mile Test 102-3 1000 Foot Deeper Test 102-4 New Onshore Reservoir  103 New Onshore Production Well x 103 New Onshore Production Well	108 Stripper Well Natural Gas 108- Stripper Well 108-1 Seasonally Affected 108-2 Enhanced Recovery 108-3 Temporary Pressure Buildup
107 High Cost Natural Gas	AGENCY USE ONLY
107-0 Deep (more than 15,000 feet) 107-1 Geopressured Brine 107-2 Coal Seams 107-3 Devonian Shale 107-5 Production enhancement 107-6 New Tight Formation 107-7 Recompletion Tight Formation  PECELVED NOV - 91984	QUALIFIED 04/26/2024
OIL & GAS DIV. DEPT. OF MINES	

#### STATE OF WEST VIRGINIA

DEPARTMENT OF MINES, OIL AND GAS DIVISION

Date Nov	ember 7	. 198	34
Operator's Well No.	Bradley	Davis	# 1
API Well No. 47 -	085	- 6920	

#### WELL CLASSIFICATION FORM

## NEW ONSHORE PRODUCTION WELL

NGPA Section 103

norn bec	101011 100
	DESIGNATED AGENT Justin L. Henderson
,	ADDRESS 253 Carr Ave.
	Clarksburg, W.Va. 26301
WELL OPERATOR Anvil Oil Co., Inc.	LOCATION: Elevation 715'
ADDRESS P.O. Box 2566	
Clarksburg, W.Va. 26301	Watershed South Fork Hughes River
GAS PURCHASER Consolidated	Dist. Murphy County Ritchie Quad Burnt House
	Gas Purchase 2817
ADDRESS 445 W.Main St.	Neter Chart Code 2177
Clarksburg, W.Va. 26301	Date of Contract
* * * * * * *	* * * * * * * * *
Date surface drilling was begun: 7-26-81	4
Indicate the bottom hole pressure of the wel	I and explain how this was calculated:
1468# BHP⇒Pwe <sup>xGLS</sup>	
_	
w	
AFFI	DAVIT
surface drilling of the well for which this 1977; the well satisfies applicable state or within a proration unit, in existence at the reservoir from which gas is or will be produ in commercial quantities or on which surface was capable of producing gas in commercial quantities or on the best of my information, knowledge and be	having been first sworn according to law state that determination is sought was begun on or after February 19. federal well spacing requirements and the well is not time surface drilling began, which was applicable to the seed and which applied to any other well producing gas drilling began on or after February 19, 1977, and which uantities. I state, further, that I have concluded, to lief, that the well for which this determination is sought am not aware of any information not described in the conclusion.
STATE OF WEST VIRGINIA,	
COUNTY OF Harrism, TO WIT:	
	otary Public in and for the state and county aforesaid,
	name is signed to the writing above, bearing date
	s acknowledged the same before me, in my county aforesaid.
	1 seal this 7th day of November , 1984.
	e 20th day of October , 1984.
my term of office expires on the	, 19 <b>9</b> 7.
[NOTARIAL, SEAL]	Haren M Henderson



#### CERTIFICATE OF SERVICE

I hereby certify that I have this day served the foregoing documents upon Consolidated Gas Transmission Corporation, prospective purchaser of natural gas from Anvil Oil Co., Inc., in accordance with the requirements of Section 1.17 of the Rules of Practice and Procedure of the Federal Energy Regulatory Commission.

Dated at Clarksburg, W.Va. this 7th day of November, 1984

Anvil Oil Co., Inc.

Justin L. Henderson, its President

POST OFFICE BOX 2566 • CLARKSBURG, WEST VIRGINIA 26301 • (304) 622-6183





December 17, 1984

W.Va. Dept. Of Mines Oil & Gas Division NGPA Section 307 Jefferson St. Charleston, W.Va. 25311 Attn: Lonnie Carpenter

In re: Bradley Davis #1, 47-085-6920

Gentlemen:

On August 28, 1984, a filing was made with respect to the above referenced well to determine that the well qualifies under section 107 of the NGPA. Our copy of the filing indicates that it was date stamped by your office on September 14, 1984. By our conversation of this morning, it is our understanding that the determination has been accepted by FERC.

You will note that the application for 107 status reflects our belief, at the time of filing the application, that Columbia Gas Transmission Corporation would be the gas purchaser. Later, it was discovered that the subject tract was dedicated to Consolidated Gas Transmission Corporation under their contract #2817. Accordingly, a subsequent filing was made to have the well qualified under section 103 of the NGPA. The Federal Energy Regulatory Commission has recently promulgated regulations that would make the distinction between #103 and #107 in the situation of the referenced well very material. Had we known that the subject acreage was dedicated to Consolidated at the time of making the initial filing with your office with respect to the subject well, a determination under #107 would definitely not have been sought. We maintain that the section 107 filing was made under a material mistake of fact, and we therefore request that said 107 filing be withdrawn.

Very Truly Yours,

Justin L. Henderson

POST OFFICE BOX 2566 • CLARKSBURG, WEST VIRGINIA 26301 • (304) 622-6183

1.0	API well number: (If not available, twave blank, 14 digits,)		47-085-6920				
2.0	Type of determination being sought: (Use the codes found on the front of this form.)	1	107 Section of N	GPA	Category Code		
3.0	Depth of the deepest completion location: (Only needed if sections 103 or 107 in 2.0 above.)			4788	feet		
4.0	Name, address and code number of applicant: (35 letters per line maximum. If code number not available, leave blank,)	Name P Street	nvil 0il Co. O Box 2566 larksburg		26301 Table Zip Code	Selier Code	
5.0	Location of this well: [Complete (a) or (b).] (a) For phishore wells (35 letters maximum for field name.)	Field Nan	itchie		WV State		
	(b) For OCS wells:		Date of Lea		Block Number		
	(c) Name and identification number of this well: (35 letters and digits maximum.)	D	avis # 1				
	(d) If code 4 or 5 in 2.0 above, name of the reservoir: (35 letters maximum.)						
5.0	(a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank,)	Colu	mbia Gas Tra	ansmission Co	orp.	004030 Buyer Code	
	(b) Date of the contract:			Mo. Day	Yr.		
	(c) Estimated annual production:		Water company	36	MMc1.		
		-	(a) Base Price (\$/MMBTU) 3.50	(b) Tax  B&O + AD V	(c) All Other Prices [Indicate Ll(t) or (-).]	(d) Total of (a), (b) and (c)	
7.0	Contract price: (As of filing date. Complete to 3 decimal places.)		3.50				
8.0	Maximum lawful rate: (As of filing date, Complete to 3 decimal places.)						
Dat	Agency Use Only Received by Juris. Agency UG 30 1984 Received by FERC	Signature 8-	1 0il Co., In Henderson  28-84  icution is Complete	Jandes 30	Agent Title  04-622-618 Phone Number	3_	

FORM IV-48WC (02-84)

# Withdrawn per letter of 12/17/84 STATE OF WEST VIRGINIA

DEPARTMENT OF MINES, OIL AND GAS DIVISION

SEP 1 4 1984

# COVED CHEET STATE ADDITION TO

COVER SHEET, STATE APPLICATION F	OR WELL CLASSIFICATION
Date: 8-28,19 84	AGENCY USE ONLY
Applicant's Name: Anvil Oil Co.	WELL DETERMINATION FILE NUMBER
Address: P.O. Box 2566	
Clarksburg WV	840830 -107-085-6920
Gas Purchaser Contract No.	Use Above File Number on all Communications Relating to This We
Date of Contract (Month, day and year)	
First Purchaser: Columbia Gas Transmission Corp.	Designated Agent: Justin Henderson
Address: P.O. box 1273	Address: 253 Carr Ave.
(Street or P.O. Box)	Clorkshire
Charleston, W.Va. 25325 (City) (State) (Zip Code) FERC Seller Code unassigned	FERC Buyer Code004030
NAME AND TITLE OF PERSON TO WHOM QUESTIONS CONCERBE ADDRESSED:	
Name: AbwileOils For, Inc.	
Signature: (Print)	Lecon (Title)
Address: 253 Carr Ave.  (Street or P.O. Box) Clarksburg (City) (State)  Telephone: 304 (Area Code) (Phone	26301 (Zip Code) 549 Number)
(Certificate of Proof of Service to Purc	haser)
NGPA Catagory A	pplied For
NGPA SECTION/SUBSECTION	
102 New Natural Gas 102-2 2.5 Mile Test 102-3 1000 Foot Deeper Test 102-4 New Onshore Reservoir 103 New Onshore Production Well 103 New Onshore Production Well	108 Stripper Well Natural Gas  108- Stripper Well  108-1 Seasonally Affected 108-2 Enhanced Recovery 108-3 Temporary Pressure Buil
107 High Cost Natural Gas	AGENCY USE ONLY
107-0 Deep (more than 15,000 feet) 107-1 Geopressured Brine 107-2 Coal Seams  X 107-3 Devonian Shale 107-5 Production enhancement 107-6 New Tight Formation 107-7 Recompletion Tight Formation	QUALIFIED  04/26/2024  Willdrawn
OL & GAS DIVISION DEPT. OF MINES	

Date Received

Determination Date

ieisl.	Anvil Oil Co.	- constitution discontinuous designs of constitutions	Agent:	Anvil Oil Co., Inc. by Justin Henderson
.pe De	Cermination beim	ng sought - 10		
'I Well	No.: 47-085-6920		Well Na	me: _Davis #1
st Vir		Oil and Gas		Ritchie
Vol.	Page	Line		
I. NO	(c) interv	a line represe als with Gamma	nting 0. Ray uni	with the (a) Shale Base 7 x (Shale Base Line), ts less than 0.7 x (Shale ded with this analysis.
I. Ga	mma Ray elevati	on indices:	,	
	A. Shale	Ease Line (API	Units)	
	1. GR 2. Re	Value at Ease marks:	Line =	173 * API Units
		en from 4180 to 450 le is well develope		ehole is clean and
	B. Gamma I	Ray Log Value a	at 0.7 x	Value at Base Line
	1. GR 2. Cal	Value = $\frac{173}{0.7}$ culation: 0.7	(GR Val	ts ue at Base Line) ) = <u>121.1</u> API Units
. Int	ervals with GR			(Value at Base Line):
Fro	Interval To	of In	kness terval	Feet of less than* 0.7 (Shale Base Line)
2140			60	Feet 55
3000			00	20
4000			74	27
	Total Davonial	Interval28	34	
al Les	s Than 0.7 (Shal	le Base)		103
388 Th.	an 0.7 (Shale Ba	se Line) = .0359	9_ x 100	= 3.599 7.

Carked on log included with analysis.

Op of Devonian Section Recorded on First Interval in this Column.
Lesser of TD or lottom of Devonian Section Recorded as last Interval in this Column.



#### CERTIFICATE OF SERVICE

I hereby certify that I have this day served the foregoing documents together with the related attachments upon Combia Gas Transmissiony Corporation, prospective purchaser of natural gas from Anvil Oil Co. Inc., Agent, for Amtech Energy Corporation Inc., in accordance with the requirements of Section 1.17 of the Rules of Practice and Procedure of the Federal Energy Regulatory Commission.

Dated at Clarksburg, West Virginia, this 28th day of August, 1984.

Anvil Oil Co., Inc.

Justin L. Henderson, its President.

POST OFFICE BOX 2566 • CLARKSBURG, WEST VIRGINIA 26301 • (304) 622-6183

DEPARTMENT OF MINES OIL AND GAS DIVISION Operator's Well No. 1 API Well No. 47 - 085 - 6920 State County Permit 47 - 085 WELL CLASSIFICATION FORM HIGH COST GAS WELL - DEVONIAN SHALE NGPA Section 107 Anvil Oil Co., Inc. by DESIGNATED AGENT Justin Henderson ADDRESS 253 Carr Ave. Clarksburg WV LOCATION Elevation 715 WELL OPERATOR Anvil Oil Co. Watershed South Fork Hughes River P.O. Box 2566 ADDRESS Dist. Murphy County Ritchie Quad. Burnt House 26301 Gas Purchase Clarksburg WV Contract No. GAS PURCHASER Columbia Meter Chart Code ADDRESS 1700 MacCorkle Ave., SE P.O. Box 1273, Charleston, WV, 25325-1273 Date of Contract Date surface drilling began: 7-26-84 Indicate the bottom hole pressure of the well and explain how this was calculated. BHP=Pw exGLS 1468# AFFIDAVIT , having been first sworn according to law, state that I have calculated the percentage of footage of the producing interval which is not Devonian Shale as indicated by a Gamma Ray index of less than 0.7 if a Gamma Ray log described in subparagraph (3)(i) or (3)(ii)(A) has been filed, or as indicated by the report described in subparagraph (3)(ii)(B); I have demonstrated that the percentage of potentially disqualifying non-shale footage is equal to or less than five (5) percent of the gross Devonian age interval; and I have no knowledge of any information not described in the application which is inconsistent with a conclusion that the well jualifies as a high-cost natural gas well. STATE OF WEST VIRGINIA COUNTY OF Narian, TO-WIT: , Mun M Kenderson, a Notary Public in and for the state and county , whose name is signed to foresaid, do certify that he writing above, bearing date the 28thday of August cknowledged the same before me, in my county aforesaid. iven under my hand and official seal this 28th day of Migust ly term of office expires on the 20th day of October NOTARIAL SEAL)

