



---

**west virginia** department of environmental protection

---

Office of Oil and Gas  
601 57th Street SE  
Charleston, WV 25304  
(304) 926-0450  
(304) 926-0452 fax

Earl Ray Tomblin, Governor  
Randy C. Huffman, Cabinet Secretary  
www.dep.wv.gov

October 21, 2015

**WELL WORK PERMIT**

**Horizontal 6A Well**

This permit, API Well Number: 47-8510255, issued to ANTERO RESOURCES CORPORATION, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: RIDDLE UNIT 4H

Farm Name: CAMPBELL, JOHN A.

**API Well Number: 47-8510255**

**Permit Type: Horizontal 6A Well**

Date Issued: 10/21/2015

**Promoting a healthy environment.**

**10/23/2015**

# PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

## CONDITIONS

---

1. Operator shall take additional measures with this permitted activity to avoid communication with offset wells. Such additional measures are described in the attached addendum. This addendum is part of the terms of the well work permit, and includes a description of depth and completed formations of offset wells. Also included is a description of monitoring activities that will take place during fracturing operations of the permitted well work.
2. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACOE). Through this permit, you are hereby being advised to consult with USACOE regarding this proposed activity.
3. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
4. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
5. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
6. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.

## PERMIT CONDITIONS

7. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
8. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
9. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.
10. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to [DEPOOGNotify@wv.gov](mailto:DEPOOGNotify@wv.gov).



***REVISED Addendum for Antero pads in Ritchie County, WV***

Riddle Unit 3H            John Campbell South Pad  
 Riddle Unit 4H            John Campbell South Pad

The following outlines the process to be undertaken by Antero Resources prior to and during completion process of wells in Ritchie County.

- Investigate all wells within 1320' of new wells - for all identified Marcellus vertical wells and any existing well(s) with an interval that is less than 1500 feet from the deepest formation drilled (including, but not specific to the Alexander formation) to the top of Marcellus:
  - Contact operator of all wells
  - Confirm well status, producing horizon, well completion/stimulation information
  - Discuss plans to stimulate the horizontal Marcellus wells and the plans for monitoring potential impact on shallow wells
  - Make sure all vertical wells (with an interval that is less than 1500 feet from the deepest formation drilled to the top of Marcellus) have adequate wellhead equipment, including pressure gauges
  - Provide shallow well operator with frac dates and develop plan for monitoring during stimulation
  - If well waters out during frac, shut it in until after stimulation, and install adequate well control equipment prior to swabbing in the impacted shallow well
- Control fracturing parameters during job to limit fracture height growth
  - Limit rate and limit pressures for each segment of fracturing stages

Received  
 Office of Oil & Gas  
 SEP 08 2015

10/23/2015

WW-6B  
(04/15)

API NO. 47-085 - \_\_\_\_\_  
OPERATOR WELL NO. Riddle Unit 4H  
Well Pad Name: John Campbell South

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS  
WELL WORK PERMIT APPLICATION

1) Well Operator: Antero Resources Corp. 494488557 085 - Ritchie Union Pullman 7.5'  
Operator ID County District Quadrangle

2) Operator's Well Number: Riddle Unit 4H Well Pad Name: John Campbell South

3) Farm Name/Surface Owner: Campbell, John A. Public Road Access: CR 9/7

4) Elevation, current ground: 1029' Elevation, proposed post-construction: 1029'

5) Well Type (a) Gas  Oil \_\_\_\_\_ Underground Storage \_\_\_\_\_  
Other \_\_\_\_\_

(b) If Gas Shallow  Deep \_\_\_\_\_  
Horizontal

6) Existing Pad: Yes or No No - Partially Built

7) Proposed Target Formation(s), Depth(s), Anticipated Thickness and Expected Pressure(s):  
Marcellus Shale: 6600' TVD, Anticipated Thickness 50 feet, Associated Pressure 3000#

8) Proposed Total Vertical Depth: 6600'

9) Formation at Total Vertical Depth: Marcellus Shale

10) Proposed Total Measured Depth: 17300'

11) Proposed Horizontal Leg Length: 10131'

12) Approximate Fresh Water Strata Depths: 50', 102', 161', 213'

13) Method to Determine Fresh Water Depths: Offset well records. Depths have been adjusted according to surface elevations.

14) Approximate Saltwater Depths: 1301'

15) Approximate Coal Seam Depths: None Identified

16) Approximate Depth to Possible Void (coal mine, karst, other): None Anticipated

17) Does Proposed well location contain coal seams directly overlying or adjacent to an active mine? Yes \_\_\_\_\_ No

(a) If Yes, provide Mine Info: Name: \_\_\_\_\_  
Depth: \_\_\_\_\_  
Seam: \_\_\_\_\_  
Owner: \_\_\_\_\_

RECEIVED  
Office of Oil and Gas  
Office of Oil and Gas  
SEP 15 2015  
*David [Signature]*  
9-15-15  
WV Department of Environmental Protection  
Environmental Protection

WW-6B  
(04/15)

API NO. 47-085 -  
OPERATOR WELL NO. Riddle Unit 4H  
Well Pad Name: John Campbell South

18)

**CASING AND TUBING PROGRAM**

<b>TYPE</b>	<u>Size (in)</u>	<u>New or Used</u>	<u>Grade</u>	<u>Weight per ft. (lb/ft)</u>	<u>FOOTAGE: For Drilling (ft)</u>	<u>INTERVALS: Left in Well (ft)</u>	<u>CEMENT: Fill-up (Cu. Ft.)/CTS</u>
Conductor	20"	New	H-40	94#	40'	40'	CTS, 38 Cu. Ft.
Fresh Water	13-3/8"	New	J-55/H-40	54.5#/48#	300'	300'	CTS, 417 Cu. Ft.
Coal	9-5/8"	New	J-55	36#	2410'	2410'	CTS, 981 Cu. Ft.
Intermediate							
Production	5-1/2"	New	P-110	20#	17300'	17300'	4377 Cu. Ft.
Tubing	2-3/8"	New	N-80	4.7#		7100'	
Liners							

<b>TYPE</b>	<u>Size (in)</u>	<u>Wellbore Diameter (in)</u>	<u>Wall Thickness (in)</u>	<u>Burst Pressure (psi)</u>	<u>Anticipated Max. Internal Pressure (psi)</u>	<u>Cement Type</u>	<u>Cement Yield (cu. ft./k)</u>
Conductor	20"	24"	0.438"	1530	50	Class A	1.18
Fresh Water	13-3/8"	17-1/2"	0.38"/0.33"	2730/1730	1000	Class A	1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	1500	Class A	1.18
Intermediate							
Production	5-1/2"	8-3/4" & 8-1/2"	0.361"	12630	2500	Lead-H/POZ & Tail - H	H/POZ-1.44 & H-1.8
Tubing	2-3/8"	4.778"	0.19"	11200			
Liners							

**PACKERS**

Kind:	N/A			
Sizes:	N/A			
Depths Set:	N/A			

RECEIVED  
Office of Oil and Gas

SEP 17 2015

*Dud*  
9-15-15

WV Department of  
Environmental Protection

WW-6B  
(10/14)

API NO. 47- 085 -  
OPERATOR WELL NO. Riddle Unit 4H  
Well Pad Name: John Campbell South

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill, perforate, fracture a new horizontal shallow well and complete Marcellus Shale.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Max Pressure - 9300 lbs  
Max Rate - 80 bpm

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 22.25 acres

22) Area to be disturbed for well pad only, less access road (acres): 4.15 acres

23) Describe centralizer placement for each casing string:

Conductor: no centralizers  
Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole to surface.  
Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface.  
Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

24) Describe all cement additives associated with each cement type:

Conductor: no additives, Class A cement.  
Surface: Class A cement with 2-3% calcium chloride and 1/4 lb of flake.  
Intermediate: Class A Cement with 1/4 lb of flake, 5 gallons of clay treat.  
Production: Lead cement - 50/50 Class H/Poz + 1/5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.5% C51.  
Production: Tail cement - Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.  
Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.  
Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.  
Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

\*Note: Attach additional sheets as needed.

SEP 17 2015

WV Department of  
Environmental Protection

Page 3 of 3

10/23/2015

WW-9  
(2/15)

API Number 47 - 085 - \_\_\_\_\_  
Operator's Well No. Riddle Unit 4H

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Antero Resources Corporation OP Code 494488557  
Watershed (HUC 10) South Fork Hughes River Quadrangle Pullman 7.5'

Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes  No   
Will a pit be used? Yes  No

If so, please describe anticipated pit waste: No pit will be used at this site (Drilling and Flowback Fluids will be stored in tanks. Cuttings will be tanked and hauled off site.)

Will a synthetic liner be used in the pit? Yes  No  If so, what ml.? N/A

Proposed Disposal Method For Treated Pit Wastes:

- Land Application
- Underground Injection ( UIC Permit Number \_\_\_\_\_ )
- Reuse (at API Number Future permitted well locations when applicable. API# will be provided on Form WR-34 )
- Off Site Disposal (Supply form WW-9 for disposal location)(Meadowfill Landfill Permit #SWF-1032-98)
- Other (Explain \_\_\_\_\_)

Will closed loop system be used? If so, describe: Yes

Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. Surface - Air/Freshwater, Intermediate - Dust/Stiff Foam, Production - Water Based Mud

-If oil based, what type? Synthetic, petroleum, etc. N/A

Additives to be used in drilling medium? Please See Attachment

Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Stored in tanks, removed offsite and taken to landfill.

-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A

-Landfill or offsite name/permit number? Meadowfill Landfill (Permit #SWF-1032-98)

Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.


I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature *Cole Kilstrom*  
Company Official (Typed Name) Cole Kilstrom  
Company Official Title Environmental & Regulatory Manager

Subscribed and sworn before me this 27 day of August, 2015  
*[Signature]* Notary Public

My commission expires July 21, 2018





Form WW-9

Operator's Well No. Riddle Unit 4H

**Antero Resources Corporation**

Proposed Revegetation Treatment: Acres Disturbed 22.25 acres Prevegetation pH 6.0

Lime 2 - 3 Tons/acre or to correct to pH 6.5

Fertilizer type Hay or straw or Wood Fiber (will be used where needed)

Fertilizer amount 500 lbs/acre

Mulch 2 - 3 Tons/acre

Exist. Access Road\* (1.89) + Main Access Road (5.11) + Frac Pit Access Road\* (1.26) + Drill Pad (4.15) + Frac Pit\* (3.39) + Water Tank Pad (2.57) + Waste & Spoil Pads (3.88) = 22.25 Acres

**Seed Mixtures**

\* Frac Pit & Frac Pit Access Road are not being constructed and have been removed as part of the modified design. However, some grading has been completed within the LOD for these original construction items. These areas will require reclamation and therefore remain as part of the LOD.

Temporary		Permanent	
Seed Type	lbs/acre	Seed Type	lbs/acre
Tall Fescue	45	Tall Fescue	45
Perennial Rye Grass	20	Perennial Rye Grass	20

\*or type of grass seed requested by surface owner

\*or type of grass seed requested by surface owner

**Attach:**

Drawing(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided)

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by: [Signature]

Comments: preserve a mulch all cut area no less than 2<sup>nd</sup> acres maintain all C&S during operations

Title: air gas inspector Date: 9-15-15

Field Reviewed?  Yes  No

RECEIVED  
Office of Oil and Gas

SEP 17 2015

WV Department of  
Environmental Protection

10/23/2015

***Form WW-9 Additives Attachment*****SURFACE INTERVAL**

1. Fresh Water
2. Soap –Foamer AC
3. Air

**INTERMEDIATE INTERVAL*****STIFF FOAM RECIPE:***

- 1) 1 ppb Soda Ash / Sodium Carbonate-Alkalinity Control Agent
- 2) 1 ppb Conqor 404 ( 11.76 ppg) / Corrosion Inhibitor
- 3) 4 ppb KLA-Gard ( 9.17 ppg) / Amine Acid Complex-Shale Stabilizer
- 4) 1ppb Mil Pac R / Sodium Carboxymethylcellulose-Filtration Control Agent
- 5) 12 ppb KCL / Potassium Chloride-inorganic Salt
- 6) Fresh Water 80 bbls
- 7) Air

**PRODUCTION INTERVAL**


1. Alpha 1655  
Salt Inhibitor
2. Mil-Carb  
Calcium Carbonate
3. Cottonseed Hulls  
Cellulose-Cottonseed Pellets – LCM
4. Mil-Seal  
Vegetable, Cotton & Cellulose-Based Fiber Blend – LCM
5. Clay-Trol  
Amine Acid Complex – Shale Stabilizer
6. Xan-Plex  
Viscosifier For Water Based Muds
7. Mil-Pac (All Grades)  
Sodium Carboxymethylcellulose – Filtration Control Agent
8. New Drill  
Anionic Polyacrylamide Copolymer Emulsion – Shale Stabilizer
9. Caustic Soda  
Sodium Hydroxide – Alkalinity Control
10. Mil-Lime  
Calcium Hydroxide – Lime
11. LD-9  
Polyether Polyol – Drilling Fluid Defoamer
12. Mil Mica  
Hydro-Biotite Mica – LCM

**Received**  
**Office of Oil & Gas**  
**SEP 08 2015**

13. Escaid 110  
Drilling Fluid Solvent – Aliphatic Hydrocarbon
14. Ligco  
Highly Oxidized Leonardite – Filtration Control Agent
15. Super Sweep  
Polypropylene – Hole Cleaning Agent
16. Sulfatrol K  
Drilling Fluid Additive – Sulfonated Asphalt Residuum
17. Sodium Chloride, Anhydrous  
Inorganic Salt
18. D-D  
Drilling Detergent – Surfactant
19. Terra-Rate  
Organic Surfactant Blend
20. W.O. Defoam  
Alcohol-Based Defoamer
21. Perma-Lose HT  
Fluid Loss Reducer For Water-Based Muds
22. Xan-Plex D  
Polysaccharide Polymer – Drilling Fluid Viscosifier
23. Walnut Shells  
Ground Cellulosic Material – Ground Walnut Shells – LCM
24. Mil-Graphite  
Natural Graphite – LCM
25. Mil Bar  
Barite – Weighting Agent
26. X-Cide 102  
Biocide
27. Soda Ash  
Sodium Carbonate – Alkalinity Control Agent
28. Clay Trol  
Amine Acid complex – Shale Stabilizer
29. Sulfatrol  
Sulfonated Asphalt – Shale Control Additive
30. Xanvis  
Viscosifier For Water-Based Muds
31. Milstarch  
Starch – Fluid Loss Reducer For Water Based Muds
32. Mil-Lube  
Drilling Fluid Lubricant

Received  
Office of Oil & Gas  
SEP 08 2015

4708510255




PETRA 6/26/2012 2:25:10 PM

### Antero Resources Corporation

APPALACHIAN BASIN

Riddle Unit 4H  
Ritchie County



REMARKS

QUADRANGLE: PULLMAN 7.5'  
WATERSHED: SOUTH FORK HUGHES RIVER  
DISTRICT: UNION

10/23/2015

Date: 7/24/2012

Received  
Office of Oil & Gas  
SEP 08 2015



**911 Address**  
**1940 Samuel Grimm Rd.**  
**Pullman, WV 26421**

## Well Site Safety Plan

### Antero Resources

**Well Name:** Riddle Unit 1H, Riddle Unit 2H, Riddle Unit 3H,  
 Riddle Unit 4H, Riddle Unit 5H, Logan Unit 1H,  
 Logan Unit 2H, Logan Unit 3H, Logan Unit 4H,  
 Logan Unit 5H

**Pad Location:** JOHN CAMPBELL SOUTH PAD  
 Ritchie County/Union District

**GPS Coordinates:** Lat 39°10'29.70"/Long -80°55'59.82" (NAD83)

#### Driving Directions:

*Done  
9-15-15*

**FROM EAST.** From the intersection of I-79 and Hwy 50 near Bridgeport WV, head west on Hwy 50 for ~39.3 miles. Turn LEFT onto W Virginia 74 S, and follow for ~7.4 miles. Turn RIGHT onto Co Rd 9 (Main St) and continue for ~0.1 miles. Turn LEFT onto Co Rd 7/9 (Slab Creek Road) and continue for ~0.7 miles. Then take the 1<sup>st</sup> RIGHT onto Co Rd 7/9 (Right Fork Slab Creek), follow for ~0.9 miles. Look for rig signs and location on the left. Drill site is right off the road.

**FROM WEST.** From the intersection of I-77 and Hwy 50 near Parkersburg WV, head east on Hwy 50 for ~ 31.9 miles. Turn RIGHT onto W Virginia 74 S, and follow for ~7.4 miles. Turn LEFT onto Co Rd 9 (Main St) and continue for ~4.3 miles. Turn RIGHT onto Possum Run Rd and follow that for ~0.7 miles. Stay slight right for ~0.1 miles. Look for rig signs and location on the left. Drill site is right off the road.

**EMERGENCY (24 HOUR) CONTACT 1-800-878-1373**

Office of Oil and Gas

SEP 17 2015

**STATE OF WEST VIRGINIA**  
 DEPARTMENT OF ENERGY  
 DIVISION OF OIL AND GAS  
 WELLS PERMIT # **AP1 WELL # 47 - 085 - 10255**  
 WASTE DISPOSAL (IF "GAS") PRODUCTION X STORAGE DEEP SHALLOW X  
 LOCATION: ELEVATION 1,029 ORIGINAL - 1,029 PROPOSED WATERED SOUTH FORK HUGHES RIVER  
 QUADRANGLE FULLMAN T.S.  
 SURFACE OWNER JOHN A. CAMPBELL  
 DISTRICT UNION COUNTY RITCHEE  
 ACREAGE 43.2 ACRES +/-  
 OIL & GAS ROYALTY OWNER ORTHA D. COX ET AL; HARRIET M. JARVIS ET AL; ZIMRY FLANAGHAN ET UX  
 LEASE ACREAGE 43.2 AC. +/-; 112 AC. +/-; 100 AC. +/-; 79.2 AC. +/-; 2135 AC. +/-; 850 AC. +/-  
 PROPOSED WORK: DRILL X CONVERT X DRILL DEEPER REDRILL X OTHER PHYSICAL CHANGE IN WELL  
 PLUG & ABANDON X CLEAN OUT & REPLUG  
 ESTIMATED DEPTH 6,600' TVD 17,300' MD  
 DESIGNATED AGENT CT CORPORATION SYSTEM-DIANNA STAMPER  
 ADDRESS 1615 WYNNCOOP STREET  
 DENVER, CO 80202  
 FORM W-6








I, THE UNDERSIGNED, HEREBY CERTIFY THAT THIS PLAN IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND SHOWS ALL THE INFORMATION REQUIRED BY LAW AND THE REGULATIONS ISSUED AND PRESCRIBED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION.

LEGEND  
 --- Surface Owner Boundary Lines +/-  
 --- Interior Surface Tracts +/-  
 --- Existing Fence  
 ⊕ Found monument, as noted

THOMAS SUMMERS P.S. 2109  
 DATE 08/19/15  
 OPERATOR'S WELL # RIDDLE UNIT #4H

JOB # 12-046WA  
 DRAWING # RIDDLE#4H  
 SCALE 1" = 100'  
 MINIMUM DEGREE OF ACCURACY SUBMETER  
 PROVEN SOURCE OF ELEV. SUBMETER MAPPING GRADE GPS



NOTES:  
 WELL 4H TOP HOLE INFORMATION:  
 N: 248.9824' E: 1,593.5984'  
 LAT: 39°10' 28.92" LON: 80°56' 00.77"  
 BOTTOM HOLE INFORMATION:  
 N: 239.3074' E: 1,596.7554'  
 LAT: 39°08' 53.80" LON: 80°55' 18.74"  
 WEST VIRGINIA COORDINATE SYSTEM OF 1927 NORTH ZONE. ZONE WAS DERIVED FROM MEASUREMENTS TAKEN WITH TRIMBLE GEOXT SUBMETER MAPPING GRADE GPS UNIT. PLAT ORIENTATION, CORNER, AND WELL REFERENCE TIE LINES ARE BASED ON GRID NORTH.

(NAD) 83 (UTM) ZONE 17 COORDS:  
 WELL 4H TOP HOLE INFORMATION:  
 N: 4,336.175m E: 505.755m  
 BOTTOM HOLE INFORMATION:  
 N: 4,333.243m E: 506.766m

PERMIT COUNTY NAME  
 LONGITUDE 80°55'00"  
 LONGITUDE 80°55'00"  
 1,477' TO BOTTOM HOLE  
 4,786'  
 LATITUDE 39°10'00"  
 12,250'  
 6,698' TO BOTTOM HOLE  
 1.477' TO BOTTOM HOLE

10/23/2015

WW-6A1

Operator's Well Number Riddle Unit 4H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE  
Chapter 22, Article 6A, Section 5(a)(5)  
IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
<b><u>Patty W. Cox Lease</u></b>			
Patty W. Cox, et al	Antero Resources Appalachian Corporation	1/8+	0256/0107
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
<b><u>Russell Wilson, et al Lease</u></b>			
Russell Wilson, et al	Alton Skinner	1/8	0137/0698
Alton Skinner	Crystal G. Skinner & Desari S. Garrett	Assignment	0245/0010
Crystal G. Skinner & Desari S. Garrett	DC Petroleum, Inc.	Assignment	0247/0245
DC Petroleum, Inc.	Antero Resources Appalachian Corporation	*Partial Assignment of Oil & Gas Leases	0254/0133
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
<b><u>Ruth Villers, et al Lease</u></b>			
Ruth Villers	Key Oil Company	1/8	0228/0119
Key Oil Company	Antero Resources Appalachian Corporation	*Partial Assignment of Oil & Gas Leases	0253/0747
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
<b><u>Otha D. Cox, et al Lease</u></b>			
Otha D. Cox, et al	H.G. Hardbarger	1/8	0096/0165
H.G. Hardbarger	James I. Shearer	Assignment	0100/0019
James I. Shearer	Mid-America Supply Company	Assignment	0100/0140
Mid-America Supply Company	James Drilling Corporation	Certificate of Merger	0100/0141
James Drilling Corporation	Key Oil Company	Assignment	0223/0129
Key Oil Company	Antero Resources Appalachian Corporation	*Partial Assignment of Oil & Gas Leases	0253/0747
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
<b><u>Harriet M. Jarvis, et al Lease</u></b>			
Harriet M. Jarvis, et al	Delaware Gas Company	1/8	0086/0057
Delaware Gas Company	Consolidated Gas Supply Corporation	Assignment	DB 0162/0124
Consolidated Gas Supply Corporation	Consolidated Gas Transmission Corporation	Assignment	0169/0756
Consolidated Gas Transmission Corporation	CNG Transmission Corporation	Certificate of Authority	Harrison Co. AOI 0051/0795
CNG Transmission Corporation	Dominion Transmission, Inc.	Certificate of Authority	Harrison Co. AOI 0058/0362
Dominion Transmission, Inc.	CONSOL Energy Holdings, LLC XVI	Assignment	0251/0648
CONSOL Energy Holdings, LLC XVI	CNX Gas Company, LLC	Affidavit of Name Changes & Mergers	0253/0841
CNX Gas Company, LLC	Antero Resources Corporation	Partial Term Assignment	0284/0168

\*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

10/23/2015  
\*\*CONTINUED ON NEXT PAGE\*\*

WW-6A1  
(5/13)

Operator's Well No. Riddle Unit 4H

**INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE  
Chapter 22, Article 6A, Section 5(a)(5)  
IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)**

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
<u>Zimry Flanagan, et ux Lease</u>				
Zimry Flanagan, et ux	The Carter Oil Company	The Carter Oil Company	1/8	0010/0457
The Carter Oil Company	Hope Construction & Refining Company	Hope Construction & Refining Company	Assignment	0052/0194
Hope Construction & Refining Company	Hope Natural Gas Company	Hope Natural Gas Company	Merger	Exhibit 2
Hope Natural Gas Company	Consolidated Gas Supply Corporation	Consolidated Gas Supply Corporation	Assignment	DB 0151/0436
Consolidated Gas Supply Corporation	Consolidated Gas Transmission Corporation	Consolidated Gas Transmission Corporation	Assignment	0169/0756
Consolidated Gas Transmission Corporation	CNG Transmission Corporation	CNG Transmission Corporation	Certificate of Authority	Harrison Co. AOI 0051/0795
CNG Transmission Corporation	Dominion Transmission, Inc.	Dominion Transmission, Inc.	Certificate of Authority	Harrison Co. AOI 0058/0362
Dominion Transmission, Inc.	CONSOL Energy Holdings, LLC XVI	CONSOL Energy Holdings, LLC XVI	Assignment	0251/0648
CONSOL Energy Holdings, LLC XVI	CNX Gas Company, LLC	CNX Gas Company, LLC	Affidavit of Name	AFF LB 0253/0841
CNX Gas Company, LLC	Antero Resources Corporation	Antero Resources Corporation	Changes & Mergers	
			Partial Term	0284/0168
			Assignment	

\*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

**Acknowledgement of Possible Permitting/Approval  
In Addition to the Office of Oil and Gas**

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: Antero Resources Corporation Received  
 By: Ward McNeilly Office of Oil & Gas  
 Its: VP of Reserves, Planning & Midstream SEP 08 2015



**FORM WW-6A1  
EXHIBIT 1**

**FILED**

JUN 10 2013

Natalie E. Tennant  
Secretary of State  
1900 Kanawha Blvd E  
Bldg 1, Suite 157-K  
Charleston, WV 25305



Penney Barker, Manager  
Corporations Division  
Tel: (304)558-8000  
Fax: (304)558-8381  
Website: [www.wvsgos.com](http://www.wvsgos.com)  
E-mail: [business@wvsgos.com](mailto:business@wvsgos.com)

**APPLICATION FOR  
AMENDED CERTIFICATE  
OF AUTHORITY**

Office Hours: Monday – Friday  
8:30 a.m. – 5:00 p.m. ET

**FILE ONE ORIGINAL**  
(Two if you want a filed  
stamped copy returned to you)  
**FEE: \$25.00**

\*\*\*\* In accordance with the provisions of the West Virginia Code, the undersigned corporation hereby \*\*\*\*  
applies for an Amended Certificate of Authority and submits the following statement:

1. Name under which the corporation was authorized to transact business in WV: Antero Resources Appalachian Corporation
2. Date Certificate of Authority was issued in West Virginia: 6/25/2008
3. Corporate name has been changed to: Antero Resources Corporation  
(Attach one Certified Copy of Name Change as filed in home State of Incorporation.)
4. Name the corporation elects to use in WV: Antero Resources Corporation  
(due to home state name not being available)
5. Other amendments:  
(attach additional pages if necessary)
6. Name and phone number of contact person. (This is optional, however, if there is a problem with the filing, listing a contact person and phone number may avoid having to return or reject the document.)  
Alwyn A. Schopp (303) 357-7310  
Contact Name Phone Number
7. Signature Information (See below \*Important Legal Notice Regarding Signature\*):  
Print Name of Signer: Alwyn A. Schopp Title/Capacity: Authorized Person  
Signature: [Handwritten Signature] Date: June 10, 2013

**\*Important Legal Notice Regarding Signature:** Per West Virginia Code §31D-1-129. Penalty for signing false document. Any person who signs a document he or she knows is false in any material respect and knows that the document is to be delivered to the secretary of state for filing is guilty of a misdemeanor and, upon conviction thereof, shall be fined not more than one thousand dollars or confined in the county or regional jail not more than one year, or both.

Form CP-4

Issued by the Office of the Secretary of State

Received  
Office of Oil & Gas

SEP 08 2015

AGREEMENT OF CONSOLIDATION OR MERGER, made and executed in duplicate the 30th day of July, A. D. 1943, by and between HOPE NATURAL GAS COMPANY, by its officers and directors, namely: L. L. Tonkin, J. C. Chisler, Denton Berger, H. R. Livingston and C. C. Reed, party of the first part, and HOPE CONSTRUCTION & REFINING COMPANY, by its officers and directors, namely: L. L. Tonkin, J. C. Chisler, Denton Berger, H. R. Livingston and C. C. Reed, party of the second part:

WHEREAS, the said Hope Natural Gas Company was incorporated under the laws of the State of West Virginia, as will appear by the Certificate of Incorporation issued by Wm. M. O. Dawson, Secretary of State of the State of West Virginia, dated the 17th day of September, 1893, for the purpose of producing, purchasing and acquiring natural gas and of piping and transporting the same, and of selling and supplying said gas to any other person or company, and for such other purposes, together with the rights, powers and privileges specified in said Certificate, which said corporation now has an authorized capital stock of Thirty-five Million (\$35,000,000.00) Dollars divided into three hundred fifty thousand (350,000) shares of the par value of One Hundred (\$100.00) Dollars each, of which capital stock there has been issued and is now outstanding two hundred seventy-nine thousand six hundred ninety-three (279,693) shares, and

WHEREAS, the said Hope Construction & Refining Company was incorporated under the laws of the State of Delaware, as will appear by the Certificate of Incorporation issued by Everett C. Johnson, Secretary of State of the State of Delaware, dated the 11th day of September, 1918, for the purposes, among others, of producing oil and gas and the recovery and refining of gasoline,

Received  
Office of Oil & Gas

SEP 08 20

10/23/2015



Antero Resources  
1615 Wynkoop Street  
Denver, CO 80202  
Office 303.357.7310  
Fax 303.357.7315

August 28, 2015

West Virginia Department of Environmental Protection  
Chief, Office of Oil and Gas  
Attn: Mr. James Martin  
601 57<sup>th</sup> Street SE  
Charleston, WV 25304

RE: Riddle Unit 4H  
Quadrangle: Pullman 7.5'  
Ritchie County/Union District, West Virginia

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following application for a new well work permit for the Riddle Unit 4H horizontal shallow well. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Riddle Unit 4H horizontal lateral will drill through including any and all roads crossed under as identified on the attached survey plat.

Sincerely,

A handwritten signature in blue ink that reads "Hwest".

Haley West  
Landman

Received  
Office of Oil & Gas  
SEP 08 2015

10/23/2015

**STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS  
NOTICE CERTIFICATION**

Date of Notice Certification: 08/27/2015

API No. 47- 085 -  
Operator's Well No. Riddle Unit 4H  
Well Pad Name: John Campbell South Pad

**Notice has been given:**

Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the required parties with the Notice Forms listed below for the tract of land as follows:

State: <u>West Virginia</u>	UTM NAD 83	Easting: <u>505755m</u>
County: <u>Ritchie</u>		Northing: <u>4336175m</u>
District: <u>Union</u>	Public Road Access: <u>CR 9/7</u>	
Quadrangle: <u>Pullman 7.5'</u>	Generally used farm name: <u>Campbell, John A.</u>	
Watershed: <u>South Fork Hughes River</u>		

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of this article have been completed by the applicant.

<p>Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification that the Operator has properly served the required parties with the following:</p> <p>*PLEASE CHECK ALL THAT APPLY</p> <p><input type="checkbox"/> 1. NOTICE OF SEISMIC ACTIVITY or <input checked="" type="checkbox"/> NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED</p> <p><input type="checkbox"/> 2. NOTICE OF ENTRY FOR PLAT SURVEY or <input checked="" type="checkbox"/> NO PLAT SURVEY WAS CONDUCTED</p> <p><input checked="" type="checkbox"/> 3. NOTICE OF INTENT TO DRILL or <input type="checkbox"/> NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED or</p> <p><input type="checkbox"/> WRITTEN WAIVER BY SURFACE OWNER (PLEASE ATTACH)</p> <p><input checked="" type="checkbox"/> 4. NOTICE OF PLANNED OPERATION</p> <p><input checked="" type="checkbox"/> 5. PUBLIC NOTICE</p> <p><input checked="" type="checkbox"/> 6. NOTICE OF APPLICATION</p>	<p><b>OOG OFFICE USE ONLY</b></p> <p><input checked="" type="checkbox"/> RECEIVED/ NOT REQUIRED</p> <p><input checked="" type="checkbox"/> RECEIVED</p> <p><input checked="" type="checkbox"/> RECEIVED/ NOT REQUIRED</p> <p><input checked="" type="checkbox"/> RECEIVED</p> <p><input checked="" type="checkbox"/> RECEIVED</p> <p><input checked="" type="checkbox"/> RECEIVED</p>
---	---

**Required Attachments:**


The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

**Certification of Notice is hereby given:**

THEREFORE, I Ward McNeilly, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: Antero Resources Corporation  
By: Ward McNeilly  
Its: VP, Reserves Planning & Midstream  
Telephone: (303) 357-7310

Address: 1615 Wynkoop Street  
Denver, CO 80202  
Facsimile: 303-357-7315  
Email: asteele@anteroresources.com



Subscribed and sworn before me this 27 day of August 2015.  
[Signature] Notary Public  
My Commission Expires July 21, 2018

**Oil and Gas Privacy Notice:**

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at [depprivacyofficer@wv.gov](mailto:depprivacyofficer@wv.gov).

Received  
Office of Oil & Gas  
SEP 08 2015  
10/23/2015

WW-6A  
(9-13)

API NO. 47- 085 -  
OPERATOR WELL NO. Riddle Unit 4H  
Well Pad Name: John Campbell South Pad

**STATE OF WEST VIRGINIA**  
**DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS**  
**NOTICE OF APPLICATION**

**Notice Time Requirement:** notice shall be provided no later than the **filing date of permit application.**

**Date of Notice:** 8/28/2015 **Date Permit Application Filed:** 8/28/2015

**Notice of:**

- PERMIT FOR ANY WELL WORK
- CERTIFICATE OF APPROVAL FOR THE CONSTRUCTION OF AN IMPOUNDMENT OR PIT

**Delivery method pursuant to West Virginia Code § 22-6A-10(b)**

- PERSONAL SERVICE
- REGISTERED MAIL
- METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Application Notice  WSSP Notice  E&S Plan Notice  Well Plat Notice is hereby provided to:

SURFACE OWNER(s)  
 Name: John A. and Linda J. Campbell  
 Address: 505 Oxford Road  
Pullman, WV 26421

Name: \_\_\_\_\_  
 Address: \_\_\_\_\_

SURFACE OWNER(s) (Road and/or Other Disturbance)

Name: \_\_\_\_\_  
 Address: \_\_\_\_\_

Name: \_\_\_\_\_  
 Address: \_\_\_\_\_

SURFACE OWNER(s) (Impoundments or Pits)

Name: \_\_\_\_\_  
 Address: \_\_\_\_\_

COAL OWNER OR LESSEE  
 Name: NO DECLARATIONS ON RECORD WITH COUNTY  
 Address: \_\_\_\_\_

COAL OPERATOR  
 Name: \_\_\_\_\_  
 Address: \_\_\_\_\_

WATER PURVEYOR(s)/OWNER(s) OF WATER WELL, SPRING OR OTHER WATER SUPPLY SOURCE  
 Name: NONE IDENTIFIED WITHIN 1500'  
 Address: \_\_\_\_\_

\*NOTE: 1 water well was identified but is located greater than 1500' from subject pad location

OPERATOR OF ANY NATURAL GAS STORAGE FIELD  
 Name: \_\_\_\_\_  
 Address: \_\_\_\_\_

\*Please attach additional forms if necessary  
 Received  
 Office of Oil & Gas  
 SEP 08 2015  
 10/23/2015

WW-6A  
(8-13)

API NO. 47-085 -  
OPERATOR WELL NO. Riddle Unit 4H  
Well Pad Name: John Campbell South Pad

**Notice is hereby given:**

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

**This Notice Shall Include:**

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting [www.dep.wv.gov/oil-and-gas/pages/default.aspx](http://www.dep.wv.gov/oil-and-gas/pages/default.aspx).

**Well Location Restrictions**

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

Received  
Office of Oil & Gas  
SEP 08 2015  
10/23/2015

WW-6A  
(8-13)

API NO. 47-085 -  
OPERATOR WELL NO. Riddle Unit 4H  
Well Pad Name: John Campbell South Pad

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

**Water Well Testing:**

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

**Water Testing Laboratories:**

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

**Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:**

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

**Written Comment:**

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas  
Department of Environmental Protection  
601 57<sup>th</sup> St. SE  
Charleston, WV 25304  
(304) 926-0450

Received  
Office of Oil & Gas  
SEP 08 2015

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. **NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.**

10/23/2015



**Time Limits and Methods for Filing Comments.**

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

**Comment Requirements**

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site <http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

**Permit Denial or Condition**

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Received  
Office of Oil & Gas  
SEP 08 2015

10/23/2015


4708510255

WW-6A  
(8-13)

API NO. 47-085 -  
OPERATOR WELL NO. Riddle Unit 4H  
Well Pad Name: John Campbell South Pad

**Notice is hereby given by:**

Well Operator: Antero Resources Corporation  
Telephone: (303) 357-7310  
Email: asteele@anteroresources.com



Address: 1615 Wynkoop Street  
Denver, CO 80202  
Facsimile: 303-357-7315

**Oil and Gas Privacy Notice:**

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at [deprivacyofficer@wv.gov](mailto:deprivacyofficer@wv.gov).



Subscribed and sworn before me this 28 day of August 2015

Kara Quackenbush Notary Public

My Commission Expires July 21, 2018

Received  
Office of Oil & Gas  
SEP 08 2015

10/23/2015

**STATE OF WEST VIRGINIA**  
**DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS**  
**NOTICE OF INTENT TO DRILL**

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

**Notice Time Requirement:** Notice shall be provided at least **TEN (10)** days prior to filing a permit application.

**Date of Notice:** 01/06/2015      **Date Permit Application Filed:** 08/28/2015

**Delivery method pursuant to West Virginia Code § 22-6A-16(b)**

HAND DELIVERY       CERTIFIED MAIL  
RETURN RECEIPT REQUESTED

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: *Provided*, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: *Provided, however*, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

**Notice is hereby provided to the SURFACE OWNER(s):**

Name: John A. Campbell & Linda J. Campbell  
Address: 505 Oxford Road  
Pullman, WV 26421

Name: \_\_\_\_\_  
Address: \_\_\_\_\_

**Notice is hereby given:**

Pursuant to West Virginia Code § 22-6A-16(b), notice is hereby given that the undersigned well operator has an intent to enter upon the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State: <u>West Virginia</u>	UTM NAD 83	Easting: <u>505755m</u>
County: <u>Ritchie</u>		Northing: <u>4336175m</u>
District: <u>Union</u>	Public Road Access: <u>CR 9/7</u>	
Quadrangle: <u>Pullman 7.5'</u>	Generally used farm name: <u>Campbell, John A.</u>	
Watershed: <u>South Fork Hughes River</u>		

**This Notice Shall Include:**

Pursuant to West Virginia Code § 22-6A-16(b), this notice shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting [www.dep.wv.gov/oil-and-gas/pages/default.aspx](http://www.dep.wv.gov/oil-and-gas/pages/default.aspx).

**Notice is hereby given by:**

Well Operator: Antero Resources Appalachian Corporation  
Address: 1615 Wynkoop St.  
Denver, CO 80202  
Telephone: 303-357-7323  
Email: asteele@anteroresources.com  
Facsimile: 303-357-7315

Authorized Representative: Ashlie Steele  
Address: 1615 Wynkoop St.  
Denver, CO 80202  
Telephone: 303-357-7323  
Email: asteele@anteroresources.com  
Facsimile: 303-357-7315

**Oil and Gas Privacy Notice:**

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business, or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at [depprivacyofficer@wv.gov](mailto:depprivacyofficer@wv.gov).

Received  
Office of Oil & Gas  
SEP 08 2015

WW-6A5  
(1/12)

**STATE OF WEST VIRGINIA**  
**DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS**  
**NOTICE OF PLANNED OPERATION**

**Notice Time Requirement:** notice shall be provided no later than the filing date of permit application.

**Date of Notice:** 08/28/2015      **Date Permit Application Filed:** 08/28/2015

**Delivery method pursuant to West Virginia Code § 22-6A-16(c)**

CERTIFIED MAIL                                       HAND  
RETURN RECEIPT REQUESTED                                      DELIVERY

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

**Notice is hereby provided to the SURFACE OWNER(s)**

(at the address listed in the records of the sheriff at the time of notice):

Name: John A. and Linda J. Campbell                                      Name: \_\_\_\_\_  
Address: 505 Oxford Road    Address: \_\_\_\_\_  
Pullman, WV 26421    \_\_\_\_\_

**Notice is hereby given:**

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State: West Virginia                                      UTM NAD 83    Easting: 505755m  
County: Ritchie    Northing: 4336175m  
District: Union    Public Road Access: CR 9/7  
Quadrangle: Pullman 7.5'    Generally used farm name: Campbell, John A.  
Watershed: South Fork Hughes River

**This Notice Shall Include:**

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1)A copy of this code section; (2) The information required to be provided by **W. Va. Code § 22-6A-10(b)** to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting [www.dep.wv.gov/oil-and-gas/pages/default.aspx](http://www.dep.wv.gov/oil-and-gas/pages/default.aspx).

Well Operator: Antero Resources Corporation                                      Address: 1615 Wynkoop Street  
Telephone: (303) 357-7310    Denver, CO 80202  
Email: asteelle@anteroresources.com    Facsimile: 303-357-7315

**Oil and Gas Privacy Notice:**

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at [depprivacyofficer@wv.gov](mailto:depprivacyofficer@wv.gov).

Received  
Office of Oil & Gas  
SEP 08 2015



## WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

**Division of Highways**1900 Kanawha Boulevard East • Building Five • Room 110  
Charleston, West Virginia 25305-0430 • (304) 558-3505Earl Ray Tomblin  
GovernorPaul A. Mattox, Jr., P. E.  
Secretary of Transportation/  
Commissioner of Highways

August 25, 2015

James A. Martin, Chief  
Office of Oil and Gas  
Department of Environmental Protection  
601 57<sup>th</sup> Street, SE  
Charleston, WV 25304Subject: DOH Permit for the John Campbell South Pad, Ritchie County  
Riddle Unit 4H Well site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #03-2013-0012 which has been issued to Antero Resources Corporation for access to the State Road for a well site located off of Ritchie County route 9/7 SLS.

The operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

Handwritten signature of Gary K. Clayton in blue ink.

Gary K. Clayton, P.E.  
Regional Maintenance Engineer  
Central Office O&G CoordinatorCc: Ashlie Steele  
Antero Resources Corporation  
CH, OM, D-3  
FileReceived  
Office of Oil & Gas  
SEP 08 2015

10/23/2015

**List of Anticipated Additives Used for Fracturing or  
Stimulating Well**

<b>Additives</b>	<b>Chemical Abstract Service Number (CAS #)</b>
Fresh Water	7732-18-5
2 Phosphobutane 1,2,4 tricarboxylic acid	37971-36-1
Ammonium Persulfate	7727-54-0
Anionic copolymer	proprietary
Anionic polymer	proprietary
BTEX Free Hydrotreated Heavy Naphtha	64742-48-9
Cellulase enzyme	(Proprietary)
Demulsifier Base	(Proprietary)
Ethoxylated alcohol blend	Mixture
Ethoxylated Nonylphenol	68412-54-4
Ethoxylated oleylamine	26635-93-8
Ethylene Glycol	107-21-1
Glycol Ethers	111-76-2
guar gum	9000-30-0
Hydrogen Chloride	7647-01-0
Hydrotreated light distillates, non-aromatic, BTEX free	64742-47-8
Isopropyl alcohol	67-63-0
liquid, 2,2-dibromo-3-nitripropionamide	10222-01-2
Microparticle	proprietary
Petroleum Distillates (BTEX Below Detect)	64742-47-8
Polyacrylamide	57-55-6
Propargyl Alcohol	107-19-7
Propylene Glycol	57-55-6
Quartz	14808-60-7
Sillica, crystalline quartz	7631-86-9
Sodium Chloride	7647-14-5
Sodium Hydroxide	1310-73-2
Sugar	57-50-1
Surfactant	68439-51-0
Suspending agent (solid)	14808-60-7
Tar bases, quinoline derivs, benzyl chloride-quaternized	72480-70-7

Received  
Office of Oil & Gas  
SEP 08 2015



10/23/2015

**APPROVED WVDEP OOG**

API# 8510254  
API# 8510255

9/28/2015


# JOHN CAMPBELL SOUTH DRILL PAD MODIFIED FINAL SITE DESIGN, CONSTRUCTION PLANS, & EROSION & SEDIMENT CONTROL PLANS ANTERO RESOURCES CORPORATION



- REMAINING WORK TO BE COMPLETED (1/22/2015)
- REFRESH REPAIR AND ADD E & S DEVICES AS NEEDED. CONSTRUCT TANK STABILIZED CONSTRUCTION ENTRANCES AS SHOWN ON THIS SHEET. ADD AGGREGATE TO EXISTING ACCESS ROAD AS NEEDED. (STATION 0+00 TO STATION 11+00)
  - FINE GRADE ACCESS ROAD FROM APPROXIMATE STATION 11+00 TO 3+00. INSTALL DRAINAGE CONDUITS PER DESIGN. INSTALL GEOTEXTILE FABRIC BASE AGGREGATE AND WEARING AGGREGATE PER DESIGN.
  - FINE GRADE DRILL PAD TO DESIGN SUBGRADE. INSTALL SUMP & PIPING. INSTALL GEOTEXTILE FABRIC BASE AGGREGATE AND WEARING AGGREGATE PER DESIGN.
  - INSTALL PAD PERIMETER BERMS AND MOUNTABLE BERM AT PAD ACCESS ROAD ENTRANCE FOR DESIGN.
  - PERFORM EARTHWORK EXCAVATION TO CONSTRUCT TANK PAD TO SUBGRADE. INSTALL GEOTEXTILE FABRIC BASE AGGREGATE AND WEARING AGGREGATE TO DESIGN FINISH GRADE.
  - PERFORM GRADING REQUIRED TO INSTALL DIVERSION DITCHES AND ROAD SIDE DITCHES. INSTALL CATCH LINGS MATERIALS AND CHECK DAMS PER DESIGN.
  - INSTALL RIPRAP INLET OUTLET PROTECTION AND LEVEL SPREADERS PER DESIGN.
  - INSTALL TEMPORARY AND OR PERMANENT SEEDING AS REQUIRED BY WVDEP AND THE EAS SPECIFICATIONS.

FLOODPLAIN CONDITIONS	
DO SITE CONSTRUCTION ACTIVITIES TAKE PLACE IN FLOODPLAIN	NO
PERMIT NEEDED FROM COUNTY FLOODPLAIN COORDINATOR	NO
HEC RAS STUDY COMPLETED	NA
FLOODPLAIN SHOWN ON DRAWINGS	NA
FIRM MAP NUMBER(S) FOR SITE	1.0, C022.C
ACREAGE OF CONSTRUCTION IN FLOODPLAIN	NA

SITE COORDINATES	
STATE PLANE NAD 83 (WV NORTH ZONE)	
Design Access Road (to CR #267.75)	39°10'23.23" N
Design Access Road (to CR #267.75)	N=4313635.1758 E=300087.2285
Design Access Road (from JCN Pad)	39°10'42.85" N
Design Access Road (from JCN Pad)	E=300745.82" W
Center of Pad	39°10'23.23" N
Center of Pad (UTM 83-17 N)	N=4313635.1758 E=300745.82" W
Center of Storage Tank Pad	39°10'23.23" N
Center of WTP (UTM 83-17 N)	N=4313635.1758 E=300745.82" W



PERMITTED WELL NAME CANCELLED API NUMBER TO BE PERMITTED WELL NAME

Well Table	
Prop. Well Log# 2H WVA NAD83 E: 196718.8935 LAT NAD83: 39 17 49.1 CON NAD83: -46 83335.4	Prop. Well Log# 2H WVA NAD83 E: 196718.8935 LAT NAD83: 39 17 49.1 CON NAD83: -46 83335.4
Prop. Well Log# 2H WVA NAD83 E: 196718.8935 LAT NAD83: 39 17 49.1 CON NAD83: -46 83335.4	Prop. Well Log# 2H WVA NAD83 E: 196718.8935 LAT NAD83: 39 17 49.1 CON NAD83: -46 83335.4
Prop. Well Log# 2H WVA NAD83 E: 196718.8935 LAT NAD83: 39 17 49.1 CON NAD83: -46 83335.4	Prop. Well Log# 2H WVA NAD83 E: 196718.8935 LAT NAD83: 39 17 49.1 CON NAD83: -46 83335.4

- Project Contacts
- Antero Resources**  
Anthony Smith - Construction  
304-869-3405 Off 304-673-6196 Cell
- Ryan Ward, Environmental Engineer (ALLSTAR)  
866-213-2666, ext 311 Off 304-692-7477 Cell
- John Kawcak, Engineer  
817-368-1553
- Dusty Woods  
817-771-1436
- Aaron Kunsler, Construction Manager  
405-227-8344
- Surveyor & Engineer  
Bill Yetter, P.S. E.I. - Allegheny Surveys Inc.  
304-848-5035 Off 304-619-4937 Cell
- Tom Corlethers, PE, P.S. - Horner Brothers Engineers  
304-624-6445 Office

SHEET INDEX	
COVER SHEET LOCATION MAP	1
SCHEDULE OF QUANTITIES	2
EXISTING CONDITIONS PLAN	3
CONSTRUCTION GENERAL AND EAS NOTES	3
OVERVIEW PLAN	4
EROSION & SEDIMENT CONTROL PLAN	11
FINAL SITE DESIGN	12
DRILL PAD PROFILE & CROSS SECTIONS	13
WATER CONTAINMENT PROFILE & CROSS SECTIONS	13
ACCESS ROADS PROFILES	14
ACCESS ROADS CROSS SECTIONS	14
CONSTRUCTION DETAILS	14
RECLAMATION PLAN	20

DATE	REVISIONS	Date: 1/22/2015
3-12	REVISED AFFECTED AREAS IN TAX PARCELS	Scale: AS SHOWN
11-21-2012	REVISED WELL LAYOUT	Designed By: R.R.A. TSC
3-19-2014	REVISED TANK PAD ADDITION, FRAC PIT DELETION	File Name: 10044421.dwg
5-02-2014	MODIFICATION UPDATES	Page: 1 of 22

MISS Utility of West Virginia  
1-800-245-4848  
West Virginia State Law  
(Section XIV, Chapter 24-C)  
Requires that you call two business days before you dig in the state of West Virginia.  
**IT'S THE LAW!!**



**Know what's below.  
Call before you dig.**

Design Certification  
The drawings, construction notes, and reference diagrams attached hereto have been prepared in accordance with the West Virginia Code of State Rules, Division of Environmental Protection, Office of Oil and Gas §35-4-21. The information reflects a temporary Water Tank Storage Pad.

West Virginia Coordinate System of 1983  
State Plane Grid North  
Elevations NAVD83  
Established By Survey Grade GPS

- MODIFIED DESIGN**  
AFFECTED TAX PARCELS: 194.1, 193.2, 15-28 & 15-28.3  
UNION DISTRICT
- TM 13 - PCL 28.3 John Campbell  
WB 37/205 120.25 Acres  
(Affected area from Existing Access Road = 1.100 feet, 1.69 Acres)  
(Affected area from Proposed Access Roads = 1.230 feet, 2.82 Acres)  
(Affected area from Proposed Spill Pile = 0.61 Acre)
- TM 13 - PCL 28 John A. & Linda Campbell  
WB 37/205 45.5 Acres  
(Affected area from Proposed Access Roads = 300 feet, 0.12 Acre)
- TM 19 - PCL 4.1 John A. & Linda Campbell  
DB 287/1044 43.2 Acres  
(Affected area from Proposed Access Roads = 1.323 feet, 3.43 Acres)  
(Affected area from Proposed Drill Pad = 4.05 Acres)  
(Affected area from Previously Proposed Frac. Pit = 3.39 Acres)  
(Affected area from Proposed Spill Piles = 1.90 Acres)  
(Affected area from Proposed Water Tank Pad = 2.57 Acres)
- TM 19 - PCL 3 John A. & Linda Campbell  
DB 287/1044 10 Acres  
(Affected area from Proposed Drill Pad = 0.10 Acres)  
(Affected area from Proposed Spill Piles = 1.37 Acres)

- All Pad limits comply with the following restrictions:
- 250' from an existing well or developed spring used for human or domestic animals
  - 625' occupied dwelling or barn greater 2500 SF used for poultry or dairy measured from the center of the pad.
  - 100' from edge of disturbance to wetlands, perennial streams, natural or artificial lake, pond or reservoir.
  - 300' from edge of disturbance to naturally reproducing trout streams.
  - 100' of surface or ground water intake to a public water supply.



**Horner Bros. Engineers**  
Chris Horner, P.E.  
Civil, Mechanical, Environmental, and  
Geotechnical Engineering  
140 West Main Street, Suite 200  
Martinsburg, West Virginia 26150  
Phone: 304-261-1111  
Fax: 304-261-1112



COVER SHEET LOCATION MAP  
**JOHN CAMPBELL SOUTH  
DRILL PAD SITE**  
UNION DISTRICT, WV  
RITCHIE COUNTY, WV

# MODIFIED FINAL SITE PLAN (3)

1. REFRESH, REPAIR, AND ADJUST AS NEEDED. CONSTRUCT TWO STABILIZED CONSTRUCTION ENTRANCES AS SHOWN ON SHEETS 5 AND AGGREGATE TO EXISTING ACCESS ROAD AS NEEDED. DRAINAGE SHOULDER TO EXISTING ACCESS ROAD AS NEEDED.
2. THE GRADE DRILL PAD TO DESKIN SURFACE. INSTALL WEARING AGGREGATE PER DESIGN.
3. THE GRADE DRILL PAD TO DESKIN SURFACE. INSTALL WEARING AGGREGATE PER DESIGN.
4. INSTALL PAD PERIMETER BERMS AND MOUNTAINABLE BERM AT PAD ACCESS ROAD ENTRANCE PER DESIGN.
5. PERFORM EARTHWORK EXCAVATION TO CONSTRUCT TANK PAD TO SURGRADE. INSTALL GEOTEXTILE FABRIC, DITCHES AND ROAD SECTIONS. INSTALL DITCH LINING MATERIALS AND CHECK DAMS PER DESIGN.
6. PERFORM GRADING REQUIRED TO INSTALL DIVERSION DITCHES AND CHECK DAMS PER DESIGN.
7. INSTALL RIPRAP INLET/OUTLET PROTECTION AND LEVEL HEADERS PER DESIGN.
8. INSTALL RIPRAP AND THE SUBSEQUENT DESIGN.

POSITIVE FLOW FROM PAD TO SUMPS. SEDIMENT AND MATERIALS REMOVED FROM THE PAD SUMPS SHALL BE PUMPED TO ON-SITE STORAGE. STORAGE REQUIRED FROM SUBSEQUENT REQUIRED FROM THE SITE BY AN APPROVED COMMERCIAL VENDOR.

INSTALL 180 LF OF DIVERSION DITCH  
 ELEVATION=1027.7  
 NAD83 N 248940.1245  
 NAD83 E 1562028.8021

INSTALL 173 LF OF DIVERSION DITCH  
 ELEVATION=1029.0  
 NAD83 N 240239.2479  
 NAD83 E 1562088.3659

INSTALL 267 LF OF DIVERSION DITCH  
 ELEVATION=1027.7  
 NAD83 N 240239.2479  
 NAD83 E 1562088.3659

INSTALL 180 LF OF DIVERSION DITCH  
 ELEVATION=1027.0  
 NAD83 N 248890.1014  
 NAD83 E 1562278.8888

INSTALL 216 LF OF DIVERSION DITCH  
 ELEVATION=1027.0  
 NAD83 N 248895.7913  
 NAD83 E 1562147.0295

INSTALL 180 LF OF DIVERSION DITCH  
 ELEVATION=1027.5  
 NAD83 N 249189.4322  
 NAD83 E 1562338.4723

INSTALL 40 LF OF 15" CULVERT WITH RIPRAP INLET/OUTLET (SEE DETAIL)  
 IN=1035.00 OUT=1032.00  
 ELEVATION = 1033.0'  
 NAD83 N 249463.2442  
 NAD83 E 1562266.2879




DATE: 11/22/2013  
 SCALE: 1"=50'  
 DESIGNED BY: DRA & TIC  
 CHECKED BY: DRA & TIC  
 PROJECT NO.: 13-28.3

ANTERO RESOURCES  
 THIS DOCUMENT IS PREPARED FOR ANTERO CORPORATION

Hornor Bros. Engineers  
 Civil, Mining, Environmental and Surveying  
 1802 Bro. Engineers  
 723-2455

JOHN CAMPBELL SOUTH DRILL PAD SITE  
 MODIFIED FINAL SITE DESIGN  
 UNION DISTRICT  
 RTMHE COUNTY, WV



DATE	REVISIONS
11-22-2013	ISSUED WELL LAUNCH
11-22-2013	DIETHE FRAC. RT. ADD TANK PAD
11-22-2013	MODIFICATION NOTES
11-22-2013	MODIFICATION NOTES
11-22-2013	MODIFICATION NOTES
11-22-2013	MODIFICATION NOTES

Symbol	Description
(Green outline)	Partially Constructed Road Area
(Yellow outline)	Partially Constructed Drill Pad Area
(Pink outline)	Proposed Tuff Pad Area
(Blue outline)	Partially Constructed Spoil Area
(Red outline)	Proposed Spoil Area
(Black outline)	Proposed Ditch Check Dam

APPROVED  
 WVDEP OOG  
 9/28/2015

PERMITTED WELL NAME: JOHN CAMPBELL SOUTH DRILL PAD  
 TO BE PERMITTED WELL NAME: JOHN CAMPBELL SOUTH DRILL PAD

GRAPHIC SCALE: 1 inch = 50 feet

All topographic information shown hereon is based on a 3D scanned survey performed by ASI on 3-3-2014