

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

November 18, 2015

WELL WORK PERMIT

Horizontal 6A Well

This permit, API Well Number: 47-8510265, issued to ANTERO RESOURCES CORPORATION, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Operator's Well No: HUGHES RIVER UNIT 3H

Farm Name: IRELAND, LYNWOOD, ET AL

API Well Number: 47-8510265

Permit Type: Horizontal 6A Well

Date Issued: 11/18/2015

API Number:	

PERMIT CONDITIONS

4708510265

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit</u> conditions may result in enforcement action.

CONDITIONS

- 1. Operator shall take additional measures with this permitted activity to avoid communication with offset wells. Such additional measures are described in the attached addendum. This addendum is part of the terms of the well work permit, and includes a description of depth and completed formations of offset wells. Also included is a description of monitoring activities that will take place during fracturing operations of the permitted well work.
- 2. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACOE). Through this permit, you are hereby being advised to consult with USACOE regarding this proposed activity.
- 3. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 4. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 5. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 6. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.

API	Number:	

PERMIT CONDITIONS

4708510265

- 7. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 8. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 9. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.
- 10. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

4708510265 4708510265

WW-6B (04/15)

API NO. 47-085 -	
OPERATOR WELL NO	O. Hughes River Unit 3H
Well Pad Name: Irel	and North Pad

10/24

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

sources Corporal	494488557	085-Ritchie	Union	Pullman 7.5'
_	Operator ID	County	District	Quadrangle
ughes River Unit	Well P	ad Name: Irela	nd North F	Pad
Ireland, Lynwood,	et al Public Ro	oad Access: CR	9	
~957' Ele	evation, propose	d post-construct	ion: 947'	
Oil	Un	derground Stora	ige	
	Deep			Michael 1.
				Thehat
				11/21/
	,		- 30011	-
	Shale			0500
)	. 1	085	1
		b _k 1	U	
	69', 279', 359'			
Water Depths: O	ffset well records. D	epths have been a	djusted accor	ding to surface elevation
epths: 343'				
ible Void (coal mir	ne, karst, other):	None anticipa	ted	
	Yes	No	X	
Name:				
Depth:				
Seam:				
Owner:				
		Receive	d	
	Ireland, Lynwood -957' Ele Oil allow X orizontal X orizontal X orizontal Thickness th: 6500' TVD Depth: Marcellus Depth: 11251' Strata Depths: Water Depths: Water Depths: 1451', 1807' Epths: 343' Epths: 343' Epths: 343' Epths: 343' Epths: Octobro Coal minute an active mine? Name: Depth: Depth: Seam:	Ireland, Lynwood, et al Public Receptor Oil Under Deep Oil Under D	Operator ID County ughes River Unit 3H Well Pad Name: Ireland Ireland, Lynwood, et al Public Road Access: CR ~957' Elevation, proposed post-construct Oil Underground Stora allow X Deep orizontal X os), Depth(s), Anticipated Thickness and Expected Panticipated Thickness- 50 feet, Associated Pressure- th: 6500' TVD Depth: Marcellus Shale Depth: 18400' MD ength: 11251' Strata Depths: 69', 279', 359' Water Depths: Offset well records. Depths have been acceptable. 1451', 1807' epths: 343' ible Void (coal mine, karst, other): None anticipated an active mine? Yes No Name: Depth: Seam: Owner:	Operator ID County District ughes River Unit 3H Well Pad Name: Ireland North F Ireland, Lynwood, et al Public Road Access: CR 9 -957' Elevation, proposed post-construction: 947' Oil Underground Storage allow X Deep orizontal X os, Depth(s), Anticipated Thickness and Expected Pressure(s): Anticipated Thickness-50 feet, Associated Pressure-3000# th: 6500' TVD Depth: Marcellus Shale Depth: 18400' MD ength: 11251' Strata Depths: 69', 279', 359' Water Depths: Offset well records. Depths have been adjusted according to the second of the s

Office of Oil & Gas

NOV 06 2015

WW-6B	
(04/15)	

API NO. 47- 085 -

OPERATOR WELL NO. Hughes River Unit 3H

Well Pad Name: Ireland North Pad

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20"	New	H-40	94#	40'	40'	CTS, 38 Cu. Ft.
Fresh Water	13-3/8"	New	J-55/H-40	54.5#/48#	410' *see #19	410' *see #19	CTS, 570 Cu. Ft
Coal	9-5/8"	New	J-55	36#	2400'	2400'	CTS, 977 Cu. Ft.
Intermediate							
Production	5-1/2"	New	P-110	20#	18400'	18400'	4682 Cu. Ft.
Tubing	2-3/8"	New	N-80	4.7#		7,100	
Liners					7		

MAG 11/4/15

TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	20"	24"	0.438"	1530	50	Class A	
Fresh Water	13-3/8"	17-1/2"	0.38"/0.33"	2730/1730	1000	Class A	1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	1500	Class A	1.18
Intermediate			-				
Production	5-1/2"	8-3/4" & 8-1/2"	0.361"	12630	2500	Lead-H/POZ & Tall - H	H/POZ-1.44 & H-1.8
Tubing	2-3/8"	4.778"	0.19"	11200			
Liners					- 0.5	102	5 5

PACKERS

Kind:	N/A	
Sizes:	N/A	
Depths Set:	N/A	

Received Office of Oil & Gas

> NOV 0 6 2015 Page 2 of 3

WW-6B	
(10/14)	

API NO. 47- 085 OPERATOR WELL NO. Hughes River Unit 3H
Well Pad Name: Ireland North Pad

11/4/15

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill, perforate, fracture a new horizontal shallow well and complete Marcellus Shale.

*Antero will be air drilling the fresh water string which makes it difficult to determine when freshwater is encountered, therefore we have built in a buffer for the casing setting depth which helps to ensure that all fresh water zones are covered.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Anticipated Max Pressure - 9300 lbs Anticipated Max Rate - 80 bpm

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 28.25 acres
- 22) Area to be disturbed for well pad only, less access road (acres): 3.56 acres
- 23) Describe centralizer placement for each casing string:

Conductor: no centralizers

Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole to surface. Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface. Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

24) Describe all cement additives associated with each cement type:

4708510265

Conductor: no additives, Class A cement.

Surface: Class A cement with 2-3% calcium chloride and 1/4 lb of flake Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat

Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51 Production: Tail cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.

Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.

Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.

Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

Office of Oil & Gas

NOV 06 2015

^{*}Note: Attach additional sheets as needed.



\$708570265

REVISED Addendum for Antero pads in Ritchie County, WV

Hughes River Unit 3H Ireland North Pad

The following outlines the process to be undertaken by Antero Resources prior to and during completion process of wells in Ritchie County.

•Investigate all wells within 1320' of new wells - for all identified Marcellus vertical wells and any existing well(s) with an interval that is <u>less than</u> 1500 feet from the deepest formation drilled (including, but not specific to the Alexander formation) to the top of Marcellus:

- Contact operator of all wells
- Confirm well status, producing horizon, well completion/stimulation information
- Discuss plans to stimulate the horizontal Marcellus wells and the plans for monitoring potential impact on shallow wells
- Make sure all vertical wells (with an interval that is less than 1500 feet from the deepest formation drilled to the top of Marcellus) have adequate wellhead equipment, Including pressure gauges
- Provide shallow well operator with frac dates and develop plan for monitoring during stimulation
- If well waters out during frac, shut it in until after stimulation, and install adequate well control equipment prior to swabbing in the impacted shallow well
- Control fracturing parameters during job to limit fracture height growth
 - Limit rate and limit pressures for each segment of fracturing stages

Fuselved

OCT 1 6 2015

Office of Oil and Gas
WV Dept. of Environmental Protection

API Number 47 - 0	085
-------------------	-----

Operator's Well No. Hughes River Unit 3H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Outrotay N	Antero Resources Corporation	TIMOS DI	ODAL & RECEAM			
Operator Name_	TO THE STATE OF TH			OP Code 494488557		-1
	South Fork Hughes River		Quadrangle _F			-
Will a pit be used	e using more than 5,000 bbls of	water to com	plete the proposed we	ll work? Yes _ ✓	No	
If so, ple	ease describe anticipated pit wa	ste: No pit will be	a used at this site (Drilling and Flowbac	k Fluids will be stored in tanks. Cuttings	s will be tanked and hauled off site.	
Will a sy	ynthetic liner be used in the pit	Yes _	No 🗸 If so	, what ml.? N/A		MAC
Propose	d Disposal Method For Treated	Pit Wastes:		Y CONTRACTOR OF THE PARTY OF TH		MAG0 1/4/15
	Land Application				·	1/4/15
	Underground Injectio)
				able. API# will be provided on)
	Other (Explain_	ipply form W	W-9 for disposal locat	ion) (Meadowfill Landf	ill Permit #SWF-1032	<u>-98)</u>
Will closed loop s	system be used? If so, describe	:_Yes				
Drilling medium	anticipated for this well (vertice	al and horizor	ntal)? Air, freshwater,	oil based, etc. Surface - Air,	/Freshwater, Intermediate - am, Production - Water Based Mud	
-If oil ba	sed, what type? Synthetic, petr	roleum, etc.	N/A			
Additives to be us	sed in drilling medium? Pleas	se See Attachm	ent			
Drill cuttings disp	oosal method? Leave in pit, lan	dfill, remove	d offsite, etc. Stored in	tanks, removed offsite ar	nd taken to landfill.	-
	pit and plan to solidify what m					-
	or offsite name/permit number			The state of the s		-
						-
Permittee shall pro West Virginia soli where it was propo	ovide written notice to the Official waste facility. The notice shall be disposed.	ce of Oil and all be provided	Gas of any load of dril d within 24 hours of re	l cuttings or associated jection and the permit	d waste rejected at a tee shall also disclo	iny se
provisions of the plaw or regulation of I certify application form a obtaining the info penalties for submitted.		Violations of the West V Violations of the personally and that, base formation is	irginia Department of of any term or condition y examined and am f and on my inquiry of true, accurate, and co	Environmental Protection of the general permaniliar with the information those individuals imaginate. I am aware nament.	rmation. I understand the nit and/or other approximation submitted mediately responsible that there are sign that there are sign to the the there are sign to the the there are sign to the there are	hat the licable on this ole for difficant
	(Typed Name) Cole Kilstrom			NOTA:	VOTARY PUBLIC	Y
Company Official	Title Environmental & Regulat	ory Manager		COMMISS	VOTARY PUBLIC TE OF COLORADO RY ID 20144028297 ION EXPIRES JULY 21,	. /
Subscribed and swe	orn before me thisO	day of	October	, 20 15	Recei	²⁰¹⁸ / ved
many	2 2010			Notary Public	Office of O	il & Gas
My commission ex	pires July 21, 2018				NOV 06	2015

11/20/2015

Proposed Revegetation Treatment: Acres	Disturbed 28.25 a	Prevegetation pH	
Lime 2-3 Tons/a	cre or to correct to p	H 6.5	
Fertilizer type Hay or straw or Wo	ood Fiber (will be used	where needed)	
Fertilizer amount 500	!	lbs/acre	
Mulch 2-3	Tons	/acre	
Well Pad Construction (3,56) + Acce	ess Road Construction (7.22)	+ Topsoil / Excess Material (1.15) + Additional Clearing	(16.32) = 28.25 Acres
Temporary		Permane	ent
Seed Type lbs/ac Annual Ryegrass 40	ere	Seed Type Fox Tail / Grassy	lbs/acre 40
		Perennial Rye Grass	30
*or type of grass seed requested by s	surface owner	Crown Vetch	20
Orawing(s) of road, location, pit and proporovided)		*or type of grass seed requeste	
Orawing(s) of road, location, pit and proporovided) Photocopied section of involved 7.5' topogolan Approved by: Comments: Present 4	graphic sheet. Note half	oplication (unless engineered plans inclu	ding this info have been
Orawing(s) of road, location, pit and proporovided) Photocopied section of involved 7.5' topogolar Approved by: Comments: Present 4 NV DS-P segula	graphic sheet. Note half	oplication (unless engineered plans inclu	ding this info have been areas per aradz 5-n-s
	graphic sheet. Note half	maintain & Upa	ding this info have been areas per aradz 5-n-s
Orawing(s) of road, location, pit and proporovided) Photocopied section of involved 7.5' topogolar Approved by: Comments: Pagolo Segulo	Mulch a	my distorbed Maintain 4 Upa	ding this info have been areas per radz E-n-s

Form WW-9 Additives Attachment

SURFACE INTERVAL

- 1. Fresh Water
- 2. Soap -Foamer AC
- 3. Air

INTERMEDIATE INTERVAL

STIFF FOAM RECIPE:

- 1) 1 ppb Soda Ash / Sodium Carbonate-Alkalinity Control Agent
- 2) 1 ppb Conqor 404 (11.76 ppg) / Corrosion Inhibitor
- 3) 4 ppb KLA-Gard (9.17 ppg) / Amine Acid Complex-Shale Stabilizer
- 4) 1ppb Mil Pac R / Sodium Carboxymethylcellulose-Filtration Control Agent
- 5) 12 ppb KCL / Potassium Chloride-inorganic Salt
- 6) Fresh Water 80 bbls
- 7) Air

PRODUCTION INTERVAL

1. Alpha 1655

Salt Inhibitor

2. Mil-Carb

Calcium Carbonate

3. Cottonseed Hulls

Cellulose-Cottonseed Pellets - LCM

4. Mil-Seal

Vegetable, Cotton & Cellulose-Based Fiber Blend - LCM

5. Clay-Trol

Amine Acid Complex - Shale Stabilizer

6. Xan-Plex

Viscosifier For Water Based Muds

7. Mil-Pac (All Grades)

Sodium Carboxymethylcellulose - Filtration Control Agent

8. New Drill

Anionic Polyacrylamide Copolymer Emulsion - Shale Stabilizer

9. Caustic Soda

Sodium Hydroxide – Alkalinity Control

10. Mil-Lime

Calcium Hydroxide - Lime

11. LD-9

Polyether Polyol – Drilling Fluid Defoamer

12. Mil Mica

Hydro-Biotite Mica - LCM

Received

OCT 1 6 2015

Office of Oil and Gas
WV Dept. of Environmental Protection

13. Escaid 110

Drilling Fluild Solvent – Aliphatic Hydrocarbon

14. Ligco

Highly Oxidized Leonardite - Filteration Control Agent

15. Super Sweep

Polypropylene - Hole Cleaning Agent

16. Sulfatrol K

Drilling Fluid Additive - Sulfonated Asphalt Residuum

17. Sodium Chloride, Anhydrous

Inorganic Salt

18. D-D

Drilling Detergent - Surfactant

19. Terra-Rate

Organic Surfactant Blend

20. W.O. Defoam

Alcohol-Based Defoamer

21. Perma-Lose HT

Fluid Loss Reducer For Water-Based Muds

22. Xan-Plex D

Polysaccharide Polymer - Drilling Fluid Viscosifier

23. Walnut Shells

Ground Cellulosic Material - Ground Walnut Shells - LCM

24. Mil-Graphite

Natural Graphite – LCM

25. Mil Bar

Barite - Weighting Agent

26. X-Cide 102

Biocide

27. Soda Ash

Sodium Carbonate – Alkalinity Control Agent

28. Clay Trol

Amine Acid complex – Shale Stabilizer

29. Sulfatrol

Sulfonated Asphalt – Shale Control Additive

30. Xanvis

Viscosifier For Water-Based Muds

31. Milstarch

Starch - Fluid Loss Reducer For Water Based Muds

32. Mil-Lube


Drilling Fluid Lubricant

rocelled

OCT 16 2015

Office of Oil and Gas
WV Dept. of Environmental Protection

4708510265





911 ADDRESS 4392 Oxford Rd. West Union, VW 26456

Well Site Safety Plan Antero Resources

Well Name: Pritchard Unit 1H, Pritchard Unit 2H, Pritchard

Unit 3H, Pritchard Unit 4H, Karen Unit 1H, Karen Unit 2H, Karen Unit 3H, Hughes River Unit 1H, Hughes River Unit 2H, Hughes River

Unit 3H, Hughes River Unit 4H

Pad Location: IRELAND NORTH PAD

Ritchie County/ Union District

GPS Coordinates: Lat 39°10′22.1658″/Long -80°53′56.7456″ (NAD83)

Driving Directions:

From Pullman: Head northeast on Co. Rd. 9/Main St/Ash Hill St for 4.6 miles. Make a sharp right onto Possum Run Rd. In 0.6 miles, access road will be on the right.

EMERGENCY (24 HOUR) CONTACT 1-800-878-1373


Received
Office of Oil & Gas

NOV 06 2015

5-8-15

SSP Page 1

/4/15 11/20/



Operator's Well Number

Hughes River Unit 3H2COIVED

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S) 1 6 2015

Under the oath required to make the verification on page 1 of this Notice and Application oil adepose and say that I am the person who signed the Notice and Application for the Applicant, and the Protection

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
Belle Pritchard Lease			
Belle Pritchard	Ritchie A. Ireland	1/8	0079/0019
Ritchie A. Ireland	S. M. Vokel, et al	Assignment	0080/0386
S. M. Vokel, et al	Warren Associates, Inc.	Assignment	0126/0464
Warren Associates, Inc.	Haught, Inc.	Affidavit	0170/0461
Haught, Inc.	Haught Oil Producing Corporation	Merger	Exhibit 2
Haught Oil Producing Corporation	710 Corporation	Assignment	0180/0791
710 Corporation	Lynwood K. Ireland	Assignment	0204/0553
Lynwood K. Ireland	Antero Resources Appalachian Corporation	*Partial Assignment of Oil	0255/0652
•		& Gas Leases	·
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
		Assignment *Partial Assignment of Oil & Gas Leases Name Change 5 1 0 2 6 5 1/8+ Name Change	
S.A. Smith, et al Lease		0/02	
S.A. Smith, et al Lease S.A. Smith, et al	Antero Resources Appalachian Corporation	1/8+	0254/1061
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		•	
C.C. Davis, et al Lease			
C.C. Davis, et al	C.A. Stricklin	1/8	0091/0431
C.A. Stricklin	Big A Oil Corporation	Assignment	0152/0591
Big A Oil Corporation	Lamar Oil & Gas Company	Merger	CR 0005/0669
Lamar Oil & Gas Company	Antero Resources Appalachian Corporation	Assignment	0257/0778
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
loyce E. Webber Lease			
Joyce E. Webber	Antero Resources Appalachian Corporation	1/8+	0254/0999
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
Charles Carson Lease			
Charles Carson	Antero Resources Appalachian Corporation	1/8+	0259/0556
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
Bradford Spiker, et ux Lease	Alban Chianna	1/0	0400/0000
Bradford Spiker, et ux	Alton Skinner	1/8	0132/0388
lton Skinner	Alton L. Skinner, II, Crystal G. Skinner & Desari S. Garrett	Assignment	0216/0391
Alton L. Skinner II, Crystal G. Skinner & Desari S. Garrett	DC Petroleum, Inc.	Assignment	0247/0245
DC Petroleum, Inc.	Antero Resources Appalachian Corporation	Assignment	0254/0902
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1

^{*}Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

11/20/2015

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
Bradford Spiker, et ux Lease Michael I. Spiker	Antero Resources Corporation	1/8+	0285/0076
Mike Spiker, et al Lease			
Michael I. Spiker, Mark A. Spiker, Brada S. Stotts, Brianna S. Spiker	Key Oil Company	1/8	0240/0219
Key Oil Company	Antero Resources Appalachian Corporation	Assignment	0253/0747
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1

4708510265

Plocolved

OCT 1 6 2015

Office of Oil and Gas
W// Dept. of Environmental Protection

^{*}Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or

Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
Joseph Smith, et al Lease				
Joseph Smith, et ux;	I.A. Smith, et ux; Archie Smith, Floyd B.	Carnegie Natural Gas Company	1/8	0050/0588
Smith, et ux; Treva U	nderwood, et vir & Lucy Jett, et vir			
Carnegie Natural Gas	Company	Carnegie Production Company	Merger	0228/0859
Carnegie Production	Company	EQT Production Company	Amendment &	0252/0385
			Ratification	acase orang
EQT Production Com	pany	Antero Resources Corporation	*Partial Assignment	0277/0836
			of Oil & Gas Leases	101111

^{*}Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: Antero Resources Corporation
By: Kevin Kilstrom
VP - Production

Office of Oil and Gas W/V Doot of Environmental Protection

Page 1 of


FORM WW-6A1 EXHIBIT 1



JUN 1 0 2013

Natalle E. Tennant Scoretary of State 1900 Kanawha Bivd E Bldg 1, Suite 157-K Charleston, WV 25305

FILE ONE ORIGINAL (Two if you want a filed stamped copy returned to you) FEE: \$25.00



APPLICATION FOR AMENDED CERTIFICATE OF AUTHORITY Office Hours: Monday - Friday

8:30 a.m. - 5:00 p.m. BT

and a secondance with the provisions of the West Virginia Code, the undersigned corporation hereby and applies for an Amended Certificate of Authority and submits the following statement:

	· Carried and Carr	
١.	Name under which the corporation was authorized to transact business in WV:	Antero Resources Appelachian Corporation
2	Date Certificate of Authority was issued in West Virginia:	6/25/2008
	Corporate name has been changed to: (Attach one Certified Copy of Name Change	Antero Resources Corporation
	as filed in home State of incorporation.)	Antero Resources Corporation 7085
	Name the corporation elects to use in WV: (due to home state name not being available)	Antero Resources Corporation 8 5
	Other amendments: (attach additional pages if necessary)	
	Name and phone number of contact person. (the filing, listing a contact person and phone num document.)	(This is optional, however, if there is a problem with nber may avoid having to return or reject the
	Alvyn A. Schopp	(303) 357-7310
	Contact Name Signature information (See below * <i>Important L</i>	Phone Number Legal Notice Reparding Signature):
	Print Name of Signer: Alyyn A. Schopp	Title/Capacity: Authorized Person
1	Signature: 43 Hacksop	Date: June 10, 2013
10	serson who signs a document he or she knows is false in any	nis Code <u>631D-1-129.</u> Penalty for signing false document. y material respect and knows that the document is to be delivere
he	sceretary of state for filing is guilty of a misdemeanor and, and dollars or confined in the county or regional jail not mor	upon convection thereof, whall be fined not more than one re than one year, or bolk.
he	and dollars or confined in the county or regional jall not mo	, upon conviction thereof, whall be fined not more than one tre than one year, or both. Compared to the secretary of Siste Revised 4/1

WV611 - 0446/2013 Welters Kluner Online

OCT 1 6 2015

Office of Oil and Gas

FORM WW-6A1 **EXHIBIT 2**

A . 14.49

4708510265





I. Ken Hechler, Secretary of State of the State of West Virginia, hereby certify that
THE FOLLOWING IS A TRUE AND CORRECT COPY OF THE ARTICLES OF HERGER
OF:

HAUGHT, INC., A WEST VIRGINIA CORPORATION AND HAUGHT OIL PRODUCING CORP., A UTAH CORPORATION DULY SIGNED AND VERLE OF PURSUANT TO THE PROVISIONS OF SECTION 38, ARTICLE 1, Charles 31 OF THE CODE OF WEST VIRGINIA, 1931, AS AMENDED, HAVE BEEN RECEIVED AND ARE FOUND TO CONFORM TO LAW.

ACCORDINGLY, I HEREBY ISSUE THIS CERTIFICATE OF HERGER, HERGING HAUGHT, INC., WITH AND INTO HAUGHT OIL PRODUCING CORP., THE SURVIVOR AND ATTACH A DUPLICATE ORIGINAL OF SAID ARTICLES OF HERGER AS APPEARS FROM THE RECORDS OF MY SAID OFFICE.

Given under my hand and the Great Scal of the State of West Virginia, on this

___day of

Office of Oil and Gas WV Dept. of Environmental Pro



October 5, 2015

Antero Resources 1615 Wynkoop Street Denver, CO 80202 Office 303.357.7310 Fax 303.357.7315

West Virginia Department of Environmental Protection Chief, Office of Oil and Gas Attn: Mr. James Martin 601 57th Street SE Charleston, WV 25304

RE: Hughes River Unit 3H

Quadrangle: Pullman 7.5'

Ritchie County/Union District, West Virginia

497088510265

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following application for a new well work permit for the Hughes River Unit 3H horizontal shallow well. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Hughes River Unit 3H horizontal lateral will drill through including any and all roads crossed under as identified on the attached survey plat.

Sincerely,

Haley West Landman

Received

OCT 1 6 2015

Office of Oil and Gas WV Dept. of Environmental Protection

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS **NOTICE CERTIFICATION**

Date of Notice Certification: 10/09/2015 API No. 47- 085 -						
		Operator's	Operator's Well No. Hughes River Unit 3H			
		Well Pad I	Name: Ireland	North		
Notice has l						
Pursuant to th	ne provisions in West Virginia Code	§ 22-6A, the Operator has provided the red	quired parties v	with the Notice Forms listed		
	tract of land as follows:					
State:	West Virginia	UTM NAD 83 Easting:	508722m			
County:	Ritchie	Northing:	4335954m			
District:	Union	Public Road Access:	CR 9			
Quadrangle:	Pullman 7.5'	Generally used farm name:	Ireland, Lynwood	i, et al		
Watershed:	South Fork Hughes River					
information ro of giving the requirements Virginia Codo	equired by subsections (b) and (c), so surface owner notice of entry to su of subsection (b), section sixteen of	bed in subdivisions (1), (2) and (4), sub- ection sixteen of this article; (ii) that the re- urvey pursuant to subsection (a), section of this article were waived in writing by tender proof of and certify to the secretary of the secretary	equirement was ten of this arti the surface ov	deemed satisfied as a resul cle six-a; or (iii) the notice vner; and Pursuant to Wes		
that the Ope	West Virginia Code § 22-6A, the Operator has properly served the require ECK ALL THAT APPLY	perator has attached proof to this Notice Cod parties with the following:	Certification	OOG OFFICE USE ONLY		
☐ 1. NOT	FICE OF SEISMIC ACTIVITY or	■ NOTICE NOT REQUIRED BECAUSEISMIC ACTIVITY WAS CONDUC		☐ RECEIVED/ NOT REQUIRED		
■ 2. NO	TICE OF ENTRY FOR PLAT SURV	/EY or □ NO PLAT SURVEY WAS CO	ONDUCTED	☐ RECEIVED		
☐ 3. NO?	TICE OF INTENT TO DRILL or	NOTICE NOT REQUIRED BECAUNOTICE OF ENTRY FOR PLAT SURVIVAS CONDUCTED or		RECEIVED/ NOT REQUIRED		
		☐ WRITTEN WAIVER BY SURFACE (PLEASE ATTACH)	CE OWNER			
■ 4. NO	FICE OF PLANNED OPERATION	* · · · · ·	ا ا	☐ RECEIVED		
		the state of the s	9.7. E			
_	BLIC NOTICE 47	085102 8cf 16 2015		□ RECEIVED		

Required Attachments:

Office of Oil and Gas

Office of Oil and Gas

The Operator shall attach to this Notice Certification Form all Notice/Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

Certification of Notice is hereby given:

above, to the re signature confir in this Notice (obtaining the in	at as required under West Virginia equired parties through personal se mation. I certify under penalty of la Certification and all attachments,	Code § 22- rvice, by re aw that I hav and that ba ation is true	6A, I have so gistered mail we personally used on my it accurate and	the notice requirements within West erved the attached copies of the Not or by any method of delivery that examined and am familiar with the in nquiry of those individuals immedial d complete. I am aware that there are onment.	ice Forms, identified requires a receipt or nformation submitted ately responsible for
Well Operator:	Antero Resources Corporation		Address:	1615 Wynkoop Street	
By:	Kevin Kilstrom	No		Denver, CO 80202	
Its:	VP of Production		Facsimile:	303-357-7315	
Telephone:	303-357-7310		Email:	asteele@anteroresources.com	
TS ON	NOTARY SEAL ARA QUACKENBUSH NOTARY PUBLIC TATE OF COLORADO TARY ID 20144028297 MISSION EXPIRES JULY 21, 2018	40	aulu	orn before me this 9 day of 0 cpires TMN 21, 2018	Ctober 2015 Notary Public

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

470 8 5 1 0 2 6 5

Office of Oil and Gas

API NO. 47- <u>085 </u>	-	
OPERATOR WELL	NO.	Hughes River Unit 3H
Well Pad Name: Irek	and Nort	th

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. 4708510265 Date of Notice: 10/13/2015 Date Permit Application Filed: 10/13/2015 Notice of: PERMIT FOR ANY ☐ CERTIFICATE OF APPROVAL FOR THE WELL WORK CONSTRUCTION OF AN IMPOUNDMENT OR PIT Delivery method pursuant to West Virginia Code § 22-6A-10(b) ☐ REGISTERED ✓ METHOD OF DELIVERY THAT REQUIRES A ☐ PERSONAL RECEIPT OR SIGNATURE CONFIRMATION **SERVICE** MAIL. Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams: (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article: (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule. ☐ Application Notice ☐ WSSP Notice ☐ E&S Plan Notice ☐ Well Plat Notice is hereby provided to: ☑ SURFACE OWNER(s) COAL OWNER OR LESSEE Name: NO DECLARATIONS ON RECORD WITH COUNTY Name: PLEASE SEE ATTACHMENT Address: ____ Address: COAL OPERATOR Name: Name: NO DECLARATIONS ON RECORD WITH COUNTY Address: Address: SURFACE OWNER(s) (Road and/or Other Disturbance) WATER PURVEYOR(s)/OWNER(s) OF WATER WELL, Name: PLEASE SEE ATTACHMENT SPRING OR OTHER WATER SUPPLY SOURCE Address: Name: Jack W. Kirsch II Address: 958 Holbrook Rd. *PLEASE NOTE THE ADDITIONAL SURFACE TRACTS WITH DISTURBANCE SHOWN ON PAD DESIGN ARE NOT Pullman, WV 26421 OVERLYING THE OIL & GAS LEASEHOLD BEING ☐ OPERATOR OF ANY NATURAL GAS STORAGE FIELD DEVELOPED BY THE PROPOSED WELL: THEREFORE, ARE Name: **D**T REQUIRED TO BE NOTIFIED PER WV CODE 22-6A-10. Address: ANTERO HAS SECURED A SIGNED AGREEMENT WITH THE RELATED PARTIES *Please attach additional forms if necessary ()(1 1 6 2015

OPERATOR WELL NO. Hughes River Unit 3H

Well Pad Name: Ireland North

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oiland-gas/pages/default.aspx.

470 8 5 1 0 CT 1 6 2015

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing and-gas/pages/default.aspx.

water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items WW-6A (8-13) API NO. 47- 085

OPERATOR WELL NO. Hughes River Unit 3H

Well Pad Name: treland North

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code & 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

OCT 1 6 2015

Office of Oil and Gas Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WW-6A (8-13) API NO. 47-085

OPERATOR WELL NO. Hughes River Unit 3H

Well Pad Name: Ireland North

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Flaceived 7700 France 1 6 2015

Office of Off and Gas WV Dept. of Environmental Protection

WW-6A (8-13)

API NO. 47-085 OPERATOR WELL NO. Hughes River Unit 3H Well Pad Name: Ireland North

Notice is hereby given by:

Well Operator: Antero Resources Corporation Telephone: (303) 357-7310

Email: asteele@anteroresources.com

Address: 1615 Wynkoop Street

Denver, CO 80202

Facsimile: 303-357-7315

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

KARA QUACKENBUSH **NOTARY PUBLIC** STATE OF COLORADO NOTARY ID 20144028297 MY COMMISSION EXPIRES JULY 21, 2018 Subscribed and sworn before me this 13 day of 0 C to ber 2015

Notary Public

My Commission Expires July 21, 2018

4708510265

Received

OCT 1 6 2015

Office of Oil and Gas WV Dept. of Environmental Protection

WW-6A Notice of Application Attachment (IRELAND NORTH PAD):

List of Surface Owner(s) with Proposed Disturbance associated with Ireland North Well Pad:

WELL PAD – All owners were notified of all well work permit applications, and have executed signed Surface Use Agreements with Antero Resources Corporation.

TM 20 PCLS 2

Owner: Lynwood K. & Karen L. Ireland

Address: 342 Ireland Rd. Pullman, WV 26421

Lynwood K. & Karen L. Ireland (2nd Address) Owner:

987 Middle Island Creek Rd. Address:

St. Mary's, WV 26170

4708510265

TM 20 PCLS 1

Owner: Jack W. Kirsch II Address: 958 Holbrook Rd.

Pullman, WV 26421

ROAD AND/OR OTHER DISTURBANCE - These owners have executed a signed Agreement with Antero Resources Corporation. However, they were only notified if their tract was overlying the oil and gas leasehold being developed by the proposed well work as outlined in WV Code 22-6A-10(b)(2).

TM 14 PCL 10- O'Neill Family Trust

Owner: Nancy Louise Antill 114 Melinda Dr. Address:

Wintersville, OH 43953

Owner: Karah Leigh Loftin Address: 226 Surrey Rd.

O'Fallon, MO 63366

Owner: Kelcie Janeen Loftin Address: 226 Surrey Rd.

O'Fallon, MO 63366

Owner: Daniel J. O'Neil

30640 Rapids Hollow Rd. Address:

Gravois Mills, MO 65037

Owner: O'Neil Family Trust

Address: 30640 Rapids Hollow Rd.

Gravois Mills, MO 65037

Office of Oil and Gas 1997 Decition Environmental Protection

nooowed

OCT 1 6 2015

WW-6A Notice of Application Attachment (IRELAND NORTH PAD):

CONTINUED:

Owner: Sean T. O'Neil

Address: 30640 Rapids Hollow Rd.

Gravois Mills, MO 65037

Owner: Romarlo, LLC

Address: 757 SE 17th St. STE 1085

Fort Lauderdale, FL 33316

Owner: Sharon S. O'Neil Stainken

Address: 1013 McCauley Rd. #55

Danville, CA 64526

TM 14 PCL 14 & 15

Owner: Jason & Michelle Harshbarger

Address: 2551 Oxford Rd.


Pullman, WV 26421

4708510265



OCT 1 6 2015

Office of Oil and Gas
Wir Dept. of Environmental Protection



STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF ENTRY FOR PLAT SURVEY

Notice Time R	Lequirement: Notice shall be prov	vided at least SEVEN (7) da	ys but no more tha	in FORTY-FIVE (45) days prior to
entry Date of Notice	: 10/18/2012 Date of Plan	nned Entry: *10/29/2012		hat this is an estimated date.
	od pursuant to West Virginia Co		more than fort	ty-five (45) after your receipt of this ever comes first).
_	- Parsaum to West Vingiam Co	out 5 22 on 10a		
☐ PERSON.	al REGISTERED	METHOD OF DEI	LIVERY THAT RE	EQUIRES A
SERVICE	MAIL	RECEIPT OR SIGN	NATURE CONFIR	RMATION
on to the surface but no more that beneath such trace owner of miner and Sediment C Secretary, whice enable the surface. Notice is hereby	the tract to conduct any plat surveys an forty-five days prior to such ent act that has filed a declaration purals underlying such tract in the cocontrol Manual and the statutes and the statement shall include contact ince owner to obtain copies from the py provided to:	s required pursuant to this a cry to: (1) The surface owne suant to section thirty-six, a unty tax records. The notic d rules related to oil and ga	rticle. Such notice r of such tract; (2) rticle six, chapter t e shall include a stand s exploration and p	r shall provide notice of planned entry shall be provided at least seven days to any owner or lessee of coal seams wenty-two of this code; and (3) any attement that copies of the state Erosion production may be obtained from the age on the Secretary's web site, to
SURFACE	E OWNER(s)	■ COA	L OWNER OR LE	SSEE
	and Karen L. Ireland	Name: NO	DECLARATIONS ON RE	CORD WITH COUNTY
Address: 342 Irel		Address:		
	n, WV 26421			
Name: Jack Wayn				
Address: 958 Ho		_ I MINI	ERAL OWNER(s)	
	n, WV 26421		ASE SEE ATTACHMENT	
Name:		Address:		
Address:		-		
		- ↑please attac	h additional forms if ne	cessary
a plat survey on	st Virginia Code § 22-6A-10(a), not the tract of land as follows:			l operator is planning entry to conduct
	Vest Virginia		ude & Longitude:	Approx. 39.1715222, -80.9001417
_	Ritchie		Access:	CR 9
() : [[[[]]] [] [] [] [] [] []	Jnion	Watershed:	1.0	White Oak Creek
Quadrangie: P	Pullman 7.5'	Generally use	d farm name:	Ireland, Lynwood, et al
may be obtained Charleston, WV	from the Secretary, at the WV D	epartment of Environmenta of such documents or addit	l Protection headquional information r	il and gas exploration and production uarters, located at 601 57 th Street, SE, elated to horizontal drilling may be
Notice is here	by given by:			
	Antero Resources Corporation	Address:	1615 Wynkoop Street	OCT 1 6 2015
Telephone:	(303) 357-7310		Denver, CO 80202	001 1 0 2013
Email:	asteele@anteroresources.com	Facsimile:	(303) 357-7315	
		- Annuage		Office of Oll and Gas
Oil and Gas P	Privacy Notice:			WV Dept. of Environmental Protection
		l information, such as name	e, address and telep	phone number, as part of our regulatory

duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

Tax Map 10 Parcel 2

WW-6A3 Notice of Entry For Plat Survey Attachment:

Mineral Owners:

Owner: Eddy D. Beck

Address: 143 McDougal Drive

Pennsboro, WV 26415

Owner: Donald J. Brohard Address: 820 BF Goddrich Dr.

Marietta, OH 45750

Owner: Mary Jean Hoover Address: 3307 Estate Circle

Youngstown, OH 44511

Owner: Albert Ireland Address: RR 1Box 26

Pullman, WV 26421

Owner: A.C.Ireland, Guy R Ireland Trust

Address: 820 BF Goddrich Dr.

Marietta, OH 45750

Owner: Daniel Ireland

Address: 820 BF Goddrich Dr.

Marietta, OH 45750

Owner: Kevin Ireland
Address: 1224 Armdale Ln

Matthews, NC 28105

Owner: Lynwood K and Karen L Ireland

Address: 342 Ireland Rd

Pullman, WV 26421

Owner: Owen V. Ireland

Address: 157 Xenia Court

Monroe, OH 45050

Owner: Sherrie Lynn Ireland Address: 2120 Luka Ave

Colombus, OH 43201

Owner: William D. Ireland III

Address: 871 Baier St. St. Alban, WV 25177

Owner: Jack Wayne Kirsch II Address: 958 Holbrook Rd.

Pullman, WV 26421

Owner: Robert L. Richard

Address: 525 N. Grey St.

Pennsboro, WV 26415

Owner: Mary A. Snodgrass

Address: 525 N. Grey St.

Pennsboro, WV 26415

Owner: Joyce E. Webber Address: 525 N. Grey St.

Pennsboro, WV 26415

4708510265

OCT 1 6 2015

Office of Oil and Gas
www.pept. of Environmental Protection

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

		equirement: notice 10/13/2015			later than the pplication Fi			application.	
Deliver	y metho	od pursuant to We	st Virginia Co	de § 2	2-6A-16(c)				
		ED MAIL I RECEIPT REQUI	ESTED		HAND DELIVERY	Y			
return return required drilling damage	eceipt re nned ope I to be p of a ho s to the notices	equested or hand de eration. The notice rovided by subsect rizontal well; and of surface affected by	livery, give the e required by to ion (b), section (3) A proposed oil and gas ope	surfa his su ten of surfa ration	ce owner whosection shafthis article to the use and constant to the extension of the extens	nose land all include to a surfa compens ont the da	I will be used fo de: (1) A copy ace owner whos ation agreemen mages are comp at the address lis	or the drilling of a of this code sec e land will be use t containing an opensable under a ted in the record	or shall, by certified man horizontal well notice tion; (2) The information with the fifer of compensation article six-b of this chapt is of the sheriff at the time.
(at the a	ddress l ynwood K. 3: 342 Irela					Name:	Jack W. Kirsch II 3: 958 Holbrook Rd. Pullman, WV 2642	47085	510265
Pursuan	t to Weston on the Figure 1 on	y given: st Virginia Code § 3 e surface owner's l Vest Virginia Ritchie Union Pullman 7.5' South Fork Hughes River			f drilling a h UTM Publi	orizonta 1 NAD 8 ic Road A	l well on the traces Easting: Northing:		
Pursuan to be pr horizont surface informa	t to Westovided tal well; affected tion relations, lo	by W. Va. Code and (3) A propose by oil and gas op ated to horizontal operated at 601 57 th	§ 22-6A-10(b) to d surface use as erations to the drilling may be	to a s nd con exten obtai	urface owne mpensation a t the damage ined from th	er whose agreement es are con ae Secret	e land will be un nt containing an ompensable und ary, at the WV	sed in conjunction offer of compenser article six-b of Department of	The information requirements of this chapter. Addition Environmental Protections www.dep.wv.gov/oil-ar
Well Op	perator:	Antero Resources Corpo	oration		Ad	ldress:	1615 Wynkoop Stree	et	
Telepho	ne:	(303) 357-7310					Denver, CO 80202		
Email:		asteele@anteroresource	s.com		Fac	csimile:	303-357-7315		
Oil and	Gas Pr	ivacy Notice:		1 · · · ·			11 1.	1.1 1 .	

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information please contact DEP's Chief Privacy Officer at deptrivacyofficer@wv.gov.

OCT 1 6 2015

List of Anticipated Additives Used for Fracturing or Stimulating Well

Additives	Chemical Abstract Service Number (CAS #)
Fresh Water	7732-18-5
2 Phosphobutane 1,2,4 tricarboxylic acid	37971-36-1
Ammonium Persulfate	7727-54-0
Anionic copolymer	proprietary
Anionic polymer	proprietary
BTEX Free Hydrotreated Heavy Naphtha	64742-48-9
Cellulase enzyme	(Proprietary)
Demulsifier Base	(Proprietary)
Ethoxylated alcohol blend	Mixture
Ethoxylated Nonylphenol	68412-54-4
Ethoxylated oleylamine	26635-93-8
Ethylene Glycol	107-21-1
Glycol Ethers	111-76-2
guar gum	9000-30-0
Hydrogen Chloride	7647-01-0
Hydrotreated light distillates, non-aromatic, BTEX free	64742-47-8
Isopropyl alcohol	67-63-0
liquid, 2,2-dibromo-3-nitrilopropionamide	10222-01-2
Microparticle	proprietary
Petroleum Distillates (BTEX Below Detect)	64742-47-8
Polyacrylamide	57-55-6
Propargyl Alcohol	107-19-7
Propylene Glycol	57-55-6
Quartz	14808-60-7
Sillica, crystalline quartz	7631-86-9
Sodium Chloride	7647-14-5
Sodium Hydroxide	1310-73-2
Sugar	57-50-1
Surfactant	68439-51-0
Suspending agent (solid)	14808-60-7
Tar bases, quinoline derivs, benzyl chloride-quaternized	72480-70-7

OCT 1 6 2015

Office of Oil and Gas NV Dept. or Eminopropolal Protection

4708510265



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

Earl Ray Tomblin Governor 1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Paul A. Mattox, Jr., P. E. Secretary of Transportation/ Commissioner of Highways

April 17, 2015

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

4708510265

Subject: DOH Permit for the Ireland North Pad, Ritchie County
Hughes River Unit 3H Well site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #03-2013-0010 which has been issued to Antero Resources Corporation for access to the State Road for a well site located off of Ritchie County Route 9 SLS.

The operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

Gary K. Clayton, P.E.

Regional Maintenance Engineer Central Office O&G Coordinator

Cc: Megan Darling

Antero Resources Corporation

CH, OM, D-3

File

Received

OCT 1 6 2015

Office of Oil and Gas

V/V Dopt, of Environmental Protection


11/20/2015



WV-NNAD 83 N: 238076.06
WV-NNAD 83 N: 238076.06
WV-NNAD 83 N: 238076.87
WV-NNAD 27 N: 258041.47
WV-NNAD 27 N: 258041.47
Lan NAD 83: 39,200291
Lon. NAD 83: 43,92,00291
Lon. NAD 83: 43,93,001.15
UTM 17 NAD 83 N: 4339010.15

Start New Access Road WV-N NAD 83 N: 253969.40 WV-N NAD 83 N: 253969.40 WV-N NAD 83 E: 1574607.33 WV-N NAD 27 N: 253934.85 WV-N NAD 27 E: 1606048.25 Lat. NAD 83: -80.839737 UTM 17 NAD 83 N: 4337747.03 UTM 17 NAD 83 E: 509522.39

Center of Well Pad WV-N NAD 83 N: 248149.72 WV-N NAD 83 N: 248149.72 WV-N NAD 83 E: 1571863.66 WV-N NAD 27 N: 248115.22 WV-N NAD 27 E: 1603304.54 Lat. NAD 83: 980.899096 UTM 17 NAD 83 N: 4335960.14 UTM 17 NAD 83 E: 508716.13 Pad Elev: 946.52



Pritchard Unit 111

WV-N NAD 83 N: 248168 47

WV-N NAD 83 N: 248168 47

WV-N NAD 82 E: 1571799 51

WV-N NAD 27 E: 160320 39

LOW AND 27 E: 160320 39

LOW AND 27 E: 160320 39

LOW AND 28 S: 248151 69

Earen Unit 111

WV-N NAD 28 E: 248151 69

WV-N NAD 28 E: 157183 38

WV-N NAD 27 E: 160320 57

LOW AND 28 E: 157183 38

WV-N NAD 27 E: 160320 57

LOW AND 28 E: 157183 38

WV-N NAD 27 E: 160320 57

LOW AND 28 E: 157183 38

WV-N NAD 27 E: 160330 39

LOW AND 28 E: 157183 30

WV-N NAD 28 E: 157183 30

LOW AND 28 E: 157183

Well
Prichard Unit 211
WV-N NAD 83 N. 248184 27
WV-N NAD 83 N. 248184 27
WV-N NAD 83 N. 248184 27
WV-N NAD 79 N. 248197 77
WV-N NAD 79 N. 248197 77
WV-N NAD 79 N. 248197 79
WV-N NAD 79 N. 248197 79
UTM 17 NAD 83 N. 248147 59
WV-N NAD 83 N. 248147 59
WV-N NAD 83 N. 248147 59
WV-N NAD 85 N. 248147 59
WV-N NAD 79 N. 2481180 99
WV-N NAD 79 N. 2481180 99
WV-N NAD 79 N. 2481180 11
UTM 17 NAD 88 N. 2483999.97
UTM 17 NAD 88 P. 50970 93
UTM 17 NAD 88 P. 50970 93
WW-N NAD 79 N. 248117 94
WV-N NAD 85 P. 50970 93
WW-N NAD 87 N. 248187 94
WV-N NAD 87 N. 248187 94
WV-N NAD 87 N. 248187 94
WV-N NAD 88 P. 50970 93
UW-N NAD 88 P. 50970 93
UTM 17 NAD 88 N. 248134 94
UW-N NAD 88 S. 917778 93
UTM 17 NAD 88 S. 917778 94
UTM 17 NAD 88 S. 917778 94
UTM 17 NAD 88 P. 508718 79
UTM 17 NAD 88 P. 508718 79

Table

Prifichard Crif 3H

WV-N NAD 35 N: 248160 08

WV-N NAD 35 E: 1571817-67

WV-N NAD 37 E: 1571817-67

WV-N NAD 37 D: 24812-58

WV-N NAD 27 E: 1602255-55

WV-N NAD 27 E: 1602255-55

UV-N NAD 38 - 36 3897259

UTM 17 NAD 81 N: 4315943 06

UTM 17 NAD 81 N: 4315943 06

UTM 17 NAD 81 E: 567020-75

Karen Tott 3H

WV-N NAD 38 E: 567020-75

WV-N NAD 37 E: 1607254-86

LIN NAD 38 E: 1571835-39

WV-N NAD 27 E: 1607254-86

LIN NAD 38 E: 567183-39

UTM 17 NAD 81 N: 4315981-11

UTM 17 NAD 81 N: 4315981-11

UTM 17 NAD 81 N: 4315981-11

UTM 17 NAD 81 N: 24315981-12

WV-N NAD 38 E: 597181-12

WV-N NAD 38 E: 597181-12

UV-N NAD 38 E: 597181-12

UV-N NAD 38 E: 597181-12

UV-N NAD 38 S-9717772

UN-N NAD 38 S-9717772

UN-N NAD 38 S-9717772

UN-N NAD 38 S-97181-14

UTM 17 NAD 81 S-98711-18

Hughes River Unit 4II WWN NAD 83 N: 248126 52 WWN NAD 83 N: 248126 92 WWN NAD 87 N: 248092 02 WWN NAD 27 N: 248092 02 WWN NAD 27 N: 248092 02 WWN NAD 27 N: 248092 02 Unit 19 NAD 83: 95.0399001 Unit 17 NAD 83 N: 4335953 21 UTM 17 NAD 83 E: 508724 36

Well Location Restrictions

All Pad construction complies with the following restrictions.

*250' from an existing well or developed spring used for human or domestic animals.

*625' from an occupied dwelling or burn greater than 2,500 SF used for poultry or dairy measured from the center of the pad.

*300' from the edge of disturbance to a naturally reproducing trout stream. *1,000' of a surface or ground water intake to a public water supply.

(Well Location Restrictions of WV Code :	22-6A-12)	
Floodplain Condition	15	
Do site construction activities take place in	a floodplain:	NO
Permit needed from county floodplain coore	inator:	NO
Flood Hazard Zone		X
HEC-RAS Study completed:		N/A
Floodplain shown on drawings:	10000	N/A
FIRM Map Number(s) for site:	54085C)225C
Acreages of construction in floodplain:	N/A	

Wetland Delineations as provided by GAI Consultants dated July 16, 2013

Topographic Information:

The topographic information shown herein is based on aerial photography by Riue Mountain Aerial Mapping, Burton, WV Note:

Antero Resources Corporation will obtain an Encroachment Permit (Form MM-169) from the West Virginia Department of Transportation, Division of Highways, prior to the commencement of construction activities.

MISS UTILITY OF MISS UTILITY OF
WEST VIRGINIA
1-800-245-4848
West Virginia State Les
Section XIV. (Chapter 240-0 requires
that you sellate in the state of wast Virginia.

IT'S THE LAW
Call before you dig.






District: Union County: Ritchie State: West Virginia Mobile: (817) 368-1553 Email: Jkawcak@anteron

Eli Wagoner Work: (304) 622-3842 (ext. 311) Mobile: (304) 476-9770 Email: ewagoner@anterorescurce


Ireland Nort

Site Design, Con Erosion and Sedin Antero Resource Ritchie Union ! Latitude Longitude -

Electronic version of these files may be view



Site Loca	tions (NAD 27)	
Structure	Latitude (DD)	Longitude (DD)
County Route 9	39.200208	-80.881772
Start New Access Road	39.188834	-80.889908
Center of Well Pad	39.172740	-80.899267



Antero Resources Contact Information

Site Design truction Plan, & ent Control Plans es Corporation County District

9.172824° 30.899096° API# 8510172 API# 8510173

Proper	rty Owner Inf		n - Ireland - Ritchie Cour		esign	
Owner	TM - Parcel	Well Pad	Access Road	Topsoil Excess	Add. Clearing	Total Disturbe
O'Niell Family Trust	14-10	0.00	0.85	0.00	2.17	3.02
Jason & Michelle Harshbarger	14-15	0.00	2.19	0.88	4.54	7.61
Jason & Michelle Harshbarger	14-14	0.00	1.27	0.00	1.98	3.25
Lynwood & Karen Ireland	20-2	2.29	2.90	0.27	6.43	11.89
Jack Kirch Jr.	20-1	1.27	0.01	0.00	1.20	2.48
	Cita Youtala / A - V	136	7.33	115	16.32	30.35

Access Road						
Surface Owner	TM - Parcel	Road Length				
O'Niell Family Trust	14-10	1,598.73	New Access Road Construction			
Jason & Michelle Harshbarger	14-15	2,293.09	New Access Road Construction			
Jason & Michelle Harshbarger	14-14	1,083.21	New Access Road Construction			
Lynwood & Karen Ireland	20-2	2,753.74	New Access Road Construction			

ed at: Q:\OIL GAS\SAY FILES\REVIEWS

00 di. 0.1012 d	. 10 10 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	100	and the second
CG RI 9 NAD 83 LAT: 39 200291 LON: -80 881601	Oxford CG-90-19-III	
	7	
	CO. N. P.	
Start New Access Road NAD 83 LAT: 39.188917		
LON: -50.889737		
	The same	
Old Wealts		Carlon June
	Beet 0	000 4000 6000
	SCHOOL STREET	Name and Address of the Owner, where the Party of the Owner, where the Party of the Owner, where the Owner, which is

West Virginia State Plane Coordinate System North Zone, NAD 83 Elevations Based on NAV88 Established By Survey Grade GPS and OPUS Post-Processing

Well Pad Construction	3.56 Ac
Access Road Construction	7.22 Ac
Topsoil / Excess Material	1.15 Ac
Additional Clearing	16.32 Ac
Total Disturbed Area	28.25 Ac
Additional Informat	ion
Total Wooded Acres Disturbed	
Total Linear Feet of Access Road	7,728,77

	Ireland N	orth Site	Design Qu	antities		
Description	Cut (CY)	Fill(CY)	Spoil (CY)	Borrow (CY)	Max. Slope	Length of Slope
Well Pad	27,180.61	22,180.19	5,000.42		NA	N/A
Access Road	9,160.53	8,575.24	585.29		15.00%	359.88
Topsoil/Excess Material Stockpile	0.00	10,000.68	August 1	10,000.68	N/A	N/A
Totals	36,341.14	40,756.11	5,585.71	10,000.68		
	Total Spoil (CY) =			(Exce	ess Spoil Capa	icity)

		Inlet Outlet		Const. Disturb.	
Stream and Impact Cause	Culvert (LF)	Structures Fill (LF)	Slope Fill (LF)	to LOD (LF)	(LF)
Stream I (Well Pad)	0.00	0.00	0.00	28.09	28.09

4708510265



MAC /15

Sheet	Description
1	Cover
2 3	Schedule of Quantities
3	Construction and E&S Control General Notes
4-5	Pre-Construction Site Conditions
6-7	Overall Plan View
8	Erosion and Sediment Control Plan View Phase I
9-14	Erosion and Sediment Control Plan View Phase II
15-24	Plan View
25	Disturbed Area
26	Cross Sections - Well Pad
27-29	Cross Sections - Access Road

D1-D2 Cross Sections - Access Road
D1-D2 Erosion and Sediment Control Details
R1 Site Reclamation

Surt New Access Road NAD 83 LAT. 30/18917 LON: -30/88917			
		2000	4000
Start New Access Road 35	(NAD 83) itude (DD) Longitude (DD) 9.200291 -80.881601 9.185917 -80.88737 9.172824 -80.893096		

1 10	180	- 6Y	• (1
1		320	To see	9
A L			8	/
0	1.6	1	The same of the sa	1
7	1:14		1	
	10/1	6	7	w
16	3/	T	6	
AN	8/	6	1. /	
-	Made	(P)	1	
1	The state of the s	The second	Il	1
18	2	8	争认先	5

Map I Mile ngle: Pullman South Fork Hughes River

Received Office of Oil & Gas NOV 06 2015

Kelly Surveying Contact Information

John See Work: (304) 442-0220 Mobile: (304) 419-4296 Email: john see 6051@gmail.com

Zack Summerfield Work: (304) 338-6985 Email: ksurveying@gmail.c

Ireland North Site Design Coversheet



