

Abandonment

✓ MAY - 1948

Company PITTSBURGH E. W. VA. GAS CO.  
 Address CLARKSBURG, W. VA.  
 Farm I. L. DAVIS  
 Tract \_\_\_\_\_ Acres 40 Lease No. 15780  
 Well (Farm) No. ONE Serial No. 4740  
 Elevation (Spirit Level) 1060' V.A.  
 Quadrangle HOLBROOK N.W. 13  
 County RITCHIE District CLAY  
 Engineer Kenneth B. Moore  
 Engineer's Registration No. \_\_\_\_\_  
 File No. V-156 P. 47 Drawing No. \_\_\_\_\_  
 Date APRIL 19, 1948 scale 1" = 300'

STATE OF WEST VIRGINIA  
 Department of Mines  
 OIL & GAS DIVISION  
 Charleston

WELL LOCATION MAP  
 File No. RTT - 826-A

+ Denotes location of well on U.S. Topographic Maps, scale 1 to 62,500 latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

I. L. DAVIS No. 1 (4740) - P.G.H. & W. VA. GAS CO. - RTT-826-A



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

10

WELL RECORD

Oil or Gas Well **"GAS"**  
(KIND)

Permit No. \_\_\_\_\_

Company **Pittsburgh & West Va Gas Company.**

Address **Clarksburg, West Va.**

Farm **Ivan Davis et ux** Acres **40**

Location (waters) **Holbrook N/W. 1-4**

Well No. **4740** Eley **1060' VA**

District **Clay** County **Ritchie**

The surface of tract is owned in fee by **John Hogan**  
**R.D.#1** Address **Pennsboro, W. Va.**

Mineral rights are owned by **Michie Cottrill**  
**2021-36-th. Street** Address **Parkersburg, W. Va.**

Drilling commenced **December 5th, 1919**

Drilling completed **January 9th, 1919**

Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_

With \_\_\_\_\_

Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch

Volume \_\_\_\_\_ Cu. Ft.

Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.

Oil \_\_\_\_\_ bbls., 1st 24 hrs.

Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet


Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	<b>395'</b>	<b>None.</b>	Size of
8 1/4	<b>1179'</b>	<b>1179'</b>	
6 3/8			Depth set
5 3/16	<b>1932'</b>	<b>1932'</b>	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT **182** FEET **24** INCHES  
**690** FEET **36** INCHES FEET INCHES  
FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate&Shells		Soft&Hard	0	182			
Coal	Black	Soft	182	184			
Red Rock Shells	Red	Soft&Hard	184	215			
Sand	Light	Hard	215	240			
Slate&Shells	"	Soft&Hard	240	300			
Sand	"	Hard	300	338			
Red Rock Shells	Red	Soft&Hard	338	375			
Sand	Light	Hard	375	396			
Slate&Shells	"	Hard&Soft	396	690			
Fgh. Coal	Black	Soft	690	693			
Slate&Shells	"	Soft&Hard	693	710			
lime	White	Hard	710	725			
Slate&Shells	Light	Medium	725	795			
Red Rock	Red	Soft	795	875			
Slate&Shells	Light	Hard&Soft	875	950			
Red Rock	Red	Soft	950	990			
Slate	Dark	"	990	1000			
little Dunwood	Light	Hard	1000	1023			
Slate&Shells	Light	Medium	1023	1155			
Pink Rock	Pink	Soft	1155	1165			
Slate	Light	"	1165	1175			
Gas Sand	"	Medium	1175	1240			
Slate&Shells	"	"	1240	1380			
1st.Salt Sand	"	Hard	1380	1460			
Slate	Dark	Soft	1460	1485			
2nd.Salt Sand	Light	Hard	1485	1560			
Slate&Shells	Dark	Hard&Soft	1560	1673			
3rd.Salt Sand	Light	Hard	1673	1722	Sh. Gas	1722'	
Slate	Dark	Medium	1722	1747			
Sand	Light	Hard	1747	1815			
Slate&Shells	Dark	Soft&Hard	1815	1859			
Maxon Sand	Light	Hard	1859	1869			
Slate	Dark	Soft	1869	1873			
little Lime	Light	Hard	1873	1890			
Slate	"	Soft	1890	1900			
Sand	"	Hard	1900	1908			
Slate	"	Soft	1908	1915			
Big Lime	"	Hard	1915	1982	Gas	1984-1988'	
Big Injun	"	"	1982	2042	Gas	1994-1996'	



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate	Light	Soft	2042	2059			
Total Depth.....				2059			

October 23rd, 1947

Date \_\_\_\_\_, 19\_\_\_\_

**PITTSBURGH & WEST VA GAS COMPANY.**

APPROVED \_\_\_\_\_

Owner

By \_\_\_\_\_

(Title)



FIRST PRESSURE TEST IN <u>5 3/4</u> CASING			REMARKS
30 Sec.	<u>18</u>	lbs. <u>11/10 W 5 3/4</u>	
1 Min.	<u>32</u>	"	
2 "	<u>60</u>	" <u>80</u> <u>126</u>	
5 "	<u>120</u>	"	
10 "	<u>175</u>	"	
15 "	<u>190</u>	" <u>200</u>	
30 "	<u>206</u>	" <u>214</u>	
Rock Pressure	"	in	
Taken	<u>Jan 9</u> 19 <u>20</u>		
By	<u>D. A. Shinn</u>		

WELL TUBED AND PACKED Jan 13 1920  
 VIZ: used 101 ft. 2057 ft. 5" tubing  
1-5 3/4 & 2 Anchor Cocks  
5 ft. 85 ft. of Anchor

FIRST PRESSURE TEST IN <u>2</u> TUBING			REMARKS
30 Sec.	<u>112</u>	lbs. <u>20/10 W 2"</u>	
1 Min.	<u>150</u>	"	
2 "	<u>173</u>	" <u>184</u> <u>199</u>	
5 "	<u>193</u>	"	
10 "	<u>200</u>	"	
15 "	<u>205</u>	" <u>201</u>	
30 "	<u>209</u>	" <u>211</u>	
Rock Pressure	"	in	
Taken	<u>Jan 13</u> 19 <u>20</u>		
By			

MATERIAL FOR THIS WELL RECEIVED FROM FOLLOWING SOURCES:

Blank lined area for recording material sources.

Well # 4740 L. L. Davis

NAME	TOP	BOTTOM	OIL	GAS	WATER	REMARKS
Water Shells		183				
Coal	182	184				
Red Rock	184	215				
Sand	215	240				
Water Shells	240	300				
Sand	300	338				
Red Rock	338	375				
Sand	375	396				
Water Shells	396	690				
Coal	690	693				
Water Shells	693	710				
Clay	710	725				
Water Shells	725	795				
Red Rock	795	875				
Water Shells	875	950				
Red Rock	950	990				
Water	990	1000				
Sand	1000	1023				
Water Shells	1023	1155				
Water (in Rock)	1155	1175				
Sand	1175	1240				
Water Shells	1240	1380				
Sand	1380	1460				
Water	1460	1560				
Water Shells	1560	1722				
Sand	1722	1749				
Water	1749	1815				
Sand	1815	1869				
Water	1869	1973				
Clay	1973	1890				
Sandstone	1890	1908				
Water	1908	1915				
Clay	1915	1982				
Sand	1982	2042				
Water	2042	2059				
Total Depth		2059				