

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Tuesday, January 17, 2023
WELL WORK PLUGGING PERMIT
Vertical Plugging

HG ENERGY, LLC 5260 DUPONT ROAD

PARKERSBURG, WV 26101

Re:

Permit approval for 5 47-087-00894-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: 5

Farm Name: KAUFMAN, WILLIAM

U.S. WELL NUMBER: 47-087-00894-00-00

Vertical Plugging Date Issued: 1/17/2023



PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

WW-4B Rev. 2/01

1) Date	Nove	mber:	21	, 2	0 22
2)Oper					
Well	No.	William	Kaufman #	5	
3)API	Well	No.	47-087		00894

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	APPLICATION FOR A PERM	IIT TO PLUG AND ABANDON
4)	Well Type: Oil X / Gas/ Liquid (If "Gas, Production or Und	d injection/ Waste disposal/ derground storage) Deep/ Shallow X
5)	Location: Elevation 1117' District Smithville	Watershed Millstone County Roane Quadrangle Looneyville 7.5'
6)	Well Operator HG Energy, LLC Address 5260 Dupont Road Parkersburg, WV 26101	7) Designated Agent Diane White Address 5260 Dupont Road Parkersburg, WV 26101
8)	Oil and Gas Inspector to be notified Name Joe Taylor Address 1478 Claylick Road Ripley, WV 25271	9) Plugging Contractor Name To Be Determined Upon Approval of Permit Address
*		A MINIMUM OF 6% BENTONITE (BY WEIGHT);
	*See Attached	RECEIVED Office of Oil and Gas
		WV Department of Environmental Protection
Not:	ification must be given to the district of can commence.	il and gas inspector 24 hours before permitted
Wor	k order approved by inspector	Date 12-5-22

Wm Kaufman 5 Manners of Plugging 47-087-00894

STOT GEL TO TD & COL SPACERS BETWEEN EACH CEMENT PLUG.

Plug No 1	2245'-2145'	
Free point, cut, pull 51/2" csng - set 1800'		and the state of the special s
Plug No 2	1 9 50'-1750'	May be adjusted based on free point
Plug No 3	1170'-1030'	
Plug No 4	875'-775'	
Plug No 5	575'-470'	
Plug No 6	200'-0	

RECEIVED
Office of Oil and Gas

DEC 1 2 2022

WV Department of Environmental Protection Manners of Plugging Wm Kaufman No 5 47-087-00894 Elev: 1117'

10/21/2022

Plug No 6: 200'-0'

CEL

CEL

Plug No 5: 575'-470'

fresh water: 124'-150'

10" csng: 522'- pulled

Plug No 4: 875'-775'

Plug No 3: 1170'-1030

Plug No 2: 1350'-1750' Freepoint, cut, pull 5 1/2 cang - may be adjusted to actual cut

Plug No 1: 2245'-2145'

CEL GEL GEL

PBTD: 2281'

TD: 2314'

fresh water: 825'

8 1/4" csng:1088'- pulled

Est free point: 1800'

salt water -1900'

RECEIVED

Office of Oil and Gas

TOC (est)(2004' - 1906)

WV Department of Environmental Protection

7" liner: 2103'-2148' & SHUT OF PENCIL CAJE

5 1/2 csng: 2247'- cement w/ 35 sks

open hole: 2247'-2281'

SOUTH PENN OIL COMPANY

4708700894 4

NEW WELL REPORT

LEASE NO.	<u> </u>		800	ACRES	WORKING DISTRIC	т	Spencer	1.4	·
Wa. I	Carthan	L		FARM	WELL NO5	. N	. s 17	. E	. w. 🕦
Sed ti	hfield		DISTRIC		Rosne	Coun	TY		QUAD.
LOCATION MADE	Mag	1h.		19_ 62	DRILLING COMMEN	NCED	Jane 15,		19_62
RIG COMMENCED	वैध्य	e 13,	and and	19_62	DRILLING COMPLE	TED.	aly 25,		19_62
RIG COMPLETED	du	15,		19_62	DEPTH 23	η,	SAND	Big In	<u>jus</u>
RIG CONTRACTOR_	Ges	rald D.	lones		DRILLING CONTRA	ACTOR	netald n	. Jones	
ELEVATION: FLOOR		n - 5	GROUND 1	4 400	WORK ORDER NO.	一地社	- 6	AFE	* B-9-1
KIND	TOP	воттом	STEEL LINE MEAS.	FORMATIO	N RECORD	TOP	воттом	STEEL LINE MEAS.	TEST
		-	MEAS.	www.co	Send	2852	2989	MEAS.	
Se <u>11</u>	0	15	15		water, Salt	20070	1900	1	Hole Pull
Conductor Send	15	15	- 25	C++ 04	Slate & Shell	a 1989	2039		
Red Hock	60	105	- +		Send	2039	2091		
Siete	205	124		140 15 140	Little Line	2091	2215		
Sen4	124	15	1		Slate	2115	2118		
Mater, Fresh	124	150	3	Bailer/Zhir	Seed	2118	223		
Slate	254	185			Pencil Cave	21,20	23,33		
Sand	185	236			Mg Lime	21,31	3257	-	
Red Rock	236	2P5			52 Casing		2247	2247	Show Only
Slate	242	277			011	22175	2261		ones carl
Red Rock	217	318	1 -		Keener Send	2251	2268		
Send	33.8	394			Big Injen	2261	2262		Ins. To test
Red Rock	394	P35			Oil & Gas	5207	2002		7759 20 1690
<u> Slate</u>	1422	hh6		£12 3	Slate	2288	2314		
Red Rock	27 P	273	522		02848		•>	-	
Slate	543	555			Total Depth		2304	230h	
Red Rock	555	570			Trees sayes				
Sand Red Rock	570	585		\	FILLED BACK V	ATTH STO	HE & MUD	8	
Sand	585	661			4	230.h	2251	-	
Slate	667	762		-1 -14e -000 (c) (c)			+		
Red Rock	762	785			Total Depth		2281	2201	Final
Slate	784	792		Ta an area and					
Smd	792	832				+	+		
Water, Fresh	+- ***	825		1/h Bb1./Hr.		1			
Red Rock	832	861						1	
Sand	861	879	d		1		1		
Red Rock	379	924				1	1 1		
Slate	924	910			1	A	1		RECEIVE
Red Rock	910	955			2:3/				Office of Oil
Slate	955	1001			/				DEC 19
Red Rock	1001	1048			1				DEC 12
State	1048				L				
Pink Rock	1071			S 2 10			1		WV Dapa
Slate	1081	1167					+	En	vironme res
Send	1167	4		-					
Slate	1276								
Sand	1352								
State	1518						+		
Stad	1583								
Diate			1						
Seed	7955	1	1						
Slate à Shell	Le 1667	185	L						
	1	1	1		11				01/

INITIAL TORPEDO RECORD shot ne of Torpedo Co. No. of Quarts Length of Shell Diameter of Shell Length of Anchor Top of Shot Bottom of Shot Feet of Fluid in Hole When Shot Results: INITIAL PRODUCTION FIRST 24 HOURS Open Flow /10ths Water in inch /10ths Merc. in inch Volume Institution To Test Cu. Ft. Rock Pressure ibs hrs. Oil ACIDIZATION OR FRACTURING RECORD	10° 8¼° 7° (Li 5½° Blos 2° Tog.Blos	pack) poor Tr. 162 2 poor Tr. 163 2	270	PULLED OUT NSFER NO. FEET NCH \$22 1088
ne of Torpedo Co. No. of Quarts Length of Shell Diameter of Shell Length of Anchor Top of Shot Bottom of Shot Feet of Fluid in Hole When Shot Results: INITIAL PRODUCTION FIRST 24 HOURS Open Flow /10ths Water in inch /10ths Merc. in inch Volume Instituted To Test Cu. Ft. Rock Pressure ibs. hrs. Oil College Ans.	10° 81° (L'S)° Slor	PACK	522 — 038 — 45 — 270 —	1088 -
No. of Quarts Length of Shell Diameter of Shell Length of Anchor Top of Shot Bottom of Shot Feet of Fluid in Hole When Shot Results: INITIAL PRODUCTION FIRST 24 HOURS Open Flow /10ths Water in Inch /10ths Merc. in Inch Volume Inch Rock Pressure Ibs. hrs. Oil Institute Institute Ibs. Inch Inch Inch Inch Inch Inch Inch Inch	Sin (L. Sin Blog	pack) poor Tr. 162 2 poor Tr. 163 2	270 280	1088 -
No. of Quarts Length of Shell Diameter of Shell Length of Anchor Top of Shot Bottom of Shot Feet of Fluid in Hole When Shot Results: INITIAL PRODUCTION FIRST 24 HOURS Open Flow /10ths Water in Inch /10ths Merc. in Inch Volume Inch Rock Pressure Ibs. hrs. Oil Institute Institute Ibs. Inch Inch Inch Inch Inch Inch Inch Inch	7" (L. Sim Blog	PACK	270 280	
Length of Shell Diameter of Shell Length of Anchor Top of Shot Bottom of Shot Feet of Fluid in Hole When Shot Results: INITIAL PRODUCTION FIRST 24 HOURS Open Flow /10ths Water in Inch /10ths Merc. in Inch Volume Cu. Ft. Rock Pressure Ibs. hrs. Oil 3 College 1885. First 24 hrs.	Sa Tog.Blo	162 2 162 2 163 2 163 2	280	
Diameter of Shell Length of Anchor Top of Shot Bottom of Shot Feet of Fluid in Hole When Shot Results: INITIAL PRODUCTION FIRST 24 HOURS Open Flow /10ths Water in Inch /10ths Merc. in Inch Volume Cu. Ft. Rock Pressure Ibs. hrs. Oil 3 College 1885. First 24 hrs.	2ª Tog.Bles	162 2 9 mr Tr. 163 2	280	
Length of Anchor Top of Shot Bottom of Shot Feet of Fluid in Hole When Shot Results: INITIAL PRODUCTION FIRST 24 HOURS Open Flow /10ths Water in Inch /10ths Merc. in Inch Volume Cu. Ft. Rock Pressure Ibs. hrs. Oil 3 College 1888. First 24 hrs.	KIND	PACK	280	
Top of Shot Bottom of Shot Feet of Fluid in Hole When Shot Results: INITIAL PRODUCTION FIRST 24 HOURS Open Flow /10ths Water in Inch /10ths Merc. in Inch Volume Inch Rock Pressure Ibs. hrs. Oil Ichs, First 24 hrs.	KIND	PACK	ER RECORD	
Bottom of Shot Feet of Fluid in Hole When Shot Results: INITIAL PRODUCTION FIRST 24 HOURS Open Flow /10ths Water in Inch /10ths Merc. in Inch Volume Inch Volume Inch Rock Pressure Ibs. hrs. Oil Ichs Her.	KIND	PACK	ER RECORD	
INITIAL PRODUCTION FIRST 24 HOURS Open Flow / 10ths Water in Inch / 10ths Merc. in Inch Volume Institute To Test Cu. Ft. Rock Pressure Ibs. hrs. Oil 3 College Hrs.	1002 IZV (10	SI		
INITIAL PRODUCTION FIRST 24 HOURS Open Flow /10ths Water in Inch /10ths Merc. in Inch Volume Inch Volume Inch Rock Pressure Ibs. hrs. Oil 3 College Ibs. List, First 24 hrs.	1000 EE 2000	SI		
Open Flow /10ths Water in	1000 EE 2000	SI		i i
Open Flow /10ths Water in	1000 EE 2000	SI		1
Open Flow /10ths Water in	1000 EE 2000	SI		gelden være blen
Open Flow /10ths Water in	1000 EE 2000	SI		į
Open Flow /10ths Water in	1000 EE 2000	SI		1
Open Flow /10ths Water in	1000 EE 2000		E DEPTH S	200 -
/10ths Merc. in Inch Volume_Institutent 70 Test Cu. Ft. Rock Pressure_Sens Ibs. hrs. Oil3 Cellons	real rice	72	21.00	에 다른 다른 아이들의 그리다 그 그리고 있다.
Volume Insufficient 70 Test Cu. Ft. Rock Pressure Ibs. hrs. Oil 3 Collens X5:s., First 24 hrs.	* * = 0 %, * *		24 2247°	7-19-62
Rock Pressure lbs. hrs. Oil 3 Gellens Lbs., First 24 hrs.	3 = 85,	=9.		E 122
Oil 3 Gellens XSis., First 24 hrs.	0.00			8.41
5005., Pan 24 ms.			.02	g
ACIDIZATION OR FRACTURING RECORD			(225.4.194.194)	
The state of the s		İ	CASING CEM	ENTED
DATE WELL ACIDIZED				
DATE WELL FRACTURED. 7-30-62		5 Siz	2247 FT	7-19-62
NAME OF COMPANY BALLIBUREON COMPANY				
(List below materials used in Acidizing or Fracturing, i.e., Sand, Crude C	il, Gasoline,	SIZ	E Fт.	DATE
Water, Kerosene, Mothballs, Acid, etc., giving gallons, barrels and pound	ls).	Siz	Е	DATE
Used: 760 Bbls. Water		USED I	N C A NTING	San Casimia
Used: lpb,000# Sand	¥ 1		***************************************	
Used: 10 Gal. Norrie		25 non		
Used: 250 Hal. 10% Acid			of h. F. C	anent .
Veed: 15 dal. Howco Sude	2 10	o Bag	s of Aquagel	2 a 6 as
Used: 1000# Hock Salt	F.S. 13			
	14 14			•
CONTRACTOR OF THE PROPERTY OF		s	•••	
		ec .	: *	- 7
	2.5			RECEIVED
BREAKDOWN PRESSURE 1500 to 2300#				Office of Oil and (
FOMFING FRESSURE				The second second second
AVERAGE PUMPING RATE/MUNUTE 26.5 Bbls.	- variety	=		DEC 1 2 202
FUMPING TIME				
TREATMENT GAS SILE BELLY	CU. FT.			WV Departmen
ROCK PRESSURE AFTER TREATMENT 3504	BBLS.			Environmental Provide
· · · · · · · · · · · · · · · · · · ·				man in manager of the
REMARKS. Well Filled with Stone & Mad - 231h'				
Hell Filled with Cal Seal 2286	to 2231°		e (**)	The second is being
B' of 7" Casing with 7" Steel Shoe or	n Fach End,	Set at Zu	13' to 21/10'	to Start Off
Fancil Cave.				
Wall was loaned by Sablantanian Wall	C. marting and			****
Well was logged by Schlumbergor Well	our while (orderector.	ou anth SL	7205.
This well was drilled according to Ru	In 17	W CANSTER S	7 20 200	
Chapter 22 of the Code of the Department	ern of Fine	a tell a	o retain	Ter elle
And the same or and the train to the training of	ore or time	op OTF St CS	SO STATEFORM	
				The state of the s
The second control of the control of		teen er it in 1000		

- C Craure

WW-4A Revised 6-07

1) Date: Novembe	21, 2022			22	
2) Operator's Well Num William Kaufman No. 5	mber			J.	
3) API Well No.: 47 -	087	-	00894	1	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

1) C	an(a) to be somed:	5) (a) Coal Operator	p.	
 Surface Own (a) Name 	er(s) to be served: Rickey Jarvis c/o Brad Hily		Name	NIA	
Address	1721 Lick Fork		- Address	IVA	±
Address	Spencer, WV 25276				
(b) Name	74		(b) Coal Ov	vner(s) with Declaration	
Address			Name	NA	
Hudress			Address	1	
(c) Name			Name		
Address			Address		
3) Inspector	Joe Taylor	1	(c) Coal Les	ssee with Declaration	
Address	1478 Claylick Road	2/	Name	NA	
	Ripley, WV 25271		Address		
Telephone	304-380-7469				
Take notice accompanyir Protection, v the Applicat	ng documents for a permit to	he West Virginia Codo plug and abandon a velocation described or mailed by registered	vell with the Chief of the the attached Application or certified mail or de	operator proposes to file or has filed the Office of Oil and Gas, West Virginia on and depicted on the attached Form livered by hand to the person(s) name	Department of Environmental WW-6. Copies of this Notice, ed above (or by publication in
~~~~~~~	~~~~~~~	Well Operator	HG Energy, LLC		RECEIVED Office of Oil and G
NO	FICIAL SEAL TARY PUBLIC	By:	Diane White	Diane White	Onice of Oli and G
	of WEST VIRGINIA	Its:	Agent		DEC 1 2 202
HC 5260	G Energy LLC DUPONT ROAD	Address	5260 Dupont Road		
PARKER	RSBURG WV 26105 CXPIRES NOVEMBER 2, 2028		Parkersburg, WV 261	01	WV Department of
	~~~~~~	Telephone	304-420-1119	* 1	Environmental Protec
Subscribed and s	worn before me this	. 22 da	ay ofNov	Notary Public	-1
	0100			Description of the Control of the Co	
My Commission	Expires 11/2	12026			

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

83	U.S. Postal Service™ CERTIFIED MAIL® RECEIPT Domestic Mail Only
3.4	For delivery information, visit our website at www.usps.com .
3830	Certified Mail Fee \$ Extra Services & Fees (check box, add fee & appropriate) Return Receipt (hardcopy) \$
0000	Return Receipt (electronic) Certified Mail Restricted Delivery Adult Signature Required Adult Signature Restricted Delivery \$
1640	Postage \$
Ч	Total Postage and Fees \$ WK.5 PA
7019	Street and Apt. No., or FO Box No. 1721 Lick Fork
~	
	Spencer WV 25216
	PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

Office of Oil and Service of Oil



HG Energy, LLC 5260 Dupont Road Parkersburg, WV 26101 (304) 420-1100 - Office (304) 863-3172 - Fax

November 21, 2022

Rickey Jarvis c/o Brad Hilyer 1721 Lick Fork Road Spencer, WV 25276

RE:

William Kaufman No 5 (47-087-00894)

Smithfield District, Roane County

West Virginia

Dear Landowner:

Enclosed are copies of various application papers that we have filed with the West Virginia Department of Environmental Protection (WVDEP), Office of Oil and Gas. A well work permit is being requested for the above-referenced well.

Pursuant to WV Code Chapter 22B, Article 6, you are receiving copies of this correspondence because the well or other anticipated disturbance is located on your surface property. Your rights as a landowner are detailed in the enclosed permit application papers.

No action on your part is required. If you have any questions or comments regarding this application, you may call this office at (304) 420-1119.

Very truly yours,

Diane White

Diane C. White

RECEIVEL
Office of Oil and Gass

DEC 1 2 2027

WV Department of Environmental Programs

SURFACE OWNER WAIVER

Operator's Well Number

William Kaufman 5

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection $601\ 57^{\text{th}}\ \text{St. SE}$ Charleston, WV 25304 (304) 926-0450 RECEIVED
Office of Oil and Gas

DEC 1 2 2022

144 July .

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no	objection	to the planned	d work described in these materials, and I have no
objection to a permit being issued on th	iose materi	ials.	ALC:
FOR EXECUTION BY A NATURAL P	ERSON		FOR EXECUTION BY A CORPORATION,
ETC.			
	Date	No	ame /
~	Date _		-
Signature		By	
		Its	Date

WW-9 (5/16)


API Number	47 -	087	_ 00894	
Operator's We	ell No).		

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN	
G HG Energy II C	OP Code 494497948	
Operator Name HG Energy, LLC Watershed (HUC 10) Millstone	Quadrangle Looneyville 7.5'	
Do you anticipate using more that	n 5,000 bbls of water to complete the proposed well work? Yes	No 🗸
Will a pit be used? Ves	NO / ANY WELL ECFLUEUT WILL BE COM	an approved disposal site
	icipated pit waste: Any fluids encountered while plugging well, will be transported to used in the pit? Yes No If so, what ml.?	an approved dispersions
Will a synthetic liner be		
	od For Treated Pit Wastes:	
	Application (if selected provide a completed form WW-9-GPP) ground Injection (UIC Permit Number)
Reuse	(at API Number)
	e Disposal (Supply form WW-9 for disposal location)	9
Other	(Explain	
Will closed loop system be used?	2 If so describe: No	
	his well (vertical and horizontal)? Air, freshwater, oil based, etc. NA	Office of Oil and
	Synthetic, petroleum, etc. NA	Office of Oil and Gaz
Additives to be used in drilling m		Environment of
	Leave in pit, landfill, removed offsite, etc. Remove offsite	Environmental Protection
and the second s	solidify what medium will be used? (cement, lime, sawdust) NA	
	e/permit number? Would be determined at time of offsite disposal	
Permittee shall provide written no West Virginia solid waste facility where it was properly disposed.	otice to the Office of Oil and Gas of any load of drill cuttings or associate. The notice shall be provided within 24 hours of rejection and the perm	ated waste rejected at any nittee shall also disclose
on April 1, 2016, by the Office of provisions of the permit are enforced or regulation can lead to enforced I certify under penalty application form and all attachments the information. I believe that the	this 22 day of NOVENBER, 20 22	formation submitted on this ely responsible for obtaining are significant penalties for
1611	Notary Public	SIATE OF WEST VIRGINIA Mark J Schall HG Energy LLC
My commission expires	12/2026	5260 DUPONT ROAD PARKERSBURG WV 26105 MY COMMISSION EXPIRES NOVEMBER 2, 2020
	· · · · · · · · · · · · · · · · · · ·	01/20/2023~

	<u> </u>			Operator's We	ell No
					41
roposed Re	vegetation Trea	atment: Acres Disturbed5 a	cres	Preveg etation pH	
Lim	e	3 Tons/acre or to correct t	to pH 6.5		
Fert	tilizer type 10	-20-20			
Fert	tilizer amount_	500	lbs/acre		
Mu	lch_ Straw	2 1	Tons/acre		c e
	N.		Seed Mixtures		
	Т	emporary		Permai	nent
See	ed Type	lbs/acre		Seed Type	lbs/acre
Γall Fe		40	Tall Fe	escue	40
adino	Clover	5	Ladino	Clover	5
	Sa .				
rovided). I L, W), and	f water from th area in acres, o	pit and proposed area for land a e pit will be land applied, prov of the land application area. olved 7.5' topographic sheet.	vide water volume, in	clude dimensions (L,	W, D) of the pit, and dimen
lan Appro	ved by:				RECEIVED Office of Oil
Comments:				W.C.	Office of Oil and o
					DEC 1 2 202
				3	WV Departmental Protect
Title:	o Insp	do	Date:	2-5-22	
Title: Field Revie	C Logo	Yes (Date: 1	2-5-22	

4708700894P



West Virginia Department of Environmental Protection Office of Oil & Gas

WELL LOCATION FORM: GPS

API: 47	- 087 - 00894	WELL NO:	5
FARM NAME:	Wm. Kaufman		
RESPONSIBLE PARTY	NAME: HG Energy, LLC	C	
COUNTY:	Roane	DISTRICT:	Smithfield
QUADRANGLE:	Spencer 7.5'		
SURFACE OWNER:	Rickey W. Jarvis c/o Brad	S. Hilyer	*
ROYALTY OWNER:	HG Energy, LLC et al.		
UTM GPS NORTHING:	4,289,879		(1109')
UTM GPS EASTING:	476,728	GPS ELEVATION:	338 m.
preparing a new well local Oil & Gas will not accept 1. Datum: Na height abo 2. Accuracy to	med above has chosen to submit GP tion plat for a plugging permit on the GPS coordinates that do not meet the AD 1983, Zone:17 North, Coordinates mean sea level (MSL) - meters. To Datum - 3.05 meters extion Method:	e above well. The Office on the following requirements:	
Survey Grade (GPS — Post Processed Differential Real-Time Differential	al	
Mapping Grade	e GPS X Post Processed Differential Real-Time Differential	al X	
I the undersigned, hereby belief and shows all the ir prescribed by the Office of	certify this data is correct to the best aformation required by law and the r of Oil and Gas.	t of my knowledge and egulations issued and	4.
Diane White	Diane C. White	Designated Age	ent
Signature		Title	
Octobe	er 26, 2022		



November 21, 2022

Jeff McLaughlin WVDEP Division of Oil & Gas 601 57th Street Charleston, West Virginia 25304

RE:

William Kaufman No. 5 (47-087-00894)

Smithfield District, Roane County

West Virginia

Dear Mr. McLaughlin:

Enclosed are Forms WW-4(A), WW-4(B), WW-9, and WW-7, topo map, well record, copy of certified mailing receipt to plug and abandon the above-captioned well.

Very truly yours,

Diane White

Diane C. White

RECEIVED
Office of Oil and Gas

DEC 1 2 2022

Enclosures

WV Department of Environmental Protection

cc:

Rickey Jarvis c/o Brad Hilyer – Certified Joe Taylor – WV State DEP Inspector



Kennedy, James P < james.p.kennedy@wv.gov>

plugging permit issued 4708700894

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Tue, Jan 17, 2023 at 1:33 PM

To: Diane White <dwhite@hgenergyllc.com>, Joseph D Taylor <joseph.d.taylor@wv.gov>, ewestfall@wvassessor.com

To whom it may concern, a plugging permit has been issued for 4708700849.

James Kennedy

WVDEP OOG

2 attachments

7

IR-8 4708700894.pdf

120K

7-

4708700894.pdf 3155K